



**Amended and Restated
TECHNICAL REPORT ON THE

LA BUFA PROPERTY,
Guadalupe y Calvo, Chihuahua State, Mexico**

Prepared for:
Lincoln Mining Corporation
350 – 885 Dunsmuir Street
Vancouver, BC

And

Elgin Mining Inc.
83 Yonge Street
Toronto, Ontario

In Connection with a Proposed Transaction Involving a Letter Agreement
Between the Two Companies

By:

Richard W. Bybee, P.Geo.

Consulting Geologist
4465 Cobra Drive
Sparks, Nevada 89436
U.S.A.

June 17, 2011

TABLE OF CONTENTS

3.0	EXECUTIVE SUMMARY	5
4.0	INTRODUCTION	8
4.1	Terms of Reference.....	8
4.2	Purpose.....	7
4.3	List of Abbreviations.....	7
4.4	Sources of Information.....	8
4.5	Site Visit.....	9
5.0	RELIANCE ON OTHER EXPERTS	10
5.1	Site Visit.....	11
5.2	Disclaimer	12
6.0	PROPERTY DESCRIPTION AND LOCATION	12
6.1	Location	12
6.2	Description.....	13
6.3	Mineral Tenure.....	16
6.4	Environmental Liabilities and Permits.....	18
7.0	ACCESSIBILITY, PHYSIOGRAPHY, CLIMATE, INFRASTRUCTURE, LOCAL RESOURCES	19
7.1	Access	19
7.2	Topography, Elevation and Vegetation	19
7.3	Climate.....	20
7.4	Infrastructure.....	20
7.5	Local Resources	20
8.0	History.....	20
8.1	Discovery and Past Production at the Rosario Mine	20
8.2	Past Work on La Bufa Property	21
9.0	GEOLOGICAL SETTING	30
9.1	Regional Geology	30
9.2	District Geology.....	32
9.3	Property Geology.....	34
10.0	DEPOSIT TYPES.....	37
11.0	MINERALIZATION	38
12.0	EXPLORATION.....	39
12.1	Summary of Exploration Work at La Bufa by Lincoln Mining.....	39
12.2	Soil Survey in the Southern La Bufa Concession	40
12.3	Geologic Mapping and Rock Outcrop Sampling in the Southern La Bufa Concession	42
12.4	Exploration Work in the La Bufa 1 and La Bufa 2 Concessions.....	44
12.5	Results.....	48
12.6	Interpretation.....	50
12.7	Data Reliability	51
13.0	DRILLING.....	52
13.1	Type of Drilling.....	51
13.2	Area Tested and Extent of Drilling.....	51

13.3	Drilling Procedures.....	53
13.4	Summary and Interpretation of Core Drilling Results.....	54
14.0	SAMPLING METHOD AND APPROACH.....	56
14.1	Soil Sample Program	56
14.2	Outcrop Rock Sampling.....	58
14.3	Core Samples	58
14.4	Sample Quality.....	59
14.5	Summary of Relevant Sample Values	59
15.0	SAMPLE PREPARATION, ANALYSES AND SECURITY	62
15.1	Sample Preparation and Analysis	62
15.2	Quality Control	63
15.3	Security	64
16.0	DATA VERIFICATION	64
17.0	ADJOINING PROPERTIES (Adjacent Properties).....	66
18.0	MINERAL PROCESSING AND METALLURGICAL TESTING	67
19.0	MINERAL RESOURCE AND MINERAL RESERVE ESTIMATES.....	67
20.0	OTHER RELEVANT DATA AND INFORMATION	67
21.0	INTERPRETATIONS AND CONCLUSIONS.....	68
22.0	RECOMMENDATIONS AND GENERALIZED BUDGET FOR PROPOSED WORK PLAN.....	70
23.0	REFERENCES	73
24.0	DATE AND SIGNATURE PAGE	75

LIST OF FIGURES

Figure 6.1 General location of La Bufa Project.....	12
Figure 6.2 Bufa Concession Map.....	14
Figure 8.1 Location of Past Work.....	22
Figure 9.1 Regional Geology	31
Figure 9.2 Generalized Geology Guadalupe District.....	33
Figure 9.3 Interpretive Geology and Vein Structure Map	35
Figure 9.4 Section 305049E (view looking NW)	36
Figure 12.1 Location of Soil Sample Grid.....	41
Figure 12.2 Rock Sample Points.....	44
Figure 12.3 Sample Plan Map for La Bufa 1 and La Bufa 2	45
Figure 12.4 Geophysical Lines and Soil Sample Points at La Bufa 1 and La Bufa 2.....	46
Figure 12.5 Gold in Soil.....	48
Figure 13.1 Lincoln Mining Drill Hole Plan Map	54

LIST OF TABLES

Table 4.1 List of Abbreviations and Names Used in this Report	7
Table 6.1 Title Information Relevant to Lincoln Mining's La Bufa Project.....	16
Table 6.2 Annual Holding Costs to Mexican Government	16
Table 6.3 Lincoln Mining Expenditures Credited to La Bufa Property	17
Table 8.1 Consejo de Recursos Minerales Santo Nino Core Holes, 1974	23
Table 8.2 Concessions on which C.R.M. work was done, 1977	23
Table 8.3 Grid Capital Core Hole Collar File	26
Table 8.4 Significant Intercepts of ≥ 1.0 g/T Au from Grid Capital Core Holes	27
Table 8.5 Summary of Exploration History for Guadalupe y Calvo District	28
Table 12.1 Samples Collected July 2005 by Lincoln Mining	38
Table 13.1 Surveyed Drill Hole Coordinates for Lincoln Mining Drilling 2008.....	52
Table 14.1 Significant Drill Hole Intercepts for La Bufa 2008 Drilling	59
Table 15.1 Sample Preparation and Analytical Methods Used by Lincoln Mining.....	61
Table 22.1 Budget for Recommended Exploration at La Bufa	70

LIST OF PHOTOS

Photo 7.1 View looking northwest to northeast portion of Guadalupe y Calvo	19
Photo 8.1 Santo Niño Mine Adit, View looking East, Note ore stockpile (yellow color) to left..	23
Photo 8.2 Santo Niño Vein at surface cut above Chapito Mine. View is looking west along strike.....	26
Photo 9.1 Quartz vein cobble at contact between LVG and UVG rocks. Head of hammer is in weakly argillic and Fe stained andesite tuff (LVG) while gray color rock above handle is quartz- biotite rich crystal tuff (UVG)	37
Photo 12.1 Cascabel Personnel front left and front right with local helpers.	42
Photo 13.1 Hydracore Gopher Drill at Drill Hole LBDDH-001	52
Photo 14.1 Collecting Soil Sample.....	57

LIST OF APPENDICES

APPENDIX 1	Copies of the title documents and Purchase Agreement for all concessions
APPENDIX 2	Copies of the C.R.M. Underground Sample Data Spreadsheets and Assay Certificate for Ing. Artoro Perea samples
APPENDIX 3	Grid Capital Drill Hole Data for the December 2004 Core Drilling Program
APPENDIX 4	Lincoln Mining Sample Data from 2005 Site Visit with Sample Location Map (Figure A), ALS Chemex Assay Certificate
APPENDIX 5	Sample Coordinates and ALS Chemex Assay Certificates from 2006 Lincoln Mining Soil Sample Program
APPENDIX 6	Sample Database from Lincoln Mining 2007 Outcrop sampling and ALS Chemex Assay Certificates
APPENDIX 7	Down Hole Survey Spreadsheet, Geological Cross Sections and Drill Hole Log
APPENDIX 8	Standard and Blank Quality Control Electronic files from ALS Chemex for all Final Assay Reports, Final Certificates are pending
APPENDIX 9	Electronic files for all Final Assay Reports for Rock and Soil Samples Completed during 2010.

3.0 EXECUTIVE SUMMARY

Richard W. Bybee, Consulting Geologist, has been engaged by Lincoln Mining Corporation, a corporation existing under the laws of Canada, to Amend and Restate the Technical Report dated February 9, 2009 to include results of new exploration work and land acquisition activities at the La Bufa project in Chihuahua, Mexico that have been conducted since the conclusion of the business combination between Lincoln Mining and LPT Capital in August of 2009. The recent exploration work at La Bufa was completed by Minera Lincoln De Mexico S.A, C.V. which is a wholly owned subsidiary of Lincoln Gold Corporation. (Lincoln Gold Corporation is a wholly owned subsidiary of Lincoln Mining). The type of exploration work completed includes reconnaissance scale geologic mapping, collections of rock and soil samples and the completion of ground geophysical IP-Resistivity surveys. All of this new work was done in the northern portion of the property in the La Bufa 1 and La Bufa 2 concessions. Also, Lincoln Mining has made a significant change in the property tenure with the purchase of the El Chapito, La Bufa, La Bufa 1 and La Bufa 2 concessions. Lincoln Mining now controls 100% of the four concessions that comprise the La Bufa Property totaling 2308.7594 hectares.

This technical report is also being made in connection with a proposed transaction involving a Letter of Agreement between Lincoln Mining and Elgin Mining Inc. The Letter Agreement with Elgin dated March 31, 2011 grants Elgin the exclusive right and option to acquire up to a 60% interest in the La Bufa Property. Elgin, as a binding commitment, must first fund an initial aggregate amount of \$4 million in exploration expenditures on Lincoln's La Bufa Property (as to \$1 million) and Oro Cruz Property (as to \$3 million) over a two year period ending March 31, 2013. Once this commitment has been met, Elgin will have acquired the exclusive right and option to earn up to a 60% interest in the La Bufa Property on the basis of a 20% interest earned for each \$1 million in additional expenditures funded on the Property over a further two year period. The Letter Agreement provides Elgin with a similar option over Lincoln's Oro Cruz Property in California.

The author of this report has visited the La Bufa Project on five occasions, including an initial reconnaissance visit July 16th through 18th of 2005 accompanied by Mr. Jeffery Wilson, Vice President of Exploration for Lincoln Mining. A second visit was made to the property during September 12th through the 21st, 2006 to conduct a soil survey program, and the third visit was made during the period of June 6th through 25th, 2007 for the purpose of detailed geologic mapping and outcrop sampling within the southern portion of the La Bufa Concession. The fourth visit to the project, totaling 23 days, was made during the months of February and March of 2008 for the purpose of flagging and preparing the drill sites, preparing the core storage and sampling area, setting up the drill on the first hole location and oversight of general logistics associated with drill program start up. A fifth site visit was made to the property on June 13 and 14, 2011 for the purpose of reviewing exploration work completed since the previous visit of 2008.

This amended and restated technical report replaces the technical report filed on SEDAR on May 20, 2011.

The preparation of this report is based on data obtained during these site visits along with reports, title documents, maps and other information contained within the Lincoln Mining files and from government reports.

The La Bufa Project is located in the far southwest corner of the state of Chihuahua, Mexico near the town of Guadalupe y Calvo about 300 kilometers from the city of Chihuahua and 200 kilometers from the town of Hidalgo de Parral. The project is within the Guadalupe y Calvo Mining District and lies within the Sierra Madre Occidental physiographic province. The La Bufa property is comprised of four mineral concessions totaling approximately 2308.7594 hectares 100% owned by Lincoln Mining. The La Bufa Property surrounds mineral concessions of approximately 439.24 hectares held by Gammon Gold, where the Rosario Vein was discovered in 1836 and where all of the historic production from the district was derived.

Epithermal-style gold-silver mineralization at Guadalupe y Calvo is hosted in Lower Volcanic Group rocks that consist of bimodal but mainly andesite and diorite calc-alkalic rocks of Eocene and Paleocene age. The Lower Volcanic Group is covered over much of the region by Upper Volcanic Group, which consists mainly of bimodal but mainly rhyolitic calc-alkalic volcanic flows and tuffs of Oligocene age. Pre-Tertiary rocks of Mesozoic marine sediments underlie the volcanic sequences and may also host mineralization. The majority of gold-silver bearing epithermal systems in the Sierra Madre Occidental are hosted in the Lower Volcanic Group rocks so their recognition is important for exploration. Lower Volcanic Group rocks are structurally complex with a strong northwest trend of faulting and fracturing hosting much of the mineralization.

There are, at present, no definable mineral resources on the Property. However, the author regards the La Bufa Property as highly prospective and worthy of further expenditures.

Exploration work prior to August 2009 by Lincoln Mining has focused within the southern portion of the La Bufa concession where soil sampling, geologic mapping, outcrop sampling and limited core drilling has been completed. Additional drill targets remain in this southern area of the La Bufa concession. The concessions to the north of Gammon Gold's Rosario Mine project have been the focus of the exploration work since August 2009.

The exploration targets are low-sulfide epithermal style quartz veins and stockworks hosted in Lower Volcanic Group andesites and diorite intrusives with related propylitic and silicic alteration. To the north, in the La Bufa 1 and La Bufa 2 concessions, Lower Volcanic Group rocks are present and represent high quality exploration targets that require continued exploration work. The recommended work would involve detailed outcrop mapping, additional soils and rock outcrop sampling along with district scale structural interpretations of satellite and air photo imagery. Interpretation of the

geophysical surveys should also be done. Additional work in the southern portion of the La Bufa concession should include detailed evaluation of drill results in relation to surface geology and geochemistry. Results of this work will very likely identify additional drill targets in the southern areas and find new drill targets in the northern areas.

4.0 INTRODUCTION

4.1 Terms of Reference

The author of this report, Richard W. Bybee, P.Geo., was retained by Lincoln Mining Corporation (“Lincoln Mining”) as a Qualified Person to conduct a technical evaluation of the La Bufa Gold Property located in Chihuahua State, Mexico. This report was prepared for Lincoln Mining and Elgin Mining Corporation in compliance with National Instrument 43-101 for filing with the TSX Venture Exchange. This amended and restated technical report replaces the technical report filed on SEDAR on May 20, 2011.

4.2 Purpose

Lincoln Mining is a Canadian registered junior resource company based in Vancouver, British Columbia Canada. Elgin Mining Corporation is a Canadian registered company with address at 83 Yonge Street, Toronto, Ontario, Canada. This technical report is being prepared in Connection with a Proposed Transaction Involving a Letter of Agreement Between the Two Companies. The purpose of this technical evaluation is to verify past work and exploration potential for the property, as well as make recommendations with budget considerations for future exploration work on the Property.

4.3 List of Abbreviations

A list of abbreviations for terms and names used in this report is given in Table 1.

Table 4.1 List of Abbreviations and Names Used in this Report

Abbreviation/Name	Term
\$	<i>Refers to U.S dollars</i>
C\$	<i>Refers to Canadian dollars</i>
C.R.M.	<i>Consejo de Recursos Minerales</i>
Elgin	<i>Elgin Mining Corporation, Toronto, Canada</i>
g/T	<i>grams per dry metric tonne</i>
Ha	<i>Hectares; 1 hectare=10,000m²</i>
Km	<i>Kilometer(s)</i>
Km ²	<i>Square kilometer(s)</i>
Lincoln Mining	<i>Lincoln Mining Corporation, Vancouver, B.C. Canada</i>
Lote	<i>Spanish- mineral lot or concession</i>
LPT Capital, Ltd.	<i>LPT Capital, Ltd., a capital pool company, Vancouver, B.C.</i>
LVG	<i>Refers to Lower Volcanic Group</i>
m	<i>Meter(s)</i>
o.p.t.	<i>Refers to Troy ounces per dry short ton</i>
P.A.H.	<i>Pincock, Allen and Holt geologic consultants, Lakewood Colorado</i>
ppm	<i>Parts per Million</i>
Property	<i>All Lincoln Mining Concession holdings including; La Bufa, La Bufa 1, La Bufa 2 and El Chapito</i>
Surfer	<i>Posting and Contouring Software, Golden, Colorado</i>
UVG	<i>Refers to Upper Volcanic Group</i>

4.4 Sources of Information

Sources of information used in the preparation of this report consist of:

- Published and un-published technical papers and reports written by governmental agencies or past operators of this and nearby properties available in the Lincoln Mining files,
- Digital data (including geochemical, drill, topographic, air photo and geographic information) provided by local government sources, previous operators and Lincoln Mining,
- Originals (where available) or signed photocopies of analytical certificates pertaining to drill core, rock and soil samples collected on the property by past operators and Lincoln Mining,
- Contracts/agreements and title documents provided by Lincoln Mining pertaining to mineral tenure and surface agreements,
- Regional geology maps published by Consejo Recursos Minerales and,
- Press releases of companies with past or current interests in the area

The key references used in the preparation of this report are:

- Barnard, F., 2004, The Guadalupe Project, Chihuahua, Mexico, Technical Report: prepared for Grid Capital Corporation by Pincock, Allen and Holt (Lakewood Colorado), for filing under National Instrument 43-101
- Bybee, R. W., 2007, Technical Report on the La Bufa Property, Guadalupe y Calvo, Chihuahua State, Mexico, prepared for Lincoln Mining Corporation for filing under Nation Instrument 43-101. Available to the public on SEDAR website.
- Bybee, R. W., 2009, Ammended and Restated Technical Report on the La Bufa Property, Guadalupe y Calvo, Chihuahua State, Mexico, prepared for Lincoln Mining Corporation for filing under Nation Instrument 43-101. Available to the public on SEDAR website.
- Carreón, Julio C., 1977, Informe Geologico-Minero del Subproyecto El Chapito, Proyecto Guadalupe y Calvo, Chihuahua. Consejo de Recursos Minerales (in Spanish)
- Lopez, Filiberto, 2010, Informe Second Half of 2010 Activity Report, La Bufa Project, Guadalupe y Calvo, Chihuahua. ExproMin S.C.
- Wendt, C. J., 2002, The Guadalupe y Calvo gold-silver project, Chihuahua, Mexico, Technical Report: consulting report prepared for Metales Internacionales S.A. de C.V. and Seven Clans Resources Ltd. by Pincock, Allen and Holt (Lakewood Colorado), for filing under Canada National Instrument 43-101 with

respect to what are now the MexGold properties. Available to the public on the SEDAR website.

A complete list of the references used in this report is presented in **Section 23.0** (References).

4.5 Site Visit

The author of this report, Richard W. Bybee P. Geo., has been on the property for four site visits including an initial reconnaissance visit July 16-18, 2005 accompanied by Mr. Jeffery L. Wilson, Vice President of Exploration for Lincoln Mining. A second visit was made to the property during September 12-21, 2006 to conduct a soil survey program and a third visit was made during the period of June 6-25, 2007 for the purpose of detailed geologic mapping and surface outcrop sampling on the La Bufa Concession.

The fourth visit to the project, totaling 23 days, was made during the months of February and March of 2008 for the purpose of flagging and preparing the drill sites, preparing the core storage and sampling area, setting up the drill on the first hole location and oversight of general logistics associated with the drill program start up.

A fifth site visit was made on June 13 and 14, 2011 for the purpose of reviewing work conducted by Sr. Filiberto Lopez, the principal senior geologist and owner, of EXPROMIN Consulting for the period of 2009 to present.

5.0 RELIANCE ON OTHER EXPERTS

This document is based on information and data collected by the author during the site visits and the public and private information provided by Lincoln Mining and the previous owners of the property, Almaden Minerals Ltd.

Sources of information used in the preparation of this report consist of:

- Published and un-published technical papers and reports written by governmental agencies or past operators of this and nearby properties available in the Lincoln Mining files,
- Digital data (including geochemical, drill, topographic, air photo and geographic information) provided by local government sources, previous operators and Lincoln Mining,
- Originals (where available) or signed photocopies of analytical certificates pertaining to drill core, rock and soil samples collected on the property by past operators and Lincoln Mining,
- Contracts/agreements and title documents provided by Lincoln Mining pertaining to mineral tenure and surface agreements,
- Regional geology maps published by Consejo Recursos Minerales and,
- Press releases of companies with past or current interests in the area

The key references used in the preparation of this report are:

- Barnard, F., 2004, The Guadalupe Project, Chihuahua, Mexico, Technical Report: prepared for Grid Capital Corporation by Pincock, Allen and Holt (Lakewood Colorado), for filing under National Instrument 43-101
- Bybee, R. W., 2007, Technical Report on the La Bufa Property, Guadalupe y Calvo, Chihuahua State, Mexico, prepared for Lincoln Mining Corporation for filing under National Instrument 43-101. Available to the public on SEDAR website.
- Bybee, R. W., 2009, Amended and Restated Technical Report on the La Bufa Property, Guadalupe y Calvo, Chihuahua State, Mexico, prepared for Lincoln Mining Corporation for filing under National Instrument 43-101. Available to the public on SEDAR website.
- Carreón, Julio C., 1977, Informe Geologico-Minero del Subproyecto El Chapito, Proyecto Guadalupe y Calvo, Chihuahua. Consejo de Recursos Minerales (in Spanish)
- Lopez, Filiberto, 2010, Informe Second Half of 2010 Activity Report, La Bufa Project, Guadalupe y Calvo, Chihuahua. ExproMin S.C.
- Wendt, C. J., 2002, The Guadalupe y Calvo gold-silver project, Chihuahua, Mexico, Technical Report: consulting report prepared for Metales Internacionales S.A. de C.V. and Seven Clans Resources Ltd. by Pincock, Allen and Holt (Lakewood Colorado), for filing under Canada National Instrument 43-101 with respect to what are now the MexGold properties. Available to the public on the SEDAR website.

A complete list of the references used in this report is presented in **Section 23.0** (References).

5.1 Site Visit

The author of this report, Richard W. Bybee, P.Geo., has been on the property for four site visits including an initial reconnaissance visit July 16-18, 2005 accompanied by Mr. Jeffery L. Wilson, Vice President of Exploration for Lincoln Mining. A second visit was made to the property during September 12-21, 2006 to conduct a soil survey program and a third visit was made during the period of June 6-25, 2007 for the purpose of detailed geologic mapping and surface outcrop sampling on the La Bufa Concession.

The fourth visit to the project, totaling 23 days, was made during the months of February and March of 2008 for the purpose of flagging and preparing the drill sites, preparing the core storage and sampling area, setting up the drill on the first hole location and oversight of general logistics associated with the drill program start up.

A fifth site visit was made on June 13 and 14, 2011 for the purpose of reviewing work conducted by Sr. Filiberto Lopez, the principal senior geologist and owner, of EXPROMIN Consulting for the period of 2009 to present. The fieldwork, sampling methods and sample security employed by EXPROMIN consultants was found to be of good quality and is considered by the author as satisfactory for the current status of the project. Field visits were also made to look at geology, vein structures and alteration at proposed drill targets in the northern concession areas of La Bufa 1 and La Bufa 2. The author had been to these areas in March of 2008 during the initiation of the drilling program conducted in the southern La Bufa concession and recognized the presence of quartz vein structures and mineralization in the exposed Lower Volcanic Group rocks. The work by EXPROMIN in the area has confirmed that gold-silver mineralization is present and worthy of drill testing.

5.2 Disclaimer

The author did not undertake a rigorous review of the legal title for the property. Lincoln Mining originally acquired the property through an Option Agreement with Almaden Minerals Ltd. and their wholly owned Mexican company, Minera Gavilan. In February 2010 Lincoln Mining completed a purchase of the La Bufa property and is now a 100% owner.

Additionally, the author was not able to confirm the proper position of the El Chapito mineral concession using survey coordinates listed in the title documents. Title documents for the El Chapito concession were not available during the preparation of the previous Technical Reports but have now become available as a result of the Lincoln Mining purchase. The dimensions and total area of the El Chapito concession are now correctly established but the proper location remains uncertain. The mineral monument (Punto de Partido) for the El Chapito concession has been observed in the field by the author but the official coordinates for that monument are not listed on any of the title documents. The location of the concession on various plan maps in this report has been established by GPS coordinates obtained from a hand-held unit and not by coordinates from official surveys.

Lincoln Mining provided the author with several maps and reports, which have their original source as private and government. Portions of these maps were modified and digitized into electronic format by the author for the purpose of this report.

6.0 PROPERTY DESCRIPTION AND LOCATION

6.1 Location

The La Bufa Project area lies around the town of Guadalupe y Calvo in the state of Chihuahua, Mexico within the rugged Sierra Madre Occidental physiographic province. The project area is approximately 300 kilometers from the state capital of Chihuahua and 200 kilometers from Hidalgo de Parral, the largest nearby city (Figure 6.1.)

The property is accessed by road off Highway 24 from Hidalgo de Parral which in turn can be accessed from Chihuahua City by car or plane.




Figure 6.1 General Location of the La Bufa Project

The geographic coordinates are 26°06' north latitude and 106°58' west longitude.

6.2 Description

Lincoln Mining's La Bufa Project is comprised of three contiguous mining titles named La Bufa, La Bufa 1 and La Bufa 2 totaling 2288.7594 hectares. The La Bufa concession surrounds the 20.0-hectare El Chapito concession that is also controlled by Lincoln. This brings the district total to 2308.7594 hectares that are controlled by Lincoln. This total area excludes an internal block within the La Bufa concession of five contiguous mining titles of approximately 439.24 hectares that covers the historic El Rosario Mine held by Gammon Gold Inc. (Figure 6.2). The mineral titles for La Bufa, La Bufa 1 and La Bufa 2 contain the reference data that describe the boundaries of the concessions. These boundaries are referenced from a "punto de partido", or departing point, that is located at UTM coordinate 302870.747E and 2888247.901N. The datum used for mineral concessions in Mexico is NAD27 Mexico, Zone 13. The concession boundaries shown in

Figure 6.2 were constructed using AutoCAD drawing software and by using the bearing and distance data from the “punto de partido” as listed in the title documents.

While constructing the concession maps from the bearing and distant data, as stated in the official title documents, a small error was found in the official stated area of the La Bufa 1 concession. The title document list the area of the La Bufa 1 concession as 485 hectares, but there is an overlap of 2.5 hectares with the more senior La Bufa concession at its northwest corner. The correct value for the area of La Bufa 1 is 482.5 hectares. Tables, maps and references in the text of this report to areas controlled by Lincoln Mining will reflect the correct value of 482.5 hectares for La Bufa 1 concession.




Figure 6.2 Bufa Concession Map

The Property is elongate in a northwest to southeast direction and covers the projected trend of mineralization from the El Rosario Mine. Essentially all of the historic production from the district has come from the Rosario Mine within the concession held by Gammon Gold. The historic production and current gold-silver resource information regarding the Rosario Mine owned by Gammon Gold has been made available to the public through numerous press releases, Mexgold Corporate filings (Annual Information Form, 2003) and from Wendt, 2002 (Technical Report on the Guadalupe y Calvo gold-silver project). The author has not independently verified the historic production or the stated resource information but has relied upon the qualifying statements within these reports. The resources stated by Mexgold in their 2003 Annual Information Form were derived from work done by P.A.H in 2002. Terms and resource definitions used by P.A.H, in their report to Mexgold, are based on standards as defined by NI 43-101 and specified by the Canadian Institute of Mining, Metallurgy and Petroleum Standards on Mineral Resources and Reserves. All of the above referenced information is available on the SEDAR website and is the most recent information reported. Location of the new vein structures and gold mineralization within the Gammon Gold concessions, where the historic Rosario Mine is located, has not been shown on any plan maps released to the public, but statements in their 2009 Annual Information Form state that drilling has found new mineralization to the northwest beyond the previously known veins and mineralization. The drill targets are covered by post-mineral tuffs and are “blind”. The presence of mineralization within the Rosario block of LVG is not necessarily indicative that gold-silver mineralization will occur in the La Bufa concession at similar grades or vein widths, but a strong regional northwest structural trend exists in the district that appears to have some control on mineralization within the LVG rocks and mineralization on the La Bufa concession.

The La Bufa concession contains one known mineralized vein structure, named the Santo Niño Vein, which can be traced on the surface for about 850 meters. This mineralized vein structure lies within the La Bufa concession just to the east and southeast of the town of Guadalupe y Calvo and is controlled by westerly and northwesterly-trending faults and fractures in a similar structural setting as the Rosario mineralization.

Mine workings along the Santo Niño vein consist of a 32 meter shaft with three levels of drifting that totaling about 78 meters. These workings are referred to as the Montecristo Shaft. Approximately 300 meters along strike to the east; the vein is developed by workings called the El Chapito Mine. The El Chapito workings total about 550 meters of underground development and consists of an adit, three levels of drifts, raises, winzes and some open stopes at the surface. There may have been minor amounts of ore produced at the El Chapito Mine but the author knows of no production records or dates of when these workings were initially developed. About 250 meters along strike to the east, from the El Chapito Mine there are workings referred to as the Santo Niño Mine that consist of a short 30 meter adit and water-fill shaft at the mouth of the adit. Depth of the shaft is estimated at about 10 meters. There are no large waste dumps or tailings associated with mine workings developed along the Santo Niño vein. Housing, roads and parking lots within town of Guadalupe y Calvo have long since covered waste dumps from the Montecristo Shaft and El Chapito Mine, where most of the historic underground

development had been done. The small open stopes at the surface above the El Chapito mine workings are filled with water and are being used by nearby houses for their water supply.

There are no mineral resources or reserves on the Property.

The town of Guadalupe y Calvo lies at the approximate center of the La Bufa concession along both sides of the Guadalupe River. The river flows northwest through most of the length of the La Bufa concession and northerly through the La Bufa 2 concession.

In 2009 Gammon Gold added to its land holdings in the district with the San Luis concession of 18,392 hectares. The San Luis concession completely surrounds all of the Lincoln Mining La Bufa concessions. Gammon has also added a second concession named the San Luis North West, totaling 36,025 hectares, that is contiguous with and northwest of their San Luis concession.

6.3 Mineral Tenure

Lincoln Mining controls 100% of the La Bufa property that consists of four mineral titles known as the La Bufa, La Bufa 1, La Bufa 2 and the El Chapito. The El Chapito concession was purchased in October 2009 from Mr. Arturo P. Saenz of Chihuahua, Mexico for a total cash price of USD \$60,000.00. Lincoln Mining purchased the La Bufa, La Bufa 1 and La Bufa 2 concessions from Almaden Minerals in February 2010 by issuing 6 million shares of Lincoln Mining to Almaden and granting a 2% NSR on all future production for the La Bufa property. Lincoln has the option to buy down the NSR by 1% within one year following a decision to place the property into production. The El Chapito concession is within the “area of interest” as defined by the purchase agreement between Lincoln Mining and Almaden Minerals and is therefore subject to any royalty payments due Almaden.

The concessions grant Lincoln the right to explore in the area of the concessions granted by the government provided the annual work reports are filed by the May 31 deadline and the holding costs are kept in good standing as per table 6.2.

Prior to Lincoln’s purchase of the La Bufa property from Almaden, the property was held by a “Letter of Intent to Joint Venture” dated August 5, 2005 and by a subsequent Option Agreement dated April 12, 2007.

Copies of the title documents for all four concessions and the purchase agreements are presented in Appendix 1.

Table 6.1 Title Information Relevant to Lincoln Mining's La Bufa Project

Concession Name	Issued to / Owner	Type¹	Date Issued	Area (hectares)	Title Number	Expires¹
<i>La Bufa</i>	<i>Minera Gavilan S.A. de C.V. / Purchased by Lincoln Mining 2/17/2010</i>	<i>Explotacion (Mining)</i>	<i>1/31/2003</i>	<i>1040.7594</i>	<i>219036</i>	<i>1/30/2053</i>
<i>La Bufa 1</i>	<i>Minera Gavilan S.A. de C.V. / Purchased by Lincoln Mining 2/17/2010</i>	<i>Explotacion (Mining)</i>	<i>8/27/2004</i>	<i>482.5</i>	<i>222724</i>	<i>8/26/2054</i>
<i>La Bufa 2</i>	<i>Minera Gavilan S.A. de C.V. / Purchased by Lincoln Mining 2/17/2010</i>	<i>Explotacion (Mining)</i>	<i>10/28/2004</i>	<i>765.5</i>	<i>223165</i>	<i>10/27/2054</i>
<i>El Chapito</i>	<i>Arturo Saenz / Purchased by Lincoln Mining 9/15/2009</i>	<i>Explotacion (Mining)</i>	<i>3/5/1979</i>	<i>20.0</i>	<i>164161</i>	<i>3/4/2029</i>

¹ Article 15 of the Mexico mining law was amended on April 28, 2005 and converts exploration concessions to Mining Concessions with a 50-year term extendable for an additional 50 years.

Holding costs (Table 6.2) are paid to the government annually. Tax payments to the government are current at end of January 2011.

Table 6.2 Annual Holding Costs Paid to Mexican Government

Concession Name	Area (hectares)	Title Number	File Number	Tax Rate¹	Costs Pesos	Costs US\$²
<i>La Bufa</i>	<i>1040.7594</i>	<i>219036</i>	<i>16/31696</i>	<i>\$63.22</i>	<i>\$65,797.00</i>	<i>\$5,708.00</i>
<i>La Bufa 1</i>	<i>482.5</i>	<i>222724</i>	<i>16/32275</i>	<i>\$31.62</i>	<i>\$15,336.00</i>	<i>\$1,330.00</i>
<i>La Bufa 2</i>	<i>765.5</i>	<i>223165</i>	<i>16/32529</i>	<i>\$31.62</i>	<i>\$24,205.00</i>	<i>\$2,100.00</i>
<i>El Chapito</i>	<i>20.0</i>	<i>164161</i>	<i>018/01668</i>	<i>\$111.27</i>	<i>\$2,225.00</i>	<i>\$193.00</i>
Total	2,291.2594					\$9,331.00

¹ Tax rate is Peso per Hectare and is an escalating fee based on number of years held

² Costs in US\$ is based on exchange rate of \$11.527 Pesos to US \$1.00 on 4/27/2011 and rounded up to nearest dollar and can vary with exchange rates.

To date, Lincoln Mining has spent USD\$2,086,141.20 on the La Bufa project. This expenditure includes work related to a small, 20-hectare inlier concession, El Chapito, which is completely surrounded by the La Bufa property. Financial documents provided to the author by the Lincoln Mining accounting department are summarized below and show the amount credited to date on the La Bufa Property (Table 6.3). Work carried out on the El Chapito concession includes part of the soil sample grid and associated assays

costs during 2006, the geologic mapping and associated rock outcrop sampling and assay costs during 2007 and 960 meters of drilling with associated assay costs in 2008.

Table 6.3 Lincoln Mining Expenditures Credited to La Bufa Property

Year		
2005	La Bufa & El Chapito	\$4,736.95
2006	La Bufa & El Chapito	\$64,424.90
2007	La Bufa & El Chapito	\$53,358.35
2008	La Bufa & El Chapito	\$1,369,226.00
2009	La Bufa 1 & La Bufa 2	\$121,861.00
2010	La Bufa 1 & La Bufa 2	\$472,534.00
Total		\$2,086,141.20

6.4 Environmental Liabilities and Permits

There are no known environmental liabilities associated with the Property.

A Report that allows the company to conduct exploration activities on the property consists of an Environmental Impact Study and was submitted to the Secretary of the Environment and Natural Resources in Chihuahua on November 13, 2007 by Lic. Mauricio Heiras, the environmental consultant for Lincoln Mining. A copy of this 86-page report is available in the Lincoln Mining files in Carson, City, Nevada. The *Informe Preventivo y Aviso de Inicio de Actividades* was submitted in compliance with **NOM 120-SEMARNAT 1997**. An updated *Informe Preventivo y Aviso de Inicio de Actividades* was submitted to the government on May 18, 2011 (and approved early June 2011) to cover the planned drilling program that is expected to begin in July 2011. Lincoln also maintains good relations with the municipality of Guadalupe y Calvo and the local Ejido and has letters of permission from these authorities.

Much of the surface ownership in the southern portion of the La Bufa concession, over which drilling and surface disturbance have been conducted to date, is on land controlled by the municipality of Guadalupe Y Calvo. For the 2008 drilling program, discussions were made with the city officials and letters of permission obtained from them that give Lincoln the right to drill from city owned lands. Where surface ownership is privately held, Lincoln consultants met with several of the landowners and have acquired signed contracts for access rights. Lincoln also contracted with Ing. José Alberto Padilla, a professional land consultant, to conduct negotiations, obtain access rights and generally provide public relations with the local citizens and public officials.

7.0 ACCESSIBILITY, PHYSIOGRAPHY, CLIMATE, INFRASTRUCTURE, LOCAL RESOURCES

7.1 Access

The state of Chihuahua is generally well served by transportation infrastructure including paved Federal Highways, secondary roads, an International Airport at Chihuahua City and a railway system. The town of Guadalupe y Calvo is about 240 kilometers southwest on Highway 24 from Hidalgo del Parral, a mining-based city, with a population of about 100,000. Chihuahua City is about 210 kilometers north of Hidalgo del Parral. Driving time from Chihuahua to Guadalupe y Calvo is about 7 hours, depending on traffic.

Around the town of Guadalupe y Calvo a number of dirt roads, most of which were built for logging, provide access to small farms and villages. New road construction is also underway in and around the town of Guadalupe y Calvo to facilitate growth and new housing construction. Some of these new roads provide access to part of the La Bufa concession.

7.2 Topography, Elevation and Vegetation

Guadalupe y Calvo lies within the very rugged Sierra Madre Occidental province of western Mexico. Steep canyon walls and very high relief typify the region. Elevation in and around the project area range from 2,000m to 2,700m and the relief within the concession area is locally steep but mostly somewhat moderate (Photo 7.1).

The Property is covered by a combination of Chihuahua Pines, junipers, scrub oak, manzanita and other various brushes and grass. Around towns and along canyon bottoms, some areas have been cleared and are under cultivation.



Photo 7.1 View looking northwest to northeast portion of Guadalupe y Calvo

7.3 Climate

The climate is temperate with cool winters that occasionally produce snowfall and mild summers. Annual precipitation is about 800 mm with most of it occurring from June through September.

7.4 Infrastructure

In addition to paved highway access, Guadalupe y Calvo has electrical power supply from the national grid system, an airstrip used by the military that can also be used by small private and charter aircraft and basic services and supplies. The population of the municipality (similar to a county in Canada or United States) is about 50,000 and it is about 9,000 Km² in area with several small isolated ranches and communities. The town of Guadalupe y Calvo may have about 25,000 people. Supplies, equipment and housing needed to conduct an advanced exploration program would be available locally, and any specialized equipment will be available in Hidalgo del Parral.

7.5 Local Resources

The town of Guadalupe y Calvo has a long history of mining and logging industry and would be capable of supporting any new operation. The national electrical grid services the town and sufficient groundwater could be developed by wells. A local labor force is readily available and any specialized technical or operating personnel could be recruited within the country.

Field observations show that there are possible sites available for mine processing plants, waste dumps and mine tailings. The potential sites for these facilities are near the current exploration targets and some are within the current La Bufa concession boundaries. Surface ownership will be privately held, or controlled and owned by the town, and will need to be acquired. Large areas required for heap leach processing are not anticipated, as the current exploration targets are for bonanza type epithermal veins that will be developed by modern underground mining methods.

8.0 History

8.1 Discovery and Past Production at the Rosario Mine

Essentially all of the recorded production has been from the central part of the district on ground controlled by Gammon Gold (Formerly Mexgold Resources). Several companies have explored this formerly productive block of ground during the period 1980 to 2004, mostly by review and compilations of historic data, but with some surface and underground sampling and drilling programs also being conducted.

The Guadalupe y Calvo district was discovered relatively late in Mexico's long mining history. Major silver and gold discoveries were made in Chihuahua and adjacent Durango States in colonial times as early as 1567 and up through the 1650's. It was not until 1836 when a local Tarahumara Indian showed the Rosario vein outcroppings to two prospectors. The "discovery" of very high-grade bonanza gold ore in the Rosario vein soon led to the formation of the mining boomtown of Zorrilla. The population quickly swelled to over 10,000 and the name of the town was changed to Guadalupe y Calvo

(Wendt, 2002). By 1844 gold production was large enough that the Mexican government erected a mint at the town. By 1849 the bonanza period was over and the mint closed in 1852. Periods of mining activity by well-organized and well-funded companies were 1865-1871, 1895-1940 and 1978-1983. At other times locals worked the mines on a small scale. Total production for the district from 1835 to 1940 is estimated at 2,000,000 ounces gold and 28,000,000 ounces silver (Wendt, 2002) with grades of 37 g/T gold and 870 g/T silver.

8.2 Past Work on La Bufa Property

Pre-2003

In the northwest portion of the Property, which includes the La Bufa 1 and La Bufa 2 concessions, old stone structures can be seen along the Guadalupe River that may be related to some historic prospecting or mining that is reported to exist in the area but no records are available. The author saw no prospects during a short one-afternoon visit made to this area in June 2007. Other than cursory reconnaissance visits by geologist from companies interested in the district, no known modern exploration work had been done in this area until more recent times. Almaden Minerals Ltd., through their wholly owned Mexican company, Minera Gavilan, S.A. de C.V. acquired the La Bufa 1 concession in August 2004 and the La Bufa 2 Concession in October of 2004.

In the southeast portion of the Property, on the La Bufa concession that was acquired by Almaden in January 2003, a mineralized structure known as the Santo Niño Vein can be traced intermittently on the surface for over 850 meters (Figure 8.1). The vein has approximately 675 meters of underground development including a 32 meter shaft called the Montecristo, and approximately 300 meters along strike to the east from the Montecristo Shaft, a second area of workings called the Chapito Mine is developed by a main Adit Level cross cut (2330m elev.), drifts, raises and winzes. Here the vein was also stopped for about 30 meters along strike and at least 40 meters up dip above the main adit level. The vein dips steeply south to near vertical and vein widths in the developed areas are generally one to two meters. Approximately 250 meters to the east of the El Chapito Mine there is another adit on the Santo Niño Vein. These workings are referred to as the Santo Niño Mine and consist of a winze of unknown depth (filled with water) at the mouth of the adit and at least 30 meters of drift (Photo 8.1). A small stockpile of ore consisting of quartz vein, pyrite and silicified rock is also present near the mouth of the adit.




Figure 8.1 Location of Past Work



Photo 8.1 Santo Niño Mine Adit, View looking East, Note ore stockpile (yellow color) to left

No production records or dates for this early development work on the Santo Niño Vein are known. Available long section maps (C.R.M., 1977) suggests that less than 15,000 tonnes of vein material of unknown grade would have been extracted from the Chapito Mine prior to 1977. The first available record for the Montecristo-Chapito Mine area is a two-page report (in Spanish) by a Mr. G. Pickard for a company called “Industrial Minera Mexico S.A.” During a two-day visit to the mine on October 28 and 29, 1974 Mr. Pickard produced a report with the following information:

The owner of the mine is Sr. Gilberto Ruiz, he owns three “mineral lotes” named Santo Niño, El Chapito and De Lila; and he is negotiating to acquire the Montecristo mineral lote. He wants to develop the vein in a northwest direction from the Montecristo Shaft and connect to the El Rosario vein, which was the large producer from 1935. Sr. Ruiz has owned these concessions for two years and has rehabilitated the Chapito adit level and over 100 meters of drift, on and above, the adit level (The Adit Level is at the 2330-meter elevation on the Lincoln Mining 2-meter topographic base map and is called the “Zero Level” of the mine). He also opened the raise on the +40 level to the surface. At the time of Mr. Pickard’s visit, the C.R.M. had borrowed a CP-55 core drill from Sr. Ruiz and were in the process of drilling two core holes to test the Santo Niño Vein in the area between the Chapito Mine and the Santo Niño Mine. Sr. Ruiz paid the drillers’ salary and the C.R.M. paid for all other costs. Hole number 1 was abandoned at 145 meters because it reached the capacity of the machine and ended without hitting the vein target. Hole number 2 was in progress at a depth of 40 meters during Mr. Pickard’s visit and they

were expecting to cut the vein before 100 meters depth. No geologic logs or assay information are available for this drilling.

The author found the collar location for the two C.R.M. core holes during the course of the geologic mapping and sampling in June 2007 and believes these are the two holes that have been incorrectly referred to in several previous Lincoln Mining internal reports as being drilled by ASARCO. The azimuth and dip measurements of the holes found by the author are consistent with collar data found on Mr. Pickard's map that accompanied his report. Hole locations are shown on the Location of Past Work plan map (Figure 8.1) and the collar coordinates for these holes (Table 8.1) are derived by using the current UTM coordinate system of the project. The dip, azimuth and depth information was found on maps attached to Mr. Pickard's report.

Table 8.1 Consejo de Recursos Minerales Santo Niño Core Holes, 1974

Hole No.	Easting ¹	Northing	Elevation	Azimuth	Dip	T.D, (m)
Hole 1	304631.53	2886752.97	2346	10	-45	145
Hole 2	304718.14	2886760.42	2348	10	-35	unknown

¹ Coordinate System: UTM NAD27 Mexico, Zone 13

Two samples that have also been attributed to these core holes are actually channel samples collected by Sr. Ruiz during the underground visit in the Chapito Mine with Mr. Pickard. They represent channel samples taken on vein structure on the Adit Level of the mine. The values are 1.4 meters of 9.0 g/T Au and 334 g/T Ag with the second sample of 1.0 meter at 6.25 g/T Au and 280 g/T Ag. At the time of Mr. Pickard's visit the mine was producing 20 tons per week of unknown grade. Sr. Ruiz was paying \$250 (Unknown if Dollars or Pesos) per ton transportation cost from Guadalupe y Calvo to Parral but it is not known if he was selling floatation concentrates or direct shipping the ore.

In 1977 the C.R.M. returned to Guadalupe y Calvo to further evaluate the Santo Niño vein and conducted a rather extensive sampling program that included 750 meters of new road construction for access to the workings, cleaning and rehabilitating the Montecristo Shaft (20m) and the Chapito Mine main adit level (230m). In addition, over 230 meters of new development was made including drifting on sub-levels, advancing existing raises and winzes; and deepening the Montecristo Shaft an additional 12 meters to a total depth of 32 meters. Apparently by the time this work was started Sr. Ruiz had acquired the Montecristo Mine, as the C.R.M. report lists the concession names and owners on which their work was being done (Table 8.2). The only surviving concession to the present day is El Chapito.

Table 8.2 Concessions on which C.R.M. work was done, 1977

Name of Mineral Lote	Title Number	Area (Ha)	Owner
El Chapito	1668	20	Sr. Gilberto Ruiz
Montecristo	1711	43.1767	Sr. Gilberto Ruiz 75%, Luis Aguirre 25%
Dalila	1635	77.37	Sr. Gilberto Ruiz y socio.
Santo Niño	1653	59.9386	Sr. Gilberto Ruiz y socio.

All of this work was done to prepare the mine for a sampling program designed to produce an ore reserve study. A total of 232 channel samples were then collected on the

vein structure along backs of drifts, in raises and in winzes. Sampling was done at both the Montecristo Mine and the Chapito Mine. Samples were generally taken along strike or up and down dip in raises and winzes at intervals of 1.5 meters or at times on intervals of 2.0 meters. All of this development work and sampling falls within a vertical range of approximately 60 meters from the 2310-meter elevation to the 2370-meter elevation. Samples were analyzed for gold, silver, lead and zinc at several different laboratories including government and private. Laboratories listed in the Consejo report are 1.) Laboratory Consejo de Recursos Minerales located in Mexico City 2.) Laboratory Moriel in Parral 3.) Laboratory Carrillo located in Santa Barbara, Chihuahua and 4.) Geochemical Laboratory IMMSA in Parral. The Consejo report does not discuss any duplicate, standard or check sampling procedure. A map attached to the Consejo report shows an east-west oriented long section, at a 1:500 scale, of the Montecristo Shaft on the west to the workings of the Chapito Mine on the east. The map identifies all sample locations by number and has tables listing sample lengths and assay values. A copy of these tables is shown in Appendix 2. Ore blocks used to make the resource calculations are also drawn on the long section and there is some limited information on whether the mineralization is oxide or sulfide. The results of the C.R.M. resource calculations at the Chapito Mine and Montecristo Shaft are presented in their report, a copy of which is in the Lincoln Mining files (C.R.M., 1977). This work was done well before the implementation of accepted guidelines for the reporting of mineral reserves and resources definitions as described in Sections 1.3 and 1.4 of the Instrument. Therefore, the methods, terminology and estimates reported by the C.R.M. should be viewed only in their historical context but may be useful in guiding future exploration.

One of the conclusions made by the C.R.M., which has great exploration significance, is that the Santo Niño vein structure needs to be explored down-dip to a depth (unspecified) where the vein is hosted by different units of the LVG. They felt that the current depth of mine was relatively high in the volcanic sequence. The present-day Chapito Concession does not cover the workings of the Chapito Mine.

In 1986 Arturo Perea, a former employee of the Consejo, collected 10 surface samples along the vein structure above the Chapito Mine workings and from the ore stockpile near the Santo Niño Adit. He used a surface plan map from the 1977 Consejo report to plot his sample locations. Samples were analyzed for gold and silver at Impulsora Estatal de la Pequeña y Mediana Minería, the Chihuahua State Government Laboratory. A copy of the lab report is in Appendix 2 and sample locations are shown in Figure 8.1.

The date of title for the original El Chapito claim is unknown but what is known is that in 1977 the C.R.M. listed the owner as Sr. Gilberto Ruiz with title number 1668 containing 20 hectares. Title research work done in July 2007 by Lic. Mauricio Heiras, a lawyer representing Lincoln Mining, found the owner (as of 2007) to be Arturo Perea with title number 164161 for 20 hectares issued March 5, 1979.

The adit of the Chapito Mine and the Montecristo Shaft have long since been caved and covered by new housing and road developments in the town. The former location of the Chapito adit is now a new city gymnasium and parking lot. A short piece of mine rail is exposed in a cut bank of the parking area but it is unclear if it is “in-place” in the caved mine adit or if it was moved by the earthwork. Two surface cuts (Photo 8.2) are present

on the hill above the adit and it appears the vein was stopped to the surface from the workings below. The Montecristo Shaft has been filled and is upslope, adjacent to a new road cut.



Photo 8.2 Santo Niño Vein at surface cut above Chapito Mine. View is looking west along strike

2003-2005

Almaden Minerals Ltd. (TSX: AMM), through their wholly owned Mexican company, Minera Gavilan, S.A. de C.V. acquired the La Bufa concession in January of 2003 and in February 2004 the La Bufa concession was optioned to Grid Capital Corporation. The work completed by Grid Capital included the collection and assaying of 154 surface rock

chip samples, acquiring a 2-meter resolution color IKONOS satellite image covering the La Bufa concession and limited mapping of geology and vein structures. A portion of the outcrop sampling (13 samples) was done within what is now the La Bufa 1 concession to the north and several of these samples showed significant gold-silver and copper values but were never followed-up with additional sampling or mapping work.

Pincock, Allen and Holt completed a “Qualifying Report” for Grid Capital in April of 2004 (Barnard, 2004), but the report may have never been filed, as a search of Grid Capital records filed at SEDAR does not show this report.

During November and December of 2004, the drilling of 5 NQ diameter core holes totaling 666.15 meters was completed (Table 8.3). Drilling was focused along a 150 meters strike length portion of the Santo Niño Vein within the area of the El Chapito Mine workings and where the C.R.M. had sampled and calculated the resource blocks.

Table 8.3 Grid Capital Core Hole Collar File

Hole No.	Easting ¹	Northing	Elevation (m)	Az	Dip	TD (m)
GUD04-01	304476.00	2886863.00	2385	20	-60	58.75
GUD04-01A	304476.22	2886861.31	2385	20	-75	241.90
GUD04-02	304441.91	2886871.10	2384	20	-70	120.50
GUD04-03	304400.89	2886898.73	2380	20	-70	115.00
GUD04-04	304349.85	2886912.59	2374	20	-60	130.00

¹ Coordinata System: UTM NAD27 Mexico, Zone 13

It is not known if Grid Capital was aware of, or had access to, the underground sampling work and report for the El Chapito and Montecristo Mines by C.R.M. Grid Capital’s first core hole (GUD04-01) was abandoned at 58.75 meters when it encountered mine workings. The Location of Past Work map (Figure 8.1) shows the location of the Grid Capital holes and Table 8.4 lists the significant intercepts ≥ 1.0 g/T Au and ≥ 50 g/T Ag. Grid Capital’s drilling confirmed the presence of the Santo Niño vein between the Montecristo Shaft and the Chapito workings and beyond the limits of the C.R.M. underground sampling. The drilling did not test the concept proposed by the C.R.M. of exploring for the presence of LVG rocks down-dip.

Table 8.4 Significant Intercepts of ≥ 1.0 g/T Au from Grid Capital Core Holes

Hole No.	From (m)	To (m)	Interval (m)	Au g/T	Ag g/T
GUD04-01	58.35	58.75	0.40	1.55	91.1
GUD04-01a	63.00	63.46	0.46	3.23	195
GUD04-01a	76.49	77.23	0.74	2.29	63.4
GUD04-02				none	none
GUD04-03	64.38	65.20	0.82	17.50	787
GUD04-03	68.91	70.52	1.61	8.70	503
GUD04-03	84.00	84.70	0.70	1.68	>100
GUD04-03	85.32	86.20	0.88	1.56	23.3
GUD04-03	95.40	96.90	1.50	5.96	52.4
GUD04-04	73.18	73.70	0.52	2.87	363
GUD04-04	107.71	108.57	0.86	2.50	109
GUD04-04	121.63	122.45	0.82	1.76	80.8

A detailed report outlining the methods and results of the drilling, core sampling, assaying and geologic logging was completed by Grid Capital in January 2005 (Caelles, 2005). Appendix 3 contains a drill hole collar file, a table of down-hole from-to intercepts for gold and silver values and copies of pages from the Caelles Report showing down-hole multi-element analysis. The core remains in a secure storage room in Guadalupe y Calvo with the Lincoln core that was drilled in 2008.

Grid Capital announced in a June 15, 2005 news release that they had terminated the Almaden agreement.

Lincoln Mining acquired the Property (La Bufa, La Bufa 1 and La Bufa 2) under a "Letter of Intent to J.V." with Almaden and Minera Gavilan dated August 8, 2005. On April 12, 2007 a formal Option Agreement was signed with Almaden.

A summary of the exploration history for the Guadalupe y Calvo District up to the time of Lincoln's acquisition in August of 2005 is shown in Table 8.5.

Table 8.5 Summary of Exploration History for Guadalupe y Calvo District

<i>Company or Persons</i>	<i>Date</i>	<i>Mine or Concession</i>	<i>Work Completed</i>
Unknown Prospectors	1836	Rosario Vein	Discovery of high-grade outcrop
Mexican Government	1844	Rosario Mine	Construct Mint/Operate to 1852
Various	1865-1983	Rosario Mine and vein system	Intermittent periods of production and exploration Total Au production estimated at 2,000,00 oz. to 1940
Unknown	Pre-1972	Santo Niño Vein	UG development at Montecristo, Chapito and Santo Niño Mines. Production tons and grade unknown
Gilberto Ruiz	1972	Chapito Mine	Rehabilitate mine and by 1974 shipping 20 tons/week (unknown grade) to Parral
C.R.M.	1974	Santo Niño Vein	Drilled two core holes in zone between Chapito and Santo Niño workings. Results were "Negative"
C.R.M.	1977	Santo Niño Vein at Monristo Shaft and Chapito Mine	Extensive UG sampling in Chapito and Montecristo. Results used to calculate ore reserve
Almaden Minerals	January 2003	Acquire La Bufa Concession	Option La Bufa to Grid Capital in February 2004
Grid Capital	February 2004	La Bufa	Outcrop sampling (141 samples), acquire satellite imagery, limited geologic mapping. Sampled district to north (13 samples)
Almaden Minerals	August 2004	Acquire La Bufa 1 Concession	To cover area sampled by Grid Capital No known work done
Almaden Minerals	October 2004	Acquire La Bufa 2 Concession	No known work done
Grid Capital	November 2004	La Bufa Concession at Chapito Mine area	Drilled 5 core holes (666.15m) in December 2004. Terminated Option with Almaden Minerals June 2005
Lincoln Mining Corp.	August 2005	La Bufa, La Bufa 1 and La Bufa 2	Acquired Concessions from Almaden Minerals by "Letter of Intent to JV" August 5, 2005 and later by "Option Agreement La Bufa" dated April 12, 2007

9.0 GEOLOGICAL SETTING

9.1 Regional Geology

The Guadalupe y Calvo region of Chihuahua is within the Sierra Madre Occidental, a geologic and geographic province that averages about 200 kilometers wide and is 1,200 kilometers long. It extends from Guadalajara on the south to the southern corners of Arizona and New Mexico to the north (Lewis Geoscience, 1997). The region is characterized by a very thick sequence of Tertiary-aged volcanic and related intrusive rocks that were intruded into, and deposited upon, a deeply eroded surface of Paleozoic and Mesozoic sediments (Figure 9.1). To the west of Guadalupe y Calvo, along the state border with Sinaloa, two blocks of Paleozoic sediments are exposed. The total thickness of volcanic rocks deposited may have been as much as 2,000 meters but is locally variable. The region is typified by deeply incised mountains with very steep canyon walls and has a relief of about 3,000 meters. The Sierra Madre Occidental Province is bordered on the east by the Eastern Mexican Basin and Range and on the west by the Western Mexican Basin and Range. The structural setting of the region is typified by a strong northwest trend of steeply dipping faults.




Figure 9.1 Regional Geology

Geology Compiled and Modified from:

1.) CRM 1994, Monograph Series for State of Chihuahua

2.) Lewis Geoscience Services Inc., 1997, Structural Interpretations of Digital Topographic Images

The volcanic stratigraphy in the Sierra Madre Occidental has been divided into two main groups consisting of the “Lower Volcanic Group” (LVG) and the “Upper Volcanic Group” (UVG). The Lower Volcanic series of Eocene to Paleocene age rocks (65 to 34 million years) are dominated by stocks, flows and tuffs of mafic to intermediate composition, but more silicic rocks may occur locally. The Upper Volcanic series of Oligocene age (34 to 25 million years) is dominantly extrusive with flows and tuffs of intermediate to silicic composition, although mafic rocks may occur as dikes and small intrusive bodies.

Within the Lower Volcanic series, propylitic alteration is widespread with silicification and argillic alteration seen around mineral systems. Many, if not most, of the hydrothermal alteration and mineral deposits in the Sierra Madre Occidental are hosted in the Lower Volcanic Group and are dated at 40-50 million years.

9.2 District Geology

In the Guadalupe y Calvo District and surrounding area, the Upper Volcanic Group rocks are the most dominant rock type seen in outcrop with three known erosional windows of Lower Series Group rocks being exposed. The UVG rocks consist mainly of flows, tuffs of dacite to rhyolite composition and massive felsic ignimbrites. Locally some younger basalt flows overly or may be interbedded, with this sequence. The contact between the UVG and LVG is an erosional unconformity that is rarely exposed. The LVG rocks appear to have been faulted and eroded to form a rugged mountain terrain when the UVG rocks were deposited. The break in deposition between the LVG and UVG is at about 28 million years before present. The LVG rocks in the district consist of andesite dikes and flows and diorite intrusive and are the host rocks for the mineralization at the Rosario Mine and the Santo Niño vein in the southern part of the district. Recent work during 2009 and 2010 in the northern portions of the property has identified significant amounts of LVG rocks with favorable hydrothermal alteration and vein structures (Figure 9.2).

The structural setting of the district is typified by a strong northwest trend of steeply dipping faults. Steeply dipping faults and fractures are also present along east-west and north-south trends and may be important for hosting some mineralization.




Figure 9.2 Generalized Geology Guadalupe District

Geology Compiled and Modified from:

- 1.) CRM 1994, Monograph Series for State of Chihuahua
- 2.) Barnard, 2004, Guadalupe Project Technical Report for Grid Capital
- 3.) Bybee, 2007, La Bufo Concession Southern Area Geology Map
- 4.) Lopez, 2010, Geology Map of Northern Area La Bufo 1 and La Bufo 2 Concessions, EXPROMIN Consultants for Minera Lincoln de Mexico

9.3 Property Geology

Within the La Bufa Property, the Upper Volcanic Group rocks cover most of the area as a very thick pile of gently dipping felsic tuffs and flows. The Lower Volcanic Group rocks are seen locally in canyon bottoms north of the Gammon Gold's Rosario Mine property and as an erosional window slightly larger than a one-half square kilometer in area southeast of the Rosario Mine property in the southeast portion of the La Bufa concession. Fieldwork by the author during 2006 through 2008 has focused on this southeast area to conduct soil surveys, map contacts and sample vein structures. The northwest part of the La Bufa Property, which includes the extreme northern portion of the La Bufa concession and all of La Bufa 1 and La Bufa 2 concessions, has had reconnaissance style mapping, soil surveys and ground geophysical work completed during 2009 and 2010. The following information covering the northwest portion of the Property is taken from Barnard (2004) and is very interesting in terms of exploration potential.

The northwest portion of the La Bufa Property extends downstream from the Rosario Mine area along the Guadalupe River and adjoining side canyons. Where traversed in the riverbed just northwest of the Guadalupe 3 concession block (Gammon Gold's Rosario Mine), there are exposures of Lower Volcanic Group rocks. A massive andesite crops out for about 400 meters and shows propylitic alteration and further downstream, a 60-meter wide dike of andesite cuts bedded volcanoclastic sediments of intermediate composition. The sediments dip about 10 degrees and are not clearly UVG or LVG. Additional exposures of fresh andesite or basalt occur along the north bank of the Guadalupe River near UTM coordinate 301200E: 2890000N. It is apparent that at least some of the rocks in the northwest part of the La Bufa Property are excellent candidates to be within the Lower Volcanic Group and provide possible hosts, feeders or heat source for gold mineralization.

In the southern part of the La Bufa concession a window of LVG rocks approximately 0.7 square kilometers in area is exposed and is surrounded by a very thick pile of UVG tuffs (Figures 9.3 and 9.4). The Upper Volcanic rocks are generally medium to light gray in color and quartz-biotite-rich poorly to non-welded tuffs and tuff breccia. The older rocks, which are mainly tuffs and flows of andesite to dacite composition, are fractured and weakly to moderately altered almost everywhere and form good exposures only locally where silicified along faults or mineralized structures. This block of LVG rocks is typically light orange-brown in color, is quartz eye poor and generally shows an overall weak argillic-silicic alteration. At the southeast end of this block, in a small stream channel on the southeast side of the main highway from Guadalupe y Calvo to Parral, an outcrop of dark green diorite intrusive is exposed for about 75 meters. A one-meter wide basalt dike occurs in the contact between the diorite and altered andesite.




Figure 9.3 Interpretive Geology and Vein Structure Map
 Geology Compiled and Modified from:
 1.) Bybee, 2007, La Bufa Concession Southern Area Geology Map




Figure 9.4 Section 305049E (view looking NW)

The contact between the Upper and Lower Series rocks is rarely well exposed, but during the recent mapping it was found in several locations. The contact, as previously described, appears to be a deeply weathered unconformity with a very irregular or mountainous terrain on which the UVG rocks were deposited. At one location (UTM coordinates 304540E; 2886670N) the contact was found to contain a sub-rounded cobble of banded quartz vein material that is inferred to have been eroded from the Lower Volcanic series rocks that host the mineralization in the district (Photo 9.1).



Photo 9.1 Quartz vein cobble at contact between LVG and UVG rocks. Head of hammer is in weakly argillic and Fe stained andesite tuff (LVG) while gray color rock above handle is quartz-biotite rich crystal tuff (UVG)

The main structural trend in this southern block of LVG rocks is west-northwest to westerly with steep southerly dips. The Santo Niño Vein is hosted by this fault and fracture set and can be followed along strike in outcrop and silicified sub-crop for about 850 meters. During the recent mapping and sampling work, quartz veining and alteration related to mineralization were found to occur along strike directions of east west and northwest with steep south and southwest dips, while north striking faults and fractures showed steep dip directions to the west and east and also were seen hosting quartz veinlets.

10.0 DEPOSIT TYPES

The ore deposits of Guadalupe y Calvo are classified as a typical epithermal gold-silver, structurally hosted deposits and are similar to numerous other deposits in the Sierra Madre Occidental Province. Mineralization occurs within, and is controlled by fissure-filling veins, stockworks and locally breccia that show the typical epithermal features of open space filling and veins of banded quartz-chalcedony. Wall rock adjacent to the veins is typically silicified but may locally show argillic alteration while propylitic alteration is more widespread throughout the host rock. Data is lacking on details of vein and ore

mineralogy but observations of mine dumps and vein outcrop within the historic producing area of the Rosario Mine and the La Bufa Property show the presence of pyrite and locally arsenopyrite with sparse galena, sphalerite and copper minerals. The ore minerals are thought to be electrum and argentite. Based on the vein and ore mineralogy, and host rock alteration, the deposit is classified as a low-sulfidation quartz-adularia type.

Typical of these types of systems, there is a favored structural control for mineralization and at Guadalupe y Calvo the favored trends are northwest to west-northwest.

11.0 MINERALIZATION

Gold-silver mineralization in the southern portion of the La Bufa concession occurs within the Santo Niño Vein over a strike length of 850 meters. With some minor deflections in strike direction, the vein and related faults follow a west-northwest trend and dip steeply (50 to 90 degrees) south. In outcrop, the vein is seen as a silicified ledge or resistant zone containing banded quartz veins up to 0.5 meters wide with subsidiary anastomosing veinlets and local quartz breccia. Width of this vein “envelope” is variable from one to 5 meters. Recent mapping and sampling work in this area has identified at least four additional structures that are sub-parallel to the Santo Niño Vein (Figure 9.3). Approximately 100 to 150 meters to the north (on the footwall side of the Santo Niño Vein) is a parallel structure with intermittent exposures of alteration and quartz veining. This structure follows the general trace of the contact between LVG host rock and UVG post-mineral volcanics and projects under post-mineral cover to the east. South of the Santo Niño Vein, in the hanging wall, there is evidence for at least three sub-parallel mineralized structures. Outcrop is sparse in this area but a broad zone of moderate to locally strong silicification, that forms a large resistant hill, suggests this is a silicified cap to mineralization at depth.

Detailed mineralogy has not been completed on vein material from the La Bufa Property to determine ore minerals and gangue assemblage but based on limited studies and metallurgical characteristics of ore at the Rosario Mine, it is believed that native gold, electrum and argentite are the ore minerals. Observations by hand lens of vein material from dumps and outcrops on the Santo Niño and other parallel veins suggests a similar mineralogy to the ores of the Rosario Mine. Vein from outcrops and prospect dumps in La Bufa consist of banded quartz-chalcedony with open space textures, iron oxides of hematite-goethite, pyrite, with lesser arsenopyrite and trace galena, sphalerite and chalcopyrite.

12.0 EXPLORATION

12.1 Summary of Exploration Work at La Bufa by Lincoln Mining

In July of 2005 a reconnaissance visit was made to the La Bufa Property to review the geology and mineralization in the district and to generally make an assessment of the exploration potential of the Property. During that visit 16 rock chip samples were collected from mineralized outcrops, prospect dumps and underground workings (Table 12.1). Sample location coordinates, descriptions and multi-element analytical results are attached (Appendix 4) along with the ALS Chemex laboratory certificates and sample plan map.

Table 12.1 Samples Collected July 2005 by Lincoln Mining

Sample No.	Easting ¹	Northing	Au g/T	Ag g/T	Sample type/length (m)
B-001	305110.0	2886216.0	0.04	0.5	Chip/3.05
B-002	305108.0	2886213.0	0.05	<0.5	Chip/3.05
B-003	305112.0	2886219.0	0.07	0.5	Chip/2.44
B-004	305085.0	2886163.0	0.18	13.2	Chip/3.05
B-005	305085.0	2886166.0	0.35	35.1	Chip/3.05
B-006	305085.0	2886169.0	0.26	22.2	Chip/2.74
B-007	305085.0	2886167.0	0.55	68.3	Grab/0.00
B-008	304709.1	2886837.6	5.30	94	Dump/0.00
B-009	305196.8	2886307.8	0.06	1.9	Chip/0.91
B-010	305048.8	2886292.1	0.07	3.3	Grab/0.00
B-011	305042.6	2886337.6	0.05	2.1	Grab/0.00
B-012	305065.7	2886493.1	0.02	0.9	Grab/0.00
B-013	304858.5	2886707.0	0.20	10.7	Grab/0.00
B-014	U.G.		7.96	169	UG/2.44
B-015	U.G.		0.49	55.1	UG/1.83
B-016	U.G.		1.12	75.3	UG/1.83

¹ Coordinate System: UTM NAD27 Mexico, Zone 13

Also during that visit, discussions were held with city and government officials that were helpful in gaining insights into local regulations and customs for conducting exploration work in and around the town of Guadalupe y Calvo.

Based on the results of that visit, Lincoln Mining acquired the exploration rights to the Property and began an exploration program consisting of a soil sample program that was completed in 2006. By the end of June 2007, aerial photography to generate a topographic map with 2-meter contour intervals and; geologic mapping and outcrop rock chip sampling had been completed. A core-drilling program totaling 4,811.85 meters was completed during the period of March through June of 2008. All of the above mentioned work, except for the aerial mapping, was done in the southern portion of the project area on the La Bufa concession. Beginning in 2009 to present, the focus of the exploration work has been in the northern portion of the property on the La Bufa 1 and La Bufa 2 concessions. This work has included reconnaissance scale geologic mapping, rock outcrop sampling and the completion of a ground geophysical IP-Resistivity survey

totaling 22,000 meters in 10 lines. In conjunction with the geophysical survey, soil samples were collected at geophysical stations along 6 the survey lines.

12.2 Soil Survey in the Southern La Bufa Concession

A soil-sampling program was completed during the period of September 11 to September 26, 2006. The sample points and grid layout was designed to test the projection of known mineralized structures from the Gammon Gold's Rosario Mine concession to the southeast through a portion of the La Bufa concession. Lincoln Mining personnel had previously identified the area during the reconnaissance visit in July of 2005. The area covered by the survey is approximately 1,700 meters long in a northwesterly direction and 600 meters wide and generally follows the trend of the Santo Niño Vein and other parallel structures (Figure 12.1). A total of 599 samples were ultimately collected and delivered to ALS Chemex laboratories in Chihuahua, Mexico for sample preparation and shipment to ALS Chemex in Vancouver B.C. for analysis. Samples were collected from what is basically the "C" horizon, and may be more correctly referred to as "rock in soil", as there is poor soil development over most of the area.




Figure 12.1 Location of Soil Sample Grid

The Mexican-based geologic consulting firm of Cascabel was retained to aid in sample collection and provide transportation and other logistical help with local labor. Cascabel provided a senior geologist, field technician and 4x4 pickup for transportation from Chihuahua to the project site and for daily use to the work areas. Cascabel also arranged for the hiring of local labor to help collect samples and carry samples from the field to the pickup locations at the end of grid lines (Photo 12.1). The Cascabel personnel observed all sample collection and directed the sample collecting methods. They also collected geological information at each sample point that included; sample color, bedrock type and any rock alteration if present. Sample points were marked by orange flagging and an aluminum tag tied to a bush or tree, both of which were labeled with the sample number; and also by a wood stake labeled with the sample number. Sample numbers were based

on “Sample Description Cards” that were provided by Cascabel. Sample numbers were written on the outside of each bag and a sample number tag was placed inside each bag. At the completion of the project Cascabel provided Lincoln Mining with all sample cards that contain field notes, sample descriptions and the UTM waypoint coordinate of the sample site.

The author was on-site during the soil survey work and directed the Cascabel geologists as to grid layout, sample collection procedures; and maintained electronic GPS waypoint data and other records.



Photo 12.1 Cascabel Personnel front left and front right with local helpers.

Samples were analyzed for gold, silver and 48 trace elements using sensitive ICP methods. A database spreadsheet listing sample number, sample point coordinate and analytical results along with copies of the laboratory certificates are attached (Appendix 5). The spreadsheet database was used to create a gold-in-soil contour map using Surfer data posting and contouring software.

12.3 Geologic Mapping and Rock Outcrop Sampling in the Southern La Bufo Concession

Geologic mapping and outcrop sampling was conducted during the period of June 5 through 25, 2007 on the La Bufo concession. Geologic and outcrop sample data was plotted on a topographic base map with 2-meter contour intervals. The UTM grid datum used for the topographic base is NAD27 Mexico, Zone 13, and the topographic base map was produced by Eagle Mapping Ltd. of Port Coquitlam, B.C. from an aerial photo survey flown in October 2006. Geologic mapping was done at a scale of 1:1,000 and is an outcrop style map. A Garmin 76CS GPS (WAAS enabled) was used to locate the outcrop points on the topographic base and when checked at known reference points produced an

accuracy of 3-5 meters. The types of information collected at outcrops includes rock type, strike and dip of bedding or foliation, presence of quartz veins with strike and dip, presence of faults with strike and dip. An overlay sheet was used to show rock alteration, plot sample points and add any cultural features including recent or newly constructed houses or roads. Prospects and mine workings not identified on the air photos were also added.

Outcrop samples were also collected during the mapping program. The main focus of the sampling was to locate and sample quartz veins and veinlets throughout the mapping area and to record strike and dip information at all the sample points. A total of 133 samples of fracture-controlled quartz veining and veinlets were collected and analyzed for gold, silver and 40 other trace elements by sensitive ICP methods. A spreadsheet of sample numbers, coordinates, rock descriptions and structural information is attached along with the ALS Chemex laboratory analytical certificates (Appendix 6). The spreadsheet database was used to create a post map of sample points using Surfer data posting and contouring software. The post map shows the structural orientation of the sample and the symbols are color coded for grade range of gold values (Figure 12.2). The Mexican-based geologic consulting firm of Cascabel was retained to aid in sample collection and provide transportation and other logistical help. Cascabel provided a geologist and 4x4 pickup for transportation from Chihuahua to the project site and for daily use to the work areas.



Figure 12.2 Rock Sample Points

12.4 Exploration Work in the La Bufa 1 and La Bufa 2 Concessions

Beginning in 2009 and continuing to the present, reconnaissance scale mapping and outcrop rock sampling has been conducted in the La Bufa 1 and La Bufa 2 concessions in the northern portion of the property. The focus of this work was to identify areas with exposures of Lower Volcanics that were known to be present based on previous visits to the area. At the end of the fieldwork in 2010 a total of 251 outcrop samples have been collected and analyzed for gold, silver plus a suite of 48 trace elements (Figure 12.3).




Figure 12.3 Sample Plan Map for La Bufa 1 and La Bufa 2
 Rock Outcrop Sample Plan Map from:
 1.) EXPROMIN Consultants for Minera Lincoln de Mexico, 2010

During December 2009 and January 2010 a ground IP-Resistivity survey was completed on 8 lines orientated east-west totaling 22,000 meters. The survey lines were located by GPS and oriented on east-west lines with stations marked at 50-meter intervals along the lines. The survey mode was a time domain with a “Pole-Dipole” array and a Dipole space of 50 meters. The survey was arranged and conducted under the direction of Almaden Minerals. At the time, Almaden was the underlying owner of the property and Lincoln was exploring the property under an “Option Agreement”. Lincoln reimbursed Almaden for the cost of the work. Almaden Minerals owns the geophysical equipment and contracted with a geophysical consultant to design and manage the project.

EXPROMIN Consultants were responsible for selecting the geophysical line locations and collecting the soil samples. At the completion of the surveys they provided the Almaden geophysical data to Minera Lincoln de Mexico, but at the time of this writing not all of the pseudosections have been made available and a final report on interpretation by the geophysicist is pending.

During the course of the fieldwork and geophysical data collection, soil samples were collected at select points along 6 of the geophysical lines where LVG rocks were exposed. A total of 368 soil samples were collected and analyzed for gold, silver and a suite of 48 trace elements (Figure 12.4).





Figure 12.4 Geophysical Lines and Soil Sample Points at La Bufa 1 and La Bufa 2

12.5 Results

Results of the soil survey in the southern area of the La Bufa concession during 2006 show the presence of three prominent anomalies related to the Santo Niño structure of greater than 0.100 ppm gold. One anomaly occurs along the trend of the Santo Niño vein structure 100 meters to the east of the Santo Niño Adit in an area that has not been tested by any previous exploration, drilling or underground development work (Figure 12.5). A second well-defined anomaly occurs 200 meters southeast of the Santo Niño Adit in the hanging wall of the Santo Niño Vein where geologic mapping has identified an area of quartz veining and faulting. A third anomaly occurs about 75 meters north of the Montecristo Shaft along a fault and vein structure, that is parallel to, and in the footwall of the Santo Niño Vein. These anomalies all lie within the LVG rocks and the 0.025 ppm gold contour generally defines the mapped vein and fault structures within this block. Another area where gold values of greater than 0.100 ppm occur is at the northern limit of the sample area. A field check of this area revealed that the anomalies occur in rhyolitic tuffs of UVG rocks in an area of faulting and fracturing where rocks are variably pyritized and silicified. Wide-spaced narrow pyritic quartz veinlets are also present.



Approximately 400 meters north of the Santo Niño adit, another gold-in-soil anomaly occurs in the rhyolitic tuffs of the UVG rock. The anomaly is represented by only a single sample point in a very thin soil to a sub-crop type material so sample quality is suspect.

Results of the soil samples collected in the northern areas along the geophysical lines are less conclusive than the results of the soil data collected on the grid pattern in the southern La Bufa area. Because of the wide line spacing, the data does not lend itself for generating a contour plan map. Several of the lines do show continuous zones where gold values are in the range of 0.010 to 0.025 ppm over 4 to 10 sample points (200-500m)

along the line. This suggests there could be anomalous gold values in the soils that would identify zones of quartz veining or stockworks and detailed geologic mapping may confirm this.

Results of the surface geologic mapping and outcrop sampling in the southern area of the La Bufa concession confirm the presence of gold mineralization hosted by quartz veins and stringer zones throughout the mapped area. The geologic map shown in Figure 9.3 (Section 9.3) is an interpretive geologic map derived from the 1:1,000 scale outcrop mapping completed in June 2007. It shows the veins and faults within a block of LVG andesite tuffs surrounded by the UVG rhyolite tuffs. The contact between the two major units is believed to have a good to very good degree of control on the map. Although only rarely exposed in outcrop the contact can be identified, and followed on the surface, by a change in rock color and mineralogy over distances of just a few meters wide along the trace of the contact.

Of the 133 rock chip samples collected in this area, 20 were greater than 1.0 g/T gold with the highest at 280 g/T. Forty-six samples are within the range of 0.50 g/T to 0.99 g/T and only two sample reported less than the detection limit of 0.002 g/T (Figure 12.2). Mineralization with gold values greater than 1.0 g/T was found to occur along the Santo Niño vein and fault complex and in hanging wall and footwall stringers from the Montecrito shaft to the area 200 meters east of the Santo Niño adit. This is the same area that is also defined by the greater than 0.100 ppm gold-in-soils anomalies.

The results of the exploration work conducted in the northern areas during 2009 and 2010 by EXPROMIN Consultants for Minera Lincoln de Mexico have identified the presence of LVG rocks with favorable alteration and quartz veining. Of the 251 outcrop samples collected, 8 were greater than 1.0g/T Au with the highest value at 21.5g/T Au. . Three samples were in the range of 0.50g/T to 0.99g/T Au and 28 samples were in the range of 0.10g/T to 0.49g/T Au.

12.6 Interpretation

The surface exploration conducted to date by Lincoln Mining; which includes geologic mapping, soils and outcrop rock sampling, and compilation of available data from previous operators, shows that mineralized fault-quartz vein systems are present within a window of LVG rocks in the southern portion of the La Bufa concession. The surface expression of mineralization is typified by outcrops with variably silicified and quartz-veined andesite tuffs of LVG rocks with a geochemical signature including gold and silver in outcrops and in soils along the footwall and hanging wall of the structures. These surface features are present above historic underground development and where limited mining has been done. A significant area of strike length is present where mapped structures show similar features of outcropping veins with related rock and soil geochemistry. It is expected that gold-silver mineralization would be present and continue to some depth in these areas.

One area of particular interest that needs follow-up work is the soil anomaly at the far north end of the soil sample grid area. Here the soil sampling has identified gold

mineralization related to variable silicification with trace amounts of disseminated pyrite and quartz stringers in UVG rhyolite. The 0.025 ppm gold contour appears to be opening to the northwest in the direction of the LVG andesites in the Rosario block 700 meters to the northwest. Available satellite imagery shows strong district-scale structures in this area. The soil sampling may be indicating the presence of favorable host rocks and mineralization at depth.

Other areas of the property, mainly to the north in the La Bufa 1 and La Bufa 2 concessions, have now had some exploration work completed and the results of this work suggests that drill targets will be developed.

12.7 Data Reliability

All of the surface exploration work completed by Lincoln Mining prior to the 2008 core drilling has been carried out by the author or by professional geological consultants under the supervision of the author. The author has maintained all of the sample data for soils and rock in electronic files and as hardcopy files. Mapping has been done at scales appropriate to the size of the property allowing for the recording of salient geologic features related to mineralization.

The author was on site for the initiation of the core drilling program to flag and prepare the initial drill sites, organize the core storage and core sampling work area, to install the sampling procedures including the duplicate checks and standards. Management of the day-to-day drill program; including the logging, sampling, all QA/QC procedures and security of samples, was done by consultants retained by Lincoln Mining. The work done by these consultants was completed in a manner as outlined by the author and is considered reliable.

Data related to the core drilling completed by Grid Capital in December 2004, including drilling equipment, logging and sampling methods, and analytical work appears to have been done in a professional manner and is described in the report of drill results by Caelles Geological Consultants, Ltd. (Caelles, 2004).

The sample methods and results reported by C.R.M. for their underground work at the El Chapito Mine (Section 6.2) has been reported only for its historical significance and may be useful as an indication locally for grade and widths of mineralization but data cannot be verified to current reporting standards.

The work done in the northern part of the property in the La Bufa 1 and La Bufa 2 concession areas was not under the direction of the author but was done by the Mexican consulting group EXPROMIN S.C. The senior geologist and principle of the company is Sr. Filiberto Lopez. The author worked with Sr. Lopez during the core drilling program conducted by Lincoln in 2008 and considers his work and geological knowledge to be of a very high quality.

13.0 DRILLING

Limited core drilling has previously been completed within the southern La Bufa concession area by C.R.M. in 1974 (see Table 8.1 in Section 8.2) and by Grid Capital in 2004 (see Table 8.3 in Section 8.2). Based on results of exploration conducted during 2006 and 2007, and as recommended in the technical report (Bybee, 2007), a phase I limited core drilling program was completed during the period of March through June of 2008 by Lincoln Mining.

13.1 Type of Drilling

The drill contractor for the project was Energold Drilling de Mexico S.A. de C.V. and the type of drill used was a Hydracore Gopher (Photo 13.1). Core sizes drilled were HQ, NTW (5.7cm) and BTW (4.2cm).



Photo 13.1 Hydracore Gopher Drill at Drill Hole LBDDH-001

13.2 Area Tested and Extent of Drilling

The drilling was conducted within the southern area of the La Bufa concession to test the Santo Niño and related veins along the northwest structural trend where previous exploration work had been done. A total of 4,811.85 meters were completed in twelve

angle drill holes. Approximately 700 meters of strike length over a width of about 300 meters was tested along the mineralized trend with angle holes drilled at –45 and –60 degrees. Average depth of holes is 400 meters and hole spacing was 75 to 150 meters along strike. A drill hole plan map is shown in Figure 13.1. At the completion of the drilling, holes were surveyed by GPS using a Magellan Promark 3 Professional unit (Table 13.1). A drill hole plan map (Figure 13.1) shows the drill hole locations and cross section layout.

Table 13.1 Surveyed Drill Hole Coordinates for Lincoln Mining Drilling 2008

Lincoln Mining Corporation						
La Bufa Project, Chihuahua, Mexico						
Surveyed Drill Hole Coordinates:						
Coordinates:	UTM NAD27					
June 2008						
hole id	easting	northing	elevation	azimuth	dip	Depth
LBDDH-001	304,183.23	2,886,956.00	2,346.22	45	-45	399.28
LBDDH-002	304,635.74	2,886,785.14	2,366.26	50	-45	400.00
LBDDH-003	304,279.43	2,886,889.31	2,350.74	45	-45	400.81
LBDDH-004	304,773.38	2,886,682.09	2,420.58	45	-45	419.80
LBDDH-005	304,635.42	2,886,784.88	2,366.26	45	-60	402.34
LBDDH-006	304,587.27	2,886,825.45	2,380.10	45	-45	413.00
LBDDH-007	304,278.54	2,886,888.98	2,351.24	45	-60	365.80
LBDDH-008	304,388.05	2,886,839.30	2,362.15	45	-45	414.53
LBDDH-009	304,773.12	2,886,681.81	2,420.45	45	-60	452.63
LBDDH-010	304,388.10	2,886,839.72	2,362.08	45	-60	439.58
LBDDH-011	304,183.09	2,886,955.86	2,346.34	45	-60	353.56
LBDDH-012	304,143.08	2,886,986.08	2,336.82	45	-45	350.52
Total meters drilled						4,811.85




Figure 13.1 Lincoln Mining Drill Hole Plan Map

13.3 Drilling Procedures

Drilling was done on a 24-hour basis with two shifts per day and working a 7-day week. Drill hole LBDDH-001 was started on March 12, 2008 and the program was completed

with drill hole number LBDDH-012 on June 22, 2008. The Hydracore drill is easily portable with a minimum of transport equipment and access road construction required. Generally the unit is moved by hand or by pickup truck and set on a hand constructed drill pad. Down-hole surveys were made on select holes to test for deviation using a Sun Sperry camera at approximately 50-meter intervals. A spreadsheet of the survey results is in Appendix 7.

13.4 Summary and Interpretation of Core Drilling Results

The drilling program conducted by Lincoln Mining during the first six months of 2008 in the southern portion of the La Bufa concession has tested approximately 700 meters of strike length along the Santo Niño vein and associated sub-parallel structures. Previous soil sampling surveys, rock outcrop sampling and geologic mapping had identified gold-silver mineralization associated with silicification and quartz veining in this west-northwest trending zone that dips steeply southwest. The drilling program consisted of twelve angle core holes totaling 4,811.85 meters drilled at –45 and –60-degree angles to test across this zone with holes spaced at 50 to 150 meters along strike.

All holes encountered anomalous to significant gold-silver mineralization and locally some very significant base metals of Cu, Pb and Zn. Gold values of greater than 0.50g/T in combination with silver at greater than 5.0g/T were found in 9 holes. Significant base metal values for Cu, Pb and Zn above 1.25% were found in 8 holes. The higher gold values, in the range of 3.00g/T or greater, were found in 4 holes generally at less than 100 meters depth except for one hole (LBDDH-003) where a 1.50 meter interval of 10.70g/T Au was cut at 172 meters. There is a strong suggestion of metal zoning, with silver occurring with gold and being a significant halo around gold mineralization in upper parts of the drill holes and silver continues to be associated with base metals at depth. True widths of mineralization are estimated to be 70% of core sample interval for the –45 degree holes and 50% of core sample interval for the –60 degree holes. The targeted vein structures are near vertical to steeply-dipping southwest.

Mineralization was found along the Santo Niño vein structure and its associated footwall and hanging wall sub-parallel structures as expected. On average, the better grades of gold-silver occur in the northern portion of the area tested, that is, from the area just north of the Monte Cristo shaft (hole 10) to just south of the El Chapito mine adit (hole 6). A table with summary of significant intercepts is presented later in Section 14.0.

Lithologic formations found in the drilling include the Upper Volcanic Group rocks and the Lower Volcanic Group rocks and discussed in **Section 9.3 District Geology**. The diorite intrusive at the southern margin of the property, as mapped in the surface, was found at depth in the core holes.

A set of interpretive geologic sections is attached in Appendix 7.

14.0 SAMPLING METHOD AND APPROACH

This section summarizes the field sampling methods used by Lincoln Mining to acquire soil, rock outcrop and drill core samples for analysis. Individual sample collection procedures for various sample types are summarized in Section 14.1, 14.2 and 14.3. For all samples, Lincoln Mining has employed the following methodology:

1. Samples were collected under the direct supervision of Lincoln Mining geologists or field assistants who were trained in sample collection procedures used by Lincoln Mining,
2. Each sample was collected in new plastic or cloth bag; the sample number was written on the outside of the sample bag and all sample bags were tied closed with wire or plastic ties,
3. Soil and rock samples were removed daily from the field and loaded into rice bags; tied closed with tape then stored in a secure room at the hotel, core samples were removed at the end of each drill shift and taken to the core storage and working area,
4. Soil, rock outcrop and core samples were transported by either the Lincoln Mining geologists or the Cascabel representatives from the project site at Guadalupe y Calvo to ALS Chemex preparation facility in Chihuahua, Mexico. ALS Chemex provides a sample collection service, and at times they collected some of the core samples at the project site.

14.1 Soil Sample Program

The base map and coordinate system used to design the soil sampling grid in the southern are of the La Bufa concession is derived from a March 26, 2004 IKONOS satellite 2-meter resolution color image which is geo-referenced in NAD27, zone 13 Datum. A printed hardcopy of the image was available as part of the work done by Grid Capital and was included as part of their data package. The image covers all of the La Bufa concession. A baseline on a 330° azimuth was drawn through the target area and sample fence lines at 50 meter spacing were then placed at 90° to the base line. Sample points were then created at 25 meter spacing along each fence line. This grid layout plan was then put into an AutoCAD drawing and geo-referenced to the base map using the UTM coordinates with the NAD27-Mexico Datum (Figure 12.1). A UTM coordinate for each sample point was then extracted from the AutoCAD drawing and placed into an Excel spreadsheet. A “Grid Point” number and a “Sample Number” identify each point. The sample number refers to the number on the sample bag and is the number reported by the analytical laboratory for assay results. The coordinates for each sample point were then uploaded into GPS units and sample points were located and occupied on the ground by using the “Go To” function on the units. Cascabel was also provided a hardcopy printout of the sample point coordinates from the spreadsheet. The GPS units were WAAS capable and accuracy is believed to be within the 2-8 meter range. The two GPS units used by Cascabel were Garman eTrex-Vista and a Garman 60CS. The author used a Garman 76CS GPS unit. At the beginning of the project all GPS units were positioned at

a reference point and after a 5-minute period to stabilize, all units were reporting within 5 meters of each other on northing and easting.

Occasionally sample points were repositioned 10 to 15 meters away from the original planned point because of outcrops, roads, houses or some obstruction. A GPS waypoint was created at each actual sample point and this waypoint coordinate is used as the final posting point for data plotting. Before leaving the project, a download of all sample waypoints was made from the 60CS GPS unit but the eTrex-Vista GPS unit did not have cable connection capability at site. Waypoint data from this unit was downloaded by Cascabel at their office in Hermosillo and sent to Lincoln Mining by email. The final Excel spreadsheet of all sampled points is attached (Appendix 5). The sample numbers and grid point numbers were determined before arriving on-site, so there are some proposed points that ultimately could not be sampled because of roads, houses, extensive outcrop or very steep terrain. In these cases an empty sample bag with the sample number and tag was submitted to the lab in order not to create the need for continues revisions in the spreadsheet data which would also create the need to continually upload new waypoint data into the GPS units. The area covered by the survey is approximately 1,700 meters long in a northwesterly direction and 600 meters wide and generally follows the trend of the El Niño Vein and other parallel structures. A total of 599 samples were ultimately collect and delivered to ALS Chemex laboratories in Chihuahua, Mexico for sample preparation and shipment to ALS Chemex in Vancouver B.C. for analysis.

Samples were collected by digging with a rock pick or short steel bar to the zone of weathering rock and then filling a 3.5 inch by 5 inch cloth sample bag with material from the bottom of the hole. Hole depths were quite variable from 10 cm to 30 cm (Photo 14.1).



Photo 14.1 Collecting Soil Sample

Samples were collected from what is basically the “C” horizon, and may be more correctly referred to as “rock in soil”, as there is poor soil development over most of the area. The project area is underlain by Tertiary volcanics of rhyolitic to andesitic composition.

For the soil sampling done in the northern concession areas during the geophysical survey, samples were collected along lines where wide zones Lower Volcanic Group rocks were exposed. Soil samples were collected on only 6 of the 10 geophysical lines for a total of 368 samples. Sampling methods are the same as previously described for work done in the southern part of the La Bufa concession.

14.2 Outcrop Rock Sampling

Sampling of rock outcrop in the southern concession area was done in conjunction with the geologic mapping. The main focus of the sampling was to collect structurally controlled quartz vein, quartz stringers and fracture controlled silica replacement or fillings with oxide clays throughout the mapping area. Quartz stringers and fracture fillings were selectively sampled using rock pick and chisels and the structural orientation of the feature being sampled was documented for each sample. This method is used to determine the relationship, if any, of the geochemistry with the structural setting. A total of 133 samples were collected and analyzed for gold-silver plus 40 other trace elements. Sampling of rock outcrop in the northern concession area during 2009 and 2010 focused on outcrops of LVG rocks with alteration and quartz veining.

14.3 Core Samples

When core boxes arrived at the storage and working area, the core was washed, measured to calculate recoveries and photographed. Core photographing is incomplete, with most holes only being photographed in the upper 200 meters. Core is available at the storage facility in Guadalupe y Calvo for photographing. Core was then geologically logged and marked for sampling. Sample intervals were selected based on geologic or alteration contacts such as at quartz veins, quartz stringers or stockwork zones, silicification, presence of pyrite or other sulfides or lithologic changes. A general rule was to keep sample lengths at about 1.5 meters with a about a 3.0 meter maximum. Zones or intervals of wall rock that appeared to be unaltered or with no evidence of quartz veining were not routinely sampled. Drilling conditions were overall good with very few down-hole problems such as loose or broken ground that resulted in poor recovery. Overall recoveries were well above 80% and generally above 90%.

After being marked for sampling the core was cut with diamond saw into equal halves with one half being sent for analysis and the remaining halve being retained in the core box for future reference. The project geologist supervised the core cutting. The cut samples for analysis were placed into clean, new plastic or cloth bags and the sample bags were labeled on the outside with the sample number and a numbered sample card was placed in the bag. The bags were then tied with plastic ties and several bags were loaded into rice bags for transport.

A total of 1,731 samples were submitted to the ALS Chemex sample preparation laboratory in Chihuahua for analysis during the course of the project. This included 1,629 original interval samples, 68 standards and 32 blanks. Duplicate checks, a ¼ cut of the core totaling 5 samples, were made on the first two holes. Additional duplicate checks are pending. The main focus of sampling was zones of geologic interest, primarily the quartz veins, quartz stockwork zones and areas of silicification and sulfides.

14.4 Sample Quality

Sample quality for the soil samples collected in the southern La Bufa area during 2006 is considered adequate over most of the area sampled with the main concern being the variability of soil development locally over areas of broad sub-crop or steep slopes. In other areas, because of the proximity to the village of Guadalupe y Calvo, the natural state of the surface has been disturbed by human activity of woodcutting or road and house construction. To the extent possible these areas were avoided or sample locations were repositioned.

The quality of rock chip samples taken from outcrop during the mapping program in the southern La Bufa concession area during 2007 and in the northern areas of La Bufa 1 and La Bufa 2 during 2010 is considered good with the sampled material and sampling method being consistent throughout.

The quality of the core samples is considered very good and representative of the mineralization being investigated. The method of sample cutting was consistent throughout and core recovery was very good in the mineralized zones, generally greater than 90%. Only core hole LBDDH-10 reported poor recovery of a sampled interval that contained base metal mineralization at a depth of 288.5 meters. One item of consideration is that of sample size because of the smaller diameter of core at depth where holes were reduced from NTW (5.7cm) to BTW (4.2cm). The depth of core diameter reduction is documented in the core logs.

14.5 Summary of Relevant Sample Values

Of the 133 rock chip samples collected in the southern La Bufa concession, 20 were greater than 1.0 g/T with the highest at 280 g/T. Forty-six samples are within the range of 0.50 g/T to 0.99 g/T and only two sample reported less than the detection limit of 0.002 g/T (Figure 12.2). Mineralization with gold values greater than 1.0 g/T was found to occur along the Santo Niño vein and fault complex and in hanging wall and footwall stringers from the Montecrito shaft to the area 200 meters east of the Santo Niño adit. This is the same area that is also defined by the greater than 0.100 ppm gold-in-soils anomalies. With the type of rock sampling that was done, the sample width has less relevance than the structural orientation. Sample widths are determined by the width of the fracture filling being sampled. At La Bufa, select samples of quartz veins, quartz veinlets (defined as less than 0.10 meters), and fracture fillings of iron oxide clays with or without silica, were sampled. Sample widths generally were less than 0.50 meters and ranged from 0.05 to 1.50 meters. A data spreadsheet is presented which gives sample number, coordinate, width, structural orientation as well as analytical results (Appendix 6).

For the core drilling, significant intercepts of gold-silver mineralization with additional Cu, Pb and Zn were encountered in all of the drill holes (Table 14.1).

Table 14.1 Significant Drill Hole Intercepts for La Bufa 2008 Drilling

Lincoln Mining La Bufa Drilling August 2008											
List of Significant Drill Intercepts											
hole id	dip	from	to	intercept	core	rec	Au	Ag	Cu	Pb	Zn
		(m)	(m)	(m)	dia	%	gpt	gpt	ppm or %	Ppm or %	ppm or %
LB-DDH-001	-45	89.20	90.00	0.80	NTW	100	0.166	11.3	172	236	502
		91.50	93.00	1.50	NTW	100	0.178	11.4	145	222	304
		94.50	97.00	2.50	NTW	100	4.12	281	397	561	764
		122.20	123.50	1.30	NTW	98	0.427	23.7	0.40%	0.23%	0.31%
		256.03	259.08	3.05	NTW	99	0.513	2.29	65	75	306
		348.73	351.73	3.00	BTW	99	0.775	5.10	11	434	74
LB-DDH-002	-45	65.50	68.60	3.05	NTW	100	0.257	17.4	138	505	415
		73.15	76.20	3.05	NTW	100	1.067	5.0	161	96	309
		82.30	83.80	1.50	NTW	100	0.188	7.0	74	362	528
		89.21	94.50	5.28	NTW	100	0.186	7.8	305	0.11%	0.11%
		107.68	108.60	0.92	NTW	100	0.266	13.7	86	0.13%	0.16%
LB-DDH-003	-45	172.22	173.72	1.50	NTW	97	10.70	516	0.50%	2.54%	2.42%
		175.26	176.76	1.50	NTW	98	0.115	7.8	161	0.16%	0.26%
LB-DDH-004	-45	198.40	199.90	1.50	HQ	92	0.295	2.8	31	180	486
		199.90	201.35	1.45	HQ	82	0.727	33.8	129	631	881
		201.35	202.85	1.50	HQ	89	0.187	11.0	59	368	912
		352.70	355.75	3.05	NTW	97	0.288	1.7	30	44	118
LB-DDH-005	-60	133.95	135.30	1.35	HQ	90	0.169	6.6	331	0.18%	0.33%
		152.40	153.93	1.53	NTW	100	1.37	10.7	289	0.27%	0.41%
		153.93	155.45	1.52	NTW	100	0.211	11.2	663	0.63%	0.87%
LB-DDH-006	-45	32.00	33.50	1.50	HQ	97	0.203	2.7	19	92	88
		48.74	50.29	1.55	HQ	97	0.148	19.1	235	379	462
		50.29	51.79	1.50	HQ	93	3.91	110.0	868	510	413
		65.53	67.05	1.52	HQ	98	0.109	32.7	222	612	0.12%
LB-DDH-007	-60	128.59	130.30	1.71	NTW	100	0.015	5.4	971	0.24%	0.36%
		251.82	252.98	1.16	NTW	94	0.014	7.5	775	0.56%	0.91%
		278.00	279.40	1.40	BTW	98	0.007	4.0	336	0.47%	1.14%
		279.40	281.10	1.70	BTW	100	0.020	6.8	759	0.35%	0.40%

		286.51	287.71	1.20	BTW	100	0.015	5.5	411	0.60%	0.56%
LB-DDH-008	-45	134.11	137.16	3.05	HQ	97	0.094	7.6	0.10%	0.19%	0.38%
		137.16	138.66	1.50	HQ	95	0.028	7.6	522	0.44%	0.64%
		141.71	143.26	1.55	HQ	95	0.035	9.7	699	0.18%	0.22%
		143.26	144.76	1.50	HQ	95	0.118	5.2	252	0.14%	780
		147.80	149.35	1.55	HQ	98	0.402	6.6	555	0.24%	0.14%
		210.31	213.36	3.05	HQ	97	0.237	1.6	42	80	120
		213.36	216.41	3.05	HQ	98	0.043	4.7	116	0.13%	0.17%
LB-DDH-009	-60	86.80	89.85	3.05	HQ	99	0.106	5.0	27	130	283
		262.25	263.55	1.30	HQ	100	0.261	8.5	373	0.15%	0.21%
LB-DDH-010	-60	10.64	12.19	1.55	HQ	99	0.123	7.6	27	83	48
		19.79	21.34	1.55	HQ	100	0.985	25.8	39	126	66
		51.82	54.86	3.04	HQ	98	0.186	1.7	33	69	77
		192.02	193.52	1.5	HQ	88	0.014	7.7	19	0.82%	625
		288.51	290.06	1.55	NTW	62	0.064	23.6	1.13%	3.69%	6.48%
		294.13	297.18	3.05	NTW	98	0.016	2.5	100	375	0.12%
		409.85	411.28	1.43	NTW	100	0.136	1.7	7	311	566
LB-DDH-011	-60	51.82	53.32	1.50	NTW	100	0.549	37.8	44	260	458
		102.08	103.63	1.55	NTW	93	0.268	1.1	11	49	81
		170.69	172.19	1.50	NTW	100	0.121	10.1	437	0.56%	0.47%
		181.33	182.88	1.55	NTW	98	0.032	9.7	0.18%	0.28%	0.89%
		182.88	183.99	1.11	NTW	97	0.030	23.6	0.42%	0.82%	3.27%
		323.08	324.58	1.50	NTW	99	0.036	5.8	22	107	95
LB-DDH-012	-45	38.10	39.60	1.50	HQ	100	1.125	28.9	10	71	54
		39.60	41.14	1.54	HQ	100	4.070	75.0	137	114	49
		123.44	124.94	1.50	HQ	100	0.046	4.4	645	648	0.34%
		124.94	126.49	1.55	HQ	100	0.088	10.9	0.21%	0.11%	0.39%
		126.49	127.99	1.50	HQ	100	0.386	26.4	0.13%	0.22%	0.24%
		217.93	219.43	1.50	HQ	99	0.023	2.2	304	624	0.15%

Mineralization within the area tested is hosted in near vertical to steeply southwest dipping quartz veins and quartz stockwork zones controlled by fractures and faults with similar orientations. The drilling was done using all angle holes with inclinations of –45 and –60 degrees in a northeast direction to test across the structures. The resulting true widths of mineralized intercepts will be less than the intercept core length. For the –45 degree angle holes the true width will be about 70% of the intercept sample length and

for the –60 degree angle holes the true widths will be approximately 50% of the sample length.

For the sampling completed in the northern areas of La Bufa 1 and La Bufa 2, results of the 251 outcrop samples taken to date show the presence of anomalous gold and silver values associated with silicified and quartz-veined LVG rocks. The areas where high gold values occur (greater than 20.0g/T) need additional detailed mapping and sampling to define drill targets.

15.0 SAMPLE PREPARATION, ANALYSES AND SECURITY

15.1 Sample Preparation and Analysis

Sample preparation procedures and analytical methods used for soil, rock and core samples collected by Lincoln Mining are summarized in Table 15.1. Lincoln Mining has used ALS Chemex Laboratories as the primary lab for all analytical work on the La Bufa project.

Table 15.1 Sample Preparation and Analytical Methods Used by Lincoln Mining

Sample Type	Preparation	Analytical Technique
Soil Sample	Samples are dried at 60°C overnight and sieved to 180 microns. Retain both fractions Pulverize fine fraction to 85% passing 75 microns	Au-ICP21: Range: 0.001-10 ppm 30 gram split by fire assay with ICP-AES finish. Over limits are fire assay and gravimetric finish ME-ICP41: Ag plus 34 elements using Aqua Regia digestion
Rock Outcrop	Samples are dried at 90°C overnight. The entire sample crushed to 70% at –6mm Split 250g and pulverize to 85% passing 75 microns	Au-ICP21: Range: 0.001-10 ppm 30 gram split by fire assay with ICP-AES finish. Over limits are fire assay and gravimetric finish ME-ICP61: Ag plus 32 element package using four acid “near total” digestion
Core Samples	Samples are dried at 90°C overnight. The entire sample crushed to 70% at –2mm Split 250g and pulverize to 85% passing 75 microns	Au-ICP21: Range: 0.001-10 ppm 30 gram split by fire assay with ICP-AES finish. Over limits are fire assay and gravimetric finish ME-ICP41: Ag plus 34 elements using Aqua Regia digestion

ALS Chemex maintains a sample preparation facility in Chihuahua, Mexico where all of the Lincoln Mining samples have been submitted. The preparation laboratory dries, crushes and pulverizes the samples. A split of the pulp is then forwarded to the ALS Chemex laboratory in Reno, Nevada or Vancouver, B.C., Canada for analysis. ALS

Chemex complies with, and is registered under, the international standards of ISO 9001:2000 and ISO 17025:2005. As part of the analytical procedure, ALS Chemex maintains an internal system of duplicates, blanks and standard sample materials that are an integral part of each batch of samples submitted by the client. The Quality Control Manager at the laboratory independently checks the internal quality control samples before assays are released to the client.

ECO Tech Laboratory Ltd. located in Kamloops, British Columbia, Canada has also been used for some of the analytical work for outcrop samples collected in the northern La Bufa property area during the 2010 exploration work. ECO Tech Laboratory Ltd. is an ISO 1705:2005 accredited Lab. ECO Tech maintains a sample receiving and preparation lab in Sonora, Mexico.

15.2 Quality Control

Surface samples collected by Grid Capital were prepared by ALS Chemex in Hermosillo, Sonora with pulps sent to Vancouver, B.C. for analysis. Grid Capital did not document their sample collection methods, security procedures or sample integrity issues.

For the core drilling program completed by Grid Capital, drilling procedures, along with sampling, logging, analytical, and security methods, are documented in a report by Caelles Geologic Consultants, Ltd. (Caelles, 2005) and the work appears to have been done in accordance with current exploration standards.

During the initial reconnaissance visit in July 2005 and during the mapping and sampling work conducted in June 2007, several outcrop locations were found that corresponded to Grid Capital sample locations. Lincoln Mining collected samples at these same outcrops and dumps as a check to compare with the Grid Capital data. A table of assay results for gold and silver at fourteen check sample locations is attached in Appendix 6 and confirms the presence of gold-silver mineralization throughout the prospect area. Although locally quite variable, results are not atypical for samples of silicified andesite host rock containing quartz veinlets in an epithermal environment.

For the core drilling program completed by Lincoln Mining, a Quality Control and Assurance system was instituted. Four certified multi-element (Au, Ag, Cu, Pb, Zn) standards and blanks were purchased from WCM Minerals of Burnaby, B.C., Canada. During core cutting and sample bagging at the core shed, standards and blanks were inserted into the sample stream at a frequency of approximately 5% for standards (1 in 20 samples) and for blanks at about 2.5% (1 in 50 samples). A limited number of duplicate samples (a ¼ cut of core) were also collected. In 10 of the 12 holes drilled, gold values for standards were under-reported by 2.9% and silver values were over-reported by 2.3%. Blank values for gold and silver were within acceptable limits, with gold values of 0.001 to 0.004 ppm and silver at 0.2 to 0.4 ppm. ALS Chemex, the primary laboratory, using the same analytical method as shown in Table 15.1 above, has analyzed all of the Lincoln Mining core samples. Additional check assays at a frequency of about 5% (1 in 20) to be completed by a second laboratory is pending. A spreadsheet for checks of standards and blanks is attached in Appendix 8. Electronic versions of all ALS Chemex assay reports

for the core hole drilling are attached in Appendix 8 also, the final certificates are pending.

15.3 Security

The 16 samples collected by Lincoln Mining during the first reconnaissance visit to the Property in 2005 were brought in from the field daily and kept in a secure room at the hotel. The author delivered these samples to the ALS-Chemex preparation lab in Chihuahua, Mexico.

Soil samples collected during the September 2006 soil sampling program were brought in daily from the field by Cascabel personnel and placed into “rice bags” which were then tied closed with wire and stored in a secured and locked basement at the hotel. The author and Cascabel personnel transported the samples from the project site at Guadalupe y Calvo to the ALS Chemex sample preparation laboratory in Chihuahua, Mexico.

Rock outcrop samples collected during the June 2007 mapping and sampling program were brought in daily from the field by Cascabel personnel and placed into “rice bags” which were then tied closed with tape and stored in a secured and locked basement at the hotel. The author and Cascabel personnel transported the samples from the project site at Guadalupe y Calvo to the ALS Chemex sample preparation laboratory in Chihuahua, Mexico.

For the core drilling conducted by Lincoln Mining, core boxes were removed from the drill site and delivered to the core shack each day by Lincoln Mining geologist. The core shack is a secure building with a locked iron gate. All activity in the core shack such as washing, photographing, sample cutting and bagging was done in the presence of Lincoln Mining geologists and the working area remained locked at all other times. The bagged core samples were delivered to ALS Chemex in Chihuahua by Lincoln Mining geologist, or in some cases, the samples were picked up at the projects site by ALS Chemex.

The rock and soil samples collected during the 2009 and 2010 programs in the northern concessions have been under the control of EXPROMIN geologists and were delivered to the ALS Chemex receiving facility and prep lab in Chihuahua, Mexico or in some cases to the ECO Tech prep lab in Hermosillo, Mexico.

At no time has an employee, officer, director or other associate of Lincoln Mining been involved with any aspect of the sample preparation for this project.

In the authors’ opinion, the methods employed for sample collection, preparation, analysis and security are adequate for the current stage of the exploration program.

16.0 DATA VERIFICATION

For the 2006 southern area soil sample program, the author used the following procedure to check and verify the sample data:

At each sample site a data card with the sample number was filled to include GPS coordinate of the site, sample color, rock type and comments about any alteration. While the sampling program was in progress, the GPS waypoints taken at the actual sample locations were routinely downloaded from the units into an excel spreadsheet and a hardcopy of the waypoint coordinates was printed. At the completion of the program a map of the sample points was then made from this spreadsheet coordinate data by using Surfer posting and contouring software. The sample numbers were posted at each sample point. The spreadsheet data and map of the plotted points were then checked against field notes on the sample cards to look for duplicate sample waypoints, points where samples were not collected and for samples that were collected at points other than the pre-planned grid point. When a sample could not be collected at a planned grid point, an empty sample bag with the pre-determined sample number was submitted to the laboratory. These sample numbers would then appear on the analytical lab report as “no sample” and could be cross checked with original sample cards as a point labeled as “no sample taken”. The spreadsheet data was then corrected as necessary. All original sample description cards, field notes and other pertinent data are maintained in hardcopy files by the author.

Outcrop samples collected during the course of geologic mapping in 2007 were plotted in the field on overlay sheets to accurately show the location of the sample point relative to the outcrop. Sample descriptions and structural information pertaining to each sample were written in field notebook dedicated to the sampling. At the completion of the fieldwork, the sample points were then digitized off of the original field map sheets using AutoCAD drawing software to create a database of coordinates for each sample number. A spreadsheet was printed from this database and additional information for each sample such as, structural information, rock type and alteration was added to the spreadsheet. A sample location plot map was then made from the database using Surfer contouring and posting software. When posting the sample point to the map a symbol set was used to correctly show the structural orientation of the feature that had been sampled. The computer generated sample plot was then compared to the original field maps to confirm correctness of sample point coordinate, sample number and orientation of structural feature that had been sampled. The electronic data spreadsheet was then corrected as necessary to post all samples and structural features as shown on the original field map. All samples (soils and rock outcrop) collected by Lincoln Mining in the southern La Bufa concession during the 2006 and 2007 fieldwork programs have been plotted from the electronic database and checked on the plotted map sheets with original field map sheets to validate the location and sample number. The electronic sample database was found to correctly represent the location of sample on the original field sheets. All original field mapping sheets and field books, with sample descriptions, are maintained by the author in hardcopy files.

For the core drilling program, the author was on site to institute the QA/QC protocol, as describe in Section 15.2, and provided the senior Lincoln Mining geologist (EXPROMIN consultant) with Certified Standard Reference Materials (standards) purchased from the commercial laboratory of WCM Minerals of Burnaby, B.C., Canada. Since the completion of the drilling, the author has compared hand written logs and sample data

sheets to the electronic data and is satisfied that the data is in order. Electronic drill logs need to be finalized to include assay results.

Verification of soil and rock sample locations was not completed by the author for work done during 2009 and 2010 in the northern areas of the concession. Rather, the author has relied upon the reported work of the EXPROMIN consultants. The author has been provided with finalized drawings produced in the AutoCAD file format by EXPROMIN Consultants showing location of the geophysical lines, soil sample locations and posting of rock outcrop sample points with sample identification numbers.

17.0 ADJOINING PROPERTIES (Adjacent Properties)

As described in Sections 6.2 and 8.1, the La Bufa Property completely surrounds a block of five contiguous mining titles held by Gammon Gold (formerly Mexgold Resources) that total approximately 439.24 hectares. Essentially all of the recorded gold production in the district, which is thought to be about two million ounces, has come from this block of ground. Surface and underground exploration has been conducted here from 1980 through 2004. Mexgold Resources was merged into Gammon Lake Resources (TSX:GAM) in August 2006 (Gammon Lake Resources News Release on August 9, 2006) and in a June 19, 2007 news release Gammon Lake Resources announced a name change to Gammon Gold, Inc. At the time of the August 9, 2006 news release announcing the merger of Mexgold into Gammon Lake Resources, Mexgold was reporting an Inferred Resource of 11,800,000 Tonnes at a grade of 2.84 g/T Au and 120 g/T Ag. This included surface bulk tonnage and underground mineralization from the two main structures in the Rosario Mine, the Rosario Vein and the Nankin Vein. This equates to 1.077 million ounces of gold and 45.6 million ounces of silver.

The historic production and current gold-silver resource information regarding the Rosario Mine owned by Gammon Gold has been made available to the public through numerous press releases, Mexgold Corporate filings (Annual Information Form, 2003) and from Wendt, 2002 (Technical Report on the Guadalupe y Calvo gold-silver project). The author has not independently verified the historic production or the stated resource information but has relied upon the qualifying statements within these reports. The resources stated by Mexgold in their 2003 Annual Information Form were derived from work done by P.A.H in 2002. Terms and resource definitions used by P.A.H, in their report to Mexgold, are based on standards as defined by NI 43-101 and specified by the Canadian Institute of Mining, Metallurgy and Petroleum Standards on Mineral Resources and Reserves. All of the above referenced information is available on the SEDAR website and is the most recent information reported.

The Rosario structure strikes N 40° W and dips 45° southwest. The Nankin structure trends east west and dips 35° south. These structures and several other historically gold-producing veins within the Rosario window of LVG rocks have not been shown by any surface geologic mapping, underground development or drilling to continue onto ground controlled by Lincoln Mining. The presence of mineralization within the Rosario block of LVG is not necessarily indicative that gold-silver mineralization will occur in the La Bufa concession at similar grades or vein widths but a strong regional northwest

structural trend exists in the district that appears to have some control on mineralization within the LVG rocks and mineralization on the La Bufa concession.

Beginning in early part of 2008 and continuing to the present, Gammon Gold has maintained an aggressive exploration program with numerous core drills on site. In 2008 Gammon Gold completed 126 core holes for a total of 38,399 meters. In 2009 no new drilling was completed but extensive metallurgical testing was done including density determinations and column leach tests. Regional geochemical sampling was also completed in conjunction with satellite imagery interpretation. Based on results of the 2008 drilling and the 2009 exploration work Gammon believes the northwest trend is a major structural control to mineralization in the district and that the Rosario Vein is open to the northwest and at depth. Gammon has also added two new concessions. The San Luis concession is 18,392 hectares and completely surrounds all of the Lincoln Gold La Bufa properties, and a second concession called the San Luis NW totaling 36,025 hectares covers the area to the north and northwest of Lincoln Gold's La Bufa properties (Gammon Gold's 2009 Annual Information Form). Since resuming the drilling program in April 2010, Gammon has completed 40 core holes totaling 22,513 meters (press release of March 7, 2011).

Gammon Gold is expected to complete a Preliminary Economic Assessment for the Rosario property by end of the second quarter of this year. The current publicly stated inferred resource at Rosario is 11.8 million tonnes at 2.84 g/T Au and 120 g/T Ag for open pit and underground (news release February 28, 2011), and has not changed since the August 9, 2006 news release. The expected exploration expenditures for 2011 will be 4-5 million U.S. Dollars.

18.0 MINERAL PROCESSING AND METALLURGICAL TESTING

The author has not found any reference to metallurgical test work or mineral processing for rock or vein material from the La Bufa Property.

19.0 MINERAL RESOURCE AND MINERAL RESERVE ESTIMATES

At present, the La Bufa Property does not contain any mineralization that could be quantified as a mineral resource. Work on the property is at an early stage and Lincoln Mining is in the process of evaluating drill results from the recently completed first phase drilling in the southern area of the La Bufa concession. On the La Bufa 1 and La Bufa 2 concessions to the north, exploration is underway to define drill targets by surface mapping, soil and rock outcrop sampling, geophysics and photo interpretation.

20.0 OTHER RELEVANT DATA AND INFORMATION

The author is unaware of any additional information concerning the La Bufa property that is pertinent to this report.

21.0 INTERPRETATIONS AND CONCLUSIONS

The La Bufa Property covers the trend, to the northwest and southeast, of known mineralized structures at the historic Rosario Mine. The gold-silver mineralization at the Rosario Mine occurs in Lower Volcanic Group andesite flows and intrusive rocks as epithermal quartz veins. The bonanza grade ores at Rosario occur between the 1,900 meter and 2,350 meter elevation. These favorable hosts rocks are also present in the southeast portion of the La Bufa concession as a window of thick andesite tuffs and diorite intrusive. Lower Volcanic Group rocks have also now been mapped and sampled over large areas of the La Bufa 1 and La Bufa 2 concessions northwest of the Rosario Mine.

The objective of Lincoln Mining's exploration work at La Bufa is to identify, and drill test, target areas that could result in the discovery of a new and significant gold-silver resource. To date, this work has included geologic mapping, soil and outcrop sampling, and the compilation of historic data to determine the presence (location and grade) of favorable host rocks and associated quartz veining and alteration with gold-silver mineralization in the southeast portion of the La Bufa Concession. A core drilling program totaling consisting of twelve widely spaced angle holes totaling 4,811.85 meters was completed in June 2008 which tested 700 meters of strike length along the Santo Niño vein structure in a zone approximately 300 meters wide. With the completion of that drilling, the company has met its initially stated goals.

Geologic mapping, rock chip outcrop sampling and soil sampling has identified a main through-going mineralized quartz vein structure in the southeast block of Lower Volcanic Group rocks. This vertical to steeply south-dipping structure is the Santo Niño vein and is a west to northwest-trending structure that can be traced in outcrop, or in sub-crop and float for approximately 850 meters. Gold mineralization at 0.50 g/T or greater, hosted in epithermal-style quartz veins, is present in outcrop samples intermittently along the Santo Niño vein and in numerous other quartz stringer veins in sub-parallel structures in the footwall and hanging wall of the Santo Niño structure. At the current stage of exploration, the density of outcrop sampling along the structural trends is sufficient to determine the surface expression and location of possible ore shoots. The anomalous or elevated gold values from outcrop samples data ($\geq 0.20\text{g/T Au}$) are generally consistent with anomalous zones ($\geq 0.05\text{g/T Au}$) in the soil sample data. All of the Lincoln Mining sampling data is considered reliable and consistent with the presence of mapped vein structures and host rock alteration typically associated with gold mineralization in these types of systems.

The Santo Niño vein was explored historically by a crosscut adit, drifts on three levels and raises at the El Chapito Mine, by limited drifting on three levels at the Montecristo shaft and more recently by the limited core drilling completed by Grid Capital. The historic and current exploration along the Santo Niño structure is from the surface at generally the 2,400 meters elevation down to 2,310 meters elevation, which is the deepest level of the El Chapito mine. Geologic mapping has identified a weakly propylitic diorite intrusive near the southern limit of the La Bufa Concession. The thick unit of andesite

tuffs that host the Santo Niño and other mineralized structures in this southern block overlie this intrusive body, which suggests potential for favorable hosts rocks to some considerable depth in this area. The deepest levels of exploration (2,310 meter elevation) in the southern block of Lower Volcanic Group rocks in the La Bufa concession is very near the upper elevation limit (2,330 meter elevation) from which gold was produced at the Rosario Mine located on the Gammon Gold concessions. This upper productive level at the Rosario Mine is evidenced by a large open cut and numerous mine workings and stopes exposed at the surface.

The author has visited these workings and can verify their presence but is unable to independently verify the tonnage or grades that may have been produced from them (A more complete description of the Rosario Mine and mineralization is available from (Wendt, 2002). It also should be stated that the vertical zoning of gold mineralization occurring at the Rosario Mine is not necessarily indicative that gold mineralization within the southern portion of the La Bufa concession will be similar, but these relationships are useful as a tool or guide for district scale exploration purposes.

These elevation relationships suggest a potential for gold mineralization well below levels of historic work along the Santo Niño structure and should be considered as a guide to hole depths when planning any recommended drilling program. The surface exploration work completed to date by Lincoln Mining has been successful in achieving the initial goals and objectives for the project by identifying target areas that can be recommended for drill testing.

The results of the core drilling show the presence of gold-silver mineralization at depth, within the area tested, to be associated with quartz veins, quartz stockwork zones and silicification as seen on the surface. Silver and associated base metals of Cu, Pb and Zn are strongly anomalous over true widths of up to 10 meters and form a halo around gold. Gold mineralization is present at 1.0 to 10.0 g/T over true widths of 1.0 to 3.0 meters. Drill holes were too widely spaced to allow for any resource modeling at present. Recommendations will be made that should result in better understanding of the structural controls and the possibility to better target potential ore shoots.

The exploration work carried out in the northern portion of the property, which includes mapping, sampling and geophysical surveys, confirms the presence of LVG rocks with favorable alteration, geochemistry and quartz vein structures along or within a northwest mineral trend consistent with overall district trends. This work has resulted in the identification of drill targets that will be tested by the recommended work program. Appendix 9 lists the gold and silver assay values for all of the sampling work done in this area to the end of 2010.

The exploration work carried out by Lincoln Mining and its consultants to date is considered reliable, and in the case of any analytical work, is considered reproducible within industry standards.

At present there are no mineral resources defined on the Property but because of favorable geology and geochemistry the property is definitely worthy of continued exploration. The La Bufa Property remains highly prospective, as the area tested by detailed surface mapping, sampling and wide-spaced drilling on the La Bufa concession in the southern part of the district represents only a small portion of the total land package. Favorable host rocks, alteration and vein structures, similar to those in the southern area, are now known to occur in the northern concession areas and have been mapped and sampled. Results of this work have identified drill targets that will be tested by the planned drill program.

22.0 RECOMMENDATIONS AND GENERALIZED BUDGET FOR PROPOSED WORK PLAN

The phase-1 drilling program, as recommended in the previous technical report, has now been completed with encouraging results. The geologic and assay data obtained from the drilling program should be plotted on plan and section maps at an appropriate scale so that details of veins or stockwork zones, alteration features, geochemical zoning and lithologic contacts can be modeled. A series of long-sections parallel to the trend of the Santo Niño vein and its associated structures (NW-SE) to show drill hole pierce points would be in order. This work would lead to a better understanding of the deposit and very likely the identification of additional drill targets. In the previously submitted technical report, the success of the recommend drilling project was defined as “the discovery of gold-silver mineralization, along the Santo Niño vein or parallel structures in the footwall and hanging wall, with potentially economic grades and widths that would justify continued expenditures on the Property.” The grades of gold-silver are certainly encouraging and the increased Zn, Pb and Cu values at depth suggest that other types of mineralization may be present in the district. Widths of mineralized zones remain problematic.

Preliminary metallurgical studies should be included as part of the follow-up to the recently completed drilling program and would include bottle roll tests along with thin section and polished section investigations to determine basic mineralogy. Core samples with significant mineralized zones are now available to complete this work.

In addition, follow-up work by mapping and rock sampling in areas of soil anomalies related to quartz veinlets in altered Upper Volcanic Group rocks at the northern limit of the soil grid in the southern La Bufa concession is recommended. Work in this area is needed in order to better understand the relation between the mineralization within the Gammon Gold controlled ground (the Rosario Mine) and how or if it continues into the southern La Bufa area. Drill testing in this area would essentially be the drilling of “blind targets” under younger tuffs along a structural trend.

The previously recommended reconnaissance work throughout the concessions, including mapping and sampling in the northern concessions of La Bufa 1 and La Bufa 2 has been ongoing since 2009 and should continue in order to better define what appears to be

several developing drill targets. This would consist of a district-wide structural study using satellite imagery, air photos and verification by ground checks that should be part of this program. Integration of geochemistry from rock and soil samples, geophysics and the structural studies will better define drill targets. Geologic mapping and continued outcrop sampling should be done at a scale of 1:1,000 scale, similar to what was done in the southern La Bufa concession area. Mapping of veins and structural trends at this scale are needed in order to better define drill targets. Interpretations from the geophysical lines, the soil sampling and outcrop rock sampling should be integrated into a exploration database to better define the drill targets and allow drill program planning for number of holes and meters needed to test the area. Pseudosections for the IP-Resistivity survey have been provided to Lincoln but a complete data set and interpretation of results by the geophysicist are pending. The data should be acquired as soon as possible.

A Phase-II drilling program has been designed to test targets in the new northern areas. A budget for the recommended work is shown in Table 22.1.

Table 22.1 Budget for Recommended Exploration at La Bufa

Activity	Amount/Persons	Time Days	Amount (\$US)
Phase-II: District Exploration			
Data compilation and GIS Modeling of geology, geochemistry, structure and previous drill results for total property area	In office and at site, 2 geologist travel and field expenses	120	80,000
Metallurgical: Bottle Rolls, Density, Thin sections	10 samples	90	15,000
Detail mapping / sampling over total project area	2 geologists, 2 helpers	120	100,000
Analytical	600 samples, prep/shipping/multi- Elem		30,000
Data Workup	1 geologist, 1 GIS	60	50,000
District Total			275,000
Phase-II: Drilling	6,000 meters (12 holes at 400m) all expenses for drilling, assays and geologist. Includes time for data and results workup	120	820,000
To test new targets in the northern concessions and all data compilation/interpretation	Amount includes all expenses, metallurgical, preliminary resource modeling		
Total Phase- II			\$1,370,000

23.0 REFERENCES

Barnard, F. and Stevens, M. G., 2004, The Guadalupe Project, Chihuahua, Mexico, Technical Report: prepared for Grid Capital Corporation by Pincock, Allen and Holt (Lakewood Colorado), for filing under National Instrument 43-101

Buchanan, L. J., 1981, Precious Metal Deposits Associated with Volcanic Environments in the Southwest, Arizona Geologic Society Digest, Vol. XIV, Relations of Tectonics to Ore Deposits in the Southern Cordillera, ed. By Dickenson, W. R. and Payne, W. D.

Bybee, R. W., 2007, Technical Report on the La Bufa Property, Guadalupe y Calvo, Chihuahua State, Mexico, Prepared for Lincoln Mining Corporation for filing under National Instrument 43-101, available to the public on SEDAR.

Caelles, J. C., 2005, A Summary of Late 2004 Diamond Drilling on the Galeana-Guadalupe Projects in Chihuahua State, Mexico. Prepared for Grid Capital Corporation. In Lincoln Mining Corporation files.

Carreón, Julio C., 1977, Informe Geologico-Minero del Subproyecto El Chapito, Proyecto Guadalupe y Calvo, Chihuahua. Consejo de Recursos Minerales, Dept. de Asesoría Técnica al Público (in Spanish)

Clark, K. F. and Melendez, L. R., 1991, Gold and Silver Deposits of Mexico, Asociación de Ingenieros de Minas, Metalurgistas y Geólogos de México XIX Convención Nacional.

Consejo de Recursos Minerales, 1974, Monografía Geológico-Minera del Estado de Chihuahua: 297 pages. The Guadalupe y Calvo District pgs. 260-264.

Coyner, A. R. and Fahey, P. L., (Editors) 1995, Geology and Ore Deposits of the American Cordillera, Symposium Proceedings Vol. III, Geological Society of Nevada

Lewis Geoscience Services, 1997, Structural Interpretation: Digital Topographic Images of Northwestern Mexico, Internal Report prepared for Echo Bay Mines Ltd. in Lincoln Mining files.

Lopez, Filiberto, 2010, Informe Second Half of 2010 Activity Report, La Bufa Project, Guadalupe y Calvo, Chihuahua. ExproMin S.C., in Lincoln Mining files, Carson City, Nevada

Mexgold Corporate Filing, 2003, Annual Information Form for the Guadalupe y Calvo Project, Chihuahua State, Mexico, Filed January 9, 2004, Available to the public on the SEDAR website.

Pickard, G., 1974, Memorandum Sobre Visita de Reconocimiento, Industrial Minera Mexico S. A., Memo on October 1974 Reconnaissance Visit to El Chapito Mine, 2 pgs in Spanish, In Lincoln Mining files.

Wendt, C. J., 2002, The Guadalupe y Calvo gold-silver project, Chihuahua, Mexico, Technical Report: Consulting Report Prepared for Metales Internacionales S.A. de C.V. and Seven Clans Resources Ltd. by Pincock, Allen and Holt (Lakewood Colorado), for filing under Canada National Instrument 43-101 with respect to what are now the Mexgold properties. Available to the public on the SEDAR website.

24.0 DATE AND SIGNATURE PAGE

**To Accompany the Report Entitled
“Amended and Restated Technical Report on the La Bufa Property, Guadalupe y
Calvo, Chihuahua State, Mexico” dated **June 17, 2011****


I, Richard W. Bybee do here by certify that:

1. I reside at 4465 Cobra Drive, Sparks, Nevada 89436 USA
2. I graduated from the California State University at Fresno in 1975 with a B.A. Degree in Geology.
3. I am a Registered Professional Geologist No. PG-1505 in good standing with the Wyoming Board of Registration for Professional Geologists, P.O. Box 3008, Laramie, Wyoming, USA 82071-3008.
4. I have worked as a geologist in the mining industry continuously for over 30 years.
5. I am a member of the Geologic Society of Nevada.
6. I have read the definition of “qualified person” as set out in National Instrument 43-101 (NI 43-101) and certify that by reason of my education, affiliation with a recognized professional association (as defined in NI 43-101) and past relevant work experience, I fulfill the requirements to be a “qualified person” for the purposes of NI 43-101.
7. I am responsible for the preparation of the technical report titled “Amended and Restated Technical Report on the La Bufa Property, Guadalupe y Calvo, Chihuahua State, Mexico” dated **June 17, 2011**. I have visited the La Bufa Property for **five site visits** including July 16-18, 2005 for the initial reconnaissance, September 12-21, 2006 to conduct the soil survey program, June 6-25, 2007 for geologic mapping and rock outcrop sampling, from February 5, 2008 through March 15, 2008 to initiate the drilling program and **from June 13-14, 2011 to review exploration work performed since 2009**. Prior to this work for Lincoln Mining I have had no involvement with the La Bufa Property.
8. I am not independent of the issuer applying all of the tests in section 1.4 of NI 43-101. I have been a consulting geologist for Lincoln Mining Corporation and its affiliates since October 28, 2009.
9. I have read NI 43-101 and Form 43-101F1, and conclude the Technical Report has been prepared in compliance with that instrument and form. The report has been prepared in conformity with generally accepted Canadian mining industry practice.


La Bufa Property
Chihuahua, Mexico

10. I am not aware of any material fact or material change with respect to the subject matter of the Technical Report that is not reflected in the Technical Report, the omission to disclose which makes the Technical Report misleading.
11. I consent to filing of the Technical Report with any stock exchange and other regulatory authority and any publication by them, including electronic publication in the company's files on their websites accessible by the public, of the Technical Report.

Signed and dated this 17th day of June 2011



Richard W. Bybee
Sparks, Nevada



APPENDIX 1

La Bufa Property Purchase Agreements and Concession Titles

PROPERTY PURCHASE AND SALE AGREEMENT

THIS AGREEMENT made effective as of the 15 day of September, 2009.

AMONG:

ARTURO PEREA SAENZ of Presa Boquilla No.2507
Lomas del Santuario. C.P. 31206
Chihuahua, Chih.

(the "**Vendor**")

AND:

LINCOLN MINING CORPORATION, of Suite 350 – 885
Dunsmuir Street, Vancouver, British Columbia, V6C 1N5

(the "**Purchaser**")

AND:

MINERA LINCOLN DE MEXICO, S.A. DE C.V., c/o Lincoln
Mining Corporation, Suite 350 – 885 Dunsmuir Street, Vancouver,
British Columbia, V6C 1N5

(the "**Subsidiary**")

WHEREAS:

(A) The Vendor holds interests in and title to a mineral property (the "**Property**"), as described in Schedule "A" attached hereto, and all rights related thereto; and

(B) The Vendor wishes to sell to the Subsidiary, an indirect, wholly-owned subsidiary of the Purchaser, and the Subsidiary wishes to purchase, all of the Vendor's right, title and interest in and to the Property on the terms hereinafter provided.

NOW THEREFORE THIS AGREEMENT WITNESSETH that in consideration of the mutual covenants and agreements herein contained the parties hereto covenant, agree, represent and promise each with the other as follows:

1.

PURCHASE AND SALE

1.1 The Vendor agrees to sell to the Subsidiary, and the Subsidiary agrees to purchase from the Vendor, the Property free and clear of all charges and

encumbrances, subject to the terms and conditions of this Agreement, by paying the Total Consideration (as hereinafter defined).

1.2 In consideration of and for the sale of the Property to the Subsidiary (the "**Total Consideration**");

(a) Upon execution of this Agreement, the Purchaser shall pay to the Vendor US\$55,000 (the "**Cash Consideration**"); and

(b) upon Closing (as hereinafter defined), the Subsidiary shall pay to the Vendor US\$5,000 (the "**Purchase Price**"). The Subsidiary shall also be responsible for payment of applicable taxes .

1.3 The Purchaser shall pay the Cash Consideration of US\$55,000 into the following account in the name of the Vendor:

BENEFICIARY: ARTURO PEREA

JP MORGAN CHASE BANK N. A.
201 E. MAIN, 2nd FLOOR
EL PASO TEXAS, 79901

ABA 111000614

SWIFT CHASUS33

ACCOUNT 818451528

1.3 The Purchaser will cause the Subsidiary to pay the Purchase Price of US\$5,000 plus applicable taxes to the Vendor through the Subsidiary's legal counsel in Mexico.

1.4 The Vendor shall, forthwith after receipt of the Cash Consideration, grant, assign, convey and transfer unto the Subsidiary the Property by good, proper and sufficient conveyance in the form required under the laws of Mexico (the "**Closing**").

2. COVENANTS OF VENDOR

2.1 The Vendor hereby covenants and agrees that he shall not acquire any property, whether through purchase and sale, option, staking, merger, or other method, within 5 (five) kilometres of the Property.

2.2 The Vendor hereby covenants and agrees that on execution of this Agreement, the Vendor shall deliver or cause to be delivered to the Purchaser copies of all available information, maps, works and other documents and data in the Vendor's possession respecting the Property and past workings on the Property.

2.3 The covenants and agreements contained in sections 2.1 and 2.2 are provided for the exclusive benefit of the Purchaser, and any breach may be waived by the Purchaser in whole or in part at any time without prejudice to its rights in respect of any other breach of the same; and the covenants and agreements contained in sections 2.1 and 2.2 survive the execution hereof.

3.

REPRESENTATIONS AND WARRANTIES OF VENDOR

3.1 The Vendor acknowledges, warrants and represents to the Purchaser and the Subsidiary that:

- (a) the Vendor is legally competent to execute this Agreement and to take all actions required pursuant hereto, and the entering into of this Agreement and the transactions contemplated hereby will not result in the violation of any terms or provisions of any law applicable to the Vendor, or any agreement, written or oral, to which the Vendor may be a party or by which the Vendor is or may be bound;
- (b) this Agreement has been validly executed by the Vendor and constitutes a legal, valid and binding contract of the Vendor, enforceable against the Vendor in accordance with its terms;
- (c) the Property is fully and accurately described in Schedule "A";
- (d) the claims comprising the Property were properly recorded and filed with appropriate governmental agencies; all assessment work required to hold the claims has been performed and all governmental fees have been paid and all filings required to maintain the claims in good standing have been properly and timely recorded or filed with appropriate governmental agencies; the claim is free and clear of encumbrances or defects in title; and the Vendor has no knowledge of conflicting mining claims; he is the recorded holder of a 100% undivided beneficial interest in the Property and has good, valid and marketable title to the Property free and clear of any imperfections in title, liens, claims, charges, restrictions and encumbrances of every kind, nature, and description, and that the concession comprised in the Property has been duly and validly located, created, recorded and issued pursuant to the laws of Mexico and are in good standing with Mexican mining authorities on the date hereof and until the dates set out in Schedule "A";
- (e) there is no adverse claim or challenge against or to the Vendor's ownership of or title to the Property, or any portion thereof, nor is there any basis therefor, and there are no outstanding agreements or options to acquire or purchase the Property, or any portion thereof or interest therein, and no person has any royalty or interest whatsoever in production or profits from the Property or any portion thereof;
- (f) except for the mining concession comprised in the Property, the Vendor does not own any mining concessions within five kilometres from the boundary of the Property;

- (g) all applicable federal, state, local, foreign or other tax returns or filings, assessments, rentals and levies or other payments relating to the Property and required to be made to any federal, state, local or foreign governmental agency have been made and such returns have been materially complete and accurate;
- (h) to the best knowledge of the Vendor, there has been no known spill, discharge, deposit, leak, emission or other release of any hazardous substance or pollutant, contaminant, toxic or dangerous waste, substance or material, as defined or regulated by any applicable law, regulation or governmental authority from time to time placed, held, located, used or disposed of, on, under or at the Property;
- (i) there are no existing or threatened actions, suits, claims or proceedings regarding the Property and there are no outstanding notices, orders, assessments, directives, rulings or other documents issued in respect of the Property by any governmental authority;
- (j) there are no outstanding work orders, actions or other obligations required or reasonably anticipated to be required to be taken or fulfilled in respect of the reclamation, rehabilitation, restoration or abandonment of the Property;
- (k) the Vendor is not aware of any facts relating to the Property which, if known to the Purchaser, could reasonably be expected to cause the Purchaser to decide not to enter into this Agreement;
- (l) for greater certainty, there shall be no net smelter or other royalty payable to the Vendor; and
- (m) payment of the Total Consideration to the Vendor shall represent full and final satisfaction of the obligations of the Purchaser and the Subsidiary to the Vendor and on receipt of the Total Consideration the Vendor shall be deemed to have released the Purchaser and the Subsidiary and their respective directors and officers from any claims, actions or demands which the Vendor may otherwise have had with respect to its dealings with the Purchaser or the Subsidiary in relation to the Property.

3.2 The representations and warranties contained in section 3.1 are provided for the exclusive benefit of the Purchaser and the Subsidiary and a misrepresentation or breach of warranty may be waived by the Purchaser and the Subsidiary in whole or in part at any time without prejudice to their rights in respect of any other misrepresentation or breach of the same or any other representation or warranty, and the representations and warranties contained in section 3.1 shall survive the execution hereof.

3.3 The representations, warranties and covenants of section 3.1 are true and correct as of the date hereof, will remain true and correct throughout the term of this Agreement, and will be true and correct as of the date of the Closing.

4. REPRESENTATIONS AND WARRANTIES OF PURCHASER

4.1 The Purchaser warrants and represents that it has full power, authority and capacity to enter into this Agreement and to carry out the transactions contemplated hereby.

4.2 The representations and warranties contained in section 4.1 are provided for the exclusive benefit of the Vendor and a misrepresentation or breach of warranty may be waived by the Vendor in whole or in part at any time without prejudice to their rights in respect of any other misrepresentation or breach of the same or any other representation or warranty, and the representations and warranties shall survive the execution hereof.

4.3 The representations, warranties and covenants of section 4.1 are true and correct as of the date hereof, will remain true and correct throughout the term of this Agreement, and will be true and correct as of the date of the Closing.

5. REPRESENTATIONS AND WARRANTIES OF SUBSIDIARY

5.1 The Subsidiary warrants and represents that it has full power, authority and capacity to enter into this Agreement and to carry out the transactions contemplated hereby.

5.2 The representations and warranties contained in section 5.1 are provided for the exclusive benefit of the Vendor and a misrepresentation or breach of warranty may be waived by the Vendor in whole or in part at any time without prejudice to their rights in respect of any other misrepresentation or breach of the same or any other representation or warranty, and the representations and warranties shall survive the execution hereof.

5.3 The representations, warranties and covenants of section 5.1 are true and correct as of the date hereof, will remain true and correct throughout the term of this Agreement, and will be true and correct as of the date of the Closing.

6. DEFAULT AND TERMINATION

6.1 If the Purchaser or the Subsidiary, as the case may be, fails to make the payments set forth in Section 1.2 hereof the Vendor may terminate this Agreement but only if:

(i) it first gives to the Purchaser and the Subsidiary a notice of default containing particulars of the obligation which the Purchaser or the Subsidiary, as the case may be, has not performed; and

(ii) the Purchaser or the Subsidiary, as the case may be, does not, within 30 days after delivery of such notice of default, cure such default if reasonably possible within said 30 days, or begun proceedings to cure such default by

appropriate payment or performance if such default reasonably requires more than 30 days.

7. NOTICES

7.1 Each notice, demand or other communication required or permitted to be given under this Agreement shall be sufficiently given if sent by personal delivery, fax, email or prepaid registered mail to:

To Vendor:

Arturo Perea Saenz
Presa Boquilla No.2507
Lomas del Santuario. C.P. 31206
Chihuahua, Chih. Mexico

To Purchaser:

Lincoln Mining Corporation
Attn: Chief Executive Officer
Suite 350 – 885 Dunsmuir Street
Vancouver, British Columbia, V6C 1N5
Fax: 604-688-7307

To Subsidiary:

Minera Lincoln de Mexico, S.A. de C.V.
c/o Lincoln Mining Corporation
Suite 350 – 885 Dunsmuir Street
Vancouver, British Columbia, V6C 1N5
Attn: Chief Executive Officer
Fax: 604-688-7307

8. ARBITRATION

8.1 All questions or matters in dispute with respect to the interpretation of this Agreement will, insofar as lawfully possible, be submitted to arbitration pursuant to the terms hereof using "final offer" arbitration procedures.

8.2 It will be a condition precedent to the right of any party to submit any matter to arbitration pursuant to the provisions hereof, that any party intending to refer any matter to arbitration will have given not less than 10 days' prior notice of its intention so to do to the other party together with particulars of the matter in dispute. On the expiration of such 10 days, the party who gave such notice may proceed to commence procedure in furtherance of arbitration as provided in this section 8.

1

1

8.3 The party desiring arbitration will appoint one arbitrator, and will notify the other party of such appointment, and the other party will, within 15 days after receiving such notice, either consent to the appointment of such arbitrator which will then carry out the arbitration or appoint an arbitrator, and the two arbitrators so named, before proceeding to act, will, within 30 days of the appointment of the last appointed arbitrator, unanimously agree on the appointment of a third arbitrator to act with them and be chairman of the arbitration herein provided for. If the other party will fail to appoint an arbitrator within 15 days after receiving notice of the appointment of the first arbitrator, the first arbitrator will be the only arbitrator. If the two arbitrators appointed by the parties will be unable to agree on the appointment of the chairman, the chairman will be appointed under the provisions of the *Commercial Arbitration Act* (British Columbia) (the "Act"). Except as specifically otherwise provided in this section, the arbitration herein provided for will be conducted in accordance with the Act. The chairman, or in the case where only one arbitrator is appointed, the single arbitrator, will fix a time and place in Vancouver, British Columbia for the purpose of hearing the evidence and representations of the parties, and will preside over the arbitration and determine all questions of procedure not provided for under the Act or this section 8.3. After hearing any evidence and representations that the parties may submit, the single arbitrator, or the arbitrators, as the case may be, will make an award and reduce the same to writing, and deliver one copy thereof to each of the parties. The expense of the arbitration will be paid as specified in the award.

8.4 The parties agree that the award of a majority of the arbitrators, or in the case of a single arbitrator, of such arbitrator, will be final and binding on each of them.

9.

GENERAL

9.1 Each of the parties shall be liable for and shall and does hereby indemnify and save the other harmless from all loss, damage, costs, actions and suits arising out of or in connection with any breach of any representation or warranty contained in this Agreement, and each party shall be entitled, in addition to any other remedy to which it may be entitled, to set off any such loss, damage or costs suffered by it as a result of any such breach against any payment required to be made by it to any other party hereunder.

9.2 After the Closing, the parties hereto agree to take whatever further action is necessary and to execute whatever further documents, instruments of transfer or conveyance and agreements as may be required in order to fulfill the purposes and intent of this Agreement. The Vendor expressly acknowledges that upon receipt of the Total Consideration, and prior to the completion of the transfer and conveyance of the Property in accordance with the laws in effect in the jurisdiction in which the Property is located, all rights and interests in and title to the Property will be held in trust by the Vendor for the sole and exclusive benefit of the Subsidiary.

9.3 This Agreement may be executed in counterparts, all of which shall be deemed an original, but both of which together shall constitute one and the same instrument.

9.4 The following schedules are annexed hereto and form an integral part of this Agreement:

Schedule "A" – Description of Property

9.5 This Agreement shall be governed by and construed in accordance with the laws of the Province of British Columbia and the federal laws of Canada applicable therein, regardless of the laws that might otherwise govern under applicable principles of conflicts of laws thereof. If and to the extent the subject matter of any action, proceeding or litigation between the parties necessarily relates to rights or interests in real property located in Mexico, the applicable laws of Mexico shall apply.

9.6 If a court or other tribunal of competent jurisdiction determines that any one or more of the provisions contained in this Agreement is invalid, illegal or unenforceable in any respect in any jurisdiction, the validity, legality and enforceability of such provision or provisions will not in any way be affected or impaired thereby in any other jurisdiction and the validity, legality and enforceability of the remaining provisions contained herein will not in any way be affected or impaired thereby, unless in either case as a result of such determination this Agreement would fail in its essential purpose.

9.7 This Agreement constitutes the entire agreement between the parties hereto pertaining to the subject matter hereof and supersedes and replaces any prior agreements, whether written or verbal, between the parties hereto with respect to the Property. No supplement, modification, waiver or termination of this Agreement shall be binding unless executed in writing by the party to be bound thereby.

IN WITNESS WHEREOF the parties hereto have executed this Agreement as of and from the day and year first above written.

Signed, Sealed and Delivered by **ARTURO PEREA SAENZ** in the presence of:

Witness (Signature)

Name (please print)

Address

Occupation

ARTURO PEREA SAENZ

LINCOLN MINING CORPORATION

Per:

Authorized Signatory

**MINERA LINCOLN DE MEXICO, S.A.
DE C.V.**

Per:

Authorized Signatory

Declaration of Spouse of Vendor

I, Beatriz Josefina López Martínez, spouse of the Vendor, hereby acknowledge, consent and agree to all of the provisions of the Property Purchase and Sale Agreement to which this Declaration is attached (the "Agreement"), pursuant to which the Vendor will sell all of his right, title and interest in and to the Property to the Purchaser. Upon the completion of the sale of the Property to the Purchaser in accordance with the terms of the Agreement, I understand that the Vendor, and therefore I, will have no further rights whatsoever in respect of the Property which will then be held by the Purchaser free and clear of all claims whatsoever which I may have had under any applicable laws.

I further acknowledge that I have read and fully understand the terms of the Agreement and have sought my own separate legal advice in respect hereof or have decided not to obtain such legal advice.

All capitalized terms used in this Declaration shall have the meanings given to them in the Agreement to which this Declaration is attached.

DATED this ____ day of September, 2009.

Signed, Sealed and Delivered by **BEATRIZ JOSEFINA LÓPEZ MARTÍNEZ** in the presence of:

Witness (Signature)

Name (please print)

Address

Occupation



**BEATRIZ JOSEFINA LÓPEZ
MARTÍNEZ**

SCHEDULE "A"

Description of Property

The Property consists of the claim set forth below as well as any other claim or claim application that the Purchaser or any of its subsidiaries or affiliates may stake within the area of interest described in section 2.1 of this Agreement.

CLAIM DETAILS

Title Number: 164161 Concession Name: EL CHAPITO

Status: ACTIVE

Concession Data

Case file number: 018/0168

Concession type: MINING

Surface area: 20 hectares

Location: GUADALUPE Y CALVO, CHIHUAHUA

Substituted for title: ♦

Filed in: ♦

Date expedited: March 5, 1979

Valid from: March 5, 1979

Valid to: March 4, 2029

Duration: 50 years

File Book: Mining concessions

Volume: 215

number: 641

Page:161



**SECRETARIA DE ECONOMIA
COORDINACION GENERAL DE MINERIA
DIRECCION GENERAL DE MINAS**

**TITULO
DE
CONCESION MINERA DE EXPLOTACION
NUMERO 164161**

NOMBRE DEL LOTE

EL CHAPITO

AGENCIA

EX-GUADALUPE Y CALVO, CHIHUAHUA

VIGENCIA DEL TITULO

DEL 5 DE MARZO DE 1979 AL 4 DE MARZO DEL 2029

Con fundamento en lo dispuesto por los artículos 19,fracción XI, de la Ley Minera y 54, párrafo final, de su Reglamento, se expide el presente duplicado del Título de concesión minera cuyos datos se precisan a continuación:

DATOS DE LA CONCESION MINERA

CLASE DE CONCESION:	EXPLOTACION
NUMERO DE TITULO:	164161
TITULOS ANTERIORES :	
TITULAR O TITULARES:	GILBERTO CESAR RUIZ NOVOA (100 %)
NOMBRE DEL LOTE:	EL CHAPITO
SUPERFICIE:	20 Has.
MUNICIPIO Y ESTADO:	GUADALUPE Y CALVO. CHIHUAHUA

1

El título original fue expedido en la Ciudad de México, Distrito Federal, a los 5 días del mes de marzo de mil novecientos setenta y nueve, por el C. Subsecretario de Minas y Energía, Ing. Fernando Híjar Balderrama, y el C. Director General de Minas, Ing. y Lic. J. Jesús Corrales González, de la Secretaría de Patrimonio y Fomento Industrial - Rúbricas

Dado en la Ciudad de México, Distrito Federal, a los 12 días del mes de marzo de dos mil diez.

El Director General de Minas



Lic. Carlos Eduardo de la Cruz Ledezma

En la Ciudad de México, Distrito Federal, a los 12 días del mes de marzo de dos mil diez, se expide el presente DUPLICADO, copia fiel del título original, atendiendo a los datos que obran bajo acta número 641 del volumen 215 del Libro General de Concesiones Mineras, de este Registro Público de Minería, lo que se hace constar a solicitud de su actual titular, MINERA LINCOLN DE MEXICO, S.A. DE C.V. (100 %), según consta bajo acta número 181 del volumen 26 del Libro de Actos, Contratos y Convenios Mineros del mismo Registro.

El Registrador Público de Minería



Lic. Tatiana Sigler Baca

AGREEMENT TO PURCHASE MINERAL CLAIMS

THIS AGREEMENT dated February 17, 2010

AMONG:

ALMADEN MINERALS LTD.
("Almaden")

AND

MINERA GAVILAN, S.A. DE C.V.
("Gavilan", and together with Almaden, the "Vendors")

AND

LINCOLN MINING CORPORATION
("Lincoln Mining")

AND

MINERA LINCOLN DE MEXICO, S.A. DE C.V.
("Minera Lincoln")

AND

LINCOLN GOLD CORPORATION
("Lincoln Gold", and together with Lincoln Mining and Minera Lincoln, the "Lincoln Entities")

WHEREAS:

- A. The Vendors are the legal and beneficial owners of the Bufa Property, subject to the terms of the Option Agreement;
- B. The parties entered into the Property Purchase Agreement which sets forth the principal terms of the agreement pursuant to which the Vendors will sell, assign and transfer to Minera Lincoln, and Minera Lincoln will purchase from the Vendors, a 100% interest in and to the Bufa Property;
- C. The Property Purchase Agreement provides that the parties will enter into a formal, definitive agreement incorporating the terms of the Property Purchase Agreement; and
- D. The parties wish to enter into this Agreement as the definitive agreement in respect of the transaction contemplated by the Property Purchase Agreement.

NOW THEREFORE THIS AGREEMENT WITNESSETH that in consideration of the mutual covenants and agreements herein contained the parties hereto covenant, agree, represent and promise as follows:

1. DEFINITIONS

As used in this Agreement, including in the above recitals, the following terms have the following meanings:

- (a) "**Bufa Property**" means the claims located in the State of Chihuahua, Mexico as described in Schedules A and B attached hereto;
- (b) "**Closing**" means the completion of the purchase and sale contemplated in this Agreement;

- (c) **"Closing Date"** means February 19, 2010 or such earlier or later date as the parties may mutually agree in writing;
- (d) **"Commercial Production"** means the operation on the Bufa Property or any part thereof as a mine, but does not include milling for the purpose of testing or milling by a pilot plant;
- (e) **"El Chapito Claims"** means the claims set forth in Schedule B hereto;
- (f) **"El Chapito Letter Agreement"** means the letter agreement dated September 11, 2009 between Almaden and Lincoln Mining, which provides that the El Chapito Claims acquired by Minera Lincoln pursuant to the El Chapito Purchase Agreement are made subject to the area of interest provisions of the Option Agreement;
- (g) **"El Chapito Purchase Agreement"** means the Property Purchase and Sale Agreement dated September 15, 2009 among Arturo Perez Saenz, Lincoln Mining and Minera Lincoln;
- (h) **"Lincoln Entities"** means Lincoln Mining, Minera Lincoln and Lincoln Gold;
- (i) **"Lincoln Mining Shares"** means 6,000,000 common shares in the capital of Lincoln Mining;
- (k) **"Minerals"** means any and all ores (and concentrates or metals derived therefrom) of precious, base or industrial minerals, in, on or under the Bufa Property which may lawfully be explored for, mined and sold by the Lincoln Entities pursuant to the instruments of title under which the Bufa Property is held;
- (j) **"Option Agreement"** means the Option Agreement Bufa Property dated April 12, 2007 among Almaden, Gavilan and Lincoln Gold;
- (k) **"Property Purchase Agreement"** means the Property Purchase Agreement dated November 19, 2009 entered into between the Vendors and the Lincoln Entities;
- (l) **"Royalty"** means a production royalty of 2% of Net Smelter Revenue (as described in Section 3) from the sale or other disposition of Minerals produced from the Bufa Property; and
- (m) **"TSXV"** means the TSX Venture Exchange.

2. PURCHASE AND SALE

- 2.1. Pursuant to the terms and conditions of this Agreement, the Vendors agree to sell, assign and transfer to Minera Lincoln, and Minera Lincoln agrees to purchase from the Vendors (a) a 100% interest in and to the Bufa Property and (b) all of the Vendors' interest in the El Chapito Claims, free and clear of all liens and encumbrances, save for the royalty.
- 2.2. In consideration of and for the sale of the Bufa Property pursuant to Section 2.1, on the Closing:
 - (a) Lincoln Mining shall issue to Almaden the Lincoln Mining Shares; and
 - (b) Minera Lincoln will grant the Royalty to Gavilan.
- 2.3. If, prior to the issuance of the Lincoln Mining Shares, there is any reorganization of the authorized capital of Lincoln Mining by way of consolidation, merger, sub-division, amalgamation or

otherwise, then there shall automatically be a corresponding adjustment to the number of Lincoln Mining Shares to be issued to Almaden hereunder.

3. ROYALTY

- 3.1. Following the Closing, Minera Lincoln shall pay to Gavilan the Royalty from the sale or other disposition of Minerals produced from the Bufo Property, in accordance with the provisions set forth in Schedule C hereto.
- 3.2. Payments of the Royalty will be net of and subject to any withholding by Minera Lincoln if then required under applicable Mexican income tax and any value added tax as then required by applicable law.

4. RIGHT TO PURCHASE ROYALTY

- 4.1. After the Closing, Minera Lincoln shall be entitled to purchase up to 1% of the Royalty within one (1) year following a decision to put the Bufo Property into Commercial Production, for a fair market value purchase price to be determined by an independent third party consultant as at the time of such production decision. Such consultant shall determine the fair market value purchase price based on information available in a bankable feasibility study to be prepared or commissioned by Lincoln Mining as a basis for a decision to put the Bufo Property into Commercial Production.
- 4.2. The consultant referred to in Section 4.1 shall be selected by mutual agreement of Lincoln Mining and Gavilan. If the parties cannot agree on the consultant, the selection of the consultant shall be made in accordance with Section 12.

5. TERMINATION OF OPTION AGREEMENT

- 5.1. The parties agree that the Option Agreement and the El Chapito Letter Agreement shall, without any further act or formality, terminate effective as of the Closing and shall thereafter be of no further force or effect. For greater certainty, the Vendors shall cease to have any interest in the El Chapito Claims save and except the royalty effective on the Closing without any further act or formality of the parties.

6. REPRESENTATIONS AND WARRANTIES

6.1. Representations and Warranties of the Vendors

The Vendors, jointly and severally, represent and warrant to the Lincoln Entities that the representations and warranties set forth below are true and correct as of the date hereof and shall be true and correct as of the Closing:

- (a) each of the Vendors is duly incorporated in its jurisdiction of incorporation;
- (b) Almaden is a reporting issuer in the provinces of British Columbia, Alberta and Ontario and its common shares are listed on the Toronto Stock Exchange and the American Stock Exchange;
- (c) the Vendors have the requisite corporate power to enter into this Agreement and to perform their obligations hereunder;
- (d) the execution and delivery of this Agreement by the Vendors and the performance of their obligations hereunder have been duly authorized by all necessary corporate or other action on the part of the Vendors;

- (e) neither the execution and delivery of this Agreement nor the performance of the obligations hereunder will conflict with, result in a breach of or accelerate the performance required by any agreement to which either of the Vendors is a party;
- (f) the Bufo Property is fully and accurately described in Schedules A and B attached hereto;
- (g) the Vendors are the legal and beneficial owners of a 100% interest in and to the Bufo Property, and have good, valid and marketable title to the Bufo Property, free and clear of any lien or encumbrance of every nature and kind, subject to the terms of the Option Agreement;
- (h) the concessions comprised in the Bufo Property have been duly and validly located, created, recorded, filed and issued pursuant to the laws of Mexico and, to the knowledge of the Vendors, are in good standing with Mexican mining authorities on the date hereof and until the dates set out in Schedule A attached hereto;
- (i) to the knowledge of the Vendors, all assessment work required to hold the claims comprising the Bufo Property has been performed and all governmental fees have been paid and all filings required to maintain the claims in good standing have been properly and timely recorded or filed with appropriate governmental agencies, the claims are free and clear of all encumbrances or defects in title, and the Vendors have no knowledge of any conflicting claims;
- (j) to the knowledge of the Vendors, there is no adverse claim or challenge against or to the Vendors' ownership of or title to the Bufo Property, or any portion thereof, nor is there any basis therefor, and there are no outstanding agreements or options to acquire or purchase the Bufo Property, or any portion thereof or interest therein, other than the Option Agreement, and no person has any royalty or interest whatsoever in the production or profits from the Bufo Property or any portion thereof;
- (k) to the knowledge of the Vendors, all applicable federal, state, local, foreign or other tax returns or filings, assessments, rentals and levies or other payments relating to the Bufo Property and required to be made to any federal, state, local or foreign governmental agency have been made and such returns have been materially complete and accurate;
- (l) to the knowledge of the Vendors, there has been no known spill, discharge, deposit, leak, emission or other release of any hazardous substance or pollutant, contaminant, toxic or dangerous waste, substance or material, as defined or regulated by any applicable law, regulation or governmental authority from time to time placed, held, located, used or disposed of, on, under or at the Bufo Property;
- (m) to the knowledge of the Vendors, there are no existing or threatened actions, suits, claims or proceedings regarding the Bufo Property and there are no outstanding notices, orders, assessments, directives, rulings or other documents issued in respect of the Bufo Property by any governmental authority;
- (n) to the knowledge of the Vendors, there are no outstanding work orders, actions, or other obligations required or reasonably anticipated to be required to be taken or fulfilled in respect of the reclamation, rehabilitation, restoration or abandonment of the Bufo Property;
- (o) the Vendors are not aware of any facts relating to the Bufo Property which, if known to the Lincoln Entities, could reasonably be expected to cause them to decide not to enter into this Agreement;

- (p) Almaden is acquiring the Lincoln Mining Shares pursuant to exemptions under the applicable securities laws of British Columbia; and
- (q) Almaden acknowledges that the share certificates representing the Lincoln Mining Shares will carry a legend restricting the transfer of the Lincoln Mining Shares within Canada until the date that is four months plus one day following the date of issuance of the Lincoln Mining Shares and such other legends as required by the TSXV.

Exploration activities have been conducted on the Bufo Property for a considerable time by the Lincoln Entities and, accordingly, "knowledge" means actual knowledge of the existence or absence of facts, as the case may be, without the undertaking of any independent or other investigation or review to determine the existence or absence of facts.

6.2. Representations and Warranties of the Lincoln Entities

The Lincoln Entities, jointly and severally, represent and warrant to the Vendors that the following representations and warranties are true and correct as of the date hereof and shall be true and correct as of the Closing:

- (a) each of the Lincoln Entities is duly incorporated or continued in its jurisdiction of incorporation or continuance;
- (b) Lincoln Mining is a reporting issuer in British Columbia and Alberta and its common shares are listed on the TSXV;
- (c) the Lincoln Entities have the requisite corporate power to enter into this Agreement and to perform their obligations hereunder;
- (d) the execution and delivery of this Agreement by the Lincoln Entities and the performance of their obligations hereunder have been duly authorized by all necessary corporate or other action on the part of the Lincoln Entities;
- (e) neither the execution and delivery of this Agreement nor the performance of the obligations hereunder will conflict with, result in a breach of or accelerate the performance required by any agreement to which any of the Lincoln Entities is a party;
- (f) Lincoln Mining has an authorized share capital consisting of an unlimited number of common shares, of which 58,388,067 common shares are issued and outstanding as at the date hereof; and
- (g) upon the Closing, the Lincoln Mining Shares shall be issued to Almaden as fully paid and non-assessable.

7. COVENANTS

7.1. Covenants of the Vendors

The Vendors covenant and agree with the Lincoln Entities as follows:

- (a) the Vendors will use all reasonable commercial efforts to obtain all required third party consents and any shareholder approvals, consents or agreements such that Minera Lincoln is able to acquire the Bufo Property at the Closing; and

- (b) the Vendors shall assist the Lincoln Entities with obtaining all regulatory approvals by providing them with such information as may be reasonably requested by the Lincoln Entities respecting the transactions contemplated by this Agreement.

7.2. Covenants of the Lincoln Entities

The Lincoln Entities covenant and agree with the Vendors as follows:

- (a) Lincoln Mining shall use all reasonable commercial efforts to obtain all required consents, approvals and filings as may be required for the transactions contemplated under this Agreement, including approval of the TSXV; and
- (b) the Lincoln Entities shall assist the Vendors with obtaining all third party approvals by providing the Vendors with such information as may be reasonably requested by the Vendors respecting the transactions contemplated by this Agreement.

8. CLOSING CONDITIONS

8.1. Conditions for the Benefit of the Lincoln Entities

The purchase and sale of the Bufo Property is subject to the following conditions being satisfied at or prior to the Closing, which are for the exclusive benefit of the Lincoln Entities and may be waived, in whole or in part, by the Lincoln Entities in their sole discretion:

- (a) the representations and warranties of the Vendors contained in this Agreement shall have been true and correct as of the date of this Agreement and shall be true and correct as of the Closing Date as if such representations and warranties had been made on and as of such date and each of the Vendors shall have executed and delivered a certificate to that effect;
- (b) the Vendors shall have fulfilled or complied with all covenants contained in this Agreement to be fulfilled or complied with by them at or prior to the Closing, and each of the Vendors shall have executed and delivered a certificate to that effect;
- (c) receipt of all consents from third parties and stock exchanges that are necessary to complete the transactions contemplated by this Agreement, including, without limitation, the consent of the TSXV;
- (d) there shall not be in force any order or decree restraining or enjoining the consummation of the transactions contemplated by this Agreement, and all consents, orders and approvals required or necessary or desirable for the completion of the transactions contemplated by this Agreement shall have been obtained or received from the persons, authorities or bodies having jurisdiction in the circumstances, all on terms satisfactory to the Lincoln Entities, acting reasonably; and
- (e) the Vendors shall deliver or cause to be delivered to the Lincoln Entities the following:
 - (i) an officer's certificate covering the items referred to in Section 8.1(a) and Section 8.1(b);
 - (ii) a certificate of status, compliance, good standing or like certificate with respect to each of the Vendors of the jurisdiction of its incorporation; and
 - (iii) good, proper and sufficient conveyance documents in the form required under the laws of Mexico to grant, convey and transfer a 100% interest in and to the Bufo Property from the Vendors to Minera Lincoln.

8.2. Conditions for the Benefit of the Vendors

The purchase and sale of the Bufo Property is subject to the following conditions being satisfied at or prior to the Closing, which are for the exclusive benefit of the Vendors and may be waived, in whole or in part, by the Vendors in their sole discretion:

- (a) the representations and warranties of the Lincoln Entities contained in this Agreement shall have been true and correct as of the date of this Agreement and shall be true and correct as of the Closing Date as if such representations and warranties had been made on and as of such date and each of the Lincoln Entities shall have executed and delivered a certificate to that effect;
- (b) the Lincoln Entities shall have fulfilled or complied with all covenants contained in this Agreement to be fulfilled or complied with by them at or prior to the Closing, and each of the Lincoln Entities shall have executed and delivered a certificate to that effect;
- (c) receipt of all consents from third parties and stock exchanges that are necessary to complete the transactions contemplated by this Agreement, including, without limitation, the consent of the TSXV;
- (d) the Lincoln Entities shall deliver or cause to be delivered the following:
 - (i) an officer's certificate covering the items referred to in Section 8.2(a) and Section 8.2(b);
 - (ii) a certificate of status, compliance, good standing or like certificate with respect to each of the Lincoln Entities of the jurisdiction of its incorporation; and
 - (iii) a certificate representing the Lincoln Mining Shares issued in the name of Almaden pursuant to Section 2.2(a).

9. CLOSING

The completion of the purchase and sale contemplated by this Agreement shall take place at the offices of DuMoulin Black LLP, 10th Floor, 595 Howe Street, Vancouver, British Columbia, at 10:00 a.m. on the Closing Date or at such other place, on such other date and at such other time as may be agreed upon in writing between Almaden and Lincoln Mining.

10. TERMINATION

This Agreement may, by notice in writing given prior to the Closing, be terminated:

- (a) by unanimous consent of the parties;
- (b) by the Lincoln Entities if any of the conditions in Section 8.1 have not been satisfied at or prior to the Closing and the Lincoln Entities have not waived such conditions at or prior to the Closing; and
- (c) by the Vendors if any of the conditions in Section 8.2 have not been satisfied at or prior to the Closing and the Vendors have not waived such conditions at or prior to the Closing.

In the event this Agreement is terminated for any reason, the Option Agreement (and the El Chapito Letter Agreement) shall remain in full force and effect, unamended.

11. INDEMNIFICATION

11.1. Survival

The representations and warranties contained in this Agreement and the certificates to be delivered pursuant to Section 8.1(a) and Section 8.2(a) will survive the Closing and continue in full force and effect for a period of three years after the Closing Date.

11.2. Indemnification in favour of the Lincoln Entities

The Vendors shall be jointly and severally liable to and shall indemnify and save harmless the Lincoln Entities and their respective directors, officers, employees, shareholders and representatives from any damages suffered by, imposed upon or asserted against it or any of them as a result of, in respect of, connected with or arising out of:

- (a) any breach or inaccuracy of any representation or warranty given by the Vendors contained in this Agreement or the certificates to be delivered pursuant to Section 8.1(a); and
- (b) any failure of the Vendors to perform or fulfill any of their covenants or obligations under this Agreement.

11.3. Indemnification in favour of the Vendors

The Lincoln Entities shall be jointly and severally liable to and shall indemnify and save harmless the Vendors and their respective directors, officers, employees, shareholders and representatives from any damages suffered by, imposed upon or asserted against it or any of them as a result of, in respect of, connected with or arising out of:

- (a) any breach or inaccuracy of any representation or warranty given by the Lincoln Entities contained in this Agreement or the certificates to be delivered pursuant to Section 8.2(a); and
- (b) any failure of the Lincoln Entities to perform or fulfill any of their covenants or obligations under this Agreement.

12. DISPUTE RESOLUTION

12.1. Settling Disputes

If any dispute, claim, question or difference arises with respect to this Agreement or its performance, enforcement, breach, termination or validity (a "**Dispute**"), the parties will attempt to settle the Dispute through the President or Chief Executive Officer of the parties.

12.2. Arbitration

If the parties do not reach a solution pursuant to Section 12.1 within a period of 15 days following the first notice of the Dispute by any party to another party, then the parties agree that the Dispute shall be finally settled by arbitration in accordance with the rules of the British Columbia International Arbitration Centre, based on the following:

- (a) The arbitration tribunal shall consist of one arbitrator appointed by mutual agreement of the parties, or in the event of failure to agree within 10 days following delivery of the written notice to arbitrate, each of the parties to the Dispute shall designate an unaffiliated third person within a further 10 days who shall agree upon and appoint an arbitrator. If the unaffiliated parties fail to appoint the arbitrator within such 10 day period, any party may apply to a judge of the Supreme Court of British Columbia to appoint an arbitrator.

- (b) The arbitrator shall be instructed that time is of the essence in the arbitration proceeding and, in any event, the arbitration award must be made within 60 days of the submission of the Dispute to arbitration.
- (c) After written notice is given to refer a Dispute to arbitration, the parties will meet within 15 days of delivery of the notice and will negotiate in good faith any changes in these arbitration provisions or the rules of arbitration which are herein adopted, in an effort to expedite the process and otherwise ensure that the process is appropriate given the nature of the Dispute.
- (d) The arbitration award shall be given in writing and shall be final and binding on the parties. The cost of the arbitration will be paid as specified in the award.

13. NOTICE

Any notice or other communication required or contemplated under this Agreement to be given by one party to another party shall be delivered, faxed or mailed by prepaid registered post to the party to receive same at the undernoted address, namely:

if to the Vendors:

Almaden Minerals Ltd.
1103-750 West Pender Street
Vancouver, British Columbia, V6C 2T8
Attention: Chief Executive Officer
Fax Number: (604) 689-7645

if to the Lincoln Entities:

Lincoln Mining Corporation
Suite 350-885 Dunsmuir Street
Vancouver, British Columbia, V6C 1N5
Attention: Chief Executive Officer
Fax Number: (604) 688-7307

Any notice delivered or faxed shall be deemed to have been given and received on the business day next following the date of delivery or faxing, as the case may be.

14. MISCELLANEOUS

- 14.1. This Agreement will be governed by the laws of the Province of British Columbia and the federal laws of Canada applicable therein.
- 14.2. This Agreement contains the entire agreement and understanding of the parties and supersedes all prior agreements or understandings with respect to the subject matter hereof, including without limitation the Property Purchase Agreement.
- 14.3. No amendment, modification, change or waiver of the terms and conditions of this Agreement will be valid unless made in writing and duly executed by the parties.
- 14.4. The parties hereto shall execute and deliver all such further documents and instruments and do all such acts and things as any party may reasonably require of the others in order that the full intent and meaning of this Agreement is carried out.

- 14.5. This Agreement may be executed by facsimile in one or more separate counterparts, each of which, when so executed, will be deemed to be an original. Such counterparts, taken together, will constitute one and the same document. As soon as reasonably practicable following the execution of this Agreement, the Vendors and the Lincoln Entities will register a Spanish translation of this Agreement at the Mining Public Registry in Mexico.

IN WITNESS WHEREOF the parties have executed this Agreement as of the date first above written.

ALMADEN MINERALS LTD.

Per: 
Authorized Signatory

MINERA GAVILAN, S.A. DE C.V.

Per: 
Authorized Signatory

LINCOLN MINING CORPORATION

Per: 
Authorized Signatory

MINERA LINCOLN DE MEXICO, S.A. DE C.V.

Per: 
Authorized Signatory

LINCOLN GOLD CORPORATION

Per: 
Authorized Signatory

SCHEDULE A

BUFA CLAIMS

CLAIM DETAILS

1. La Bufo
 Title No.: 219036
 Case file No.: 016/31696
 Valid from: January 31, 2003
 Valid to: January 30, 2053
 Surface Area: 1,040.7594 hectares
 Location: Guadalupe y Calvo, Chihuahua

2. La Bufo 1
 Title No.: 222724
 Case file No.: 016/32275
 Valid from: August 27, 2004
 Valid to: August 26, 2054
 Surface Area: 485.000 hectares
 Location: Guadalupe y Calvo, Chihuahua

3. La Bufo 2
 Title No.: 223165
 Case file No.: 016/32529
 Valid from: October 28, 2004
 Valid to: October 27, 2054
 Surface Area: 765.5 hectares
 Location: Guadalupe y Calvo, Chihuahua



SCHEDULE B

EL CHAPITO CLAIMS

El Chapito
Title No.: 164161
Case file No.: 1668
Valid from: March 5, 1979
Valid to: March 4, 2029
Surface Area: 20.0000 hectares
Location: Guadalupe y Calvo, Chihuahua



SCHEDULE C

NET SMELTER RETURNS ROYALTY

1. The Royalty payable to Gavilan (hereinafter called the "Payee"), pursuant to paragraph 3.1 of the Agreement to which this Schedule is attached, by Minera Lincoln (hereinafter called the "Payor") will be 2% of the Net Smelter Revenue (as hereinafter defined) and will be calculated and paid to the Payee in accordance with the terms of this Schedule C. Terms having defined meanings in the Agreement and used herein will have the same meanings in this Schedule as assigned to them in the Agreement unless otherwise specified or the context otherwise requires.

2. The Net Smelter Revenue will be calculated on a calendar quarterly basis and will, subject to paragraph 8, be equal to Gross Revenue less Permissible Deductions for the applicable quarterly period. No Royalty will be due upon bulk samples extracted by the Payor for metallurgical testing purposes during the Payor's exploration or development work on the Bufo Property,

3. In this Schedule C the following words have the following meanings:

(a) "Gross Revenue" means the aggregate of the following amounts received in each quarterly period:

(i) If the Payor causes refined gold (meeting the specifications of the London Bullion Market Association) to be produced from Mineral Products, Net Smelter Revenue shall be paid on the refined gold, as herein provided. For purposes of determining Net Smelter Revenue, the refined gold shall be deemed to have been sold at the Monthly Average Gold Price and the Gross Revenue shall be determined by multiplying Gold Production during the calendar month by the Monthly Average Gold Price for each such month during the quarterly period. As used herein, "Gold Production" shall mean the quantity of refined gold outturned during the calendar month to the Payor's account by an independent third party refinery from Mineral Products, on either a provisional or final settlement basis as used herein. "Monthly Average Gold Price" shall mean the average London Bullion Market Association P.M. Gold Fix, calculated by dividing the sum of all such prices reported for the month by the number of days for which such prices were reported;

(ii) If the Payor causes refined silver (meeting the specifications for refined silver subject to the New York Commodity Exchange ("COMEX") Silver Price) to be produced from Mineral Products, Net Smelter Revenue shall be paid on refined silver as herein provided. For purposes of determining Net Smelter Revenue, the refined silver shall be deemed to have been sold at the Monthly Average Silver Price and the Gross Revenue shall be determined by multiplying Silver Production during the calendar month by the Monthly Average Silver Price for each such month during the quarterly period. As used herein, "Silver Production" shall mean the quantity of refined silver outturned during the calendar month to the Payor's account by an independent third party refinery from Mineral Products, on either a provisional or final settlement basis. As used herein, "Monthly Average Silver Price" shall mean the average COMEX Silver Price, calculated by dividing the sum of all such prices reported for the calendar month by the number of days for which such prices were reported;

(iii) If the Payor causes refined metals other than refined gold and refined silver to be produced from Mineral Products, Net Smelter Revenue shall be paid on the

refined metal produced as herein provided and the Gross Revenue shall be equal to the amount of the proceeds actually received by the Payor during the quarterly period from the sale of such refined metal.


- (iv) If the Payor sells raw ore mined from the Bufa Property or doré or concentrates produced from Mineral Products to an independent third party in an arm's length transaction, then the Gross Revenue shall be equal to the amount of the proceeds actually received by the Payor during the quarterly period from the sale of such raw ore, doré, or concentrates;
 - (v) If the Payor sells raw ore mined from the Bufa Property or doré or concentrates produced from Mineral Products in other than an arm's length sale to an independent third party, then the Gross Revenue shall be equal to the fair market value of such raw ore, doré or concentrates determined with reference to spot prices quoted on the London Metals Exchange; and
 - (vi) Any proceeds of insurance on Mineral Products.
- (b) "Mineral Products" means the end products derived from the treatment of Minerals removed from the Bufa Property.
- (c) "Permissible Deductions" means the aggregate of the following charges (to the extent that they are not deducted by any purchaser in computing payment) that are paid in each quarterly period:
- (i) sales charges levied by any sales agent on the sale of Mineral Products;
 - (ii) transportation costs for Mineral Products from the Bufa Property to the place of smelting and refinement and thence to the place of delivery of Mineral Products to a purchaser thereof, including shipping, freight, handling and forwarding expenses;
 - (iii) all costs, expenses and charges of any nature whatsoever which are either paid or incurred by the Payor in connection with smelting and refinement of Mineral Products after leaving the Bufa Property, including all weighing, sampling, assaying and representation costs, metal losses, any umpire charges, and any penalties charged by the processor, refinery or smelter; and
 - (iv) all insurance costs on Mineral Products,

provided that where a cost or expense otherwise constituting a Permissible Deduction is incurred by the Payor in a transaction with a party with whom it is not dealing at arm's length (as that term is defined in the *Income Tax Act* (Canada)), such cost or expense may be deducted, but only as to the lesser of the actual cost incurred by the Payor or the fair market value thereof, calculated at the time of such transaction and under all the circumstances thereof.


4. The Royalty will be calculated and paid within thirty (30) days after the end of each calendar quarter. Smelter settlement sheets, if any, and a statement setting forth calculations in sufficient detail to show the payment's derivation (the "Statement") must be submitted with the payment.

5. If final amounts required for the calculation of the Royalty are not available within the time period referred to in section 4 of this Schedule C, then provisional amounts will be estimated and the Royalty paid on the basis of this provisional calculation. Positive or negative adjustments will be made to the Royalty payment of the succeeding quarterly period.

6. All Royalty payments will be considered final and in full satisfaction of all obligations of the Payor with respect thereto, unless the Payee delivers to the Payor a written notice (the "Objection Notice") describing and setting forth a specific objection to the calculation thereof within sixty (60) days after receipt by the Payee of the Statement. If the Payee objects to a particular Statement as herein provided, the Payee will, for a period of sixty (60) days after the Payor's receipt of such Objection Notice, have the right, upon reasonable notice and at a reasonable time, to have the Payor's accounts and records relating to the calculation of the Royalty in question audited by the auditors of the Payee. If such audit determines that there has been a deficiency or an excess in the payment made to the Payee, such deficiency or excess will be resolved by adjusting the next quarterly Royalty payment due hereunder. The Payee will pay all the costs and expenses of such audit unless a deficiency of two and one-half (2-1/2%) percent or more of the amount due is determined to exist. The Payor will pay the costs and expenses of such audit if a deficiency of two and one-half (2-1/2%) percent or more of the amount due is determined to exist. All books and records used and kept by the Payor to calculate the Royalty due hereunder will be kept in accordance with Canadian generally accepted accounting principles. Failure on the part of the Payee to make claim against the Payor for adjustment in such sixty (60) day period by delivery of an Objection Notice will conclusively establish the correctness and sufficiency of the Statement and Royalty payments for such quarterly period.



7. At the election of the Payee made in writing at least ninety (90) days prior to the first payment on account of the Royalty (which election may not be rescinded without the consent of the Payor), the Payee may elect to receive the Royalty "in kind", provided that any extra costs or expenses incurred by the Payor as a result of such election and payment of the Royalty in kind will be for the account of the Payee and will be due within thirty (30) days of the receipt of a statement showing charges incurred by the Payor for transportation, smelting or other Permissible Deductions as per section 3(c) hereof, to the extent that such charges are extra costs or expenses and not previously accounted for. If the Payee does not pay such charges when due, the Payor shall have the right, at its election, to deduct the gold equivalent of such charges from the ounces of gold bullion to be credited to the Payee in the following quarter. The Payee agrees to hold harmless the Payor from any liability imposed as a result of the election of the Payee to receive the Royalty "in kind" and from any losses incurred as a result of Payee's trading and hedging activities. The Payee assumes all responsibility for any shortages which occur as a result of the Payee's anticipation of credits to its account in advance of an actual deposit or credit to its account by a refiner or mint.



8. All profits and losses resulting from the Payor engaging in any commodity futures trading, option trading, metals trading, gold loans or any combination thereof, and any other hedging transactions with respect to Mineral Products which are precious metals (collectively, "Hedging Transactions") are specifically excluded from calculations of the Royalty pursuant to this Schedule C (it being the intent of the parties that the Payor will have the unrestricted right to market and sell Mineral Products to third parties in any manner it chooses and that the Payee will not have any right to participate in such marketing activities or to share in any profits or losses therefrom). All Hedging Transactions by the Payor and all profits or losses associated therewith, if any, will be solely for the Payor's account. The amount of Net Smelter Revenue derived from all Mineral Products subject to Hedging Transactions by the Payor will be determined pursuant to the provisions of this paragraph 8 and not paragraph 2. As to precious metals subject to Hedging Transactions by the Payor, Net Smelter Revenue will be determined without reference to Hedging Transactions and will be determined by using, for gold, the quarterly average price of gold, which will be calculated by dividing the sum of all London Bullion Market Association P.M. Gold Fix prices reported for the calendar quarter in question by the number of days for which such prices were quoted, and for silver, the quarterly average price of silver, which shall be

calculated by dividing the sum of all COMEX prices for silver quoted by and at the closing of COMEX reported for the calendar quarter in question by the number of days for which such prices were quoted, less, in each case, an amount reasonably equivalent to the deductions permitted by paragraph 3(b). Any Mineral Products subject to Hedging Transactions will be deemed to be sold, and revenues received therefrom, only on the date of final settlement of the amount of refined Mineral Products allocated to the account of the Payor by a third party refinery in respect of such transactions.

A handwritten signature in dark ink, appearing to be the initials 'AP' or similar, located on the right side of the page.A handwritten signature in dark ink, appearing to be a full name or a more complex set of initials, located on the right side of the page, below the first signature.



**SECRETARIA DE ECONOMIA
COORDINACION GENERAL DE MINERIA
DIRECCION GENERAL DE MINAS**

**TITULO
DE
CONCESION MINERA
NUMERO 219036**

NOMBRE DEL LOTE

LA BUFA

AGENCIA

CHIHUAHUA, CHIHUAHUA

VIGENCIA DEL TITULO

DEL 31 DE ENERO DEL 2003 AL 30 DE ENERO DEL 2053

Con fundamento en lo dispuesto por los artículos 19,fracción XI, de la Ley Minera y 54, párrafo final, de su Reglamento, se expide el presente duplicado del Título de concesión minera cuyos datos se precisan a continuación:

DATOS DE LA CONCESION MINERA

NUMERO DE TITULO:

219036

TITULOS ANTERIORES :

TITULAR O TITULARES:

MINERA DAVILAN, S.A. DE C.V. (100 %)

NOMBRE DEL LOTE:

LA OJFA

SUPERFICIE:

1848.7584 Has.

MUNICIPIO Y ESTADO:

GUADALUPE Y CALVO, CHIHUAHUA

LOCALIZACION DEL LOTE MINERO

PUERTO DE PARTIDA

La mojonera o señal regulamentaria se localiza en:

LA FALDA SUROESTE DEL CERRO DE LA BUFA, A 400 MTS. AL NOROESTE DE LA CHIMENEA DE UNA FUNDICION. CORRESPONDE AL PUNTO DE CONTROL No. 1027 DE LA SUBRED GEODESICA MINERA.

Distancia		Rumbo	Nombre o poblados o accidentes topográficos
A	200 Mts. Al	NE	DEL RANCHO LA HACIENDA
A	1500 Mts. Al	NW	DEL POBLADO GUADALUPE Y CALVO
A	3600 Mts. Al	NE	DEL ASERRADERO EL PINITO

COORDENADAS U.T.M.:

2,888,247.901 mN

302,870.747 mE

Rbo Gra Min Seg Mts.

LIGAS TOPOGRAFICAS A LOTES MINEROS COLINDANTES:

Nombre del Lote o Vértice:	No. de Título/Expediente/Vértice	Rbo	Gra	Min	Seg	Mts.
EL CHAPITO	T-164161	SE	53°	17'	18.1"	2,342.310

PERIMETRO

Línea Auxiliar.	Rbo	Gra	Min	Seg	Mts.	Rbo	Gra	Min	Seg	Mts.
DEL PP AL PUNTO 01	E	0°	0'	0"	1,500.000					

LADOS, RUMBOS Y DISTANCIAS HORIZONTALES:

LADOS	Rbo	Gra	Min	Seg	Mts.	LADOS	Rbo	Gra	Min	Seg	Mts.	LADOS	Rbo	Gra	Min	Seg	Mts.
01 - 02	S	0°	0'	0"	500.000												
02 - 03	E	0°	0'	0"	500.000												
03 - 04	S	0°	0'	0"	500.000												
04 - 05	E	0°	0'	0"	1,000.000												
05 - 06	S	0°	0'	0"	1,000.000												
06 - 07	E	0°	0'	0"	1,000.000												
07 - 08	S	0°	0'	0"	1,200.000												
08 - 09	W	0°	0'	0"	2,000.000												
09 - 10	N	0°	0'	0"	500.000												
10 - 11	W	0°	0'	0"	1,000.000												
11 - 12	N	0°	0'	0"	1,000.000												
12 - 13	W	0°	0'	0"	2,000.000												
13 - 14	N	0°	0'	0"	1,000.000												
14 - 15	W	0°	0'	0"	500.000												
15 - 16	N	0°	0'	0"	1,000.000												
16 - 17	W	0°	0'	0"	500.000												
17 - 18	N	0°	0'	0"	1,500.000												
18 - 19	E	0°	0'	0"	2,000.000												
19 - 20	S	0°	0'	0"	500.000												
20 - 21	E	0°	0'	0"	1,500.000												
21 - 01	S	0°	0'	0"	1,300.000												


DEL PERIMETRO DESCRITO DEBE EXCLUIRSE LA SUPERFICIE AMPARADA POR LOS LOTES MINEROS AMP. 01 GUADALUPE Y 211461 GUADALUPE TITULO 1277161 GUADALUPE TRES FRACCIONES T-20704 GUADALUPE TRES FRACCIONES GUADALUPE T-166042 EL CHAPITO T-164161, PARA UN TOTAL DE 450,200 HAS. Y LOS QUE RESISTEN COMO MEJORES EN HECHOS QUE SE UNICAN EN EL MAPA DE SU PERIMETRO.

EL DUEÑO DE LAS COLINDANCIAS DEL LOTE QUE AMPARA ESTA CONCESION DEBEAN EN EL EMPLEO DEL PRESENTE TITULO

El título original fue expedido en la Ciudad de México, Distrito Federal, a los 31 días del mes de enero del dos mil tres, por el C. Director General de Minas, Ing. Luis Raúl Escudero Chávez, de la Secretaría de Economía. - Rúbrica.

Dado en la Ciudad de México, Distrito Federal, a los 20 días del mes de agosto de dos mil diez.

El Director General de Minas



Lic. Miguel Ángel Romero González

En la Ciudad de México, Distrito Federal, a los 20 días del mes de agosto de dos mil diez, se expide el presente DUPLICADO, copia fiel del título original, atendiendo a los datos que obran bajo acta número 216 del volumen 334 del Libro de Concesiones Mineras, de este Registro Público de Minería, lo que se hace constar a solicitud de su actual titular, MINERA LINCOLN DE MEXICO, S.A. DE C.V. (100 %), según consta bajo acta número 89 del volumen 27 del Libro de Actos, Contratos y Convenios Mineros del mismo Registro.

El Registrador Público de Minería



Lic. Tatiana Sigler Baca



**SECRETARIA DE ECONOMIA
COORDINACION GENERAL DE MINERIA
DIRECCION GENERAL DE MINAS**

**TITULO
DE
CONCESION MINERA
NUMERO 222724**

NOMBRE DEL LOTE

LA BUFA 1

AGENCIA

CHIHUAHUA, CHIHUAHUA

VIGENCIA DEL TITULO

DEL 27 DE AGOSTO DEL 2004 AL 26 DE AGOSTO DEL 2054

Con fundamento en lo dispuesto por los artículos 19,fracción XI, de la Ley Minera y 54, párrafo final, de su Reglamento, se expide el presente duplicado del Título de concesión minera cuyos datos se precisan a continuación:

DATOS DE LA CONCESION MINERA

NUMERO DE TITULO:

222724

TITULOS ANTERIORES :

TITULAR O TITULARES:

MINERA CAVILAN, S.A. DE C.V. (100 %)

NOMBRE DEL LOTE:

LA BUFA 1

SUPERFICIE:

405 H33.

MUNICIPIO Y ESTADO:

GUADALUPE Y CALVO, CHIHUAHUA

LOCALIZACION DEL LOTE MINERO

PUERTO DE PARTIDA

La mojenera o señal reglamentaria se localiza en:

LA FALDA SUROESTE DEL CERRO DE LA BUFA, A 400 MTS. AL NOROESTE DE LA CHIMENEA DE FUNDICION. CORRESPONDE AL PUNTO DE CONTROL No. 1027.

Distancia		Rumbo	Nombre o nombres o accidentes topográficos
A	200 Mts. Al	NE	DEL RANCHO LA HACIENDA
A	1500 Mts. Al	NW	DEL PUEBLO DE GUADALUPE Y CALVO
A	3500 Mts. Al	NE	DEL ASERRADERO EL PINTO

COORDENADAS U.T.M.:

2,888,247.901 mN

302,870.747 mE

Rbo Gra Min Seg Mts.

LIGAS TOPOGRAFICAS A LOTES MINEROS COLINDANTES:

Nombre del Lote o Vértice: No. de Título/Expediente/Vértice Rbo Gra Min Seg Mts.

PERIMETRO

<u>Línea Auxiliar:</u>	<u>Rbo</u>	<u>Gra</u>	<u>Min</u>	<u>Seg</u>	<u>Mts.</u>	<u>Rbo</u>	<u>Gra</u>	<u>Min</u>	<u>Seg</u>	<u>Mts.</u>
DEL PP AL PUNTO A	W	0°	0'	0"	1,900.000 DE A AL PUNTO 1	N	0°	0'	0"	250.000

LADOS, RUMBOS Y DISTANCIAS HORIZONTALES:


<u>LADOS</u>	<u>Rbo</u>	<u>Gra</u>	<u>Min</u>	<u>Seg</u>	<u>Mts.</u>	<u>LADOS</u>	<u>Rbo</u>	<u>Gra</u>	<u>Min</u>	<u>Seg</u>	<u>Mts.</u>	<u>LADOS</u>	<u>Rbo</u>	<u>Gra</u>	<u>Min</u>	<u>Seg</u>	<u>Mts.</u>
1-2	N	0°	0'	0"	50.000												
2-3	W	0°	0'	0"	100.000												
3-4	N	0°	0'	0"	1,500.000												
4-5	E	0°	0'	0"	100.000												
5-6	N	0°	0'	0"	950.000												
6-7	W	0°	0'	0"	2,000.000												
7-8	S	0°	0'	0"	2,500.000												
8-1	E	0°	0'	0"	2,000.000												

LOS DATOS DE LAS COLINDANCIAS DEL LOTE QUE AMPARA ESTA CONCESION OBTIENEN EN EL EXMPLEENTE DEL PRESENTE TITULO

El título original fue expedido en la Ciudad de México, Distrito Federal, a los 26 días del mes de agosto del dos mil cuatro, por el C. Director General de Minas, Lic. Federico Kunz Bolaños, de la Secretaría de Economía.- Rúbrica.

Dado en la Ciudad de México, Distrito Federal, a los 20 días del mes de agosto de dos mil diez.

El Director General de Minas



Lic. Miguel Ángel Romero González

En la Ciudad de México, Distrito Federal, a los 20 días del mes de agosto de dos mil diez, se expide el presente DUPLICADO, copia fiel del título original, atendiendo a los datos que obran bajo acta número 304 del volumen 344 del Libro de Concesiones Mineras, de este Registro Público de Minería, lo que se hace constar a solicitud de su actual titular, MINERA LINCOLN DE MEXICO, S.A. DE C.V. (100 %), según consta bajo acta número 89 del volumen 27 del Libro de Actos, Contratos y Convenios Mineros del mismo Registro.

El Registrador Público de Minería



Lic. Tatiana Sigler Baca



**SECRETARIA DE ECONOMIA
COORDINACION GENERAL DE MINERIA
DIRECCION GENERAL DE MINAS**

**TITULO
DE
CONCESION MINERA
NUMERO 223165**

NOMBRE DEL LOTE

LA BUFA 2

AGENCIA

CHIHUAHUA, CHIHUAHUA

VIGENCIA DEL TITULO

DEL 20 DE OCTUBRE DEL 2004 AL 27 DE OCTUBRE DEL 2054

Con fundamento en lo dispuesto por los artículos 19,fracción XI, de la Ley Minera y 54, párrafo final, de su Reglamento, se expide el presente duplicado del Título de concesión minera cuyos datos se precisan a continuación:

DATOS DE LA CONCESION MINERA

NUMERO DE TITULO: 222105

TITULOS ANTERIORES :

TITULAR O TITULARES: MINERA CAVILAN, S.A. DE C.V. (100 %) .

NOMBRE DEL LOTE: LA BUFA 2

SUPERFICIE: 705.5 Has.

MUNICIPIO Y ESTADO: GUADALUPE Y CALVO, CHIHUAHUA

LOCALIZACION DEL LOTE MINERO

PUERTO DE PARTIDA

La mojenera o señal registramentaria se localiza en:

LA FALDA SUROESTE DEL CERRO LA BUFA, A 400 MTS. DE LA CHIMENEA DE UNA FUNDICION. CORRESPONDE AL PUNTO DE CONTROL No. 1027.

Distancia		Rumbo	Nombre o poblados o accidentes topográficos
A	200 Mts. Al	NE	DEL RANCHO LA HACIENDA
A	1500 Mts. Al	NW	DEL PUEBLO DE GUADALUPE Y CALVO
A	3500 Mts. Al	NE	DEL ASERRADERO EL PINTO

COORDENADAS U.T.M.:

2,888,247.901 mN

302,870.747 mE

Rbo Gra Min Seg Mts.

LIGAS TOPOGRAFICAS A LOTES MINEROS COLINDANTES:

Nombre del Lote o Vértice No. de Título/Expediente/Vértice Rbo Gra Min Seg Mts.

PERIMETRO

<u>Línea Auxiliar:</u>	<u>Rbo</u>	<u>Gra</u>	<u>Min</u>	<u>Seg</u>	<u>Mts.</u>	<u>Rbo</u>	<u>Gra</u>	<u>Min</u>	<u>Seg</u>	<u>Mts.</u>
DEL PP AL PUNTO 1	N	0°	0'	0"	1,800.000					

LADOS, RUMBOS Y DISTANCIAS HORIZONTALES:


LADOS	Rbo	Gra	Min	Seg	Mts.	LADOS	Rbo	Gra	Min	Seg	Mts.	LADOS	Rbo	Gra	Min	Seg	Mts.
1-2	W	0°	0'	0"	1,900.000												
2-3	N	0°	0'	0"	950.000												
3-4	W	0°	0'	0"	1,100.000												
4-5	N	0°	0'	0"	1,950.000												
5-6	E	0°	0'	0"	3,000.000												
6-1	S	0°	0'	0"	2,900.000												

LOS DATOS DE LAS COLINDANCIAS DEL LOTE QUE AMPARA ESTA CONCESION OBTIENEN LA IL. EXPEDIENTE DEL PRESENTE TITULO

El título original fue expedido en la Ciudad de México, Distrito Federal, a los 27 días del mes de octubre del dos mil cuatro, por el C. Director General de Minas, Lic. Federico Kunz Bolaños, de la Secretaría de Economía.- Rúbrica.

Dado en la Ciudad de México, Distrito Federal, a los 20 días del mes de agosto de dos mil diez.

El Director General de Minas



Lic. Miguel Ángel Romero González

En la Ciudad de México, Distrito Federal, a los 20 días del mes de agosto de dos mil diez, se expide el presente DUPLICADO, copia fiel del título original, atendiendo a los datos que obran bajo acta número 25 del volumen 346 del Libro de Concesiones Mineras, de este Registro Público de Minería, lo que se hace constar a solicitud de su actual titular, MINERA LINCOLN DE MEXICO, S.A. DE C.V. (100 %), según consta bajo acta número 89 del volumen 27 del Libro de Actos, Contratos y Convenios Mineros del mismo Registro.

El Registrador Público de Minería



Lic. Tatiana Sigler Baca

APPENDIX 2

Previous Work, Pre 2003

Consejo de Recursos Minerales El Chapito Underground Samples, 1997

Surface Samples Collected by Ing. Artoro Perea, 1986



GOBIERNO DEL ESTADO DE CHIHUAHUA
IMPULSORA ESTATAL DE LA PEQUENA Y MEDIANA MINERIA
PALACIO DE GOBIERNO TEL. 6.05-94 CHIHUAHUA, CHIH.

I.E.P.M.M. - 12

Chihuahua, Chih., 18 de Abril de 1986

CERTIFICADO DE ENSAYE

Ensaye para Ing. Arturo Perea S.
Mina CHAPITO

DESCRIPCION	GRAMOS POR 1000 KGS.		P O R C I E N T O							
	ORO	PLATA	PLOMO	COBRE	INSOLUBLE	FIERRO	MANGANESO	CAL	ZINC	AZUFRE
MI ENSAYE	10.75	41	#1							
MI REPETIC	13.0	107	2							
ENSAYE FUND.	10.0	45	3							
REPET. FUND.	2.5	52	4							
TERCERIA	1.5	44	5							
RESULTADOS	6.0	49	6							


ENSAYADOR

Vo. Bo.

I.E.P.M.M. - 12



GOBIERNO DEL ESTADO DE CHIHUAHUA
IMPULSORA ESTATAL DE LA PEQUENA Y MEDIANA MINERIA
PALACIO DE GOBIERNO TEL. 6.05-94 CHIHUAHUA, CHIH.

Chihuahua, Chih., 18 de Abril de 1986

CERTIFICADO DE ENSAYE

Ensaye para Ing. Arturo Perea S.
Mina CH. V

DESCRIPCION	GRAMOS POR 1000 KGS.		P O R C I E N T O							
	ORO	PLATA	PLOMO	COBRE	INSOLUBLE	FIERRO	MANGANESO	CAL	ZINC	AZUFRE
MI ENSAYE	2.0	41	#7							
MI REPETIC	0.0	15	8							
ENSAYE FUND.	3.5	18	9							
REPET. FUND.	15.0	60	10							
TERCERIA			XX							
RESULTADOS			XX							



RESERVAS POSITIVAS

I.- ZONA DE SULFUROS

BLOQUE No. 1

No. DE BLOQUE	DIMENSIONES EN m.	AREA TOTAL EN mts. ²	POTENCIA PROMEDIO EN mts.	VOLUMEN EN m ³	P. E.	TONELADAS METRICAS
1	45.0 x 28.90 20.0 x 7.0	1444	1.10	1588.4	3.0	4765.20

No. DE MUESTRA	ANCHO EN m.	AU gr/ton	Ag gr/ton	Pb %	Zn %	POTENCIA POR LEYES			
						AU	Ag	Pb	Zn.
CH-24	1.00	14.00	331	0.59	0.38	14.000	331.00	0.590	0.380
CH-25	0.70	6.84	566	0.96	1.31	4.780	396.20	0.672	0.917
CH-26	1.50	17.50	329	0.57	4.83	26.25	493.50	0.855	7.245
CH-27	0.90	6.53	337	0.88	1.07	5.715	303.30	0.792	0.963
CH-28	0.90	0.27	46	0.70	0.66	0.243	41.4	0.63	0.594
CH-29	1.15	0.82	125	0.95	0.95	0.943	143.75	1.092	1.092
CH-30	1.10	0.32	55	0.26	0.31	0.352	60.50	0.286	0.341
CH-54	1.25	0.48	47	0.01	0.08	0.600	58.75	0.013	0.100
CH-55	1.35	0.30	15	0.07	0.09	0.405	20.25	0.095	0.122
CH-56	1.35	0.42	27	0.01	1.21	0.567	36.45	0.014	1.634
CH-57	1.20	0.40	49	0.03	0.29	0.480	58.80	0.036	0.384
CH-58	0.75	1.41	82	0.02	2.69	1.058	61.50	0.015	2.018
CH-59	1.05	0.31	67	0.03	0.53	0.326	70.35	0.032	0.556
CH-60	1.15	0.06	24	0.04	0.10	0.069	27.60	0.046	0.115
CH-61	1.35	0.22	60	0.05	0.17	0.297	81.00	0.067	0.230
CH-62	1.05	0.21	45	0.03	0.09	0.221	47.25	0.032	0.094
CH-63	1.50	0.52	73	0.02	0.78	0.780	109.50	0.030	1.170
CH-64	1.35	0.31	49	0.02	0.20	0.419	66.15	0.027	0.270
CH-65	1.35	2.38	96	0.03	0.38	3.213	129.60	0.040	0.513
CH-66	1.10	0.38	99	0.02	0.38	0.418	108.90	0.022	0.418
CH-67	1.40	0.35	196	0.02	0.75	0.490	274.40	0.028	1.050
CH-68	1.40	0.30	206	0.02	0.16	0.420	288.40	0.028	0.224
CH-69	1.70	1.31	264	0.04	0.41	2.227	448.80	0.680	0.697
CH-70	1.00	1.00	122	0.03	0.05	1.000	122.00	0.030	0.050
CH-71	1.40	0.14	44	0.04	0.02	0.196	61.60	0.056	0.028
CH-101	1.20	0.99	140	0.03	0.02	1.180	168.00	0.030	0.020
CH-102	1.20	1.00	150	0.02	0.01	1.200	180.00	0.020	0.012
CH-103	0.50	3.26	520	0.03	0.02	1.630	260.00	0.010	0.010
CH-109	1.10	1.52	156	0.28	0.50	1.670	171.60	0.339	0.550
CH-110	0.90	2.90	357	0.47	0.96	2.610	321.30	0.423	0.864
CH-111	0.90	5.42	332	1.38	0.70	4.880	298.80	1.188	0.630
CH-112	0.80	3.51	487	0.50	0.36	2.800	389.60	0.400	0.288
CH-125	0.70	0.64	43	0.45	0.60	0.450	30.10	0.315	0.420
CH-126	0.70	0.81	62	1.60	0.71	0.567	43.40	1.120	0.497
CH-127	0.75	3.04	227	0.52	0.48	2.280	170.25	0.390	0.360
CH-128	1.00	3.50	276	0.33	0.37	3.500	276.00	0.330	0.370

No. DE MUESTRA	ANCHO EN m.	Au grs/ton	Ag grs/ton	Pb %	Zn %	POTENCIAS POR LEYES			
						Au	Ag	Pb	Zn
CH-129	0.90	1.15	82	0.45	1.36	1.035	94.30	0.517	1.564
CH-130	1.30	1.75	118	2.39	2.09	2.275	153.40	3.100	2.717
CH-131	1.35	17.65	166	1.47	2.18	23.828	224.10	1.980	2.943
CH-132	1.25	0.70	75	0.15	0.32	0.875	93.75	0.188	0.400
CH-133	1.10	1.65	129	0.61	2.13	1.815	141.90	0.671	2.343
CH-134	1.15	8.20	46	0.50	0.70	9.430	52.90	0.575	0.805
CH-135	1.20	5.00	56	0.80	0.90	6.000	67.20	0.960	1.080
CH-136	1.10	3.20	43	2.10	3.50	3.520	47.30	1.650	3.850
CH-137	1.20	5.00	65	1.50	2.20	6.000	78.00	1.800	2.640
CH-138	1.20	3.80	80	1.20	1.80	4.560	96.00	1.440	2.160
CH-139	1.00	23.00	168	5.00	6.30	23.00	168.00	5.000	6.300
CH-140	1.10	8.50	50	1.50	2.90	9.35	55.00	1.650	3.190
CH-141	1.20	66.00	200	6.50	2.40	79.20	240.00	7.800	2.880
CH-142	1.00	10.25	218	2.15	2.40	10.250	218.00	2.150	2.400
CH-144	0.40	4.00	482	2.50	4.90	1.600	192.80	1.000	1.960
CH-145	0.70	1.00	179	4.60	4.00	0.700	125.30	2.800	2.800
CH-146	0.85	1.20	76	4.50	8.50	1.020	64.60	3.820	7.220
CH-147	0.80	1.00	63	3.00	5.00	0.800	50.40	2.400	4.000
CH-148	0.90	0.80	72	4.00	6.50	0.720	64.80	3.600	5.850
CH-149	0.85	0.50	46	0.20	0.50	0.425	39.10	0.170	0.425

LEY MEDIA DE TODO EL BLOQUE

POT. = 1.10

Au = 4.55 grs/ton.

Ag = 140 grs/ton.

Pb = 0.88 %

Zn = 1.37 %

RESERVAS POSITIVAS

ZONA DE SULFUROS

BLOQUE No. 2

Nº. DE BLOQUE	DIMENSIONES EN m	AREA TOTAL EN m ²	POTENCIA PROMEDIO EN mts	VOLUMEN EN m ³	P.E.	TONELADAS METRICAS
2	44.00x18.63	820.00	1.20	948.0	3.0	2952.0

Nº DE MUESTRA	ANCHO EN m.	Au gr/ton	Ag gr/ton	Pb %	Zn %	POTENCIA POR LEYES			
						AU	Ag	Pb	Zn
CH-18	1.10	0.90	135	0.35	0.48	0.990	148.50	0.385	0.528
CH-19	0.90	0.74	79	0.49	0.88	0.666	71.10	0.441	0.792
CH-20	0.60	0.91	55	0.84	1.46	0.546	33.00	0.504	0.876
CH-21	0.90	14.00	110	1.45	1.21	12.600	99.00	1.300	1.089
CH-22	1.55	6.40	524	0.67	0.91	9.920	812.20	1.039	1.410
CH-23	0.80	2.89	283	0.64	0.39	2.312	226.40	0.512	0.312
CH-41*	1.40	1.83	42	0.07	0.29	2.562	58.80	0.098	0.406
CH-42	1.60	0.28	23	0.20	0.38	0.448	36.80	0.320	0.608
CH-43	1.55	0.90	172	0.53	0.63	1.395	266.60	0.820	0.976
CH-44	1.45	4.04	134	0.25	0.45	5.858	194.30	0.362	0.653
CH-45	1.65	0.89	91	0.08	0.10	1.469	150.15	0.132	0.165
CH-46	1.40	1.59	249	0.05	0.10	2.226	348.60	0.070	0.140
CH-47	1.65	0.33	86		0.05	0.545	141.90		0.083
CH-48	1.25	1.56	169	0.10	0.15	1.950	211.25	0.125	0.188
CH-49	1.20	50.61	663	0.15	0.25	60.012	795.60	0.180	0.300
CH-50	0.95	4.76	480	0.10	0.10	4.522	456.00	0.095	0.095
CH-51	1.45	1.63	189	0.05	0.05	2.364	274.05	0.073	0.073
CH-52	1.35	0.88	78	0.07	0.08	1.188	105.30	0.095	0.108
CH-53	1.20	9.80	618	3.55	3.50	11.760	741.60	4.260	4.200
CH-104	0.80	0.88	117	0.09	0.20	0.704	93.60	0.72	0.016
CH-105	0.85	1.10	320	0.64	0.56	0.935	272.0	0.544	0.476
CH-106	0.90	0.42	63	0.53	0.79	0.378	56.70	0.477	0.711
CH-107	1.00	1.88	190	1.29	0.97	1.880	190.00	1.290	0.970
CH-1004	1.20	5.00	240	1.51	2.00	6.000	288.00	1.812	2.400

LEY MEDIA DE TODO EL BLOQUE

POT = 1.20

Au = 4.64 gr/ton. ✓

Ag = 212 gr/ton. ✓

Pb = 0.55 %

Zn = 0.61 %

RESERVAS POSITIVAS

2. ZONA DE OXIDACION

BLOQUE No 3

No. DE BLOQUE	DIMENSIONES EN M.	AREA TOTAL EN m ²	POTENCIA PROMEDIO EN MTS	VOLUMEN EN m ³	P.E	TONELADAS METRICAS
3	21.50x32.20	692.00	1.20	834.40	3.0	2491.2

No. DE MUESTRA	ANCHO EN M	AU g/ton	Ag g/ton	Pb %	Zn %	POTENCIA POR LEYES			
						AU	Ag	Pb	Zn
CH-1	0.90	0.80	140	0.15	0.80	0.720	126	0.135	0.720
CH-2	0.80	1.00	258	0.10	0.30	0.800	206.4	0.080	0.240
CH-3	0.80	1.20	91	0.05	0.15	0.960	72.8	0.040	0.120
CH-4	0.95	0.40	78	0.10	0.25	0.380	74.10	0.095	0.238
CH-5	0.95	8.75	171	0.30	0.20	8.313	166.25	0.285	0.190
CH-6	1.10	0.60	90	0.15	0.15	0.660	99.00	0.165	0.165
CH-7	1.00	5.25	135	0.35	0.30	5.250	135.00	0.350	0.30
CH-8	1.10	5.50	292	0.15	0.35	6.050	321.20	0.165	0.385
CH-9	1.30	1.40	86	0.20	0.35	1.820	111.80	0.260	0.455
CH-10	1.10	3.75	56	0.10	0.05	4.125	61.60	0.110	0.055
CH-11	1.00	2.04	54	0.09	0.08	2.040	54.00	0.090	0.080
CH-31	1.90	1.32	54	0.08	0.09	2.510	102.60	0.152	0.171
CH-32	1.70	4.59	244	0.02	0.01	7.800	414.80	0.034	0.020
CH-33	0.90	2.88	62	0.07	0.08	2.592	55.80	0.063	0.072
CH-34	1.20	1.58	114	0.05	0.06	1.896	136.80	0.060	0.072
CH-35	0.90	1.04	75	0.08	0.10	0.936	67.50	0.072	0.090
CH-36	0.65	3.00	39	0.05	0.10	1.950	25.35	0.033	0.065
CH-37	1.10	1.48	16	0.02	0.01	1.628	17.60	0.022	0.011
CH-38	0.80	2.60	22	0.02	0.01	2.080	17.60	0.016	0.008
CH-39	1.25	0.60	27	0.02	0.01	0.750	33.75	0.025	0.013
CH-40	1.30	1.08	35	0.02	0.01	1.404	45.50	0.026	0.013
CH-41	1.50	0.15	17	0.03	0.01	0.225	25.50	0.045	0.015
CH-41*	1.41	1.83	42	0.07	0.29	2.562	58.80	0.098	0.406
CH-42	1.60	0.28	23	0.20	0.38	0.448	36.80	0.320	0.608
CH-43	1.55	0.90	172	0.53	0.43	1.395	266.60	0.822	0.977
CH-44	1.45	4.04	134	0.25	0.45	5.858	194.30	0.363	0.653
CH-45	1.65	0.89	91	0.08	0.10	1.470	150.15	0.132	0.165
CH-46	1.40	1.07	197	0.05	0.10	1.498	275.80	0.070	0.140
CH-47	1.65	0.33	86		0.05	0.545	141.90		0.083
CH-48	1.25	1.56	169	0.10	0.15	1.950	211.25	0.125	0.188
CH-49	1.20	50.01	663	0.15	0.25	60.010	795.60	0.180	0.300
CH-50	0.95	4.76	480	0.10	0.10	4.522	456.00	0.095	0.095
CH-51	1.45	1.63	189	0.05	0.05	2.364	274.10	0.073	0.073
CH-52	1.35	0.88	78	0.07	0.08	1.188	105.30	0.095	0.108

LEY MEDIA DE TODO EL BLOQUE

3.24 g/ton

Pb

0/.

APPENDIX 3

Previous Work, 2003 - 2005

Grid Capital Core Hole Collar File and Down Hole Assays

Grid Capital						
Guadalupe Project						
Drill Hole From-To Down-Hole Sample File						
2004 Core Drilling Program						
Drill Hole No.	Sample No.	From	To	Interval	Au	Ag
	ns=no sample	(m)	(m)	(m)	g/T	g/T
GUD04-01	ns	0.00	21.18	21.18		
	414172	21.18	21.49	0.31	0.006	2.8
	ns	21.49	56.29	34.80		
	414173	56.29	57.17	0.88	0.020	5.0
	414174	57.17	57.98	0.81	0.018	5.0
	414175	57.98	58.35	0.37	0.077	30.8
	414176	58.35	58.75	0.40	1.550	91.1
TD			58.75			
GUD04-01a	ns	0.00	29.13	29.13		
	414177	29.13	29.80	0.67	0.093	19.6
	ns	29.80	63.00	33.20		
	414178	63.00	63.46	0.46	3.230	195.0
	ns	63.46	75.85	12.39		
	414179	75.85	76.49	0.64	0.018	3.3
	414180	76.49	77.23	0.74	2.290	63.4
	414181	77.23	78.15	0.92	0.971	75.0
	414182	78.15	78.78	0.63	0.062	9.5
	ns	78.78	157.58	78.80		
	414183	157.58	158.00	0.42	0.013	2.7
	ns	158.00	176.10	18.10		
	414184	176.10	176.84	0.74	0.018	2.4
	414185	176.84	177.40	0.56	0.071	2.6
	414186	177.40	178.00	0.60	0.112	2.8
	414187	178.00	178.60	0.60	0.117	3.6
	414188	178.60	179.10	0.50	0.069	3.8
	414189	179.10	179.80	0.70	0.101	3.6
	414190	179.80	180.40	0.60	0.038	2.2
	414191	180.40	181.13	0.73	0.026	3.3
	ns	181.13	241.90	60.77		
TD			241.90			
GUD04-02	ns	0.00	70.20	70.20		
	414192	70.20	70.96	0.76	0.055	5.3
	414193	70.96	71.70	0.74	0.272	10.7
	414194	71.70	72.51	0.81	0.277	12.9
	414195	72.51	73.20	0.69	0.714	41.6
	414196	73.20	73.94	0.74	0.019	6.0
	414197	73.94	74.70	0.76	0.058	6.1
	414198	74.70	75.48	0.78	0.039	2.6
	414199	75.48	76.20	0.72	0.008	2.0
	414200	76.20	77.00	0.80	0.043	13.4
	414201	77.00	77.70	0.70	0.090	14.6
	414202	77.70	78.42	0.72	0.068	3.8
	ns	78.42	82.90	4.48		
	414203	82.90	83.70	0.80	0.019	5.2
	414204	83.70	84.80	1.10	0.030	2.1
	414205	84.80	85.33	0.53	0.237	7.7
	414206	85.33	86.18	0.85	0.154	16.7
	414207	86.18	86.70	0.52	0.404	40.5
	414208	86.70	87.26	0.56	0.048	6.1
	ns	87.26	99.86	12.60		
	414209	99.86	100.44	0.58	0.137	5.9
	ns	100.44	120.50	20.06		
TD			120.50			

Drill Hole No.	Sample No.	From	To	Interval	Au	Ag
	ns=no sample	(m)	(m)	(m)	g/T	g/T
GUD04-03	ns	0.00	3.54	3.54		
	414210	3.54	4.00	0.46	0.031	1.5
	414211	4.00	4.71	0.71	0.020	1.5
	414212	4.71	5.25	0.54	0.019	1.4
	414213	5.25	6.15	0.90	0.025	1.4
	ns	6.15	46.29	40.14		
	414214	46.29	46.72	0.43	0.040	11.3
	ns	46.72	59.80	13.08		
	414215	59.80	60.58	0.78	0.013	2.2
	414216	60.58	61.35	0.77	0.940	6.0
	414217	61.35	62.20	0.85	0.025	1.8
	414218	62.20	62.90	0.70	0.077	5.8
	414219	62.90	63.70	0.80	0.118	56.6
	414220	63.70	64.38	0.68	0.071	13.0
	414221	64.38	65.20	0.82	17.150	787.0
	414222	65.20	66.00	0.80	0.658	99.0
	414223	66.00	66.70	0.70	0.140	10.2
	414224	66.70	67.46	0.76	0.018	3.2
	414225	67.46	68.20	0.74	0.015	2.2
	414226	68.20	68.91	0.71	0.027	4.7
	414227	68.91	69.84	0.93	8.650	486.0
	414228	69.84	70.52	0.68	8.780	526.0
	414229	70.52	71.20	0.68	0.156	17.0
	ns	71.20	79.51	8.31		
	414230	79.51	80.20	0.69	0.049	5.1
	414231	80.20	80.90	0.70	0.013	2.8
	414232	80.90	81.70	0.80	0.011	2.2
	414233	81.70	82.41	0.71	0.009	3.5
	414234	82.41	83.20	0.79	0.010	2.4
	414235	83.20	84.00	0.80	0.043	2.9
	414236	84.00	84.70	0.70	1.680	100.0
	414237	84.70	85.32	0.62	0.692	51.2
	414238	85.32	86.20	0.88	1.560	23.3
	414239	86.20	86.70	0.50	0.103	9.6
	414240	86.70	87.42	0.72	0.020	3.8
	414241	87.42	88.00	0.58	0.390	5.1
	414242	88.00	88.70	0.70	0.070	6.7
	414243	88.70	89.40	0.70	0.039	3.8
	414244	89.40	90.22	0.82	0.069	4.4
	414245	90.22	90.90	0.68	0.020	3.4
	414246	90.90	91.74	0.84	0.418	25.2
	414247	91.74	92.40	0.66	0.018	2.3
	414248	92.40	93.15	0.75	0.026	2.8
	414249	93.15	93.90	0.75	0.012	3.2
	414250	93.90	94.64	0.74	0.013	2.7
	414251	94.64	95.40	0.76	0.159	5.2
	414252	95.40	96.18	0.78	2.710	20.4
	414253	96.18	96.90	0.72	9.480	87.1
	414254	96.90	97.18	0.28	0.059	3.3
	ns	97.18	115.00	17.82		
TD			115.00			
GUD04-04	ns	0.00	2.80	2.80		
	414255	2.80	3.76	0.96	0.046	2.2
	ns	3.76	66.62	62.86		
	414256	66.62	67.46	0.84	0.022	5.1
	ns	67.46	73.18	5.72		
	414257	73.18	73.70	0.52	2.870	363.0
	ns	73.70	90.21	16.51		
	414258	90.21	91.25	1.04	0.029	3.1
	ns	91.25	96.27	5.02		
	414259	96.27	97.03	0.76	0.031	7.6

Drill Hole No.	Sample No.	From	To	Interval	Au	Ag
	ns=no sample	(m)	(m)	(m)	g/T	g/T
	414260	97.03	97.57	0.54	0.254	15.1
	414261	97.57	98.85	1.28	0.141	20.3
	414262	98.85	99.56	0.71	0.009	1.9
	ns	99.56	106.93	7.37		
	414263	106.93	107.71	0.78	0.009	2.9
	414264	107.71	108.57	0.86	2.500	109.0
	414265	108.57	109.30	0.73	0.051	4.0
	ns	109.30	120.90	11.60		
	414266	120.90	121.63	0.73	0.050	8.1
	414267	121.63	122.45	0.82	1.765	80.8
	414268	122.45	123.40	0.95	0.203	18.8
	414269	123.40	124.30	0.90	0.126	7.7
	414270	124.30	125.06	0.76	0.148	3.2
	ns	125.06	130.00	4.94		
TD			130.00			

GUADALUPE TOTAL ASSAY SAMPLES

Gold, Silver and Base Metals

SAMPLE	HOLE	FROM m	TO m	INTERVAL m	Au ppm	Au-AA23	Au-GRA21	ME-ICP41	Ag-AA46	ME-ICP41	ME-ICP41	ME-ICP41	Pb-AA46	ME-ICP41	Zn-AA46
						Au Check ppm	Au ppm	Ag ppm	Ag ppm	Cu ppm	Mo ppm	Pb ppm	Pb %	Zn ppm	Zn %
414172	GUD04-01	21.18	21.49	0.31	0.006			2.8		19	2	199		263	
414173	GUD04-01	56.29	57.17	0.88	0.02			5		33	6	82		178	
414174	GUD04-01	57.17	57.98	0.81	0.018			5		19	4	119		304	
414175	GUD04-01	57.98	58.35	0.37	0.077			30.8		32	9	186		394	
414176	GUD04-01	58.35	58.75	0.40	1.55			91.1		154	1	5650		9300	
414177	GUD04-01A	29.13	29.80	0.67	0.093			19.6		69	48	128		114	
414178	GUD04-01A	63.00	63.46	0.46	3.23			>100	195	416	16	473		522	
414179	GUD04-01A	75.85	76.49	0.64	0.018			3.3		27	2	145		219	
414180	GUD04-01A	76.49	77.23	0.74	2.29			63.4		1555	5	>10000	1.83	>10000	2.44
414181	GUD04-01A	77.23	78.15	0.92	0.971			75		967	7	9530		>10000	1.17
414182	GUD04-01A	78.15	78.78	0.63	0.062			9.5		12	9	296		520	
414183	GUD04-01A	157.58	158.00	0.42	0.013			2.7		19	18	51		107	
414184	GUD04-01A	176.10	176.84	0.74	0.018			2.4		7	4	46		57	
414185	GUD04-01A	176.84	177.40	0.56	0.071			2.6		25	6	105		64	
414186	GUD04-01A	177.40	178.00	0.60	0.112			2.8		12	3	110		19	
414187	GUD04-01A	178.00	178.60	0.60	0.117			3.6		9	3	56		16	
414188	GUD04-01A	178.60	179.10	0.50	0.069			3.8		36	2	63		22	
414189	GUD04-01A	179.10	179.80	0.70	0.101			3.6		21	<1	59		38	
414190	GUD04-01A	179.80	180.40	0.60	0.038			2.2		11	1	70		14	
414191	GUD04-01A	180.40	181.13	0.73	0.026			3.3		8	3	106		33	
414192	GUD04-02	70.20	70.96	0.76	0.055			5.3		21	1	67		107	
414193	GUD04-02	70.96	71.70	0.74	0.272			10.7		156	3	1295		1075	
414194	GUD04-02	71.70	72.51	0.81	0.277			12.9		220	1	641		981	
414195	GUD04-02	72.51	73.20	0.69	0.714			41.6		1065	42	>10000	1.09	8820	
414196	GUD04-02	73.20	73.94	0.74	0.019			6		24	12	346		396	
414197	GUD04-02	73.94	74.70	0.76	0.058			6.1		77	4	392		797	
414198	GUD04-02	74.70	75.48	0.78	0.039			2.6		66	2	248		390	
414199	GUD04-02	75.48	76.20	0.72	0.008			2		19	6	100		151	
414200	GUD04-02	76.20	77.00	0.80	0.043			13.4		75	24	368		2220	
414201	GUD04-02	77.00	77.70	0.70	0.09			14.6		30	50	666		5520	
414202	GUD04-02	77.70	78.42	0.72	0.068			3.8		166	3	534		630	
414203	GUD04-02	82.90	83.70	0.80	0.019			5.2		12	11	97		174	
414204	GUD04-02	83.70	84.80	1.10	0.03			2.1		13	6	97		218	
414205	GUD04-02	84.80	85.33	0.53	0.237			7.7		68	1	304		311	
414206	GUD04-02	85.33	86.18	0.85	0.154			16.7		137	4	806		600	

SAMPLE	HOLE	FROM m	TO m	INTERVAL m	Au ppm	Au-AA23	Au-GRA21	ME-ICP41	Ag-AA46	ME-ICP41	ME-ICP41	ME-ICP41	Pb-AA46	ME-ICP41	Zn-AA46
						Au Check ppm	Au ppm	Ag ppm	Ag ppm	Cu ppm	Mo ppm	Pb ppm	Pb %	Zn ppm	Zn %
414207	GUD04-02	86.18	86.70	0.52	0.404	0.392		40.5		4990	4	>10000	1.12	>10000	1.51
414208	GUD04-02	86.70	87.26	0.56	0.048			6.1		248	4	334		498	
414209	GUD04-02	99.86	100.44	0.58	0.137			5.9		53	3	129		57	
414210	GUD04-03	3.54	4.00	0.46	0.031			1.5		14	1	22		28	
414211	GUD04-03	4.00	4.71	0.71	0.02			1.5		13	1	22		23	
414212	GUD04-03	4.71	5.25	0.54	0.019			1.4		14	1	20		18	
414213	GUD04-03	5.25	6.15	0.90	0.025			1.4		14	1	14		14	
414214	GUD04-03	46.29	46.72	0.43	0.04			11.3		24	8	46		49	
414215	GUD04-03	59.80	60.58	0.78	0.013			2.2		20	1	32		403	
414216	GUD04-03	60.58	61.35	0.77	0.94			6		20	5	41		523	
414217	GUD04-03	61.35	62.20	0.85	0.025			1.8		48	2	31		212	
414218	GUD04-03	62.20	62.90	0.70	0.077			5.8		54	3	1980		1815	
414219	GUD04-03	62.90	63.70	0.80	0.118			56.6		14	5	65		111	
414220	GUD04-03	63.70	64.38	0.68	0.071			13		12	4	27		75	
414221	GUD04-03	64.38	65.20	0.82	>10.0		17.15	>100	787	142	3	1295		858	
414222	GUD04-03	65.20	66.00	0.80	0.658			99		113	9	179		242	
414223	GUD04-03	66.00	66.70	0.70	0.14			10.2		35	9	39		111	
414224	GUD04-03	66.70	67.46	0.76	0.018			3.2		19	7	18		59	
414225	GUD04-03	67.46	68.20	0.74	0.015			2.2		20	6	29		66	
414226	GUD04-03	68.20	68.91	0.71	0.027			4.7		9	4	38		63	
414227	GUD04-03	68.91	69.84	0.93	8.65			>100	486	400	2	823		1115	
414228	GUD04-03	69.84	70.52	0.68	8.78			>100	526	178	6	867		1100	
414229	GUD04-03	70.52	71.20	0.68	0.156			17		56	24	96		139	
414230	GUD04-03	79.51	80.20	0.69	0.049			5.1		6	10	49		62	
414231	GUD04-03	80.20	80.90	0.70	0.013			2.8		2	34	47		40	
414232	GUD04-03	80.90	81.70	0.80	0.011			2.2		3	17	22		28	
414233	GUD04-03	81.70	82.41	0.71	0.009			3.5		9	7	78		92	
414234	GUD04-03	82.41	83.20	0.79	0.01			2.4		12	5	105		152	
414235	GUD04-03	83.20	84.00	0.80	0.043			2.9		25	7	62		67	
414236	GUD04-03	84.00	84.70	0.70	1.68			>100		1080	3	8480		>10000	1.41
414237	GUD04-03	84.70	85.32	0.62	0.692			51.2		1670	2	>10000	2.07	>10000	1.2
414238	GUD04-03	85.32	86.20	0.88	1.56			23.3		560	2	2530		6020	
414239	GUD04-03	86.20	86.70	0.50	0.103			9.6		49	6	230		210	
414240	GUD04-03	86.70	87.42	0.72	0.02			3.8		30	5	83		144	
414241	GUD04-03	87.42	88.00	0.58	0.39			5.1		50	6	275		397	
414242	GUD04-03	88.00	88.70	0.70	0.07			6.7		46	6	66		89	
414243	GUD04-03	88.70	89.40	0.70	0.039			3.8		74	6	205		413	
414244	GUD04-03	89.40	90.22	0.82	0.069			4.4		18	9	23		53	

SAMPLE	HOLE	FROM m	TO m	INTERVAL m	Au ppm	Au-AA23	Au-GRA21	ME-ICP41	Ag-AA46	ME-ICP41	ME-ICP41	ME-ICP41	Pb-AA46	ME-ICP41	Zn-AA46
						Au Check ppm	Au ppm	Ag ppm	Ag ppm	Cu ppm	Mo ppm	Pb ppm	Pb %	Zn ppm	Zn %
414245	GUD04-03	90.22	90.90	0.68	0.02			3.4		7	30	64		64	
414246	GUD04-03	90.90	91.74	0.84	0.418	0.454		25.2		5	18	72		116	
414247	GUD04-03	91.74	92.40	0.66	0.018			2.3		4	20	21		30	
414248	GUD04-03	92.40	93.15	0.75	0.026			2.8		6	14	31		50	
414249	GUD04-03	93.15	93.90	0.75	0.012			3.2		6	19	47		56	
414250	GUD04-03	93.90	94.64	0.74	0.013			2.7		14	13	176		95	
414251	GUD04-03	94.64	95.40	0.76	0.159			5.2		140	9	258		263	
414252	GUD04-03	95.40	96.18	0.78	2.71			20.4		757	7	3570		6830	
414253	GUD04-03	96.18	96.90	0.72	9.48			87.1		2770	14	>10000	1.92	>10000	3.24
414254	GUD04-03	96.90	97.18	0.28	0.059			3.3		17	4	124		164	
414255	GUD04-04	2.80	3.76	0.96	0.046			2.2		16	2	189		122	
414256	GUD04-04	66.62	67.46	0.84	0.022			5.1		30	4	106		321	
414257	GUD04-04	73.18	73.70	0.52	2.87			>100	363	34	9	179		271	
414258	GUD04-04	90.21	91.25	1.04	0.029			3.1		32	8	280		437	
414259	GUD04-04	96.27	97.03	0.76	0.031			7.6		39	9	400		484	
414260	GUD04-04	97.03	97.57	0.54	0.254			15.1		478	31	2520		3610	
414261	GUD04-04	97.57	98.85	1.28	0.141			20.3		1155	19	5370		8120	
414262	GUD04-04	98.85	99.56	0.71	0.009			1.9		8	15	97		134	
414263	GUD04-04	106.93	107.71	0.78	0.009			2.9		35	9	228		325	
414264	GUD04-04	107.71	108.57	0.86	2.5			>100	109	21	15	234		244	
414265	GUD04-04	108.57	109.30	0.73	0.051			4		40	13	393		473	
414266	GUD04-04	120.90	121.63	0.73	0.05			8.1		16	6	352		695	
414267	GUD04-04	121.63	122.45	0.82	1.765			80.8		188	7	365		793	
414268	GUD04-04	122.45	123.40	0.95	0.203			18.8		28	11	237		634	
414269	GUD04-04	123.40	124.30	0.90	0.126			7.7		635	15	226		707	
414270	GUD04-04	124.30	125.06	0.76	0.148			3.2		18	10	91		263	

Grid Capital								
Guadalupe Project								
Drill Hole Collar File								
Holes Drilled November and December 2004								
Coordinate System: NAD27 Mexico, Zone 13								
Hole No.	Easting	Northing	Elevation	Az	Dip	TD	date start	date end
GUD04-01	304476.00	2886863.00	2385	20	-60	58.75	11/30/04	11/30/04
GUD04-01A	304476.22	2886861.31	2385	20	-75	241.90	12/01/04	12/04/04
GUD04-02	304441.91	2886871.10	2384	20	-70	120.50	12/04/04	12/06/04
GUD04-03	304400.89	2886898.73	2380	20	-70	115.00	12/06/04	12/07/04
GUD04-04	304349.85	2886912.59	2374	20	-60	130.00	12/08/04	12/09/04

APPENDIX 4

Lincoln Gold Sample Data from 2005 Site Visit



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 1

Finalized Date: 1-AUG-2005

Account: LINCOL

CERTIFICATE HE05060300

Project: *BUFA PROJECT, CHIHUAHUA, MX*

P.O. No.:

This report is for 16 Rock samples submitted to our lab in Chihuahua, CHIHUAHUA, Mexico on 25-JUL-2005.

The following have access to data associated with this certificate:

RICHARD W. BYBEE

JEFF WILSON

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: LINCOLN GOLD CORP.
ATTN: JEFF WILSON
325 TAHOE DRIVE
CARSON CITY NV 89703

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 1-AUG-2005

Account: LINCOL

CERTIFICATE OF ANALYSIS HE05060300

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA25	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm
		0.02	0.01	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B-001		2.14	0.04	0.5	3.13	95	70	0.9	<2	0.09	<0.5	<1	9	18	0.89	0.11
B-002		1.92	0.05	<0.5	5.18	142	60	0.8	<2	0.06	<0.5	<1	24	12	1.26	0.13
B-003		1.88	0.07	0.5	6.34	573	250	1.0	<2	0.07	<0.5	1	27	36	2.18	0.42
B-004		1.70	0.18	13.2	4.99	157	220	0.7	12	0.03	3.1	5	30	67	3.10	0.13
B-005		2.62	0.35	35.1	3.00	114	160	0.7	34	0.03	1.1	5	12	161	2.79	0.14
B-006		2.44	0.26	22.2	3.22	178	480	0.8	11	0.04	2.6	<1	28	47	2.54	0.72
B-007		1.96	0.55	68.3	1.73	60	150	0.5	123	0.02	1.4	16	19	475	4.49	0.13
B-008		2.14	5.30	>100	1.56	147	140	0.9	<2	0.06	15.0	2	50	52	3.03	0.75
B-009		1.94	0.06	1.9	2.41	42	280	1.0	<2	0.03	<0.5	<1	9	24	1.68	1.42
B-010		1.98	0.07	3.3	1.78	42	50	0.5	3	0.03	<0.5	1	44	10	0.89	0.09
B-011		1.76	0.05	2.1	1.55	84	90	0.9	<2	0.02	<0.5	1	11	9	1.82	0.11
B-012		1.76	0.02	0.9	2.24	34	60	0.7	<2	0.03	<0.5	<1	29	7	2.51	0.15
B-013		1.86	0.20	10.7	0.88	112	40	0.7	<2	0.02	<0.5	<1	13	11	2.06	0.07
B-014		2.24	7.96	>100	2.03	16	1020	0.9	<2	0.22	1.3	2	47	101	1.24	<0.01
B-015		2.34	0.49	55.1	3.48	42	370	0.9	<2	0.18	5.5	5	14	78	1.52	0.41
B-016		2.42	1.12	75.3	1.52	62	280	0.6	<2	0.07	5.1	3	45	114	1.15	0.35



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 1-AUG-2005

Account: LINCOL

CERTIFICATE OF ANALYSIS HE05060300

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	2
B-001		1.17	0.17	83	11	0.03	<1	130	118	0.01	66	24	0.12	57	29
B-002		1.98	0.22	101	10	0.04	1	160	82	0.01	40	21	0.15	42	66
B-003		2.28	0.24	177	13	0.05	3	210	173	0.10	34	41	0.38	110	77
B-004		1.88	0.11	79	16	0.04	6	200	686	2.45	24	17	0.25	83	241
B-005		1.09	0.09	101	18	0.03	5	130	516	1.98	66	16	0.13	45	84
B-006		1.18	0.13	101	24	0.03	<1	220	453	0.17	49	14	0.13	49	168
B-007		0.57	0.03	78	32	0.04	11	200	883	4.87	154	19	0.06	26	50
B-008		0.78	0.08	400	9	0.04	2	100	5070	1.60	52	16	0.05	49	921
B-009		0.93	0.11	259	11	0.03	1	110	59	0.61	57	12	0.08	59	43
B-010		0.59	0.05	77	30	0.02	1	100	87	0.03	39	14	0.06	35	8
B-011		0.58	0.08	44	6	0.02	<1	150	32	0.01	60	12	0.06	37	9
B-012		0.84	0.10	49	87	0.01	2	140	83	0.02	45	11	0.09	52	14
B-013		0.24	0.02	70	6	0.02	<1	100	109	0.02	40	17	0.04	19	16
B-014		1.00	0.06	102	1	0.04	1	130	465	0.42	29	18	0.07	31	158
B-015		1.69	0.14	265	3	0.02	3	200	1035	0.44	34	12	0.11	59	814
B-016		1.26	0.03	728	4	0.03	2	120	645	0.60	48	17	0.05	21	658



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 1-AUG-2005

Account: LINCOL

CERTIFICATE OF ANALYSIS HE05060300

Sample Description	Method Analyte Units LOR	
B-001 B-002 B-003 B-004 B-005	Ag-AA62 Ag ppm 1	
B-006 B-007 B-008 B-009 B-010	94	
B-011 B-012 B-013 B-014 B-015	169	
B-016		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 1

Finalized Date: 1-AUG-2005

Account: LINCOL

QC CERTIFICATE HE05060300

Project:

P.O. No.:

This report is for 16 Rock samples submitted to our lab in Chihuahua, CHIHUAHUA, Mexico on 25-JUL-2005.

The following have access to data associated with this certificate:

RICHARD W. BYBEE

JEFF WILSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: LINCOLN GOLD CORP.
ATTN: JEFF WILSON
325 TAHOE DRIVE
CARSON CITY NV 89703

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 2 - A

Total # Pages: 3 (A - B)

Finalized Date: 1-AUG-2005

Account: LINCOL

QC CERTIFICATE OF ANALYSIS HE05060300

Sample Description	Method Analyte Units LOR	Au-AA25	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
		Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %
		0.01	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
G2000			3.8	5.14	503	2450	1.3	<2	0.66	7.5	23	100	295	3.96		1.23
G2000															0.77	
G2000															0.72	
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
K02MB																
Target Range - Lower Bound																
Upper Bound																
OxE21		0.65														
Target Range - Lower Bound		0.60														
Upper Bound		0.71														
OXF28		0.82														
Target Range - Lower Bound		0.74														
Upper Bound		0.87														
EXP32		15.40														
EXP32		14.20														
Target Range - Lower Bound		13.95														
Upper Bound		16.05														
Pb-106			60.9	5.11	181	570	0.6	<2	2.00	55.6	3	38	6080	1.98		1.95
Target Range - Lower Bound			51.9	4.44	206	510	<0.5	<2	1.63	49.0	2	34	5530	1.73		1.78
Upper Bound			64.6	5.44	262	650	1.0	4	2.01	61.0	4	44	6770	2.13		2.19
5		1.84														
Target Range - Lower Bound		1.67														
Upper Bound		1.94														
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	0.02	0.6	1	<1	1	<0.01		<0.01
BLANK																
BLANK		<0.01														
BLANK																
BLANK		<0.01														
Target Range - Lower Bound		<0.01	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.02	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 2 - B

Total # Pages: 3 (A - B)

Finalized Date: 1-AUG-2005

Account: LINCOL

QC CERTIFICATE OF ANALYSIS HE05060300

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Ag
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	1
STANDARDS																
G2000		0.77	590	5	0.15	283	960	680	0.28	36	119	0.35	106	10	1265	
G2000																
700																
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130	
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385	
GBM399-5																22
Target Range - Lower Bound																22
Upper Bound																26
K02MB																226
Target Range - Lower Bound																215
Upper Bound																233
OxE21																
Target Range - Lower Bound																
Upper Bound																
OXF28																
Target Range - Lower Bound																
Upper Bound																
EXP32																
EXP32																
Target Range - Lower Bound																
Upper Bound																
Pb-106		0.40	640	41	0.87	6	230	5040	1.26	66	340	0.08	50	<10	8320	
Target Range - Lower Bound		0.35	562	36	0.78	7	200	4660	1.07	56	298	0.06	43	<10	7550	
Upper Bound		0.45	698	46	0.97	11	270	5700	1.33	80	366	0.10	55	20	9240	
5																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	2	<0.01	<1	<10	<2	
BLANK																
BLANK																
BLANK																<1
BLANK																
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<1
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4	2

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 3 - A


Total # Pages: 3 (A - B)

Finalized Date: 1-AUG-2005

Account: LINCOL

QC CERTIFICATE OF ANALYSIS HE05060300

Sample Description	Method Analyte Units LOR	Au-AA25 Au ppm 0.01	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
ORIGINAL DUP get Range - Lower Bound Upper Bound	DUPLICATES															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	0.27 0.21 0.21 0.27															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	4.6 4.4 3.3 5.7	0.25 0.24 0.21 0.28	16 19 7 28	10 10 <10 20	<0.5 <0.5 <0.5 1.0	14 10 7 17	36.4 37.0 34.8 38.6	4.4 4.5 3.2 5.7	<1 <1 <1 2	6 5 3 8	36 33 31 38	0.21 0.23 0.19 0.25				0.16 0.16 0.13 0.19
ORIGINAL DUP Target Range - Lower Bound Upper Bound															0.11 0.10 0.08 0.13	



CARSON CITY NV 89703

Account: LINCOLN

	Method Analyte Units LOR	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sr ppm	ME-ICP61 Ti %	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm	Ag-AA62 Ag ppm
Sample Description		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	1
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES														5 4 2 7
ORIGINAL DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound		0.81 0.81 0.75 0.87	162 157 142 177	1 <1 <1 2	0.08 0.06 0.05 0.09	5 8 4 9	130 160 120 170	809 828 774 863	0.34 0.36 0.31 0.39	26 20 12 34	300 297 282 315	0.02 0.02 <0.01 0.04	8 9 6 11	<10 <10 <10 20	573 598 552 619	
ORIGINAL DUP Target Range - Lower Bound Upper Bound																

[illegible][illegible][illegible]

Samples collected by J. Wilson & R. Bybee: 7/16-18/05

Coordinates are UTM NAD 27 Mexico, Zone 13									

[illegible]

See Figure A for Location Map

						sample	sample	structure sampled			
Sample id	Au ppm	Ag ppm	easting	northing	elev (m)	type*	length (m)	stk	dip	sample descriptions	location
B001	0.04	0.5	305110.00	2886216.00	2323	cc	3.05	110	-70	silicified/argillic altered vol. (andesite), w/qtz stringers and banded/bx qtz veins to 2' thick	roadcut at east end of district, FW of zone
B002	0.05	<0.5	305108.00	2886213.00	2323	cc	3.05	110	-70	granular qtz and silicified andesite in argillic grndms	roadcut at east end of district, FW of zone
B003	0.07	0.5	305112.00	2886219.00	2323	cc	2.44	110	-70	granular qtz and silicified andesite in argillic grndms	roadcut at east end of district, FW of zone
B004	0.18	13.2	305085.00	2886163.00	2324	cc	3.05	110	-70	mixed argillized/silicified andesite w/tr dis py and includes a 2' qtz vein	roadcut at east end of district, HW of zone
B005	0.35	35.1	305085.00	2886166.00	2324	cc	3.05	110	-70	mixed argillized/silicified andesite wallrock w/py to 1% in qtz veins and stringers, sheared	roadcut at east end of district, HW of zone
B006	0.26	22.2	305085.00	2886169.00	2324	cc	2.74	110	-70	vein zone w/qtz vein and intense silicification and dis py to 0.5% over 3'	roadcut at east end of district, HW of zone
B007	0.55	68.3	305085.00	2886167.00	2324	sl	0.00	110	-70	select of qtz-sul vein between samples B005-B006	roadcut at east end of district, HW of zone
B008	5.30	94.0	304709.13	2886837.60	2297	dp	0.00			grab of banded qtz/qtz bx vein material w/py from several hand sorted dumps at prospect adit	in stream bottom west side of Chapilito block
B009	0.06	1.9	305196.82	2886307.78	2332	cc	0.91	70	-90	0.8' of qtz-py vein in 2.2' of sheared and argillic andesite	roadcut at east end of district, FW of zone
B010	0.07	3.3	305048.77	2886292.11	2356	gr	0.00			silicified and qtz veins in andesite wallrock w/FeOx after py, old "digs" in area of subcrop/outcrop	hill west of main road
B011	0.05	2.1	305042.63	2886337.56	2372	gr	0.00			silicified and qtz veins in andesite wallrock w/FeOx after py, old "digs" in area of subcrop/outcrop	hill west of main road
B012	0.02	0.9	305065.69	2886493.09	2395	gr	0.00			silicified and qtz veins in andesite wallrock w/FeOx after py, old "digs" in area of subcrop/outcrop	hill west of main road
B013	0.20	10.7	304858.53	2886707.02	2386	gr	0.00			silicified and qtz veins in andesite wallrock w/FeOx after py area of subcrop/outcrop	50m west of steel building at top of hill
B014	7.96	169.0	UG			UG / cc	2.44	180	-55	vein qtz and gouge, qtz bx mixed with wall rock silicified andesite(?) bx	Rosario workings, FW vein at 303m from portal
B015	0.49	55.1	UG			UG / cc	1.83	110	-45	mz qtz bx and intense silicified andesite wallrock, FeOx after sul	Rosario workings, pillar at 159m from portal
B016	1.12	75.3	UG			UG / cc	1.83	110	-40	mz qtz bx and banded vein in intensely silicified andesite wallrock, FeOx after sul	Rosario workings, pillar at 115m from portal
*Sample Type:	cc = continuous chip on outcrop										
	gr = grab of rock over area of outcrop/subcrop										
	UG = underground rock chip										
	dp = rock from mine or prospect dumps										
	sl = select rock sample										

APPENDIX 5

Lincoln Gold Soil Sample Data from 2006



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 1

Finalized Date: 10-OCT-2006

Account: LINCOL

CERTIFICATE CH06093087

Project: La Bufa

P.O. No.:

This report is for 110 Soil samples submitted to our lab in Chihuahua, CHIHUAHUA, Mexico on 22-SEP-2006.

The following have access to data associated with this certificate:

RICHARD W. BYBEE

JEFF WILSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: LINCOLN GOLD CORP.
ATTN: JEFF WILSON
325 TAHOE DRIVE
CARSON CITY NV 89703

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 10-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093087

Sample Description	Method Analyte Units LOR	WEI-21 Recvd WL kg	Au-ICP21 Au ppm	Au-ICP21 Au Check ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.001	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
58551		0.54	<0.001		<0.2	1.66	29	<10	170	0.9	<2	0.03	<0.5	1	4	2
58552		0.98	0.002		<0.2	1.43	50	<10	210	0.9	<2	0.15	<0.5	<1	5	1
58553		0.90	0.001		<0.2	1.85	27	<10	180	0.5	<2	0.05	<0.5	1	5	1
58554		0.78	0.001		<0.2	1.65	25	<10	150	0.5	<2	0.05	<0.5	2	4	1
58555		0.96	<0.001		<0.2	1.50	21	<10	200	0.7	<2	0.03	<0.5	1	5	1
58556		0.76	<0.001		0.2	2.14	88	<10	140	1.1	<2	0.03	<0.5	2	8	2
58557		0.76	0.003		<0.2	2.20	56	<10	160	1.3	<2	0.02	<0.5	2	6	2
58558		0.88	0.453		9.0	1.32	33	<10	150	1.1	<2	0.10	<0.5	1	7	7
58559		0.76	0.002		<0.2	1.54	35	<10	120	1.1	<2	0.13	<0.5	2	5	1
58560		0.56	0.103		0.7	1.25	43	<10	90	<0.5	10	0.02	<0.5	2	8	5
58561		0.58	0.058		0.5	1.39	69	<10	70	0.5	3	0.01	<0.5	1	7	6
58562		0.60	0.024		0.4	1.30	85	<10	80	0.5	2	0.01	<0.5	1	5	10
58563		0.60	0.013		0.3	0.82	37	<10	60	<0.5	2	0.05	<0.5	1	5	6
58564		0.62	0.011		0.3	1.28	38	<10	60	0.5	<2	0.05	<0.5	1	10	6
58565		0.86	0.013		0.5	0.81	46	<10	70	0.5	3	0.02	<0.5	2	8	5
58566		0.70	0.004		0.2	1.07	7	<10	110	<0.5	<2	0.19	<0.5	1	9	3
58567		0.78	0.004		0.2	1.43	12	<10	370	0.6	<2	0.15	<0.5	3	4	1
58568		0.60	0.002		0.9	1.31	21	<10	60	0.6	<2	0.02	<0.5	1	4	7
58569		0.58	0.004		0.3	1.90	14	<10	220	<0.5	<2	0.08	<0.5	2	5	2
58570		0.70	0.007		<0.2	1.65	13	<10	200	<0.5	<2	0.09	<0.5	2	6	2
58571		0.58	0.002		0.2	1.57	16	<10	230	<0.5	<2	0.11	<0.5	2	5	1
58572		0.80	0.001		0.2	1.13	16	<10	130	<0.5	<2	0.05	<0.5	1	5	1
58573		0.58	0.001		<0.2	1.49	19	<10	140	0.5	<2	0.05	<0.5	2	5	1
58574		0.66	0.001		<0.2	1.27	32	<10	130	0.7	<2	0.16	<0.5	2	6	1
58575		0.48	0.004		<0.2	1.11	21	<10	100	0.5	<2	0.13	<0.5	1	6	2
58576		0.74	<0.001		<0.2	2.34	66	<10	130	1.0	<2	0.03	<0.5	2	7	2
58577		0.58	0.003		<0.2	1.24	32	<10	130	0.9	<2	0.21	<0.5	2	5	1
58578		0.66	0.007		<0.2	1.42	53	<10	110	2.4	<2	0.14	<0.5	2	8	2
58579		0.66	0.002		<0.2	1.41	32	<10	110	0.8	<2	0.13	<0.5	2	7	2
58580		0.68	0.003		<0.2	1.32	28	<10	110	0.9	<2	0.15	<0.5	2	6	2
58581		0.90	0.050		1.1	1.30	52	<10	80	<0.5	5	0.01	<0.5	<1	6	15
58582		0.84	0.097		1.0	1.38	41	<10	90	0.5	4	0.02	<0.5	3	8	18
58583		0.84	0.015		0.7	0.94	60	<10	70	<0.5	3	0.01	<0.5	<1	4	22
58584		0.80	0.053		1.0	1.88	102	<10	250	<0.5	2	0.01	<0.5	<1	6	16
58585		1.02	0.027	0.065	0.5	1.00	77	<10	90	0.7	7	0.01	<0.5	<1	4	8
58586		0.98	0.006		0.2	1.17	25	10	240	0.6	4	0.18	<0.5	2	6	4
58587		0.90	0.004		<0.2	1.48	17	<10	280	0.5	<2	0.07	<0.5	2	5	1
58588		0.74	0.001		0.2	2.22	20	<10	200	0.5	<2	0.07	<0.5	2	6	2
58589		0.80	0.003		<0.2	1.95	17	<10	190	<0.5	<2	0.04	<0.5	2	6	2
58590		0.70	0.006		0.2	2.31	24	<10	180	<0.5	<2	0.07	<0.5	3	5	2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 10-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093087

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
58551		1.31	<10	<1	0.46	<10	0.22	150	<1	0.16	2	110	26	0.01	<2	1
58552		1.34	<10	<1	0.47	<10	0.21	183	<1	0.16	2	50	28	0.01	3	1
58553		1.39	<10	1	0.42	<10	0.25	189	<1	0.08	2	120	26	0.01	<2	1
58554		1.35	<10	<1	0.43	<10	0.19	144	<1	0.13	1	60	26	0.01	3	1
58555		1.42	<10	<1	0.38	10	0.18	156	<1	0.08	1	220	22	0.01	2	1
58556		1.96	10	<1	0.37	10	0.19	137	<1	0.07	4	150	35	<0.01	7	2
58557		1.42	<10	1	0.35	10	0.22	160	<1	0.05	3	230	28	<0.01	8	2
58558		1.43	<10	<1	0.29	10	0.16	166	<1	0.07	3	360	32	<0.01	7	1
58559		1.30	<10	1	0.34	10	0.22	148	<1	0.03	2	140	26	<0.01	6	1
58560		2.49	<10	1	0.26	30	0.04	98	3	0.10	3	220	61	<0.01	8	1
58561		2.04	<10	<1	0.26	30	0.04	57	2	0.10	2	210	70	<0.01	7	1
58562		1.83	<10	1	0.25	30	0.03	38	1	0.10	2	310	83	<0.01	6	1
58563		1.44	<10	1	0.28	30	0.03	45	2	0.06	2	250	56	<0.01	4	1
58564		2.52	<10	1	0.28	30	0.03	70	1	0.11	3	240	48	<0.01	10	1
58565		2.97	<10	<1	0.25	20	0.03	217	1	0.06	2	180	43	<0.01	5	1
58566		1.98	<10	<1	0.19	10	0.09	84	<1	0.14	3	90	14	<0.01	3	1
58567		1.64	<10	1	0.49	10	0.29	155	<1	0.08	2	80	15	<0.01	3	2
58568		0.89	<10	<1	0.31	30	0.09	93	1	0.17	3	230	696	<0.01	<2	1
58569		1.63	<10	1	0.43	<10	0.22	233	<1	0.08	3	120	24	<0.01	<2	2
58570		1.81	<10	1	0.40	10	0.22	303	<1	0.11	3	90	31	<0.01	<2	2
58571		1.59	<10	<1	0.44	<10	0.24	178	<1	0.09	3	80	23	<0.01	2	2
58572		1.40	<10	<1	0.41	<10	0.19	142	<1	0.11	3	210	15	<0.01	3	1
58573		1.40	<10	1	0.42	<10	0.23	183	<1	0.12	3	90	14	<0.01	2	1
58574		1.46	<10	<1	0.41	<10	0.18	212	<1	0.15	3	110	23	<0.01	9	1
58575		1.46	<10	<1	0.38	10	0.15	138	<1	0.10	4	120	29	<0.01	7	1
58576		1.52	<10	1	0.37	10	0.17	154	1	0.18	4	190	57	<0.01	4	2
58577		1.32	<10	<1	0.40	10	0.17	171	<1	0.06	3	120	36	<0.01	7	1
58578		1.74	<10	1	0.44	<10	0.28	170	1	0.16	4	140	22	<0.01	13	2
58579		1.51	<10	1	0.41	10	0.29	177	<1	0.11	3	160	37	<0.01	9	1
58580		1.49	<10	<1	0.38	<10	0.29	200	1	0.12	3	100	20	<0.01	7	1
58581		2.49	<10	<1	0.26	30	0.05	85	2	0.20	2	310	62	0.01	5	1
58582		2.66	<10	<1	0.25	30	0.06	123	2	0.15	2	300	76	0.01	6	1
58583		2.24	<10	<1	0.24	30	0.02	42	3	0.14	<1	530	58	0.01	3	1
58584		2.40	<10	<1	0.35	40	0.04	36	3	0.18	<1	960	144	0.18	4	1
58585		2.37	<10	1	0.31	30	0.03	33	1	0.05	2	470	97	<0.01	4	1
58586		1.97	<10	<1	0.28	30	0.15	133	1	0.14	3	190	16	<0.01	<2	1
58587		1.76	<10	<1	0.45	10	0.24	142	<1	0.11	3	70	17	<0.01	2	1
58588		1.92	10	<1	0.38	<10	0.24	199	<1	0.12	3	100	17	<0.01	3	2
58589		1.76	<10	1	0.40	<10	0.24	179	<1	0.14	3	80	18	<0.01	2	2
58590		1.65	10	1	0.40	<10	0.26	158	<1	0.06	3	110	26	<0.01	4	2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 10-OCT-2006

Account: LINCOLN

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093087

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Ti	Ti	U	V	W
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10
58551		11	0.01	<10	<10	11	<10
58552		25	0.01	<10	<10	15	<10
58553		11	0.01	<10	<10	16	<10
58554		16	0.01	<10	<10	15	<10
58555		14	0.01	<10	<10	17	<10
58556		13	0.01	<10	<10	33	<10
58557		18	0.01	<10	<10	16	<10
58558		19	0.01	<10	<10	18	<10
58559		20	0.01	<10	<10	15	<10
58560		8	<0.01	<10	<10	29	<10
58561		7	<0.01	<10	<10	21	<10
58562		8	<0.01	<10	<10	19	<10
58563		10	<0.01	<10	<10	14	<10
58564		9	<0.01	<10	<10	31	<10
58565		8	0.01	<10	<10	25	<10
58566		20	<0.01	<10	<10	18	<10
58567		28	0.03	<10	<10	25	<10
58568		7	<0.01	<10	<10	8	<10
58569		20	0.02	<10	<10	21	<10
58570		17	0.03	<10	<10	24	<10
58571		19	0.02	<10	<10	19	<10
58572		8	0.01	<10	<10	12	<10
58573		14	0.01	<10	<10	14	<10
58574		31	0.01	<10	<10	13	<10
58575		22	0.01	<10	<10	15	<10
58576		9	0.01	<10	<10	16	<10
58577		33	0.01	<10	<10	12	<10
58578		26	0.01	<10	<10	22	<10
58579		27	0.01	<10	<10	18	<10
58580		27	0.01	<10	<10	17	<10
58581		6	<0.01	<10	<10	31	<10
58582		8	<0.01	<10	<10	32	<10
58583		9	<0.01	<10	<10	12	<10
58584		13	<0.01	<10	<10	32	<10
58585		6	<0.01	<10	<10	26	<10
58586		22	0.01	<10	<10	30	<10
58587		21	0.03	<10	<10	27	<10
58588		17	0.02	<10	<10	24	<10
58589		16	0.03	<10	<10	22	<10
58590		16	0.02	<10	<10	20	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 10-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093087

Sample Description	Method Analyte Units LOR	WEI-21 Recvd WL kg	Au-ICP21 Au ppm	Au-ICP21 Au Check ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.001	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
58591		0.70	<0.001		<0.2	1.99	16	<10	190	<0.5	<2	0.05	<0.5	2	6	2
58592		0.78	0.002		0.3	2.20	15	<10	160	<0.5	<2	0.04	<0.5	2	5	2
58593		0.84	<0.001		<0.2	1.12	28	<10	160	1.0	<2	0.10	<0.5	2	4	1
58594		0.74	0.002		<0.2	2.24	51	<10	130	0.8	<2	0.03	<0.5	1	5	1
58595		0.66	<0.001		<0.2	1.43	33	<10	100	1.0	<2	0.03	<0.5	1	5	1
58596		0.72	0.001		<0.2	1.39	33	<10	120	0.8	<2	0.10	<0.5	1	6	1
58597		0.80	<0.001		<0.2	1.71	40	<10	120	1.0	<2	0.03	<0.5	1	5	1
58598		0.72	0.002		<0.2	1.19	31	<10	130	0.9	<2	0.18	<0.5	2	5	1
58599		0.56	<0.001		<0.2	1.25	43	<10	120	1.3	<2	0.09	<0.5	2	6	1
58600		0.72	0.001		<0.2	1.40	37	<10	110	0.7	<2	0.04	<0.5	1	5	2
58601		0.92	0.003		<0.2	1.07	15	<10	60	0.6	<2	0.13	<0.5	1	4	1
58602		Empty Bag														
58603		Empty Bag														
58604		0.58	0.143		6.9	3.83	125	<10	160	0.9	6	0.01	<0.5	3	10	71
58605		0.36	0.082		2.2	2.65	141	<10	100	0.6	7	0.01	<0.5	1	10	32
58606		Empty Bag														
58607		0.52	0.002		<0.2	1.16	50	<10	130	0.8	<2	0.18	<0.5	2	4	2
58608		0.58	0.006		0.2	1.78	25	<10	240	0.5	<2	0.16	<0.5	2	7	3
58609		0.72	0.004		<0.2	2.26	28	<10	220	0.8	<2	0.12	<0.5	2	6	2
58610		0.46	0.001		0.2	2.43	43	<10	190	0.8	<2	0.06	<0.5	2	6	2
58611		0.60	0.001		<0.2	2.45	46	<10	180	0.9	<2	0.05	<0.5	2	5	1
58612		0.40	0.003		<0.2	1.87	58	<10	170	1.1	<2	0.08	<0.5	2	6	2
58613		0.56	<0.001		0.3	1.30	39	<10	170	1.3	<2	0.12	<0.5	2	4	1
58614		0.72	0.002		<0.2	1.34	41	<10	140	0.6	<2	0.02	<0.5	1	6	1
58615		0.54	0.003		0.2	1.41	30	<10	120	0.7	<2	0.09	<0.5	2	6	1
58616		0.46	0.003		<0.2	1.07	24	<10	110	0.7	<2	0.09	<0.5	3	6	2
58617		0.44	0.006		<0.2	1.19	31	<10	130	0.6	<2	0.17	<0.5	2	5	1
58618		0.60	0.003		<0.2	1.25	33	<10	120	0.7	<2	0.09	<0.5	1	6	5
58619		0.64	0.002		<0.2	1.05	36	<10	120	0.8	<2	0.14	<0.5	2	5	2
58620		0.82	0.007		<0.2	1.00	30	<10	120	0.9	<2	0.12	<0.5	2	8	1
58621		Empty Bag														
58622		0.74	<0.001		<0.2	2.32	76	<10	130	0.9	<2	0.01	<0.5	2	5	1
58623		Empty Bag														
58624		Empty Bag														
58625		Empty Bag														
58626		Empty Bag														
58627		Empty Bag														
58628		Empty Bag														
58629		0.74	0.009		<0.2	1.28	37	<10	180	0.5	<2	0.20	<0.5	2	4	2
58630		0.66	0.019		0.4	1.29	38	<10	210	0.5	<2	0.06	<0.5	2	5	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 3 - B

Total # Pages: 4 (A - C)

Finalized Date: 10-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093087

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
58591		1.86	<10	1	0.41	<10	0.23	162	<1	0.15	4	60	21	<0.01	2	2
58592		1.43	<10	1	0.35	10	0.20	151	<1	0.16	3	90	21	<0.01	<2	1
58593		1.30	<10	<1	0.42	<10	0.18	223	<1	0.15	2	130	25	<0.01	2	1
58594		1.38	<10	1	0.35	<10	0.16	148	<1	0.08	3	110	27	<0.01	5	2
58595		1.40	<10	<1	0.35	<10	0.15	129	1	0.17	3	70	23	<0.01	7	1
58596		1.51	<10	1	0.35	<10	0.16	133	1	0.10	3	80	28	<0.01	8	1
58597		1.22	<10	1	0.35	<10	0.17	133	<1	0.16	3	180	23	0.01	2	1
58598		1.29	<10	1	0.35	<10	0.14	157	<1	0.09	3	170	29	0.01	7	1
58599		1.34	<10	1	0.39	<10	0.15	148	<1	0.21	2	170	27	0.01	6	1
58600		1.31	<10	1	0.37	<10	0.20	112	1	0.09	3	180	26	0.01	12	1
58601		1.00	<10	<1	0.33	20	0.12	63	<1	0.14	3	140	70	<0.01	6	1
58602																
58603																
58604		4.76	10	2	0.34	30	0.09	337	7	0.07	7	1170	121	0.04	4	4
58605		3.35	<10	<1	0.34	40	0.06	63	4	0.20	4	810	170	0.03	5	2
58606																
58607		1.89	<10	1	0.31	20	0.11	69	<1	0.06	2	140	16	<0.01	<2	1
58608		2.01	10	<1	0.38	<10	0.24	245	1	0.17	3	130	17	0.01	<2	2
58609		1.81	10	<1	0.36	<10	0.25	221	<1	0.10	4	220	22	<0.01	<2	2
58610		1.84	10	1	0.32	<10	0.24	163	<1	0.20	4	230	29	<0.01	3	2
58611		1.64	10	1	0.30	10	0.22	160	<1	0.08	3	120	35	0.01	3	2
58612		1.79	10	1	0.31	<10	0.20	171	1	0.15	4	120	30	<0.01	3	1
58613		1.31	<10	<1	0.44	<10	0.18	121	<1	0.06	1	120	21	<0.01	3	1
58614		1.38	<10	<1	0.40	<10	0.18	149	<1	0.08	4	80	23	<0.01	4	1
58615		1.52	<10	1	0.36	<10	0.16	134	<1	0.06	4	60	22	<0.01	5	1
58616		1.45	<10	1	0.31	<10	0.16	139	<1	0.09	3	140	23	0.01	7	1
58617		1.40	<10	1	0.32	<10	0.17	145	<1	0.05	3	110	29	0.01	5	1
58618		1.45	<10	1	0.32	<10	0.14	139	<1	0.08	2	110	37	0.01	8	1
58619		1.38	<10	<1	0.36	<10	0.14	140	<1	0.06	3	160	34	0.01	5	1
58620		1.78	<10	<1	0.33	<10	0.15	163	1	0.08	3	120	35	0.01	5	1
58621																
58622		1.23	<10	<1	0.36	<10	0.24	150	<1	0.02	3	450	29	<0.01	<2	2
58623																
58624																
58625																
58626																
58627																
58628																
58629		1.45	<10	<1	0.30	10	0.15	197	<1	0.08	3	120	22	0.01	<2	1
58630		1.62	<10	<1	0.34	<10	0.17	183	<1	0.08	2	90	23	<0.01	3	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 10-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093087

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		1	0.01	10	10	1	10	2
58591		14	0.02	<10	<10	25	<10	28
58592		11	0.01	<10	<10	17	<10	21
58593		18	0.01	<10	<10	13	<10	20
58594		11	0.01	<10	<10	14	<10	23
58595		10	0.01	<10	<10	13	<10	24
58596		17	0.01	<10	<10	18	<10	27
58597		13	0.01	<10	<10	12	<10	24
58598		29	0.01	<10	<10	12	<10	20
58599		18	0.01	<10	<10	13	<10	24
58600		24	0.01	<10	<10	14	<10	37
58601		23	<0.01	<10	<10	17	<10	32
58602								
58603								
58604		6	<0.01	<10	10	48	<10	72
58605		8	<0.01	<10	<10	32	<10	21
58606								
58607		30	<0.01	<10	<10	29	<10	12
58608		28	0.03	<10	<10	24	<10	31
58609		27	0.02	<10	<10	21	<10	37
58610		18	0.02	<10	<10	19	<10	40
58611		18	0.02	<10	<10	19	<10	37
58612		25	0.02	<10	<10	17	<10	34
58613		29	0.01	<10	<10	13	<10	21
58614		22	0.01	<10	<10	9	<10	32
58615		23	0.01	<10	<10	15	<10	25
58616		13	0.02	<10	<10	12	<10	26
58617		21	0.01	<10	<10	12	<10	34
58618		16	0.01	<10	<10	11	<10	31
58619		17	0.01	<10	<10	16	<10	27
58620		18	0.02	<10	<10	27	<10	30
58621								
58622		6	0.01	<10	<10	13	<10	34
58623								
58624								
58625								
58626								
58627								
58628								
58629		47	0.02	<10	<10	17	<10	18
58630		22	0.03	<10	<10	18	<10	18



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 4 - A

Total # Pages: 4 (A - C)

Finalized Date: 10-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093087

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	Au-ICP21 Au Check ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
Sample Description	0.02	0.001	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
58631	0.94	0.003		<0.2	1.16	47	<10	230	<0.5	<2	0.06	<0.5	2	4	1
58632	0.72	0.002		<0.2	1.16	70	<10	180	1.2	<2	0.23	<0.5	2	3	1
58633	0.80	0.001		<0.2	1.57	53	<10	200	1.2	<2	0.08	<0.5	2	5	1
58634	0.62	0.002		<0.2	0.70	29	<10	60	0.5	<2	0.14	<0.5	1	3	1
58635	0.74	0.006		<0.2	0.94	23	<10	110	0.6	<2	0.11	<0.5	2	4	2
58636	0.94	0.001		<0.2	1.68	24	<10	150	0.7	<2	0.05	<0.5	2	5	1
58637	0.78	0.001		<0.2	2.07	15	<10	130	<0.5	<2	0.04	<0.5	2	6	2
58638	0.64	0.001		0.2	1.88	36	<10	140	0.6	<2	0.09	<0.5	2	5	2
58639	0.70	<0.001		<0.2	1.88	35	<10	140	0.6	<2	0.09	<0.5	2	6	2
58640	0.86	0.002		<0.2	1.42	20	<10	130	0.5	<2	0.08	<0.5	2	5	1
58641	0.82	0.004		<0.2	0.98	44	<10	50	0.6	<2	0.08	<0.5	1	3	2
58642	0.86	0.011		<0.2	1.72	32	<10	110	0.6	<2	0.06	<0.5	2	6	1
58643	0.82	<0.001		<0.2	2.17	95	<10	130	0.9	<2	0.04	<0.5	3	6	2
58644	0.60	0.001		0.2	1.13	22	<10	140	0.5	<2	0.05	<0.5	2	5	2
58645	0.74	0.001		<0.2	1.38	30	<10	150	0.6	<2	0.06	<0.5	2	5	2
58646	0.68	0.002		0.2	1.27	23	<10	180	0.5	<2	0.11	<0.5	2	5	1
58647	0.66	0.004		0.2	1.14	17	<10	120	<0.5	<2	0.08	<0.5	1	5	2
58648	0.76	<0.001		<0.2	1.03	10	<10	70	<0.5	<2	0.03	<0.5	1	4	1
58649	0.62	0.002		0.2	1.31	9	<10	80	<0.5	<2	0.03	<0.5	2	5	2
58650	0.62	0.004		<0.2	1.17	14	<10	140	<0.5	<2	0.11	<0.5	2	4	2
58651	0.60	0.001		<0.2	1.93	23	<10	90	<0.5	<2	0.04	<0.5	2	5	2
58652	0.50	0.002		<0.2	2.20	12	<10	100	<0.5	<2	0.02	<0.5	2	5	1
58653	0.46	<0.001		<0.2	1.58	12	<10	100	<0.5	<2	0.06	<0.5	2	5	2
58654	0.66	0.001		<0.2	1.21	6	<10	80	<0.5	<2	0.05	<0.5	2	5	2
58655	0.54	0.001		<0.2	1.34	13	<10	120	<0.5	<2	0.03	<0.5	3	5	2
58656	0.70	<0.001		<0.2	1.78	35	<10	160	0.8	<2	0.08	<0.5	2	5	1
58657	0.50	0.002		0.2	1.37	16	<10	160	0.7	<2	0.17	<0.5	2	5	2
58658	0.52	<0.001		<0.2	1.53	10	<10	120	0.5	<2	0.03	<0.5	2	7	2
58659	0.80	0.002		<0.2	0.94	14	<10	160	0.7	<2	0.10	<0.5	2	5	2
58660	0.66	0.001		<0.2	0.81	9	<10	110	<0.5	<2	0.10	<0.5	1	4	2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 10-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093087

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
58631		1.44	<10	1	0.35	10	0.17	163	<1	0.09	3	70	24	<0.01	<2	1
58632		1.30	<10	<1	0.43	<10	0.18	155	<1	0.05	1	130	22	0.01	<2	1
58633		1.47	<10	1	0.33	<10	0.18	187	<1	0.13	2	100	29	<0.01	4	1
58634		0.89	<10	<1	0.25	<10	0.06	217	<1	0.05	2	80	20	<0.01	2	1
58635		1.20	<10	1	0.28	10	0.12	135	<1	0.12	2	80	19	<0.01	3	1
58636		1.42	<10	<1	0.31	<10	0.24	180	<1	0.09	3	170	16	<0.01	<2	2
58637		1.44	<10	1	0.28	10	0.23	190	<1	0.17	3	140	20	<0.01	<2	2
58638		1.44	<10	1	0.27	<10	0.22	168	<1	0.07	4	100	25	0.01	<2	1
58639		1.49	<10	<1	0.27	<10	0.22	175	<1	0.15	4	100	24	0.01	<2	1
58640		1.28	<10	1	0.32	<10	0.30	192	<1	0.07	3	140	18	<0.01	<2	1
58641		1.02	<10	<1	0.29	30	0.12	61	1	0.16	2	170	11	<0.01	<2	1
58642		1.44	<10	<1	0.32	10	0.24	157	<1	0.06	3	130	17	0.01	3	1
58643		1.37	<10	1	0.30	10	0.20	347	1	0.16	5	380	23	<0.01	2	2
58644		1.48	<10	<1	0.27	10	0.11	139	<1	0.09	2	150	16	<0.01	2	1
58645		1.61	<10	<1	0.31	10	0.14	171	<1	0.18	3	150	16	<0.01	3	1
58646		1.38	<10	<1	0.30	10	0.13	196	<1	0.05	2	210	16	<0.01	<2	1
58647		1.37	<10	1	0.25	10	0.10	193	<1	0.12	3	70	11	<0.01	3	1
58648		1.26	<10	<1	0.21	20	0.06	107	<1	0.09	2	90	15	<0.01	2	1
58649		1.31	<10	<1	0.22	20	0.08	145	<1	0.16	2	120	12	<0.01	<2	1
58650		1.20	<10	<1	0.25	10	0.11	162	<1	0.07	3	130	16	0.01	<2	1
58651		1.21	<10	1	0.25	20	0.15	131	<1	0.15	3	240	14	0.01	<2	1
58652		1.39	<10	1	0.29	10	0.17	147	<1	0.12	4	150	18	<0.01	<2	1
58653		1.49	<10	<1	0.30	20	0.19	150	<1	0.19	3	110	13	<0.01	<2	1
58654		1.30	<10	<1	0.26	30	0.25	204	<1	0.07	3	110	17	<0.01	<2	1
58655		1.30	<10	1	0.34	<10	0.35	188	<1	0.17	4	60	13	<0.01	<2	1
58656		1.36	<10	1	0.32	10	0.25	226	<1	0.07	3	130	12	<0.01	2	1
58657		1.33	<10	1	0.37	10	0.32	327	<1	0.18	3	100	15	<0.01	<2	2
58658		1.64	<10	1	0.34	10	0.29	209	1	0.11	4	110	14	<0.01	<2	2
58659		1.62	<10	1	0.32	10	0.13	144	<1	0.16	2	90	11	<0.01	2	1
58660		1.40	<10	1	0.28	20	0.08	198	<1	0.10	2	90	12	<0.01	<2	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 10-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093087

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Ti	Ti	U	V	W	Zn
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
58631		31	0.03	<10	<10	15	<10	18
58632		47	0.01	<10	<10	12	<10	22
58633		30	0.02	<10	<10	14	<10	26
58634		25	<0.01	<10	<10	5	<10	11
58635		20	0.01	<10	<10	8	<10	18
58636		12	0.01	<10	<10	9	<10	25
58637		9	0.01	<10	<10	10	<10	25
58638		13	0.01	<10	<10	11	<10	29
58639		13	0.01	<10	<10	11	<10	29
58640		12	0.01	<10	<10	12	<10	25
58641		22	<0.01	<10	<10	10	<10	9
58642		13	0.01	<10	<10	17	<10	19
58643		8	0.01	<10	10	15	<10	19
58644		11	0.01	<10	<10	12	<10	12
58645		12	0.01	<10	<10	12	<10	17
58646		16	0.01	<10	<10	10	<10	15
58647		11	0.01	<10	<10	9	<10	10
58648		10	0.01	<10	<10	9	<10	7
58649		8	0.01	<10	<10	8	<10	9
58650		21	0.01	<10	<10	6	<10	10
58651		10	<0.01	<10	<10	7	<10	14
58652		6	0.01	<10	<10	10	<10	17
58653		9	0.01	<10	<10	11	<10	15
58654		10	0.01	<10	<10	13	<10	19
58655		7	0.01	<10	<10	9	<10	20
58656		18	0.01	<10	<10	12	<10	19
58657		20	0.01	<10	<10	8	<10	20
58658		5	0.02	<10	<10	21	<10	22
58659		8	0.02	<10	<10	16	<10	10
58660		14	0.01	<10	<10	9	<10	9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 1

Finalized Date: 11-OCT-2006

Account: LINCOL

CERTIFICATE CH06093086

Project: La Bufa

P.O. No.:

This report is for 150 Soil samples submitted to our lab in Chihuahua, CHIHUAHUA, Mexico on 22-SEP-2006.

The following have access to data associated with this certificate:

RICHARD W. BYBEE

JEFF WILSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: LINCOLN GOLD CORP.
ATTN: JEFF WILSON
325 TAHOE DRIVE
CARSON CITY NV 89703

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
58401		Empty Bag														
58402		Empty Bag														
58403		Empty Bag														
58404		Empty Bag														
58405		Empty Bag														
58406		0.40	0.751	16.3	2.26	84	<10	60	1.1	<2	0.02	<0.5	1	7	23	3.29
58407		0.56	0.021	0.3	1.36	29	<10	90	0.6	<2	0.06	<0.5	2	7	9	1.97
58408		0.34	0.140	2.6	2.77	63	<10	100	0.8	<2	0.01	<0.5	2	9	33	2.21
58409		0.38	0.056	1.4	2.01	45	<10	120	0.9	<2	0.07	<0.5	5	9	30	2.49
58410		0.40	0.022	1.1	2.18	47	<10	140	0.9	<2	0.04	<0.5	6	11	17	2.63
58411		0.44	0.051	0.6	1.75	35	<10	110	0.7	<2	0.13	<0.5	4	10	10	2.48
58412		0.46	0.001	<0.2	1.55	8	<10	120	0.5	<2	0.09	<0.5	4	12	4	2.12
58413		Empty Bag														
58414		Empty Bag														
58415		Empty Bag														
58416		Empty Bag														
58417		Empty Bag														
58418		Empty Bag														
58419		Empty Bag														
58420		0.66	0.014	2.1	1.29	24	<10	110	0.7	<2	0.13	<0.5	6	10	18	2.34
58421		0.68	0.008	1.4	1.49	48	<10	110	0.8	<2	0.02	<0.5	5	11	18	2.68
58422		Empty Bag														
58423		Empty Bag														
58424		0.56	0.021	1.4	1.61	43	<10	140	1.2	<2	0.11	0.6	10	9	17	2.74
58425		Empty Bag														
58426		0.84	0.018	0.7	1.34	37	<10	120	0.8	<2	0.02	<0.5	6	8	23	2.73
58427		0.80	0.115	6.5	2.39	89	<10	90	0.7	<2	0.01	<0.5	3	8	51	2.62
58428		0.94	0.033	0.8	1.59	87	<10	110	0.5	<2	0.02	<0.5	1	6	10	2.23
58429		0.96	0.032	0.8	1.92	99	<10	100	0.7	<2	0.04	<0.5	1	7	11	3.03
58430		1.18	0.017	0.4	1.74	47	<10	130	0.7	<2	0.09	<0.5	1	7	8	2.13
58431		Empty Bag														
58432		0.84	0.001	0.2	1.48	6	<10	150	0.5	<2	0.08	<0.5	1	6	2	1.28
58433		0.68	<0.001	<0.2	2.16	4	<10	140	0.6	<2	0.05	<0.5	2	7	2	1.57
58434		Empty Bag														
58435		Empty Bag														
58436		Empty Bag														
58437		Empty Bag														
58438		Empty Bag														
58439		Empty Bag														
58440		Empty Bag														



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 2 - C

Total # Pages: 5 (A - C)

Finalized Date: 11-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093086

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
58401 58402 58403 58404 58405							
58406 58407 58408 58409 58410		<0.01 <0.01 <0.01 <0.01 <0.01	<10 <10 <10 <10 <10	<10 <10 <10 <10 <10	25 21 28 29 35	<10 <10 <10 <10 <10	46 30 48 66 63
58411 58412 58413 58414 58415		<0.01 0.04	<10 <10	<10 <10	31 57	<10 <10	50 31
58416 58417 58418 58419 58420							
58421 58422 58423 58424 58425		0.01 <0.01 <0.01	<10 <10 <10	<10 <10 <10	27 31 29	<10 <10 <10	102 95 154
58426 58427 58428 58429 58430		<0.01 <0.01 <0.01 <0.01 <0.01	<10 <10 <10 <10 <10	<10 <10 <10 <10 <10	27 26 20 25 23	<10 <10 <10 <10 <10	81 75 24 31 27
58431 58432 58433 58434 58435		0.01 0.01	<10 <10	<10 <10	17 24	<10 <10	18 24
58436 58437 58438 58439 58440							

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093086

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
58441		Empty Bag														
58442		0.58	0.002	<0.2	1.09	37	<10	150	1.0	<2	0.19	<0.5	1	6	4	2.00
58443		0.60	0.045	0.7	0.95	29	<10	150	0.6	<2	0.21	<0.5	2	8	6	2.11
58444		0.38	0.003	0.4	0.99	22	<10	310	0.5	<2	0.20	<0.5	1	6	4	2.06
58445		Empty Bag														
58446		Empty Bag														
58447		Empty Bag														
58448		0.44	<0.001	<0.2	2.05	8	<10	210	0.9	<2	0.51	<0.5	7	30	7	3.30
58449		0.46	<0.001	<0.2	1.66	11	<10	210	1.0	<2	0.30	<0.5	4	7	4	2.07
58450		0.48	0.013	0.3	1.25	52	<10	100	0.5	<2	0.06	<0.5	1	6	6	2.33
58451		0.46	0.004	<0.2	1.12	19	<10	150	0.6	<2	0.17	<0.5	3	8	3	1.71
58452		0.48	<0.001	0.3	1.05	8	<10	140	0.5	<2	0.14	<0.5	1	6	2	1.37
58453		0.46	<0.001	<0.2	1.37	3	<10	150	0.5	<2	0.09	<0.5	1	6	2	1.49
58454		0.38	0.002	<0.2	1.58	5	<10	160	0.6	<2	0.10	<0.5	2	6	2	1.45
58455		Empty Bag														
58456		Empty Bag														
58457		Empty Bag														
58458		Empty Bag														
58459		Empty Bag														
58460		Empty Bag														
58461		Empty Bag														
58462		0.82	<0.001	<0.2	1.51	5	<10	220	<0.5	<2	0.09	<0.5	2	4	2	1.31
58463		0.78	<0.001	<0.2	1.10	11	<10	130	<0.5	<2	0.06	<0.5	1	4	2	1.52
58464		0.86	<0.001	<0.2	1.46	12	<10	310	0.5	<2	0.02	<0.5	1	6	2	2.03
58465		0.80	0.001	<0.2	0.97	13	<10	180	0.5	<2	0.12	<0.5	1	5	2	1.59
58466		0.92	0.003	<0.2	1.04	8	<10	220	0.5	<2	0.20	<0.5	<1	4	2	1.60
58467		0.60	0.001	<0.2	1.02	19	<10	180	0.5	<2	0.16	<0.5	1	5	2	1.57
58468		0.80	0.001	1.5	0.86	17	<10	140	0.5	<2	0.12	<0.5	3	6	3	1.53
58469		0.80	0.003	0.2	1.19	31	<10	150	0.8	<2	0.13	<0.5	3	12	7	2.54
58470		0.68	0.003	0.3	1.51	22	<10	210	0.8	<2	0.23	<0.5	3	9	6	2.21
58471		Empty Bag														
58472		Empty Bag														
58473		0.66	<0.001	<0.2	1.42	15	<10	150	0.5	<2	0.15	<0.5	1	7	3	1.54
58474		0.92	<0.001	<0.2	1.40	11	<10	210	0.5	<2	0.11	<0.5	1	6	2	1.49
58475		Empty Bag														
58476		Empty Bag														
58477		Empty Bag														
58478		Empty Bag														
58479		Empty Bag														
58480		Empty Bag														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

TO: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 3 - B

Total # Pages: 5 (A - C)

Finalized Date: 11-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093086

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
58441																
58442		<10	<1	0.28	10	0.10	136	1	0.13	2	290	27	0.01	2	1	21
58443		<10	<1	0.29	10	0.13	318	1	0.24	3	280	24	0.01	3	1	17
58444		<10	<1	0.25	10	0.11	212	3	0.13	1	170	17	0.01	2	1	22
58445																
58446																
58447																
58448		10	<1	0.23	20	0.46	526	<1	0.13	7	340	19	0.01	<2	5	120
58449		10	<1	0.26	20	0.25	538	<1	0.15	2	170	15	0.01	<2	3	49
58450		<10	<1	0.30	30	0.06	289	4	0.08	3	310	45	0.01	3	1	8
58451		<10	<1	0.30	20	0.15	431	<1	0.11	2	150	18	0.01	<2	2	20
58452		<10	<1	0.33	20	0.14	272	<1	0.09	1	110	13	0.01	<2	1	7
58453		<10	<1	0.31	20	0.15	207	<1	0.11	1	250	13	0.01	<2	1	8
58454		<10	<1	0.35	20	0.19	392	<1	0.08	1	230	16	0.01	<2	1	9
58455																
58456																
58457																
58458																
58459																
58460																
58461																
58462		<10	<1	0.32	10	0.14	173	<1	0.09	1	200	24	0.01	<2	1	19
58463		<10	<1	0.27	20	0.07	112	<1	0.10	<1	430	15	<0.01	<2	1	8
58464		<10	<1	0.38	10	0.20	177	<1	0.09	1	120	16	0.01	<2	2	12
58465		<10	<1	0.34	30	0.07	256	<1	0.12	2	140	14	<0.01	<2	1	11
58466		<10	<1	0.31	20	0.10	375	<1	0.11	1	220	22	0.01	<2	1	19
58467		<10	<1	0.28	20	0.09	223	<1	0.13	1	120	13	<0.01	3	1	18
58468		<10	<1	0.25	20	0.05	713	<1	0.09	3	180	25	<0.01	2	1	10
58469		<10	<1	0.29	20	0.14	550	1	0.15	4	280	40	0.02	9	1	10
58470		<10	<1	0.34	20	0.21	638	<1	0.24	4	240	28	0.01	4	2	13
58471																
58472																
58473		<10	1	0.32	20	0.12	379	1	0.18	<1	160	13	<0.01	2	1	12
58474		<10	<1	0.32	10	0.16	609	1	0.17	1	100	12	<0.01	<2	1	10
58475																
58476																
58477																
58478																
58479																
58480																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 3 - C
Total # Pages: 5 (A - C)
Finalized Date: 11-OCT-2006
Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093086

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
58441							
58442		<0.01	<10	<10	25	<10	16
58443		0.01	<10	<10	25	<10	28
58444		0.01	<10	<10	25	<10	13
58445							
58446							
58447							
58448		0.07	<10	<10	113	<10	55
58449		0.04	<10	<10	41	<10	31
58450		<0.01	<10	<10	23	<10	24
58451		0.02	<10	<10	31	<10	24
58452		0.01	<10	<10	15	<10	15
58453		0.01	<10	<10	16	<10	23
58454		0.02	<10	<10	15	<10	20
58455							
58456							
58457							
58458							
58459							
58460							
58461							
58462		0.01	<10	<10	11	<10	11
58463		0.01	<10	<10	14	<10	7
58464		0.04	<10	<10	22	<10	15
58465		0.01	<10	<10	18	<10	10
58466		0.01	<10	<10	17	<10	10
58467		<0.01	<10	<10	19	<10	11
58468		<0.01	<10	<10	18	<10	17
58469		0.01	<10	<10	33	10	30
58470		0.01	<10	<10	31	<10	32
58471							
58472							
58473		0.01	<10	<10	18	<10	19
58474		0.01	<10	<10	15	<10	18
58475							
58476							
58477							
58478							
58479							
58480							



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 4 - A

Total # Pages: 5 (A - C)

Finalized Date: 11-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093086

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
58481	Empty Bag															
58482	Empty Bag															
58483	0.46	0.001	0.5	0.97	23	<10	70	<0.5	<2	0.03	<0.5	1	4	4	1.91	
58484	0.40	0.001	0.8	0.74	17	<10	200	<0.5	<2	0.03	<0.5	1	2	2	0.67	
58485	0.70	<0.001	<0.2	0.94	7	<10	100	0.6	<2	0.05	<0.5	1	4	2	1.40	
58486	0.44	0.004	<0.2	0.80	13	<10	120	0.5	<2	0.13	<0.5	2	3	2	1.31	
58487	0.70	0.002	0.2	0.99	34	<10	70	<0.5	<2	0.08	<0.5	1	5	6	1.52	
58488	0.50	0.017	0.5	1.12	50	<10	100	0.5	<2	0.03	<0.5	1	6	5	2.04	
58489	0.52	0.003	<0.2	1.54	20	<10	140	0.8	<2	0.12	<0.5	4	13	7	2.53	
58490	0.62	0.001	0.2	1.76	22	<10	120	0.9	<2	0.10	<0.5	6	15	7	2.59	
58491	0.62	<0.001	<0.2	1.68	29	<10	160	0.7	<2	0.14	<0.5	2	6	3	1.70	
58492	0.84	<0.001	<0.2	0.89	4	<10	110	0.5	<2	0.14	<0.5	<1	4	1	1.17	
58493	0.46	<0.001	<0.2	1.40	19	<10	260	0.5	<2	0.15	<0.5	1	5	2	1.71	
58494	0.66	0.001	<0.2	1.34	14	<10	240	0.6	<2	0.14	<0.5	2	7	1	1.55	
58495	0.70	<0.001	<0.2	1.25	20	<10	140	0.6	<2	0.23	<0.5	2	7	2	1.59	
58496	Empty Bag															
58497	Empty Bag															
58498	0.84	0.017	1.1	1.15	24	<10	140	0.7	<2	0.13	<0.5	2	10	8	2.26	
58499	0.78	0.027	2.1	1.23	27	<10	120	0.6	<2	0.16	<0.5	2	8	11	2.77	
58500	0.84	0.103	2.0	1.32	28	<10	140	0.7	<2	0.13	<0.5	3	10	15	2.48	
58501	0.96	0.033	2.5	1.49	26	<10	100	0.7	<2	0.02	<0.5	2	9	9	2.26	
58502	0.90	0.016	0.7	1.06	23	<10	140	0.7	<2	0.11	<0.5	2	9	6	2.38	
58503	0.80	0.019	0.9	1.04	25	<10	130	0.7	<2	0.16	<0.5	1	8	4	2.55	
58504	0.94	0.010	0.4	1.03	27	<10	70	0.5	3	0.07	<0.5	1	8	3	2.20	
58505	1.08	0.029	0.7	1.10	24	<10	110	0.6	<2	0.11	<0.5	1	7	5	2.30	
58506	0.96	0.006	0.4	1.06	26	<10	90	<0.5	<2	0.06	<0.5	1	6	3	2.36	
58507	0.96	0.006	0.3	1.06	33	<10	90	0.5	<2	0.15	<0.5	1	7	3	2.34	
58508	0.78	0.007	0.2	1.01	42	<10	100	0.5	<2	0.14	<0.5	<1	7	3	2.04	
58509	0.94	<0.001	0.2	1.08	19	<10	120	<0.5	<2	0.09	<0.5	1	6	2	2.25	
58510	0.86	0.009	0.2	0.79	34	<10	90	0.9	<2	0.10	<0.5	2	9	11	3.48	
58511	0.84	<0.001	<0.2	1.46	19	<10	150	0.6	<2	0.05	<0.5	1	4	1	1.32	
58512	0.88	0.001	<0.2	1.38	25	<10	220	0.7	<2	0.12	<0.5	1	6	2	1.44	
58513	0.76	<0.001	<0.2	1.27	22	<10	150	0.7	<2	0.10	<0.5	1	4	1	1.20	
58514	0.64	<0.001	<0.2	1.42	34	<10	190	1.0	<2	0.05	<0.5	1	6	2	1.47	
58515	0.98	<0.001	<0.2	1.28	13	<10	180	0.7	<2	0.17	<0.5	1	4	2	1.31	
58516	0.88	0.031	0.5	1.66	32	<10	140	0.8	<2	0.12	<0.5	2	6	3	1.43	
58517	0.76	0.003	<0.2	1.80	39	<10	170	1.1	<2	0.10	<0.5	2	6	2	1.45	
58518	Empty Bag															
58519	0.74	0.011	0.7	1.35	38	<10	80	<0.5	<2	0.07	<0.5	2	7	6	2.03	
58520	0.54	0.008	1.0	1.08	58	<10	100	0.7	2	0.05	<0.5	1	7	8	2.06	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 4 - B
Total # Pages: 5 (A - C)
Finalized Date: 11-OCT-2006
Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093086

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
58481																
58482																
58483		<10	<1	0.20	10	0.04	126	1	0.10	1	250	7	<0.01	5	1	10
58484		<10	1	0.28	30	0.04	54	<1	0.09	1	240	11	0.01	<2	<1	6
58485		<10	<1	0.32	30	0.06	116	<1	0.06	1	220	14	<0.01	2	1	6
58486		<10	<1	0.26	30	0.10	234	1	0.09	<1	150	15	<0.01	<2	<1	8
58487		<10	<1	0.26	20	0.06	84	<1	0.06	2	150	38	<0.01	6	1	10
58488		<10	<1	0.28	20	0.04	181	<1	0.12	<1	260	67	0.01	5	1	8
58489		<10	<1	0.26	20	0.21	702	<1	0.11	4	190	42	<0.01	16	2	9
58490		<10	<1	0.25	20	0.32	534	<1	0.14	8	160	37	<0.01	8	2	10
58491		<10	<1	0.35	20	0.17	285	<1	0.10	2	170	18	0.01	2	1	15
58492		<10	<1	0.33	40	0.06	78	<1	0.13	1	50	10	0.01	<2	1	18
58493		<10	<1	0.50	10	0.19	177	<1	0.09	<1	60	10	0.01	<2	1	17
58494		<10	<1	0.42	10	0.17	292	<1	0.15	3	50	14	<0.01	<2	1	20
58495		<10	<1	0.36	10	0.18	275	<1	0.15	3	70	17	<0.01	2	1	38
58496																
58497																
58498		<10	<1	0.28	30	0.07	773	1	0.18	<1	170	70	0.01	3	1	11
58499		<10	<1	0.26	20	0.07	541	1	0.20	4	230	139	0.01	7	1	14
58500		<10	<1	0.24	20	0.10	791	2	0.15	3	180	130	0.01	10	2	13
58501		<10	<1	0.28	20	0.05	124	2	0.09	3	310	71	<0.01	11	1	7
58502		<10	<1	0.33	30	0.05	826	1	0.06	3	200	44	0.01	14	1	13
58503		<10	<1	0.36	30	0.04	367	<1	0.05	2	200	41	0.01	17	1	16
58504		<10	<1	0.31	20	0.04	85	1	0.02	2	160	32	<0.01	11	1	10
58505		<10	<1	0.35	20	0.07	305	<1	0.03	2	160	71	<0.01	5	1	10
58506		<10	1	0.25	10	0.04	137	1	0.03	1	200	72	<0.01	5	1	10
58507		<10	<1	0.30	10	0.05	222	<1	0.05	2	190	63	<0.01	6	1	11
58508		<10	<1	0.30	20	0.05	301	1	0.04	1	190	50	<0.01	9	1	10
58509		<10	<1	0.24	10	0.08	269	<1	0.06	1	120	31	0.01	9	1	9
58510		<10	<1	0.32	20	0.03	496	<1	0.04	1	430	115	<0.01	9	2	9
58511		<10	<1	0.37	10	0.14	160	<1	0.04	1	120	13	<0.01	3	1	13
58512		<10	<1	0.47	10	0.20	254	<1	0.04	2	160	15	0.01	<2	1	18
58513		<10	<1	0.42	10	0.13	128	<1	0.04	<1	100	17	0.01	2	1	19
58514		<10	<1	0.34	10	0.14	265	1	0.04	1	110	20	<0.01	5	1	19
58515		<10	<1	0.45	10	0.15	196	<1	0.06	1	110	20	0.01	3	1	23
58516		<10	<1	0.35	10	0.18	265	1	0.05	3	200	24	0.01	4	1	18
58517		<10	<1	0.36	10	0.18	312	<1	0.03	2	220	26	0.01	4	1	21
58518																
58519		<10	<1	0.27	20	0.09	92	<1	0.03	1	100	34	<0.01	2	1	10
58520		<10	1	0.27	20	0.04	112	2	0.05	1	200	42	0.01	<2	1	14



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 4 - C

Total # Pages: 5 (A - C)

Finalized Date: 11-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093086

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
58481							
58482							
58483		<0.01	<10	<10	16	<10	14
58484		<0.01	<10	<10	6	<10	14
58485		<0.01	<10	<10	10	<10	11
58486		<0.01	10	<10	11	<10	22
58487		<0.01	<10	<10	16	<10	16
58488		<0.01	<10	<10	20	<10	18
58489		0.01	<10	<10	35	<10	41
58490		0.01	<10	<10	45	<10	56
58491		0.01	<10	<10	19	<10	23
58492		<0.01	<10	<10	17	<10	7
58493		0.02	<10	<10	20	<10	15
58494		0.02	<10	<10	19	<10	16
58495		0.01	<10	<10	25	<10	25
58496							
58497							
58498		0.01	<10	<10	27	<10	62
58499		0.01	<10	<10	27	<10	84
58500		0.01	<10	<10	30	<10	177
58501		<0.01	<10	<10	25	<10	34
58502		0.01	<10	<10	27	<10	30
58503		0.01	<10	<10	24	<10	19
58504		<0.01	<10	<10	25	<10	16
58505		<0.01	<10	<10	27	<10	25
58506		<0.01	<10	<10	21	<10	12
58507		0.01	<10	<10	22	<10	18
58508		<0.01	<10	<10	22	<10	17
58509		0.01	<10	<10	19	<10	14
58510		0.01	<10	<10	40	10	25
58511		0.01	<10	<10	10	<10	17
58512		0.02	<10	<10	17	<10	19
58513		0.01	<10	<10	14	<10	15
58514		0.01	<10	<10	20	<10	25
58515		0.01	<10	<10	14	<10	22
58516		0.01	<10	<10	18	<10	38
58517		0.01	<10	<10	18	<10	40
58518							
58519		<0.01	<10	<10	26	<10	22
58520		<0.01	10	<10	28	<10	18



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 5 - A

Total # Pages: 5 (A - C)

Finalized Date: 11-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093086

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
58521		0.48	0.003	0.8	0.95	22	<10	80	0.6	<2	0.17	<0.5	1	7	4	2.09
58522		0.50	0.008	0.7	0.91	28	<10	80	0.5	2	0.09	<0.5	1	8	3	2.29
58523		0.56	0.019	0.5	0.91	25	<10	70	<0.5	3	0.05	<0.5	1	7	3	2.12
58524		0.50	0.005	0.4	0.88	21	<10	60	<0.5	2	0.08	<0.5	<1	7	3	2.15
58525		0.48	0.011	0.4	1.22	36	<10	110	0.5	3	0.02	<0.5	<1	8	4	2.56
58526		0.26	0.007	0.5	1.16	51	<10	100	0.5	<2	0.02	<0.5	<1	8	4	3.21
58527		0.52	0.008	0.4	1.16	48	<10	90	0.8	<2	0.04	<0.5	1	6	3	2.22
58528		0.38	0.010	0.4	1.29	74	<10	110	0.7	<2	0.02	<0.5	1	6	2	2.38
58529		0.46	0.003	0.2	1.70	33	<10	350	0.9	<2	0.12	<0.5	3	5	1	1.72
58530		0.38	<0.001	<0.2	1.40	12	10	210	0.5	<2	0.05	<0.5	1	5	3	1.53
58531		0.40	<0.001	<0.2	1.75	16	10	190	<0.5	<2	0.02	<0.5	2	4	2	1.35
58532		0.28	<0.001	<0.2	1.11	8	10	150	0.7	<2	0.10	<0.5	1	4	1	1.29
58533		0.50	<0.001	<0.2	1.29	18	10	160	0.5	<2	0.06	<0.5	1	4	1	1.25
58534		0.62	<0.001	<0.2	1.21	17	<10	130	0.5	<2	0.08	<0.5	<1	5	1	1.34
58535		0.44	<0.001	0.3	0.82	33	<10	160	1.6	<2	0.19	<0.5	1	2	2	0.84
58536		0.68	0.001	<0.2	1.95	62	<10	170	1.2	<2	0.05	<0.5	2	6	2	1.41
58537		0.64	0.033	0.7	1.23	28	<10	130	1.0	<2	0.07	<0.5	1	6	3	1.35
58538		0.48	<0.001	<0.2	1.81	48	<10	120	1.0	<2	0.03	<0.5	2	6	2	1.33
58539		0.78	0.091	1.0	1.82	53	<10	90	0.7	<2	0.11	<0.5	3	11	8	2.60
58540		0.94	0.068	1.5	1.40	42	<10	100	0.6	2	0.02	<0.5	4	11	8	2.55
58541		0.92	0.037	0.6	1.74	36	<10	100	0.6	<2	0.05	<0.5	5	13	8	2.67
58542		0.98	0.024	0.5	1.64	49	<10	130	0.7	<2	0.12	<0.5	5	12	5	2.76
58543		0.82	0.014	0.3	1.74	31	<10	150	0.7	<2	0.14	<0.5	8	13	7	2.61
58544		0.86	0.004	0.3	1.69	35	<10	90	0.6	2	0.05	<0.5	7	13	9	2.62
58545		0.70	0.001	0.4	1.60	35	<10	120	0.7	<2	0.04	<0.5	9	9	9	2.51
58546		0.88	0.001	0.6	0.79	35	<10	80	0.6	<2	0.02	<0.5	<1	9	3	2.46
58547		0.80	<0.001	0.2	1.57	6	10	360	0.5	<2	0.07	<0.5	2	5	1	1.86
58548		0.76	<0.001	0.2	1.79	6	<10	270	<0.5	<2	0.03	<0.5	1	5	1	1.58
58549		0.76	<0.001	<0.2	1.58	21	10	210	<0.5	<2	0.01	<0.5	1	4	2	1.44
58550		0.52	<0.001	<0.2	2.50	25	<10	170	<0.5	<2	0.01	<0.5	<1	4	1	1.22



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 5 - B

Total # Pages: 5 (A - C)

Finalized Date: 11-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093086

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
58521		<10	<1	0.32	20	0.04	300	1	0.04	<1	170	45	0.01	4	1
58522		<10	<1	0.32	20	0.04	345	2	0.05	1	140	51	0.01	5	1
58523		<10	<1	0.31	10	0.04	104	1	0.03	1	190	49	0.01	2	1
58524		<10	<1	0.28	<10	0.03	188	2	0.04	2	200	58	0.01	<2	1
58525		<10	<1	0.38	<10	0.04	129	1	0.01	<1	210	99	0.01	3	1
58526		<10	1	0.31	<10	0.04	66	2	<0.01	<1	220	81	0.01	8	1
58527		<10	1	0.37	<10	0.05	268	1	0.01	<1	140	81	0.01	5	1
58528		<10	1	0.28	<10	0.05	113	2	0.01	1	200	61	0.01	11	1
58529		<10	<1	0.53	30	0.32	367	<1	0.02	<1	130	22	0.01	<2	2
58530		<10	<1	0.49	20	0.18	134	1	0.01	2	60	18	0.01	<2	1
58531		<10	<1	0.56	<10	0.20	210	<1	0.01	1	170	12	0.01	<2	2
58532		<10	<1	0.45	10	0.15	172	2	0.08	2	50	14	0.01	4	1
58533		<10	<1	0.43	<10	0.16	122	<1	0.06	1	70	17	0.01	3	1
58534		<10	<1	0.37	10	0.16	140	2	0.06	2	100	19	0.01	4	1
58535		<10	<1	0.38	30	0.08	115	<1	0.07	1	230	61	0.02	<2	<1
58536		<10	<1	0.38	10	0.21	234	2	0.05	2	190	27	0.01	4	2
58537		<10	1	0.29	10	0.15	213	<1	0.06	1	300	28	0.01	5	1
58538		<10	<1	0.30	10	0.18	159	2	0.08	2	190	23	0.01	6	1
58539		<10	1	0.25	20	0.07	401	1	0.05	4	200	86	0.01	7	2
58540		<10	<1	0.26	20	0.07	262	2	0.05	4	210	209	0.01	6	2
58541		<10	<1	0.26	20	0.12	353	1	0.05	6	140	48	0.01	3	2
58542		<10	<1	0.23	10	0.10	618	2	0.06	4	180	52	0.01	6	2
58543		<10	<1	0.31	10	0.12	973	1	0.08	6	190	64	0.01	3	2
58544		<10	<1	0.31	10	0.06	353	1	0.03	6	150	56	0.01	2	2
58545		<10	<1	0.28	10	0.05	968	<1	0.04	6	190	128	0.01	4	2
58546		<10	1	0.29	<10	0.03	111	2	0.04	<1	100	45	0.01	5	2
58547		<10	<1	0.57	20	0.31	134	<1	0.06	1	70	18	0.01	<2	2
58548		<10	<1	0.48	20	0.23	138	2	0.07	2	40	17	0.01	<2	2
58549		<10	<1	0.48	<10	0.18	200	<1	0.12	1	80	14	0.01	<2	2
58550		10	1	0.37	<10	0.17	153	<1	0.09	1	110	22	0.01	<2	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 5 - C

Total # Pages: 5 (A - C)

Finalized Date: 11-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093086

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
58521		<0.01	<10	<10	24	<10	18
58522		<0.01	<10	<10	25	<10	18
58523		<0.01	<10	<10	22	<10	14
58524		<0.01	<10	<10	21	<10	14
58525		0.01	<10	<10	31	<10	16
58526		<0.01	<10	<10	30	<10	12
58527		<0.01	<10	<10	20	<10	22
58528		<0.01	<10	<10	23	<10	16
58529		0.03	<10	<10	31	<10	31
58530		0.02	<10	<10	26	<10	19
58531		0.02	<10	<10	15	<10	16
58532		0.02	<10	<10	13	<10	22
58533		0.01	<10	<10	15	<10	24
58534		0.01	<10	<10	19	<10	25
58535		<0.01	<10	10	6	<10	30
58536		0.01	<10	<10	16	<10	50
58537		0.01	<10	<10	13	<10	31
58538		0.01	<10	<10	15	<10	47
58539		0.01	<10	<10	40	<10	44
58540		0.01	<10	<10	33	<10	38
58541		0.01	<10	<10	36	<10	56
58542		0.01	<10	<10	38	<10	52
58543		0.01	<10	<10	34	<10	81
58544		0.01	<10	<10	35	<10	55
58545		0.01	<10	<10	26	<10	51
58546		0.01	<10	<10	21	<10	17
58547		0.03	<10	<10	31	<10	24
58548		0.03	10	<10	26	<10	20
58549		0.01	<10	<10	13	<10	16
58550		0.01	10	<10	13	<10	23



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 1
Finalized Date: 20-OCT-2006
Account: LINCOL

CERTIFICATE CH06093085

Project: La Bufa

P.O. No.:

This report is for 150 Soil samples submitted to our lab in Chihuahua, CHIHUAHUA, Mexico on 22-SEP-2006.

The following have access to data associated with this certificate:

RICHARD W. BYBEE

JEFF WILSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: LINCOLN GOLD CORP.
ATTN: JEFF WILSON
325 TAHOE DRIVE
CARSON CITY NV 89703

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 2 - A

Total # Pages: 5 (A - C)

Finalized Date: 20-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093085

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
58251		0.98	0.002	<0.2	1.69	19	<10	90	0.8	<2	0.06	<0.5	7	17	8	2.73
58252		1.12	0.003	<0.2	2.11	25	<10	110	0.7	<2	0.06	<0.5	8	15	9	2.75
58253		0.88	0.056	0.3	1.86	95	<10	50	<0.5	2	0.02	<0.5	1	9	10	2.52
58254		0.90	0.023	0.2	1.35	88	<10	50	<0.5	2	0.02	<0.5	1	8	8	2.51
58255		0.92	0.018	<0.2	1.80	151	<10	60	<0.5	<2	0.03	<0.5	1	7	5	2.27
58256		0.98	0.093	0.2	2.12	284	<10	50	<0.5	<2	0.04	<0.5	1	8	8	2.41
58257		0.98	0.023	<0.2	1.75	208	<10	90	<0.5	<2	0.02	<0.5	1	6	6	1.82
58258		1.04	0.016	<0.2	2.24	116	<10	50	0.6	<2	0.02	<0.5	2	8	13	2.69
58259		1.00	0.004	<0.2	2.08	52	<10	60	0.6	<2	0.03	<0.5	4	11	18	2.47
58260		1.12	0.007	<0.2	1.16	116	<10	60	0.5	<2	0.02	<0.5	1	5	10	2.68
58261		0.78	0.013	0.2	1.19	154	<10	50	0.5	<2	0.02	<0.5	<1	4	19	2.39
58262	Empty Bag															
58263	Empty Bag															
58264	Empty Bag															
58265	Empty Bag															
58266	Empty Bag															
58267		0.36	0.015	0.2	1.87	24	<10	100	0.7	<2	0.18	<0.5	5	13	8	2.59
58268		0.28	0.010	0.4	1.72	28	<10	90	0.7	<2	0.14	<0.5	6	14	16	2.69
58269		0.60	0.021	0.4	1.60	28	<10	80	0.7	<2	0.08	<0.5	5	13	12	2.58
58270		0.56	0.055	<0.2	1.89	22	<10	90	0.7	<2	0.06	<0.5	6	13	9	2.46
58271		0.48	0.015	<0.2	1.37	33	<10	70	0.7	<2	0.09	<0.5	4	11	14	2.58
58272		0.10	0.007	<0.2	0.88	76	<10	50	1.3	<2	0.08	<0.5	2	4	17	3.38
58273		0.36	0.071	0.4	3.25	190	<10	110	0.7	<2	0.01	<0.5	4	11	23	2.99
58274		0.58	0.015	0.2	1.77	61	<10	70	<0.5	2	0.03	<0.5	3	10	7	2.54
58275		0.46	0.013	0.2	1.63	48	<10	60	0.6	<2	0.03	<0.5	3	11	9	2.31
58276		0.20	0.143	0.4	1.34	57	<10	70	0.5	<2	0.01	<0.5	2	8	6	2.12
58277		0.56	0.002	<0.2	1.83	25	<10	60	<0.5	<2	0.02	<0.5	3	14	8	2.25
58278		0.44	0.002	<0.2	2.05	32	<10	50	<0.5	<2	0.02	<0.5	3	13	8	2.20
58279		0.54	0.004	<0.2	2.66	29	<10	50	0.6	<2	0.01	<0.5	6	16	15	2.84
58280		0.58	0.003	<0.2	1.71	33	<10	50	0.5	<2	0.05	<0.5	3	8	9	1.96
58281		0.60	0.003	<0.2	1.74	94	<10	50	0.7	<2	0.05	<0.5	2	7	14	2.39
58282		0.66	0.007	0.2	1.89	37	<10	70	0.7	<2	0.03	<0.5	6	7	17	2.16
58283		0.56	0.007	<0.2	1.68	22	<10	90	0.6	<2	0.12	<0.5	7	13	11	2.50
58284	Empty Bag															
58285		0.64	0.002	0.2	0.98	39	<10	80	0.8	<2	0.05	<0.5	4	8	9	2.21
58286		0.52	0.003	<0.2	1.83	59	<10	60	<0.5	<2	0.02	<0.5	1	4	7	1.44
58287	Empty Bag															
58288		0.98	0.062	1.7	2.12	28	<10	90	0.7	<2	0.10	<0.5	6	16	15	2.75
58289		1.06	0.064	0.4	2.16	23	<10	100	0.8	<2	0.10	<0.5	8	16	11	2.74
58290		1.18	0.010	0.3	2.15	23	<10	110	0.8	<2	0.11	<0.5	9	17	11	2.81



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 2 - B
Total # Pages: 5 (A - C)
Finalized Date: 20-OCT-2006
Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093085

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1
58251		10	<1	0.23	20	0.40	308	1	0.07	8	170	21	<0.01	3	2
58252		10	<1	0.25	20	0.39	247	1	0.07	7	200	27	<0.01	5	3
58253		<10	<1	0.26	30	0.05	78	5	0.10	3	140	46	<0.01	17	2
58254		<10	<1	0.26	20	0.04	50	7	0.05	2	160	55	<0.01	11	1
58255		<10	1	0.23	20	0.04	43	11	0.07	2	180	57	<0.01	9	1
58256		<10	1	0.23	20	0.04	38	16	0.06	2	200	80	<0.01	12	1
58257		<10	<1	0.25	30	0.03	30	7	0.10	2	210	78	<0.01	9	1
58258		10	<1	0.26	20	0.05	64	9	0.06	4	270	30	<0.01	10	2
58259		10	<1	0.21	20	0.14	127	4	0.09	4	210	27	<0.01	5	2
58260		<10	<1	0.26	20	0.03	48	7	0.06	2	210	38	<0.01	7	1
58261		<10	<1	0.26	30	0.03	36	2	0.06	<1	400	32	<0.01	14	3
58262															4
58263															
58264															
58265															
58266		10	<1	0.20	10	0.21	465	4	0.06	6	190	35	<0.01	5	2
58267		<10	<1	0.22	20	0.20	661	3	0.12	6	230	52	0.01	4	2
58268		<10	1	0.22	20	0.15	359	3	0.10	7	140	46	0.01	4	2
58269		10	1	0.18	20	0.28	394	3	0.06	5	170	31	0.01	4	2
58270															7
58271		<10	<1	0.26	30	0.14	211	9	0.09	4	260	36	0.01	3	2
58272		<10	<1	0.27	30	0.04	50	25	0.07	4	710	38	0.01	3	1
58273		10	1	0.36	50	0.07	131	22	0.06	6	340	48	0.01	9	3
58274		<10	<1	0.23	20	0.05	80	13	0.05	3	190	32	0.01	7	1
58275		<10	1	0.22	20	0.04	115	3	0.07	5	300	34	0.01	5	1
58276		<10	<1	0.25	20	0.04	66	8	0.08	3	270	39	0.02	4	1
58277		<10	<1	0.19	20	0.06	95	2	0.09	5	140	24	<0.01	4	1
58278		<10	<1	0.18	20	0.04	60	2	0.08	5	110	24	<0.01	6	1
58279		10	<1	0.23	30	0.10	68	2	0.07	6	140	29	<0.01	4	4
58280		<10	<1	0.20	20	0.05	74	2	0.08	4	130	23	<0.01	3	1
58281		<10	<1	0.26	20	0.05	77	4	0.06	3	230	20	0.01	5	1
58282		<10	<1	0.22	30	0.10	159	1	0.07	7	220	32	<0.01	5	2
58283		<10	<1	0.22	30	0.19	341	1	0.05	7	210	30	<0.01	9	2
58284															13
58285		<10	<1	0.25	30	0.06	290	2	0.07	2	360	35	0.01	9	1
58286		<10	<1	0.31	10	0.06	61	1	0.09	1	130	20	<0.01	4	1
58287															3
58288		10	1	0.20	20	0.23	591	2	0.06	7	320	57	0.02	6	2
58289		<10	<1	0.21	20	0.33	816	1	0.07	9	220	35	0.01	4	2
58290		10	1	0.20	20	0.40	1000	2	0.09	8	180	35	0.01	2	3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 2 - C
Total # Pages: 5 (A - C)
Finalized Date: 20-OCT-2006
Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093085

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
58251		<0.01	<10	<10	41	<10	56
58252		0.01	<10	<10	40	<10	59
58253		<0.01	<10	<10	25	<10	23
58254		<0.01	<10	<10	23	<10	20
58255		<0.01	<10	<10	22	<10	16
58256		<0.01	<10	<10	23	<10	14
58257		<0.01	<10	<10	17	<10	12
58258		<0.01	<10	<10	24	<10	20
58259		<0.01	<10	<10	36	<10	32
58260		<0.01	<10	<10	16	<10	24
58261		<0.01	<10	<10	12	<10	13
58262							
58263							
58264							
58265							
58266							
58267		0.01	<10	<10	38	<10	55
58268		0.01	<10	<10	40	<10	67
58269		0.01	<10	<10	37	<10	58
58270		<0.01	<10	<10	41	<10	53
58271		<0.01	<10	<10	28	<10	42
58272		<0.01	<10	<10	9	<10	44
58273		<0.01	<10	<10	37	<10	62
58274		<0.01	<10	<10	32	<10	32
58275		<0.01	<10	<10	33	<10	34
58276		<0.01	<10	<10	23	<10	29
58277		<0.01	<10	<10	40	<10	32
58278		<0.01	<10	<10	39	<10	27
58279		<0.01	<10	<10	48	<10	38
58280		<0.01	<10	<10	23	<10	28
58281		<0.01	<10	<10	19	<10	25
58282		<0.01	<10	<10	24	<10	164
58283		<0.01	<10	<10	44	<10	113
58284							
58285		<0.01	<10	<10	22	<10	36
58286		<0.01	<10	<10	11	<10	22
58287							
58288		0.01	<10	<10	42	<10	84
58289		0.01	<10	<10	43	<10	77
58290		0.01	<10	<10	45	<10	88



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 3 - A
Total # Pages: 5 (A - C)
Finalized Date: 20-OCT-2006
Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093085

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
58291		0.94	0.007	0.2	1.91	34	<10	130	0.7	<2	0.13	<0.5	7	15	12	2.82
58292		0.92	0.018	0.3	1.44	30	<10	100	0.6	<2	0.23	<0.5	6	13	5	2.57
58293		0.68	0.040	0.3	1.53	21	<10	120	0.7	<2	0.23	<0.5	6	14	6	2.56
58294		0.68	0.011	0.3	2.08	24	<10	130	0.7	<2	0.11	<0.5	8	15	9	2.63
58295		0.66	0.025	0.4	1.97	27	<10	70	0.5	2	0.08	<0.5	4	13	8	2.41
58296		0.78	0.083	0.3	1.33	32	<10	60	<0.5	<2	0.01	<0.5	2	6	5	1.58
58297		0.62	0.012	0.3	2.07	25	<10	60	0.8	2	0.01	<0.5	8	9	17	2.29
58298		0.62	0.045	0.3	1.59	44	<10	80	0.5	<2	0.03	<0.5	2	5	7	1.90
58299		0.66	0.080	0.2	1.15	41	<10	60	<0.5	<2	0.01	<0.5	1	4	6	1.50
58300		0.62	0.001	<0.2	1.73	21	<10	80	0.6	<2	0.08	<0.5	3	12	8	2.28
58301	Empty Bag															
58302		1.04	<0.001	<0.2	1.97	10	<10	80	0.7	<2	0.05	<0.5	8	12	16	2.42
58303		1.04	<0.001	<0.2	1.97	7	<10	70	0.7	<2	0.08	<0.5	6	16	12	2.61
58304		1.04	<0.001	<0.2	2.54	7	<10	90	1.0	<2	0.08	<0.5	10	17	27	2.80
58305		0.90	0.002	<0.2	1.87	13	<10	110	0.9	<2	0.12	<0.5	10	14	14	2.47
58306		0.78	0.009	0.4	1.09	27	<10	70	0.5	<2	0.01	<0.5	3	6	12	1.37
58307		0.62	0.013	0.9	1.29	114	<10	60	0.5	<2	0.02	<0.5	2	8	15	2.03
58308		0.16	0.020	0.8	2.38	23	<10	90	0.7	<2	0.26	<0.5	5	12	12	2.43
58309		0.48	0.008	<0.2	2.10	23	<10	120	0.7	<2	0.10	<0.5	6	11	13	2.44
58310		0.34	<0.001	0.2	0.99	22	<10	80	<0.5	<2	0.08	<0.5	1	4	8	1.56
58311		0.34	0.067	0.4	1.71	24	<10	90	0.5	<2	0.12	<0.5	6	12	14	2.30
58312		0.26	0.028	0.4	2.41	51	<10	100	0.7	<2	0.03	<0.5	4	10	15	2.56
58313		0.30	0.050	0.3	3.60	46	<10	100	0.6	2	0.03	<0.5	4	14	17	3.04
58314	Empty Bag															
58315		0.20	0.095	0.8	1.82	61	<10	140	0.8	<2	0.02	<0.5	9	7	9	3.13
58316		0.24	0.086	0.7	1.45	39	<10	140	0.6	<2	0.03	<0.5	4	6	7	2.19
58317		0.30	0.519	0.9	1.14	27	<10	60	0.8	2	0.04	<0.5	2	5	10	1.78
58318		0.32	0.005	0.2	1.93	15	<10	60	1.0	<2	0.02	<0.5	13	12	31	2.70
58319		0.26	0.005	<0.2	1.83	18	<10	60	0.7	<2	0.06	<0.5	11	14	26	2.66
58320		0.26	0.009	0.2	1.84	14	<10	80	0.6	<2	0.07	<0.5	6	13	10	2.25
58321	Empty Bag															
58322	Empty Bag															
58323	Empty Bag															
58324		0.48	0.026	0.6	1.05	31	<10	50	0.5	2	0.01	<0.5	2	5	6	1.95
58325		0.34	0.006	0.2	1.55	13	<10	100	0.7	<2	0.02	<0.5	6	11	10	2.50
58326		0.36	0.006	0.3	1.96	33	<10	100	1.0	2	0.03	<0.5	10	10	21	2.67
58327		0.34	0.027	0.2	1.47	38	<10	100	0.7	<2	0.07	<0.5	8	9	13	2.26
58328		0.44	0.011	0.2	1.83	22	<10	130	0.8	<2	0.14	<0.5	7	12	10	2.40
58329		0.90	0.025	0.7	1.40	26	<10	90	0.5	<2	0.22	<0.5	4	10	7	2.29
58330		0.90	0.021	0.6	2.09	28	<10	130	0.7	<2	0.03	<0.5	6	10	8	2.47



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.
994 Glendale Avenue, Unit 3
Sparks NV 89431-5730
Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 3 - B
Total # Pages: 5 (A - C)
Finalized Date: 20-OCT-2006
Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093085

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1
58291		<10	<1	0.23	10	0.23	1175	1	0.07	7	180	50	0.01	3	2
58292		<10	<1	0.23	10	0.17	671	2	0.07	7	160	36	0.01	3	2
58293		<10	<1	0.24	20	0.18	1100	2	0.06	6	230	34	0.01	4	2
58294		10	<1	0.20	20	0.25	999	3	0.07	6	230	38	0.01	4	2
58295		<10	<1	0.21	20	0.10	196	3	0.07	5	250	34	0.01	5	1
58296		<10	<1	0.24	20	0.03	44	5	0.03	2	160	39	0.01	5	1
58297		<10	<1	0.28	30	0.08	179	2	0.08	5	280	29	<0.01	3	2
58298		<10	<1	0.27	30	0.03	35	9	0.06	2	240	38	0.01	6	1
58299		<10	<1	0.27	20	0.02	44	3	0.07	1	180	37	<0.01	4	1
58300		<10	<1	0.23	20	0.06	196	3	0.06	4	190	24	<0.01	3	2
58301															
58302		<10	<1	0.25	30	0.15	212	1	0.08	7	330	31	<0.01	6	2
58303		10	<1	0.19	30	0.25	315	1	0.08	7	180	19	0.01	<2	2
58304		10	<1	0.21	70	0.58	410	1	0.06	9	180	17	<0.01	2	5
58305		10	<1	0.22	30	0.38	895	2	0.07	8	220	27	<0.01	3	2
58306		<10	<1	0.30	20	0.07	218	9	0.06	3	250	53	0.01	4	1
58307		<10	1	0.24	20	0.04	99	18	0.07	3	280	53	<0.01	8	1
58308		10	<1	0.25	20	0.18	559	1	0.07	7	620	56	<0.01	4	2
58309		<10	<1	0.24	20	0.16	332	3	0.03	5	220	34	<0.01	6	2
58310		<10	<1	0.38	30	0.04	42	<1	0.07	1	470	27	0.04	3	1
58311		<10	1	0.27	20	0.08	585	3	0.05	5	180	39	<0.01	9	2
58312		<10	<1	0.27	30	0.07	207	8	0.06	4	310	44	<0.01	5	2
58313		10	<1	0.25	20	0.10	158	10	0.05	6	280	37	<0.01	6	3
58314															
58315		<10	<1	0.28	20	0.04	678	17	0.05	2	620	64	0.05	6	1
58316		<10	<1	0.27	30	0.04	238	16	0.05	2	360	57	<0.01	5	1
58317		<10	<1	0.27	40	0.03	66	5	0.05	2	320	36	<0.01	5	1
58318		10	<1	0.22	20	0.14	260	1	0.04	8	360	25	<0.01	2	3
58319		<10	<1	0.26	20	0.16	483	1	0.05	7	180	26	<0.01	6	3
58320		<10	1	0.21	20	0.17	354	2	0.07	4	160	22	<0.01	5	2
58321															
58322															
58323															
58324		<10	<1	0.22	20	0.03	69	1	0.06	1	310	57	<0.01	8	1
58325		<10	<1	0.23	30	0.11	261	1	0.05	5	290	34	<0.01	8	2
58326		<10	<1	0.26	30	0.18	362	1	0.06	6	510	37	<0.01	5	2
58327		<10	<1	0.24	30	0.16	535	5	0.04	5	450	26	<0.01	6	2
58328		<10	<1	0.30	20	0.21	1045	1	0.06	5	200	28	<0.01	5	2
58329		<10	<1	0.23	20	0.12	710	6	0.05	4	380	38	<0.01	5	1
58330		<10	1	0.25	20	0.14	740	7	0.06	5	310	42	<0.01	5	2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 3 - C
Total # Pages: 5 (A - C)
Finalized Date: 20-OCT-2006
Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093085

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
58291		0.01	<10	<10	37	<10	93
58292		0.01	<10	<10	34	<10	65
58293		<0.01	<10	<10	37	<10	58
58294		0.01	<10	<10	42	<10	69
58295		<0.01	<10	<10	38	<10	52
58296		<0.01	<10	<10	20	<10	20
58297		<0.01	<10	<10	27	<10	56
58298		<0.01	<10	<10	16	<10	21
58299		<0.01	<10	<10	15	<10	14
58300		<0.01	<10	<10	43	<10	27
58301		<0.01	<10	<10	38	<10	144
58302		<0.01	<10	<10	50	<10	36
58303		0.01	<10	<10	54	<10	47
58304		<0.01	<10	<10	44	<10	55
58306		<0.01	<10	<10	16	<10	27
58307		<0.01	<10	<10	26	<10	19
58308		0.01	<10	<10	37	<10	67
58309		<0.01	<10	<10	34	<10	41
58310		<0.01	<10	<10	10	<10	7
58311		0.01	<10	<10	28	<10	35
58312		<0.01	<10	<10	32	<10	64
58313		<0.01	<10	<10	47	<10	81
58314		<0.01	<10	10	24	<10	74
58316		<0.01	<10	<10	23	<10	43
58317		<0.01	10	<10	22	<10	22
58318		<0.01	<10	<10	45	<10	100
58319		0.01	10	<10	39	<10	72
58320		<0.01	<10	<10	38	<10	45
58321							
58322							
58323							
58324		<0.01	<10	<10	15	<10	32
58325		<0.01	<10	<10	35	<10	71
58326		<0.01	<10	<10	31	<10	63
58327		<0.01	<10	<10	28	<10	55
58328		<0.01	<10	<10	38	<10	41
58329		<0.01	<10	<10	31	<10	55
58330		<0.01	<10	<10	33	<10	80



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 4 - A
Total # Pages: 5 (A - C)
Finalized Date: 20-OCT-2006
Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093085

Sample Description	Method Analyte Units LOR	WEI-21 Recvd WL kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
58331		0.94	0.018	0.6	1.71	53	<10	100	0.6	<2	0.06	<0.5	4	8	10	2.39
58332		0.80	0.038	0.4	1.56	40	<10	110	0.6	<2	0.04	<0.5	4	9	8	2.61
58333		0.74	0.055	0.7	1.56	48	<10	90	0.6	2	0.02	<0.5	2	9	9	2.27
58334		1.00	0.028	0.6	1.38	47	<10	120	0.6	<2	0.02	<0.5	2	7	9	2.50
58335		0.74	0.036	0.9	1.27	73	<10	120	0.5	2	0.02	<0.5	2	5	9	2.74
58336		0.92	0.010	0.2	1.46	51	<10	120	0.7	<2	0.03	<0.5	2	6	6	2.37
58337		0.92	0.021	0.9	1.53	42	<10	130	0.7	<2	0.03	<0.5	2	6	7	2.09
58338		0.92	0.018	0.4	2.66	48	<10	120	0.7	<2	0.01	<0.5	2	8	5	2.39
58339		0.86	0.012	<0.2	2.06	42	<10	90	0.6	4	0.01	<0.5	2	7	5	2.44
58340		0.84	0.014	0.2	2.87	60	<10	90	0.5	<2	0.01	<0.5	1	8	8	2.25
58341		1.06	0.003	0.3	1.39	16	<10	90	0.5	2	0.02	<0.5	1	6	2	2.15
58342		0.76	0.018	0.3	1.52	21	<10	120	0.5	<2	0.06	<0.5	1	6	3	1.92
58343		0.72	0.012	0.4	1.43	19	<10	110	0.5	<2	0.02	<0.5	1	6	4	1.56
58344		0.88	0.018	0.6	1.90	25	<10	120	0.5	<2	0.02	<0.5	1	8	7	2.10
58345		1.02	0.047	0.8	1.39	57	<10	180	<0.5	<2	0.01	<0.5	<1	4	6	1.78
58346		0.84	0.022	0.8	2.08	64	<10	110	1.1	2	<0.01	<0.5	2	6	13	3.44
58347		1.00	0.008	0.4	2.46	31	<10	100	1.0	<2	0.01	<0.5	11	15	19	2.71
58348		0.88	0.007	0.4	1.77	61	<10	220	0.9	<2	0.06	<0.5	8	9	11	2.42
58349		1.06	0.001	<0.2	1.74	35	<10	180	0.9	<2	0.16	<0.5	9	12	15	2.41
58350		0.20	0.026	1.0	1.44	40	<10	120	0.9	<2	0.02	<0.5	7	6	16	2.27
58351		0.18	0.020	0.6	1.33	38	<10	120	0.7	<2	0.11	0.6	5	7	11	2.23
58352		0.18	0.011	0.8	1.98	50	<10	170	0.9	<2	0.17	<0.5	9	10	14	2.39
58353	Empty Bag															
58354		0.36	0.011	0.7	2.06	52	<10	100	0.7	<2	0.02	<0.5	2	7	14	2.45
58355		0.36	0.004	0.2	1.98	57	<10	130	1.0	<2	0.05	<0.5	11	7	17	2.52
58356		0.44	0.004	0.3	1.72	51	<10	160	0.9	<2	0.02	<0.5	7	7	11	2.25
58357		0.28	0.011	0.5	1.79	33	<10	120	0.8	<2	0.01	<0.5	3	8	7	2.16
58358		0.22	0.061	0.4	2.17	34	<10	140	0.7	<2	0.02	<0.5	5	9	6	2.42
58359		0.28	0.024	0.4	1.91	39	<10	80	0.6	<2	0.01	<0.5	1	7	5	2.21
58360		0.42	0.013	0.4	1.61	39	<10	70	0.7	<2	0.01	<0.5	<1	5	8	1.79
58361		0.32	0.065	0.8	2.15	61	<10	100	0.5	<2	0.01	<0.5	1	7	10	2.60
58362		0.56	0.039	0.6	2.32	41	<10	90	0.7	<2	0.01	<0.5	1	8	4	2.29
58363		0.42	0.027	0.3	1.56	45	<10	90	0.5	<2	0.04	<0.5	1	5	4	1.75
58364		0.52	0.008	0.2	1.61	45	<10	90	0.5	<2	0.01	<0.5	1	6	10	1.99
58365		0.42	0.015	0.3	2.16	28	<10	90	0.7	<2	0.01	<0.5	4	13	13	2.63
58366		0.40	0.007	0.3	2.16	25	<10	80	0.8	<2	0.02	<0.5	7	14	11	2.27
58367		0.44	0.009	0.8	1.65	51	<10	90	0.6	<2	0.01	<0.5	3	10	18	1.87
58368		0.30	<0.001	<0.2	3.33	9	<10	160	0.9	<2	0.26	<0.5	11	26	12	3.66
58369	Empty Bag															
58370		0.38	0.017	1.0	2.52	32	<10	120	0.8	<2	0.01	<0.5	8	15	23	2.65



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 4 - B
Total # Pages: 5 (A - C)
Finalized Date: 20-OCT-2006
Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093085

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1
58331		<10	1	0.24	20	0.07	497	14	0.05	4	630	43	0.01	7	1
58332		<10	<1	0.25	20	0.06	462	56	0.04	3	360	50	0.01	9	1
58333		<10	<1	0.24	20	0.06	107	7	0.04	3	350	43	<0.01	6	1
58334		<10	<1	0.25	30	0.04	108	13	0.06	3	440	55	<0.01	5	1
58335		<10	1	0.26	30	0.03	83	70	0.05	2	550	77	0.07	7	1
58336		<10	<1	0.28	30	0.04	72	4	0.05	2	360	60	<0.01	5	1
58337		<10	<1	0.26	30	0.04	72	5	0.04	2	310	53	<0.01	6	1
58338		10	1	0.28	30	0.05	49	7	0.02	3	320	61	<0.01	5	2
58339		<10	1	0.30	30	0.03	28	3	0.04	1	240	59	<0.01	9	2
58340		10	<1	0.29	30	0.04	21	4	0.04	2	250	99	<0.01	12	2
58341		<10	<1	0.26	20	0.03	41	2	0.07	2	230	47	<0.01	6	1
58342		<10	<1	0.28	30	0.04	71	2	0.06	2	220	71	<0.01	5	1
58343		<10	<1	0.26	30	0.03	35	1	0.04	1	200	51	<0.01	7	1
58344		<10	<1	0.30	30	0.05	59	2	<0.01	2	210	53	<0.01	13	1
58345		<10	<1	0.30	30	0.02	26	18	<0.01	<1	330	84	<0.01	7	1
58346		<10	1	0.33	40	0.04	66	4	<0.01	4	730	80	<0.01	7	2
58347		<10	1	0.28	30	0.23	177	3	<0.01	11	230	49	<0.01	17	4
58348		<10	<1	0.32	30	0.10	631	3	<0.01	4	450	70	0.01	9	2
58349		<10	<1	0.33	30	0.22	859	1	0.01	8	350	31	0.01	8	2
58350		<10	<1	0.35	30	0.05	794	8	<0.01	2	560	63	0.03	6	1
58351		<10	1	0.34	30	0.07	686	9	<0.01	3	490	52	0.02	6	1
58352		<10	1	0.30	30	0.13	1550	9	<0.01	6	510	51	0.02	6	2
58353															
58354		10	<1	0.30	30	0.06	195	8	<0.01	4	580	120	0.02	4	2
58355		<10	<1	0.32	30	0.09	500	5	<0.01	6	410	37	0.01	5	2
58356		<10	<1	0.30	30	0.05	496	4	<0.01	3	330	38	<0.01	4	2
58357		<10	<1	0.31	30	0.05	92	6	<0.01	3	310	53	0.01	5	1
58358		10	<1	0.27	20	0.06	370	7	<0.01	5	310	50	0.01	5	2
58359		<10	<1	0.31	20	0.04	59	6	<0.01	3	290	75	<0.01	5	2
58360		<10	<1	0.33	30	0.02	26	3	<0.01	1	350	90	<0.01	5	2
58361		<10	<1	0.26	30	0.03	31	6	<0.01	2	370	159	<0.01	12	2
58362		<10	1	0.32	30	0.04	28	3	<0.01	2	230	86	<0.01	13	2
58363		<10	<1	0.30	30	0.04	46	4	<0.01	3	320	50	0.01	6	1
58364		<10	<1	0.30	40	0.04	28	3	<0.01	2	310	55	<0.01	8	1
58365		<10	<1	0.33	30	0.08	60	1	<0.01	4	210	48	<0.01	15	2
58366		10	<1	0.21	30	0.27	430	2	0.01	6	130	29	<0.01	6	3
58367		<10	<1	0.30	40	0.09	135	2	<0.01	3	210	66	0.01	5	2
58368		10	<1	0.26	10	0.63	550	1	0.04	9	260	12	<0.01	<2	9
58369															
58370		10	1	0.35	30	0.18	539	2	0.01	7	160	52	<0.01	5	4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 4 - C
Total # Pages: 5 (A - C)
Finalized Date: 20-OCT-2006
Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093085

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
58331		<0.01	<10	<10	28	<10	60
58332		<0.01	<10	<10	31	<10	61
58333		<0.01	<10	10	29	<10	62
58334		<0.01	<10	20	25	<10	53
58335		<0.01	10	20	20	<10	43
58336		<0.01	10	<10	23	<10	57
58337		<0.01	<10	<10	23	<10	51
58338		<0.01	10	<10	33	<10	53
58339		<0.01	<10	<10	25	<10	32
58340		<0.01	<10	<10	31	<10	28
58341		<0.01	<10	<10	22	<10	39
58342		<0.01	<10	<10	24	<10	23
58343		<0.01	<10	<10	18	<10	22
58344		<0.01	<10	<10	28	<10	39
58345		<0.01	<10	<10	16	<10	23
58346		<0.01	<10	<10	26	<10	107
58347		0.01	<10	<10	46	<10	232
58348		<0.01	<10	<10	28	<10	127
58349		<0.01	<10	<10	35	<10	98
58350		<0.01	<10	20	21	<10	60
58351		<0.01	<10	<10	25	<10	73
58352		<0.01	<10	<10	33	<10	90
58353							
58354		<0.01	<10	<10	29	<10	59
58355		<0.01	<10	<10	25	<10	67
58356		<0.01	<10	<10	25	<10	60
58357		<0.01	<10	<10	28	<10	98
58358		<0.01	<10	<10	32	<10	71
58359		<0.01	<10	<10	26	<10	37
58360		<0.01	<10	<10	17	<10	24
58361		<0.01	<10	<10	23	<10	26
58362		<0.01	<10	<10	26	<10	29
58363		<0.01	<10	<10	18	<10	27
58364		<0.01	<10	<10	19	<10	32
58365		<0.01	<10	<10	37	<10	90
58366		0.01	<10	<10	42	<10	46
58367		<0.01	<10	<10	27	<10	39
58368		0.09	<10	<10	123	<10	69
58369							
58370		0.01	<10	<10	46	<10	51

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com


To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 5 - A
Total # Pages: 5 (A - C)
Finalized Date: 20-OCT-2006
Account: LINCOLN

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093085

[illegible]





ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 5 - C
Total # Pages: 5 (A - C)
Finalized Date: 20-OCT-2006
Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093085

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
58371 58372 58373 58374 58375		0.01	10	10	1	10	2
58376 58377 58378 58379 58380		0.01	<10	<10	34	<10	120
58376 58377 58378 58379 58380		<0.01	<10	<10	39	<10	65
58376 58377 58378 58379 58380		<0.01	<10	<10	31	<10	119
58376 58377 58378 58379 58380		<0.01	<10	<10	35	<10	101
58376 58377 58378 58379 58380		<0.01	<10	<10	39	<10	93
58376 58377 58378 58379 58380		<0.01	<10	<10	29	<10	80
58381 58382 58383 58384 58385		<0.01	<10	<10	26	<10	150
58381 58382 58383 58384 58385		<0.01	<10	<10	28	<10	46
58381 58382 58383 58384 58385		<0.01	<10	<10	30	<10	94
58381 58382 58383 58384 58385		<0.01	<10	<10	34	<10	67
58381 58382 58383 58384 58385		<0.01	<10	<10	25	<10	33
58386 58387 58388 58389 58390		<0.01	<10	<10	32	<10	46
58386 58387 58388 58389 58390		<0.01	<10	<10	29	<10	66
58386 58387 58388 58389 58390		0.01	<10	<10	33	<10	60
58386 58387 58388 58389 58390		0.01	<10	<10	35	<10	53
58386 58387 58388 58389 58390		0.01	<10	<10	38	<10	58
58391 58392 58393 58394 58395		<0.01	<10	<10	34	<10	53
58396 58397 58398 58399 58400		<0.01	<10	<10	21	<10	139
58396 58397 58398 58399 58400		<0.01	<10	<10	38	<10	63



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 1

Finalized Date: 9-OCT-2006

Account: LINCOL

CERTIFICATE CH06093084

Project: La Bufa

P.O. No.:

This report is for 150 Soil samples submitted to our lab in Chihuahua, CHIHUAHUA, Mexico on 22-SEP-2006.

The following have access to data associated with this certificate:

RICHARD W. BYBEE

JEFF WILSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: LINCOLN GOLD CORP.
ATTN: JEFF WILSON
325 TAHOE DRIVE
CARSON CITY NV 89703

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 2 - A

Total # Pages: 5 (A - C)

Finalized Date: 9-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093084

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 S ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Si ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %	ME-ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
58101		0.92	0.2	3.56	5	<10	180	1.4	<2	0.10	<0.5	14	30	41	3.96	10
58102		1.18	0.3	2.57	14	<10	110	1.2	<2	0.13	<0.5	13	24	85	3.41	10
58103		1.30	0.2	2.08	17	<10	120	1.1	<2	0.14	<0.5	14	20	32	3.52	10
58104		1.04	<0.2	1.92	16	<10	100	0.8	<2	0.10	<0.5	8	13	17	2.43	10
58105		1.14	<0.2	1.92	27	<10	80	0.9	<2	0.07	<0.5	9	13	24	2.68	<10
58106		1.20	0.3	1.03	49	<10	80	0.6	<2	0.06	<0.5	5	7	11	2.30	<10
58107		1.18	<0.2	0.93	30	<10	110	0.6	<2	0.06	<0.5	3	9	4	2.05	<10
58108		0.90	0.2	2.23	41	<10	160	0.9	<2	0.07	<0.5	2	6	5	2.11	10
58109		0.86	0.4	1.80	141	<10	130	0.6	<2	0.06	<0.5	2	4	7	1.95	<10
58110		1.04	0.2	1.66	55	<10	90	1.0	<2	0.14	<0.5	9	13	36	2.74	10
58111		1.16	0.2	1.73	64	<10	210	0.9	<2	0.11	<0.5	9	9	20	2.80	<10
58112		1.04	0.4	2.02	57	<10	310	1.2	<2	0.14	0.9	18	11	20	2.91	10
58113		0.96	0.3	1.46	89	<10	120	0.9	<2	0.06	<0.5	7	9	21	2.36	<10
58114		1.10	0.7	2.34	72	<10	150	0.9	<2	0.05	<0.5	16	13	38	2.74	10
58115		0.86	0.2	1.17	45	<10	120	0.7	<2	0.15	<0.5	5	9	5	2.11	<10
58116		0.98	<0.2	1.76	20	<10	100	1.1	<2	0.11	<0.5	7	11	8	2.50	10
58117		1.00	0.3	1.23	49	<10	160	0.7	<2	0.17	<0.5	4	11	5	2.18	<10
58118		0.74	<0.2	1.23	5	<10	70	0.6	<2	0.08	<0.5	1	3	1	1.02	<10
58119		0.94	<0.2	1.30	20	<10	150	0.9	<2	0.21	<0.5	2	5	2	1.30	<10
58120		Empty Bag														
58121		0.82	0.2	1.75	13	<10	80	0.7	<2	0.13	<0.5	10	23	9	3.31	10
58122		0.82	0.2	1.79	7	<10	90	0.7	<2	0.13	<0.5	8	24	11	3.30	10
58123		0.92	0.3	3.62	8	<10	130	1.3	<2	0.09	<0.5	11	34	30	4.31	10
58124		0.86	<0.2	2.11	11	<10	90	0.8	<2	0.10	<0.5	7	31	27	4.05	10
58125		0.72	0.2	1.95	51	<10	90	0.5	<2	0.01	<0.5	3	11	8	2.58	10
58126		0.50	0.7	1.51	88	<10	80	0.5	2	0.04	<0.5	2	6	5	2.03	<10
58127		0.74	<0.2	1.64	42	<10	270	<0.5	<2	0.12	<0.5	2	5	1	1.66	<10
58128		0.82	0.2	1.38	16	<10	160	<0.5	<2	0.05	<0.5	2	3	1	0.96	<10
58129		0.64	0.4	0.60	35	<10	70	<0.5	<2	0.09	<0.5	3	3	2	1.05	<10
58130		0.60	0.6	2.05	111	<10	100	0.7	<2	0.02	<0.5	4	9	15	2.51	<10
58131		0.98	0.4	1.84	58	<10	120	0.8	<2	0.03	<0.5	13	12	23	2.92	10
58132		0.92	0.2	1.00	38	<10	50	<0.5	<2	0.02	<0.5	<1	3	8	1.02	<10
58133		0.96	<0.2	1.80	50	<10	40	0.9	<2	0.02	<0.5	10	10	36	2.50	<10
58134		0.82	0.3	1.69	56	<10	110	0.8	<2	0.03	<0.5	8	13	13	2.67	<10
58135		0.78	0.2	1.08	42	<10	110	0.7	<2	0.14	<0.5	7	11	12	2.13	<10
58136		Empty Bag														
58137		0.48	<0.2	1.37	241	<10	60	0.8	<2	0.09	<0.5	4	8	9	2.50	<10
58138		0.92	0.7	0.79	11	<10	80	<0.5	<2	0.09	<0.5	1	5	2	0.73	<10
58139		0.68	0.5	2.28	25	<10	120	0.5	<2	0.15	<0.5	3	22	15	1.47	10
58140		0.82	<0.2	1.68	11	<10	140	0.9	<2	0.10	<0.5	1	7	1	1.36	10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 2 - B

Total # Pages: 5 (A - C)

Finalized Date: 9-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093084

Method Analyte Units LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
Sample Description															
58101	<1	0.19	40	0.35	513	2	0.05	16	380	14	<0.01	2	13	27	0.07
58102	1	0.13	40	0.46	363	2	0.14	12	330	19	<0.01	<2	7	17	0.01
58103	<1	0.25	20	0.37	461	5	0.10	11	490	37	0.01	4	5	17	<0.01
58104	<1	0.21	20	0.37	648	2	0.05	7	220	17	<0.01	2	3	16	<0.01
58105	<1	0.25	30	0.28	436	2	0.09	7	250	25	<0.01	4	3	7	<0.01
58106	1	0.24	20	0.07	443	3	0.13	4	350	54	<0.01	4	1	6	<0.01
58107	<1	0.25	10	0.07	738	1	0.08	4	190	21	<0.01	4	1	8	<0.01
58108	1	0.39	10	0.15	211	2	0.09	3	520	24	<0.01	4	2	8	<0.01
58109	<1	0.30	10	0.13	147	8	0.06	2	300	46	0.01	6	1	9	<0.01
58110	<1	0.22	20	0.17	482	2	0.11	8	410	29	0.01	3	4	8	<0.01
58111	<1	0.23	30	0.12	1430	3	0.08	7	430	34	0.01	5	2	8	<0.01
58112	<1	0.26	30	0.22	2510	3	0.06	10	560	36	0.01	2	3	12	<0.01
58113	<1	0.23	40	0.11	396	7	0.11	8	350	33	0.01	6	3	7	<0.01
58114	<1	0.25	30	0.29	513	5	0.08	12	330	29	<0.01	7	4	7	<0.01
58115	<1	0.25	30	0.07	532	2	0.09	4	170	29	<0.01	6	1	8	0.01
58116	<1	0.19	10	0.26	451	<1	0.10	6	120	12	<0.01	<2	3	10	0.02
58117	<1	0.27	20	0.09	418	3	0.07	4	210	27	0.01	6	2	25	0.01
58118	<1	0.14	<10	0.07	168	<1	0.20	<1	40	12	<0.01	<2	2	10	0.02
58119	<1	0.32	10	0.24	546	<1	0.11	2	100	8	<0.01	<2	2	21	0.02
58120															
58121	<1	0.18	10	0.30	479	<1	0.08	9	200	33	<0.01	<2	4	10	0.02
58122	<1	0.15	10	0.24	414	<1	0.08	9	220	9	<0.01	<2	4	11	0.04
58123	<1	0.10	20	0.50	248	<1	0.08	14	350	6	<0.01	<2	13	12	0.11
58124	<1	0.16	20	0.27	219	<1	0.10	11	250	9	<0.01	<2	6	12	0.02
58125	<1	0.32	10	0.11	134	1	0.11	5	160	37	<0.01	11	2	6	<0.01
58126	<1	0.27	20	0.07	139	2	0.10	3	330	55	0.01	4	1	10	<0.01
58127	<1	0.34	10	0.21	307	1	0.12	2	80	14	<0.01	4	1	22	0.02
58128	<1	0.25	20	0.12	624	<1	0.11	2	70	25	<0.01	<2	1	9	0.01
58129	<1	0.13	10	0.04	514	15	0.10	2	100	37	<0.01	4	<1	8	<0.01
58130	<1	0.24	30	0.06	223	6	0.21	3	330	39	0.01	9	2	4	<0.01
58131	1	0.19	20	0.25	786	3	0.18	9	380	23	0.01	7	3	7	<0.01
58132	<1	0.27	30	0.02	24	2	0.12	2	310	32	<0.01	4	1	4	<0.01
58133	<1	0.22	30	0.07	163	1	0.16	7	440	13	<0.01	9	4	4	<0.01
58134	<1	0.24	30	0.14	477	3	0.14	8	380	24	<0.01	5	3	5	<0.01
58135	<1	0.24	30	0.11	601	1	0.09	5	250	28	<0.01	9	2	7	<0.01
58136															
58137	<1	0.26	20	0.11	152	3	0.14	5	280	25	<0.01	13	2	6	<0.01
58138	<1	0.24	20	0.04	50	1	0.12	2	80	27	<0.01	3	1	7	<0.01
58139	<1	0.25	20	0.14	100	1	0.04	5	140	33	<0.01	6	5	16	0.01
58140	<1	0.17	10	0.14	170	<1	0.16	2	80	20	<0.01	<2	3	27	0.06



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 2 - C
Total # Pages: 5 (A - C)
Finalized Date: 9-OCT-2006
Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093084

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti	U	V	W	Zn	Au
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 0.001
58101		<10	<10	122	<10	57	0.004
58102		<10	<10	92	<10	74	0.002
58103		<10	<10	63	<10	126	0.028
58104		<10	<10	45	<10	41	0.001
58105		<10	<10	37	<10	49	0.001
58106		<10	<10	20	<10	57	0.002
58107		<10	<10	22	<10	21	0.001
58108		<10	<10	28	<10	38	0.007
58109		<10	<10	27	<10	63	0.026
58110		<10	<10	47	<10	164	0.005
58111		<10	<10	33	<10	71	0.046
58112		<10	<10	35	<10	119	0.015
58113		<10	<10	27	<10	71	0.018
58114		<10	<10	40	<10	127	0.017
58115		<10	<10	26	<10	35	0.002
58116		<10	<10	49	<10	36	0.001
58117		<10	<10	37	<10	34	0.004
58118		<10	<10	8	<10	17	0.003
58119		<10	<10	16	<10	25	<0.001
58120							
58121		<10	<10	81	<10	115	0.036
58122		<10	<10	94	<10	31	0.001
58123		<10	<10	129	<10	48	0.001
58124		<10	<10	115	<10	33	<0.001
58125		<10	<10	32	<10	35	0.005
58126		<10	<10	25	<10	30	0.011
58127		<10	<10	21	<10	22	0.002
58128		<10	<10	14	<10	16	0.004
58129		<10	<10	14	<10	11	0.035
58130		<10	<10	32	<10	72	0.017
58131		<10	<10	45	<10	100	0.007
58132		<10	<10	9	<10	8	0.017
58133		<10	<10	31	<10	56	0.005
58134		<10	<10	35	<10	53	0.004
58135		<10	<10	37	<10	53	0.004
58136							
58137		<10	<10	28	<10	51	0.004
58138		<10	<10	9	<10	19	0.002
58139		<10	<10	67	<10	29	0.005
58140		<10	<10	30	<10	18	0.002



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 3 - A

Total # Pages: 5 (A - C)

Finalized Date: 9-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093084

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
58141		0.78	0.3	1.31	14	<10	80	0.5	<2	0.09	<0.5	1	4	1	1.16	<10
58142		Empty Bag														
58143		0.94	0.3	2.70	13	<10	90	0.8	<2	0.11	<0.5	11	21	11	3.37	10
58144		0.76	<0.2	2.01	12	<10	100	1.0	<2	0.29	<0.5	14	27	15	3.77	10
58145		0.86	<0.2	1.61	23	<10	280	0.6	<2	0.32	<0.5	3	4	<1	1.52	<10
58146		0.80	0.3	1.79	48	<10	90	0.8	<2	0.12	<0.5	9	21	12	3.64	10
58147		1.02	0.3	0.91	102	<10	90	0.6	<2	0.03	<0.5	1	9	6	2.27	<10
58148		0.88	0.2	1.61	81	<10	250	0.7	<2	0.18	<0.5	3	6	4	1.75	<10
58149		0.90	0.2	1.49	74	<10	110	<0.5	<2	0.03	<0.5	1	5	5	1.52	<10
58150		0.88	<0.2	1.43	72	<10	140	0.5	<2	0.06	<0.5	2	5	4	1.64	<10
58151		0.92	0.2	1.66	154	<10	80	<0.5	<2	0.05	<0.5	1	8	8	1.96	<10
58152		0.96	0.2	1.08	157	<10	50	<0.5	<2	0.02	<0.5	1	6	6	2.00	<10
58153		0.94	<0.2	1.03	277	<10	70	<0.5	<2	0.01	<0.5	1	6	7	1.78	<10
58154		0.96	0.2	1.13	149	<10	60	<0.5	<2	0.01	<0.5	<1	4	8	1.51	<10
58155		1.06	0.2	1.04	82	<10	130	0.5	<2	0.01	<0.5	1	5	9	1.60	<10
58156		1.00	0.2	1.02	120	<10	90	0.6	<2	0.04	<0.5	1	6	8	2.06	<10
58157		1.12	<0.2	1.09	149	<10	180	0.8	<2	0.06	<0.5	3	7	8	2.39	<10
58158		0.86	<0.2	0.94	133	<10	130	0.6	<2	0.06	<0.5	3	8	7	2.22	<10
58159		1.14	<0.2	1.08	77	<10	100	1.3	<2	0.12	<0.5	8	12	13	2.51	<10
58160		1.14	<0.2	0.85	119	<10	100	0.9	<2	0.07	<0.5	3	7	6	2.01	<10
58161		0.92	<0.2	1.24	126	<10	110	0.5	<2	0.11	<0.5	2	7	7	2.25	<10
58162		0.86	0.4	1.57	59	<10	100	0.6	<2	0.07	<0.5	3	13	13	2.46	<10
58163		1.00	0.2	1.45	51	<10	110	0.5	<2	0.09	<0.5	2	11	8	2.35	<10
58164		0.96	0.2	1.61	49	<10	100	0.6	<2	0.22	<0.5	6	33	15	3.52	<10
58165		0.92	0.2	1.89	49	<10	170	1.3	<2	0.29	<0.5	9	26	20	3.33	<10
58166		0.96	<0.2	1.33	90	<10	150	1.0	<2	0.14	<0.5	2	4	1	1.16	<10
58167		0.84	<0.2	2.73	18	<10	100	0.8	<2	0.04	<0.5	12	20	24	3.36	10
58168		1.18	<0.2	1.77	53	<10	350	0.6	<2	0.23	<0.5	2	6	3	1.84	<10
58169		0.70	0.2	1.49	18	<10	190	<0.5	<2	0.03	<0.5	2	5	2	1.36	<10
58170		0.78	0.7	1.97	24	<10	200	<0.5	<2	0.01	<0.5	4	4	7	1.25	<10
58171		0.70	0.4	1.46	100	<10	70	0.5	<2	0.01	<0.5	1	9	18	2.29	<10
58172		1.12	0.2	1.12	46	<10	200	<0.5	<2	0.09	<0.5	1	5	3	1.61	<10
58173		0.82	0.5	2.21	165	<10	80	<0.5	<2	0.01	<0.5	1	7	8	2.26	10
58174		0.68	0.2	1.61	137	<10	100	<0.5	<2	0.01	<0.5	2	5	7	1.83	10
58175		0.84	1.0	2.50	99	<10	120	0.5	<2	0.01	<0.5	3	14	18	2.48	<10
58176		0.70	0.3	2.55	522	<10	90	1.0	<2	0.02	<0.5	6	13	22	5.15	10
58177		0.72	0.7	1.41	346	<10	150	<0.5	<2	<0.01	<0.5	<1	4	11	1.84	<10
58178		1.10	<0.2	0.81	40	<10	60	0.9	<2	0.06	<0.5	2	4	9	1.51	<10
58179		0.94	<0.2	1.52	30	<10	80	0.8	<2	0.12	<0.5	7	14	11	2.55	<10
58180		1.00	<0.2	1.61	26	<10	70	0.5	<2	0.08	<0.5	11	16	18	2.39	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 3 - B

Total # Pages: 5 (A - C)

Finalized Date: 9-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093084

Sample Description	Method Analyte Units LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
58141		<1	0.22	10	0.12	158	<1	0.09	2	40	10	<0.01	6	2	12	0.02
58142																
58143		<1	0.18	20	0.80	456	1	0.12	11	170	20	<0.01	<2	4	11	0.01
58144		<1	0.18	20	0.58	632	<1	0.08	12	650	12	<0.01	<2	7	18	0.01
58145		<1	0.46	30	0.29	332	<1	0.05	3	120	14	<0.01	<2	2	16	0.02
58146		<1	0.26	20	0.35	297	1	0.05	11	270	19	<0.01	3	3	11	0.01
58147		1	0.23	20	0.05	72	9	0.16	2	280	53	0.01	7	1	5	<0.01
58148		<1	0.37	20	0.17	212	1	0.23	3	140	17	<0.01	2	1	11	0.01
58149		<1	0.23	20	0.08	92	2	0.12	2	130	25	<0.01	4	1	6	<0.01
58150		<1	0.25	20	0.11	219	2	0.17	1	110	20	<0.01	3	1	8	<0.01
58151		<1	0.20	20	0.06	122	4	0.20	3	160	40	<0.01	11	1	7	<0.01
58152		<1	0.21	20	0.03	61	3	0.09	3	260	43	<0.01	13	1	5	<0.01
58153		<1	0.24	30	0.03	69	4	0.08	2	270	31	<0.01	9	1	5	<0.01
58154		<1	0.24	30	0.03	33	6	0.04	1	280	26	<0.01	7	1	4	<0.01
58155		<1	0.24	30	0.03	38	7	0.12	1	350	26	<0.01	4	1	7	<0.01
58156		<1	0.23	30	0.03	146	20	0.09	2	380	29	<0.01	8	1	6	<0.01
58157		<1	0.27	30	0.05	425	7	0.19	4	470	38	0.02	10	1	9	<0.01
58158		1	0.25	30	0.05	302	7	0.14	2	470	48	<0.01	13	1	11	<0.01
58159		<1	0.24	30	0.08	450	2	0.11	5	420	25	<0.01	9	2	9	<0.01
58160		<1	0.28	30	0.04	198	3	0.07	3	420	30	0.01	8	1	9	<0.01
58161		<1	0.28	30	0.04	129	10	0.12	3	510	40	0.01	15	1	9	<0.01
58162		<1	0.24	30	0.08	75	4	0.10	6	310	45	<0.01	12	2	8	<0.01
58163		<1	0.26	30	0.05	187	3	0.15	4	320	45	<0.01	10	2	9	<0.01
58164		1	0.24	20	0.09	359	14	0.06	8	350	51	0.01	11	4	13	0.01
58165		<1	0.23	20	0.19	1090	5	0.16	8	270	36	0.01	5	5	26	0.01
58166		1	0.32	10	0.18	125	1	0.07	1	60	11	<0.01	3	2	60	0.01
58167		<1	0.23	20	0.95	790	2	0.11	11	350	45	<0.01	2	6	3	0.01
58168		<1	0.42	20	0.25	158	3	0.07	3	150	34	<0.01	3	2	22	0.02
58169		<1	0.39	10	0.18	147	1	0.04	2	200	15	<0.01	2	1	4	0.02
58170		<1	0.35	10	0.20	343	2	0.13	1	120	34	<0.01	4	2	5	0.02
58171		<1	0.33	30	0.05	254	3	0.06	2	230	32	<0.01	11	2	5	0.01
58172		<1	0.29	10	0.12	106	2	0.05	2	80	18	<0.01	6	1	11	0.01
58173		<1	0.31	30	0.09	53	8	0.03	1	130	32	0.01	9	2	5	<0.01
58174		<1	0.29	20	0.11	64	3	0.09	2	100	35	<0.01	10	2	5	<0.01
58175		1	0.27	30	0.08	110	9	0.15	6	340	60	0.01	12	3	6	<0.01
58176		<1	0.24	30	0.07	332	10	0.09	5	830	53	0.01	15	4	5	<0.01
58177		<1	0.29	40	0.05	22	29	0.11	2	220	64	0.02	11	2	5	<0.01
58178		<1	0.24	10	0.05	114	1	0.12	3	350	34	<0.01	4	1	6	<0.01
58179		<1	0.22	30	0.15	377	2	0.14	7	290	28	<0.01	4	2	9	<0.01
58180		<1	0.21	30	0.16	287	1	0.07	8	170	41	<0.01	5	3	8	0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 3 - C

Total # Pages: 5 (A - C)

Finalized Date: 9-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093084

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti	U	V	W	Zn	Au
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 0.001
58141		<10	<10	15	<10	16	0.001
58142							
58143		<10	<10	79	<10	53	0.015
58144		<10	<10	103	<10	51	<0.001
58145		<10	<10	23	<10	27	0.002
58146		<10	<10	67	<10	46	0.002
58147		<10	<10	34	<10	18	0.009
58148		<10	<10	23	<10	34	0.002
58149		<10	<10	23	<10	20	0.005
58150		<10	<10	20	<10	21	0.003
58151		<10	<10	24	<10	30	0.012
58152		<10	<10	20	<10	20	0.011
58153		<10	<10	16	<10	14	0.002
58154		<10	<10	15	<10	9	0.022
58155		<10	<10	19	<10	11	0.003
58156		<10	<10	21	<10	17	0.006
58157		<10	<10	22	<10	19	0.002
58158		<10	<10	21	<10	22	0.004
58159		<10	<10	36	<10	40	0.001
58160		<10	<10	26	<10	27	0.002
58161		<10	<10	21	<10	19	0.003
58162		<10	<10	33	<10	35	0.005
58163		<10	<10	33	<10	27	0.004
58164		<10	<10	104	<10	39	0.012
58165		<10	<10	71	<10	160	0.003
58166		<10	<10	14	<10	19	<0.001
58167		<10	<10	73	<10	79	0.006
58168		<10	<10	31	<10	28	0.010
58169		<10	<10	23	<10	22	0.002
58170		<10	<10	17	<10	24	0.008
58171		<10	<10	22	<10	20	0.004
58172		<10	<10	22	<10	17	0.005
58173		<10	<10	30	<10	36	0.032
58174		<10	<10	27	<10	36	0.011
58175		<10	<10	39	<10	62	0.077
58176		<10	<10	36	<10	80	0.029
58177		<10	<10	15	<10	10	0.041
58178		<10	<10	15	<10	26	0.002
58179		<10	<10	39	<10	45	0.004
58180		<10	<10	40	<10	59	0.014



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 4 - A

Total # Pages: 5 (A - C)

Finalized Date: 9-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093084

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
58181		0.82	<0.2	1.56	32	<10	80	0.7	<2	0.07	<0.5	7	16	13	2.48	<10
58182		0.68	<0.2	1.86	22	<10	70	0.8	<2	0.05	<0.5	7	17	6	2.61	10
58183		0.86	<0.2	1.03	21	<10	100	0.5	<2	0.10	<0.5	9	14	6	2.28	<10
58184		0.52	<0.2	1.08	125	<10	90	1.3	<2	0.08	<0.5	6	6	20	2.62	<10
58185		0.64	0.3	1.14	85	<10	90	<0.5	<2	0.04	<0.5	1	5	14	2.03	<10
58186		0.72	<0.2	1.01	87	<10	100	0.5	<2	0.08	<0.5	1	5	8	2.74	<10
58187		0.52	0.5	4.63	51	<10	140	0.9	2	0.05	<0.5	11	43	27	5.80	10
58188		0.92	0.4	1.12	91	<10	130	0.6	2	0.11	<0.5	4	30	41	6.15	<10
58189		0.66	0.2	2.32	23	<10	200	0.9	<2	0.28	<0.5	26	101	92	5.26	10
58190		0.70	0.2	2.14	18	<10	180	<0.5	<2	0.24	<0.5	7	41	15	2.45	10
58191		0.58	0.2	1.85	39	<10	140	0.7	2	0.22	<0.5	10	24	18	3.03	<10
58192	Empty Bag															
58193	Empty Bag															
58194		0.88	1.9	1.66	94	<10	50	0.5	<2	0.01	<0.5	2	7	20	2.77	<10
58195		1.08	0.7	0.67	49	<10	70	<0.5	<2	0.02	<0.5	2	9	9	2.26	<10
58196		0.90	0.5	0.99	231	<10	90	0.5	<2	0.01	<0.5	1	4	9	2.15	<10
58197		0.90	0.7	1.80	115	<10	100	<0.5	<2	0.01	<0.5	1	5	8	2.17	<10
58198		1.28	0.3	1.21	235	<10	140	0.9	<2	0.13	<0.5	5	8	17	2.35	<10
58199		0.98	<0.2	1.05	41	<10	120	0.5	<2	0.06	<0.5	5	10	8	2.25	<10
58200		1.10	0.2	1.13	44	<10	90	0.7	<2	0.09	<0.5	4	11	15	2.14	<10
58201		0.96	0.2	0.98	37	<10	80	0.6	<2	0.15	<0.5	4	11	12	2.58	<10
58202		0.74	0.2	1.07	30	<10	70	0.6	<2	0.13	<0.5	6	12	10	2.50	<10
58203		1.06	<0.2	0.92	24	<10	100	0.5	<2	0.08	<0.5	5	13	4	2.48	<10
58204		0.82	0.3	1.27	20	<10	90	0.8	<2	0.07	<0.5	7	14	7	2.50	<10
58205		0.72	0.2	1.74	24	<10	60	0.6	<2	0.06	<0.5	8	16	11	2.65	<10
58206		1.00	0.3	1.31	36	<10	80	0.5	<2	0.10	<0.5	7	13	6	2.51	<10
58207		0.82	0.3	0.96	30	<10	100	<0.5	<2	0.10	<0.5	3	11	3	2.02	<10
58208		0.90	0.2	1.08	38	<10	210	0.6	<2	0.05	<0.5	3	11	5	2.20	<10
58209		1.04	0.3	0.89	31	<10	90	0.5	<2	0.04	<0.5	1	7	4	1.91	<10
58210		0.74	3.2	0.87	34	<10	80	<0.5	6	0.05	<0.5	1	4	5	2.07	<10
58211		0.76	0.3	0.82	67	<10	80	<0.5	2	0.04	<0.5	1	5	6	2.08	<10
58212		0.88	<0.2	1.90	29	<10	70	<0.5	<2	0.04	<0.5	4	26	15	3.02	<10
58213		0.84	0.2	1.93	58	<10	120	<0.5	<2	0.12	<0.5	7	27	14	3.23	<10
58214		0.94	0.3	2.36	58	<10	150	0.6	<2	0.14	<0.5	11	39	20	3.83	10
58215		1.06	0.4	1.77	46	<10	120	0.5	<2	0.09	<0.5	7	29	14	3.30	<10
58216		0.80	0.2	1.18	34	<10	100	0.6	<2	0.13	<0.5	5	23	6	2.38	<10
58217		0.44	<0.2	1.19	21	<10	260	0.7	<2	0.23	<0.5	2	5	2	1.63	<10
58218		0.32	0.9	1.37	106	<10	90	<0.5	<2	0.01	<0.5	1	3	11	1.12	<10
58219		0.44	0.4	1.09	43	<10	120	0.7	<2	0.04	0.5	5	12	17	2.63	<10
58220		0.34	3.1	0.67	172	<10	140	<0.5	<2	0.04	<0.5	1	4	8	1.87	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 4 - B

Total # Pages: 5 (A - C)

Finalized Date: 9-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093084

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
58181		<1	0.23	30	0.21	328	2	0.16	7	190	34	<0.01	4	2	10
58182		<1	0.19	30	0.39	344	1	0.09	8	230	22	<0.01	2	3	12
58183		<1	0.25	30	0.08	546	1	0.17	6	230	27	<0.01	15	1	11
58184		<1	0.27	30	0.07	120	<1	0.14	8	510	17	<0.01	9	2	5
58185		<1	0.28	30	0.02	39	5	0.10	3	400	51	0.01	15	1	8
58186		<1	0.26	30	0.03	70	5	0.10	2	460	42	0.01	14	1	10
58187		2	0.26	20	0.21	189	12	0.21	24	840	48	0.01	10	16	14
58188		<1	0.28	30	0.12	133	4	0.06	10	430	497	0.01	12	6	24
58189		<1	0.26	20	0.54	1230	1	0.17	30	310	10	<0.01	3	11	31
58190		<1	0.13	10	0.20	338	2	0.16	9	90	29	0.01	7	5	24
58191		<1	0.35	10	0.34	300	1	0.11	9	200	18	0.01	4	5	20
58192															
58193															
58194		1	0.24	30	0.05	143	6	0.22	1	450	172	0.01	13	2	5
58195		<1	0.24	20	0.03	263	2	0.08	2	240	67	0.01	12	1	6
58196		1	0.25	40	0.03	45	3	0.15	1	510	40	0.01	6	2	5
58197		<1	0.25	30	0.04	38	17	0.16	1	470	134	0.04	11	1	6
58198		<1	0.27	30	0.07	162	2	0.16	4	180	90	0.06	6	2	18
58199		<1	0.25	10	0.10	852	1	0.16	4	130	47	0.01	5	1	7
58200		<1	0.25	10	0.09	301	1	0.14	5	160	49	0.01	5	1	8
58201		<1	0.27	10	0.10	290	1	0.10	5	190	56	0.01	4	1	11
58202		<1	0.20	10	0.10	400	1	0.11	4	210	73	0.01	3	1	7
58203		<1	0.23	20	0.08	691	1	0.21	4	180	37	0.01	5	1	8
58204		<1	0.20	20	0.22	559	1	0.08	5	260	28	0.01	3	2	10
58205		<1	0.18	20	0.32	290	2	0.19	5	130	29	<0.01	6	3	10
58206		<1	0.22	20	0.11	331	2	0.06	5	120	34	<0.01	11	2	12
58207		<1	0.23	20	0.05	445	2	0.17	3	200	35	0.01	14	1	13
58208		<1	0.25	30	0.04	260	2	0.08	3	270	44	<0.01	15	1	17
58209		<1	0.27	30	0.03	45	3	0.18	2	300	62	0.01	11	1	9
58210		<1	0.21	20	0.02	59	82	0.10	2	250	63	0.01	10	1	11
58211		<1	0.21	20	0.03	82	34	0.11	1	190	45	0.01	12	1	7
58212		<1	0.23	30	0.09	149	6	0.09	7	140	34	0.01	13	3	8
58213		<1	0.18	20	0.13	230	3	0.23	7	220	28	0.01	8	3	12
58214		<1	0.19	20	0.15	628	3	0.07	11	230	31	<0.01	5	5	15
58215		<1	0.18	20	0.10	484	4	0.26	7	200	27	<0.01	4	3	12
58216		<1	0.25	10	0.14	214	5	0.19	5	110	19	<0.01	3	3	15
58217		<1	0.42	10	0.18	245	1	0.07	2	220	14	<0.01	4	1	13
58218		<1	0.32	40	0.05	47	12	0.05	<1	380	79	0.02	6	1	4
58219		<1	0.30	30	0.07	790	4	0.29	5	410	50	0.01	6	2	5
58220		<1	0.17	20	0.02	58	136	0.21	2	170	124	0.04	16	<1	5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 4 - C

Total # Pages: 5 (A - C)

Finalized Date: 9-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093084

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti	U	V	W	Zn	Au
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 0.001
58181		<10	<10	31	<10	52	0.002
58182		<10	<10	48	<10	41	<0.001
58183		<10	<10	32	<10	48	0.002
58184		<10	10	22	<10	83	0.002
58185		<10	<10	14	<10	25	0.011
58186		<10	<10	13	<10	15	0.005
58187		<10	<10	165	<10	71	0.028
58188		<10	<10	126	10	68	0.036
58189		<10	<10	170	<10	69	0.009
58190		<10	<10	86	<10	30	0.003
58191		<10	<10	59	<10	36	0.002
58192							
58193							
58194		<10	<10	23	10	78	0.043
58195		<10	<10	21	<10	40	0.009
58196		<10	<10	13	<10	42	0.014
58197		<10	<10	19	<10	19	0.063
58198		<10	<10	22	<10	43	0.012
58199		<10	<10	26	<10	30	0.014
58200		<10	<10	30	<10	37	0.015
58201		<10	<10	33	<10	47	0.043
58202		<10	<10	37	<10	47	0.008
58203		<10	<10	28	<10	29	0.008
58204		<10	<10	38	<10	49	0.003
58205		<10	<10	44	<10	53	0.004
58206		<10	<10	29	<10	35	0.004
58207		<10	<10	25	<10	26	0.005
58208		<10	<10	29	<10	26	0.003
58209		<10	<10	16	<10	15	0.010
58210		<10	<10	13	<10	9	0.012
58211		<10	<10	13	<10	11	0.007
58212		<10	<10	70	<10	32	0.002
58213		<10	<10	67	<10	34	0.006
58214		<10	<10	96	<10	45	0.006
58215		<10	<10	78	<10	30	0.051
58216		<10	<10	66	<10	21	0.003
58217		<10	<10	21	<10	18	<0.001
58218		<10	<10	11	<10	29	0.038
58219		<10	<10	30	<10	50	0.032
58220		<10	<10	16	<10	23	0.054



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 5 - A

Total # Pages: 5 (A - C)

Finalized Date: 9-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093084

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
58221		0.46	0.7	1.33	65	<10	130	0.7	<2	0.06	<0.5	4	10	10	2.44	<10
58222		0.36	0.5	1.33	68	<10	130	0.8	<2	0.19	<0.5	6	13	12	2.65	<10
58223		0.56	0.4	1.30	27	<10	90	0.6	<2	0.08	<0.5	5	12	13	2.62	<10
58224		0.48	0.3	1.12	36	<10	80	0.5	<2	0.10	<0.5	3	11	10	2.68	<10
58225		0.72	<0.2	0.94	29	<10	80	0.5	<2	0.06	<0.5	4	12	9	2.62	<10
58226		0.42	<0.2	1.65	16	<10	80	0.8	<2	0.08	<0.5	7	15	17	2.67	10
58227		0.66	<0.2	1.19	14	<10	80	0.7	<2	0.06	<0.5	7	12	9	2.56	<10
58228		0.60	<0.2	1.12	28	<10	90	0.6	<2	0.04	<0.5	10	15	4	3.04	<10
58229		0.52	<0.2	1.38	41	<10	50	0.6	<2	0.05	<0.5	3	16	5	2.86	<10
58230		0.54	0.2	1.41	33	<10	50	<0.5	<2	0.04	<0.5	2	11	6	2.16	<10
58231		0.56	0.6	1.83	41	<10	80	0.5	<2	0.05	<0.5	4	12	11	2.17	<10
58232		0.62	<0.2	1.44	64	<10	90	<0.5	<2	0.05	<0.5	<1	5	5	1.29	<10
58233		0.56	<0.2	1.44	50	<10	60	<0.5	<2	0.02	<0.5	<1	5	7	1.65	<10
58234		0.58	<0.2	1.23	23	<10	50	0.5	<2	0.01	<0.5	1	5	5	1.51	<10
58235		0.50	<0.2	1.33	45	<10	70	0.6	<2	0.05	<0.5	2	6	5	2.18	<10
58236		0.50	<0.2	1.37	32	<10	80	0.5	<2	0.01	<0.5	5	10	9	2.33	<10
58237		0.52	<0.2	1.41	60	<10	80	0.5	<2	0.05	<0.5	3	10	7	2.34	<10
58238		0.56	0.2	5.82	58	<10	140	1.5	<2	0.04	<0.5	42	41	36	5.74	10
58239		0.62	0.2	2.79	56	<10	130	0.6	<2	0.06	<0.5	8	30	17	3.91	10
58240		0.50	<0.2	3.52	49	<10	80	0.6	<2	0.06	<0.5	20	19	24	5.08	10
58241		0.56	<0.2	1.23	87	<10	80	0.5	<2	0.06	<0.5	3	12	7	2.25	<10
58242	Empty Bag															
58243	Empty Bag															
58244	Empty Bag															
58245	Empty Bag															
58246		0.78	0.4	2.00	50	<10	80	0.7	<2	0.04	<0.5	4	11	14	2.63	<10
58247		0.88	0.2	1.37	29	<10	80	0.6	<2	0.14	<0.5	5	13	11	2.66	<10
58248		0.90	0.4	2.04	26	<10	80	0.6	<2	0.08	<0.5	6	15	12	2.83	10
58249		0.98	0.3	1.69	30	<10	360	1.3	<2	0.12	<0.5	10	14	12	2.78	<10
58250		0.76	<0.2	1.54	22	<10	80	0.8	<2	0.08	<0.5	5	13	8	2.78	<10

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

**To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703**

Page: 5 - B
Total # Pages: 5 (A - C)
Finalized Date: 9-OCT-2006
Account: LINCOLN

Project: La Bufa

CERTIFICATE OF ANALYSIS **CH06093084**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
		ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1	% 0.01
58221		1	0.32	20	0.08	520	2	0.07	4	260	71	0.01	4	2	9	<0.01
58222		<1	0.23	20	0.10	803	6	0.10	6	260	50	0.02	6	2	10	<0.01
58223		<1	0.21	20	0.13	630	2	0.17	6	210	85	<0.01	4	2	8	0.01
58224		<1	0.21	10	0.12	485	1	0.08	6	180	81	<0.01	9	1	8	0.01
58225		<1	0.22	10	0.10	339	1	0.18	3	120	75	<0.01	10	2	7	<0.01
58226		<1	0.21	20	0.38	426	1	0.12	9	150	26	<0.01	<2	3	8	0.01
58227		<1	0.25	10	0.24	560	<1	0.18	7	100	35	<0.01	5	2	8	0.01
58228		<1	0.24	10	0.12	730	1	0.11	7	230	37	<0.01	12	2	9	0.01
58229		<1	0.22	10	0.14	131	2	0.21	5	220	33	<0.01	12	2	6	0.01
58230		<1	0.17	20	0.06	88	4	0.12	3	120	31	<0.01	5	1	8	<0.01
58231		<1	0.24	20	0.09	110	5	0.06	3	140	38	<0.01	5	2	9	<0.01
58232		<1	0.29	30	0.04	38	4	0.04	1	160	65	<0.01	7	1	13	<0.01
58233		<1	0.23	20	0.03	29	20	0.06	1	200	79	<0.01	11	1	8	<0.01
58234		<1	0.31	30	0.02	27	2	0.05	1	220	75	<0.01	6	1	4	<0.01
58235		<1	0.27	20	0.05	206	3	0.07	2	280	38	<0.01	6	1	8	<0.01
58236		<1	0.28	30	0.05	103	3	0.08	5	170	34	<0.01	11	1	6	<0.01
58237		<1	0.30	30	0.05	198	2	0.07	3	210	35	<0.01	11	1	8	<0.01
58238		<1	0.18	20	0.27	863	3	0.09	24	510	19	<0.01	6	16	13	0.01
58239		<1	0.22	20	0.17	277	9	0.07	8	270	20	<0.01	7	5	10	0.01
58240		<1	0.32	20	0.22	494	4	0.10	5	180	17	<0.01	5	9	15	0.01
58241		<1	0.21	10	0.08	293	5	0.07	2	170	20	<0.01	3	2	9	0.01
58242																
58243																
58244																
58245																
58246		<1	0.24	20	0.10	413	2	0.08	5	350	41	<0.01	8	2	8	<0.01
58247		<1	0.24	20	0.11	615	2	0.11	4	170	69	<0.01	14	2	10	0.01
58248		<1	0.23	20	0.20	476	1	0.07	6	170	60	<0.01	7	2	8	<0.01
58249		<1	0.20	30	0.24	4640	3	0.09	6	180	49	<0.01	5	3	9	<0.01
58250		<1	0.21	20	0.24	239	1	0.08	6	210	29	<0.01	3	2	8	<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 5 - C

Total # Pages: 5 (A - C)

Finalized Date: 9-OCT-2006

Account: LINCOL

Project: La Bufa

CERTIFICATE OF ANALYSIS CH06093084

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti	U	V	W	Zn	Au
		ppm	ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2	0.001
58221		<10	<10	28	<10	49	0.029
58222		<10	<10	37	<10	52	0.034
58223		<10	<10	31	<10	69	0.017
58224		<10	<10	32	<10	69	0.015
58225		<10	<10	32	<10	34	0.012
58226		<10	<10	34	<10	49	0.002
58227		<10	<10	26	<10	48	0.001
58228		<10	<10	35	<10	52	0.012
58229		<10	<10	36	<10	27	0.006
58230		<10	<10	32	<10	16	0.005
58231		<10	<10	34	<10	31	0.005
58232		<10	<10	13	<10	12	0.021
58233		<10	<10	15	<10	11	0.009
58234		<10	<10	13	<10	17	0.007
58235		<10	<10	20	<10	33	0.003
58236		<10	<10	32	<10	45	0.008
58237		<10	<10	28	<10	24	0.005
58238		<10	<10	136	<10	100	0.013
58239		<10	<10	96	<10	35	0.004
58240		<10	<10	101	<10	37	0.009
58241		<10	<10	34	<10	21	0.004
58242							
58243							
58244							
58245							
58246		<10	<10	34	<10	55	0.021
58247		<10	<10	33	<10	70	0.012
58248		<10	<10	44	<10	76	0.017
58249		<10	<10	46	<10	45	0.012
58250		<10	<10	38	<10	42	0.014



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 1

Finalized Date: 8-OCT-2006

Account: LINCOL

CERTIFICATE HE06095216

Project: LA BUFA

P.O. No.:

This report is for 133 Soil samples submitted to our lab in Hermosillo, SONORA, Mexico on 27-SEP-2006.

The following have access to data associated with this certificate:

RICHARD W. BYBEE

JEFF WILSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rod w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: LINCOLN GOLD CORP.
ATTN: JEFF WILSON
325 TAHOE DRIVE
CARSON CITY NV 89703

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 2 - A
Total # Pages: 5 (A - C)
Finalized Date: 8-OCT-2006
Account: LINCOLN

Project: LA BUFA

CERTIFICATE OF ANALYSIS HE06095216

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
58661		0.48	0.005	0.3	1.48	15	<10	140	<0.5	<2	0.09	<0.5	2	2	2	0.95
58662		0.50	0.025	0.4	1.29	15	<10	150	0.6	<2	0.16	<0.5	1	3	1	0.83
58663		0.72	0.001	0.5	1.53	14	<10	110	<0.5	<2	0.03	<0.5	2	3	1	1.17
58664		0.66	0.007	0.2	1.31	10	<10	120	<0.5	<2	0.10	<0.5	2	3	1	1.04
58665		0.70	0.004	0.3	1.50	11	<10	140	0.6	<2	0.08	<0.5	2	4	1	1.08
58666		0.64	0.007	0.2	2.01	23	<10	100	0.5	<2	0.10	<0.5	1	5	2	1.10
58667		0.76	0.001	0.2	1.64	15	<10	120	<0.5	<2	0.02	<0.5	2	5	1	1.05
58668		0.66	0.007	0.3	1.06	36	<10	70	0.5	<2	0.04	<0.5	1	2	1	0.97
58669		1.00	0.005	0.5	1.74	43	<10	210	3.0	<2	0.15	<0.5	2	2	1	0.84
58670		0.60	0.003	0.2	1.25	21	<10	110	0.7	<2	0.03	<0.5	1	3	<1	0.86
58671		0.56	0.006	0.2	1.85	29	<10	220	1.0	<2	0.24	<0.5	2	4	1	0.97
58672		0.90	0.003	0.3	0.87	18	<10	120	1.2	<2	0.33	<0.5	2	3	1	0.89
58673		0.76	0.007	<0.2	0.96	11	<10	110	<0.5	<2	0.09	<0.5	1	4	1	1.05
58674		0.70	0.005	<0.2	1.96	9	<10	130	0.8	<2	0.02	<0.5	1	3	1	0.74
58675		0.80	0.007	0.3	1.26	24	<10	240	0.6	<2	0.12	<0.5	2	3	1	1.36
58676		0.84	0.012	<0.2	0.97	9	<10	260	<0.5	<2	0.13	<0.5	1	3	1	0.96
58677		0.82	0.001	<0.2	0.85	5	<10	130	<0.5	<2	0.02	<0.5	1	1	1	0.77
58678		0.74	0.005	<0.2	1.44	9	<10	180	<0.5	<2	0.06	<0.5	1	3	1	0.97
58679		0.94	0.013	0.2	1.22	10	<10	230	<0.5	<2	0.29	<0.5	2	3	1	0.89
58680		0.64	0.024	0.4	1.39	8	<10	170	0.5	<2	0.17	<0.5	1	4	1	0.97
58681		0.62	0.010	0.2	0.89	14	<10	170	<0.5	<2	0.16	<0.5	1	4	1	0.97
58682		0.66	0.003	0.2	0.97	11	<10	160	0.6	<2	0.23	<0.5	3	4	1	1.00
58683		0.56	0.032	0.6	1.59	10	<10	200	0.9	<2	0.06	<0.5	1	7	1	0.67
58684		0.70	0.003	0.2	1.68	26	<10	160	0.6	<2	0.05	<0.5	2	4	2	1.03
58685		0.54	0.003	<0.2	0.98	11	<10	160	0.7	2	0.28	<0.5	3	4	1	0.95
58686		0.60	0.001	<0.2	2.88	40	<10	260	0.7	<2	0.03	<0.5	3	6	1	1.10
58687		0.64	0.003	<0.2	0.55	8	<10	60	<0.5	<2	0.12	<0.5	1	2	<1	0.43
58688		0.52	0.011	0.2	0.96	42	<10	120	0.7	<2	0.19	<0.5	2	2	1	1.10
58689		0.62	0.007	0.3	0.97	15	<10	180	0.5	<2	0.26	<0.5	1	4	1	1.06
58690		0.46	0.008	<0.2	1.25	22	<10	180	0.8	2	0.39	<0.5	2	4	1	1.07
58691		0.54	0.002	0.2	1.37	40	<10	170	1.4	<2	0.11	<0.5	1	4	1	1.01
58692		0.74	0.007	<0.2	0.73	9	<10	110	0.6	<2	0.15	<0.5	2	6	2	1.04
58693		0.66	0.018	0.3	1.28	26	<10	150	0.7	<2	0.12	<0.5	1	4	1	1.00
58694		0.78	0.029	0.4	1.08	17	<10	160	0.5	<2	0.13	<0.5	1	4	1	0.95
58695		0.84	0.002	0.2	1.66	14	<10	170	0.6	<2	0.08	<0.5	2	5	1	1.04
58696		0.76	0.003	0.4	1.54	10	<10	160	<0.5	<2	0.12	<0.5	1	3	1	1.11
58697		0.82	0.006	<0.2	1.25	5	<10	140	<0.5	<2	0.10	<0.5	2	5	1	0.98
58698		0.76	0.006	<0.2	1.06	10	<10	140	<0.5	<2	0.08	<0.5	2	3	<1	1.11
58699		0.72	0.011	0.2	1.30	24	<10	170	0.7	<2	0.16	<0.5	1	4	1	1.03
58700		0.70	0.011	0.3	1.59	11	<10	160	0.6	<2	0.10	<0.5	2	5	1	1.16



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 2 - B
Total # Pages: 5 (A - C)
Finalized Date: 8-OCT-2006
Account: LINCOLN

Project: LA BUFA

CERTIFICATE OF ANALYSIS HE06095216

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
58661		<10	<1	0.12	10	0.08	103	1	<0.01	2	210	15	0.01	<2	1
58662		<10	<1	0.12	30	0.06	127	<1	<0.01	1	250	28	0.02	<2	1
58663		<10	<1	0.13	10	0.10	136	1	<0.01	2	100	16	<0.01	2	1
58664		<10	<1	0.12	20	0.08	136	1	<0.01	2	120	22	<0.01	2	1
58665		<10	<1	0.15	10	0.11	116	1	0.01	2	120	21	0.01	<2	1
58666		<10	<1	0.15	20	0.11	111	1	0.01	3	190	29	0.01	3	1
58667		<10	<1	0.15	30	0.12	86	<1	<0.01	3	220	38	<0.01	2	1
58668		<10	<1	0.12	30	0.07	83	2	<0.01	2	260	33	0.01	<2	1
58669		<10	<1	0.22	20	0.17	98	1	0.01	2	390	42	0.02	<2	2
58670		<10	<1	0.17	20	0.17	100	<1	0.01	2	160	15	0.01	2	1
58671		<10	<1	0.24	10	0.27	279	1	0.01	2	280	23	0.02	<2	1
58672		<10	<1	0.17	20	0.21	327	1	<0.01	3	180	28	<0.01	3	1
58673		<10	<1	0.17	10	0.13	103	<1	<0.01	2	160	27	0.01	2	1
58674		<10	<1	0.18	10	0.15	91	1	<0.01	2	230	26	0.01	<2	1
58675		10	<1	0.22	10	0.15	120	<1	0.01	2	160	18	<0.01	<2	1
58676		<10	<1	0.17	10	0.12	108	<1	0.01	1	180	20	<0.01	<2	1
58677		<10	<1	0.13	10	0.06	61	<1	<0.01	1	70	17	<0.01	<2	1
58678		<10	<1	0.16	<10	0.13	168	<1	0.01	1	140	15	<0.01	<2	1
58679		<10	<1	0.14	10	0.12	532	<1	<0.01	2	170	23	0.01	<2	1
58680		<10	<1	0.13	20	0.10	314	<1	<0.01	2	160	35	<0.01	<2	1
58681		<10	<1	0.11	20	0.08	453	<1	<0.01	2	170	28	0.01	<2	1
58682		<10	<1	0.15	20	0.10	310	1	0.01	3	140	41	0.01	<2	1
58683		10	<1	0.16	20	0.13	86	<1	0.01	3	180	27	0.01	<2	1
58684		<10	<1	0.15	20	0.12	95	2	<0.01	2	220	26	<0.01	<2	1
58685		<10	<1	0.11	20	0.11	378	1	<0.01	2	110	20	<0.01	<2	1
58686		<10	<1	0.20	10	0.16	99	<1	<0.01	4	410	19	0.01	<2	2
58687		<10	<1	0.11	10	0.04	62	<1	<0.01	1	80	7	<0.01	<2	1
58688		<10	<1	0.13	40	0.12	352	<1	<0.01	2	290	38	0.01	<2	1
58689		<10	<1	0.21	20	0.19	341	<1	<0.01	2	110	19	<0.01	2	1
58690		<10	<1	0.19	20	0.18	409	<1	<0.01	2	140	21	0.01	3	1
58691		<10	<1	0.24	10	0.20	145	<1	0.01	2	180	17	0.01	3	1
58692		<10	<1	0.12	40	0.06	207	<1	<0.01	2	290	20	0.02	<2	1
58693		<10	<1	0.14	20	0.10	160	<1	<0.01	3	180	31	0.01	<2	1
58694		<10	<1	0.15	20	0.12	282	<1	<0.01	2	140	28	0.01	2	1
58695		<10	<1	0.14	10	0.12	171	<1	<0.01	2	110	18	<0.01	<2	1
58696		<10	<1	0.13	10	0.14	222	<1	0.01	2	160	15	0.01	<2	1
58697		<10	<1	0.14	10	0.12	175	<1	<0.01	2	110	15	<0.01	<2	1
58698		<10	<1	0.12	20	0.13	200	1	0.01	2	110	20	<0.01	<2	1
58699		<10	<1	0.13	10	0.13	506	1	<0.01	2	250	36	0.02	<2	1
58700		<10	<1	0.13	20	0.15	548	1	<0.01	2	290	31	0.02	<2	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 2 - C
Total # Pages: 5 (A - C)
Finalized Date: 8-OCT-2006
Account: LINCOLN

Project: LA BUFA

CERTIFICATE OF ANALYSIS HE06095216

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
58661		0.01	<10	<10	10	<10	12
58662		<0.01	<10	<10	9	<10	9
58663		0.01	<10	<10	11	<10	11
58664		0.01	<10	<10	10	<10	10
58665		0.01	<10	<10	12	<10	11
58666		<0.01	<10	<10	14	<10	15
58667		<0.01	<10	<10	13	<10	12
58668		<0.01	<10	<10	6	<10	18
58669		<0.01	<10	10	7	<10	15
58670		<0.01	<10	<10	9	<10	13
58671		0.01	<10	<10	10	<10	20
58672		0.01	<10	10	10	<10	16
58673		0.01	<10	<10	14	<10	11
58674		<0.01	<10	<10	9	<10	12
58675		0.02	<10	<10	16	<10	12
58676		0.01	<10	<10	12	<10	10
58677		0.01	<10	<10	8	<10	5
58678		0.01	<10	<10	9	<10	11
58679		0.01	<10	<10	9	<10	11
58680		0.01	<10	<10	8	<10	11
58681		0.01	<10	<10	9	<10	9
58682		0.01	<10	<10	13	<10	12
58683		0.01	<10	<10	9	<10	15
58684		<0.01	<10	<10	13	<10	17
58685		0.01	<10	<10	12	<10	13
58686		<0.01	<10	<10	12	<10	18
58687		<0.01	<10	<10	4	<10	4
58688		<0.01	<10	<10	7	<10	24
58689		0.01	<10	<10	10	<10	16
58690		0.01	<10	<10	11	<10	17
58691		0.01	<10	<10	11	<10	16
58692		0.01	<10	<10	9	<10	13
58693		<0.01	<10	<10	10	<10	16
58694		0.01	<10	<10	9	<10	18
58695		0.01	<10	<10	9	<10	14
58696		0.01	<10	<10	9	<10	13
58697		0.01	<10	<10	10	<10	11
58698		0.01	<10	<10	16	<10	12
58699		0.01	<10	<10	14	<10	17
58700		0.01	<10	<10	16	<10	21



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 3 - A
Total # Pages: 5 (A - C)
Finalized Date: 8-OCT-2006
Account: LINCOL

Project: LA BUFA

CERTIFICATE OF ANALYSIS HE06095216

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
58701		0.64	0.008	0.3	1.83	16	<10	240	1.0	<2	0.38	<0.5	2	5	2	1.12
58702		0.82	0.001	0.3	1.10	21	<10	100	0.6	<2	0.10	<0.5	2	2	1	1.21
58703		0.90	0.004	0.2	1.50	15	<10	210	0.7	<2	0.19	<0.5	3	7	3	1.15
58704		0.86	0.004	<0.2	0.77	11	<10	160	0.5	<2	0.32	<0.5	2	3	1	0.79
58705		0.96	0.003	0.2	2.45	36	<10	190	0.8	<2	0.12	<0.5	4	5	2	1.33
58706		0.88	0.004	0.2	3.26	50	<10	230	0.8	<2	0.02	<0.5	4	6	3	1.45
58707		0.98	0.001	<0.2	1.79	30	<10	190	0.6	<2	0.07	<0.5	2	4	1	1.03
58708		0.90	0.006	0.2	0.61	5	<10	290	1.2	<2	0.36	<0.5	1	1	1	0.16
58709		0.82	0.001	0.2	0.71	2	<10	120	<0.5	<2	0.10	<0.5	<1	<1	<1	0.12
58710		0.84	0.007	0.2	0.74	5	<10	170	<0.5	<2	0.08	<0.5	1	1	<1	0.19
58711		0.78	0.001	<0.2	0.93	2	<10	420	<0.5	<2	0.27	<0.5	1	2	<1	0.27
58712		0.96	0.003	0.3	0.94	28	<10	80	1.0	<2	0.14	<0.5	3	6	2	1.10
58713		0.92	0.027	0.3	1.06	16	<10	100	0.6	<2	0.05	<0.5	2	3	1	0.97
58714		0.92	0.002	0.5	2.09	14	<10	110	0.6	<2	0.02	<0.5	1	3	1	1.04
58715		1.00	0.007	<0.2	1.08	24	<10	100	0.5	<2	0.03	<0.5	4	3	2	0.83
58716		0.80	0.009	<0.2	1.43	12	<10	130	<0.5	<2	0.08	<0.5	2	3	2	0.84
58717		0.86	0.009	0.2	1.69	18	<10	110	0.7	<2	0.11	<0.5	2	4	1	1.15
58718		0.78	0.008	0.2	1.39	22	<10	130	0.5	<2	0.15	<0.5	2	5	5	1.23
58719		0.82	0.006	0.4	1.50	18	<10	130	0.6	<2	0.12	<0.5	3	3	2	1.04
58720		1.06	0.002	0.4	1.83	17	<10	170	0.8	<2	0.15	<0.5	2	5	2	1.05
58721		0.92	0.006	0.3	1.45	22	<10	170	0.6	<2	0.14	<0.5	3	3	1	0.98
58722		1.02	0.009	0.5	1.56	16	<10	220	1.0	<2	0.35	<0.5	3	4	2	0.91
58723		0.88	0.007	0.8	1.38	29	<10	170	0.7	<2	0.08	<0.5	3	3	2	0.88
58724		0.88	0.015	1.2	1.73	40	<10	100	0.8	<2	0.02	<0.5	3	4	2	1.53
58725		0.88	0.090	0.4	0.84	17	<10	140	1.1	<2	0.32	<0.5	2	2	2	0.86
58726		0.78	0.117	0.6	0.91	30	<10	250	0.9	<2	0.24	<0.5	3	4	2	0.91
58727		0.92	0.014	0.2	0.90	31	<10	150	0.6	<2	0.23	<0.5	2	3	2	0.94
58728		0.58	0.008	0.2	0.99	7	<10	260	<0.5	<2	0.10	<0.5	1	3	1	0.27
58729		0.58	0.025	0.6	2.08	13	<10	470	0.5	<2	0.25	<0.5	1	5	2	0.72
58730		0.54	0.028	0.5	1.51	7	<10	170	<0.5	<2	0.07	<0.5	1	4	2	0.67
58731		0.48	0.033	0.7	2.22	7	<10	430	0.7	<2	0.15	<0.5	2	4	4	0.83
58732	Empty Bag															
58733	Empty Bag															
58734		0.80	0.004	<0.2	0.88	9	<10	130	0.8	<2	0.18	<0.5	4	4	2	0.83
58735		0.62	0.002	0.2	1.48	15	<10	90	0.5	<2	0.10	<0.5	3	7	1	0.92
58736		0.62	0.010	0.3	1.81	14	<10	160	0.8	<2	0.16	<0.5	3	8	2	1.07
58737		0.64	0.027	0.5	1.12	14	<10	120	0.6	<2	0.10	<0.5	1	5	2	0.83
58738		0.84	0.026	0.2	1.24	16	<10	150	0.8	<2	0.09	<0.5	2	3	1	0.88
58739		0.88	0.006	0.2	1.59	13	<10	220	1.0	<2	0.15	<0.5	2	6	1	1.05
58740		0.72	0.009	0.2	1.61	12	<10	120	0.6	<2	0.13	<0.5	2	5	1	0.88



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 3 - B

Total # Pages: 5 (A - C)

Finalized Date: 8-OCT-2006

Account: LINCOLN

Project: LA BUFA

CERTIFICATE OF ANALYSIS HE06095216

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Se
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
58701		<10	<1	0.16	20	0.18	690	1	0.01	3	680	28	0.02	<2	1
58702		<10	<1	0.14	30	0.09	63	2	<0.01	1	140	19	0.01	<2	1
58703		<10	<1	0.15	30	0.11	975	2	<0.01	4	230	30	0.01	<2	1
58704		<10	<1	0.11	30	0.06	1130	2	<0.01	2	140	21	0.01	<2	1
58705		<10	<1	0.16	30	0.11	282	3	<0.01	5	210	32	0.01	<2	1
58706		<10	<1	0.20	30	0.14	137	2	<0.01	5	420	33	0.01	<2	2
58707		<10	<1	0.15	40	0.13	99	1	<0.01	3	110	18	0.01	<2	1
58708		<10	<1	0.15	30	0.04	400	<1	<0.01	1	130	30	0.01	<2	<1
58709		<10	<1	0.17	10	0.02	30	<1	0.01	1	50	12	<0.01	<2	<1
58710		<10	<1	0.13	10	0.02	146	<1	<0.01	<1	70	14	<0.01	<2	<1
58711		<10	<1	0.15	10	0.06	314	<1	<0.01	1	70	16	<0.01	<2	<1
58712		<10	<1	0.14	80	0.17	244	<1	<0.01	4	340	19	<0.01	<2	1
58713		<10	<1	0.09	20	0.08	177	<1	<0.01	1	130	30	<0.01	<2	1
58714		<10	<1	0.10	20	0.07	96	<1	<0.01	2	410	25	<0.01	2	1
58715		<10	<1	0.10	30	0.06	305	<1	<0.01	2	110	53	<0.01	<2	<1
58716		<10	<1	0.12	40	0.07	180	<1	<0.01	1	150	27	<0.01	<2	<1
58717		<10	<1	0.10	30	0.11	154	1	<0.01	3	220	23	<0.01	<2	1
58718		<10	<1	0.11	20	0.09	352	1	<0.01	3	190	29	0.01	<2	1
58719		<10	<1	0.11	20	0.08	398	1	<0.01	2	220	35	0.01	2	1
58720		<10	<1	0.11	30	0.14	519	1	<0.01	3	220	26	0.01	<2	1
58721		<10	<1	0.11	30	0.09	914	1	<0.01	2	260	22	0.01	<2	1
58722		<10	<1	0.13	30	0.10	990	1	<0.01	3	400	33	0.02	<2	1
58723		<10	<1	0.12	30	0.06	460	4	<0.01	2	310	28	0.02	<2	<1
58724		10	<1	0.16	50	0.11	81	9	<0.01	3	320	30	0.01	<2	1
58725		<10	<1	0.11	30	0.10	596	1	<0.01	1	380	33	0.02	<2	1
58726		<10	<1	0.14	40	0.13	233	7	<0.01	4	310	27	0.02	<2	<1
58727		<10	<1	0.12	30	0.10	372	1	<0.01	2	190	37	0.01	<2	1
58728		<10	<1	0.15	30	0.03	215	<1	<0.01	2	90	26	<0.01	<2	1
58729		<10	<1	0.10	10	0.08	1020	<1	<0.01	3	350	46	0.02	<2	1
58730		<10	<1	0.08	10	0.05	211	<1	<0.01	2	250	27	0.01	<2	1
58731		<10	1	0.11	20	0.08	2200	1	<0.01	3	520	59	0.03	<2	1
58732															
58733															
58734		<10	<1	0.13	40	0.09	678	1	<0.01	3	340	31	0.01	<2	1
58735		<10	<1	0.13	40	0.09	150	<1	<0.01	3	140	22	<0.01	<2	<1
58736		<10	<1	0.14	30	0.12	312	1	<0.01	5	220	24	0.01	<2	1
58737		<10	<1	0.15	30	0.06	110	<1	<0.01	2	350	33	0.01	<2	<1
58738		<10	<1	0.16	30	0.07	318	1	<0.01	1	180	46	0.01	<2	1
58739		<10	<1	0.15	30	0.08	1180	<1	<0.01	4	230	34	0.01	<2	1
58740		<10	<1	0.13	30	0.07	284	1	<0.01	3	200	24	0.01	<2	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 3 - C
Total # Pages: 5 (A - C)
Finalized Date: 8-OCT-2006
Account: LINCOL

Project: LA BUFA

CERTIFICATE OF ANALYSIS HE06095216

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
58701		<0.01	<10	<10	15	<10	24
58702		<0.01	<10	<10	7	<10	18
58703		<0.01	<10	<10	13	<10	28
58704		<0.01	<10	<10	8	<10	13
58705		<0.01	<10	<10	10	<10	29
58706		<0.01	<10	<10	10	<10	37
58707		<0.01	<10	<10	7	<10	22
58708		<0.01	<10	<10	3	<10	8
58709		<0.01	<10	<10	1	<10	4
58710		<0.01	<10	<10	2	<10	5
58711		<0.01	<10	<10	3	<10	6
58712		<0.01	<10	<10	6	<10	30
58713		<0.01	<10	<10	8	<10	16
58714		<0.01	<10	<10	8	<10	16
58715		<0.01	<10	<10	6	<10	16
58716		<0.01	<10	<10	7	<10	18
58717		<0.01	<10	<10	13	<10	23
58718		<0.01	<10	<10	16	<10	29
58719		<0.01	<10	<10	11	<10	23
58720		<0.01	<10	<10	9	<10	28
58721		<0.01	<10	<10	9	<10	25
58722		<0.01	<10	<10	9	<10	28
58723		<0.01	<10	<10	7	<10	20
58724		<0.01	<10	<10	7	<10	36
58725		<0.01	<10	<10	7	<10	23
58726		<0.01	<10	<10	8	<10	23
58727		<0.01	<10	<10	8	<10	22
58728		<0.01	<10	<10	3	<10	8
58729		<0.01	<10	<10	8	<10	18
58730		<0.01	<10	<10	7	<10	15
58731		<0.01	<10	<10	8	<10	26
58732							
58733							
58734		<0.01	<10	<10	8	<10	20
58735		<0.01	<10	<10	11	<10	14
58736		<0.01	<10	<10	10	<10	25
58737		<0.01	<10	<10	10	<10	20
58738		<0.01	<10	<10	10	<10	16
58739		<0.01	<10	<10	10	<10	18
58740		<0.01	<10	<10	9	<10	17



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 4 - A

Total # Pages: 5 (A - C)

Finalized Date: 8-OCT-2006

Account: LINCOL

Project: LA BUFA

CERTIFICATE OF ANALYSIS HE06095216

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
58741		0.68	0.011	0.7	1.41	12	<10	110	0.5	<2	0.10	<0.5	3	3	2	0.80
58742		0.64	0.011	0.3	1.45	24	<10	130	0.6	<2	0.06	<0.5	2	2	1	0.86
58743		0.60	0.009	0.5	0.74	7	<10	60	0.7	<2	0.09	<0.5	1	3	1	0.53
58744		0.76	0.005	0.2	0.68	5	<10	90	0.5	<2	0.35	<0.5	1	3	1	0.63
58745		0.68	0.009	0.3	0.77	11	<10	50	0.7	<2	0.07	<0.5	2	1	1	0.89
58746		0.50	0.012	0.7	0.52	33	<10	60	0.6	<2	0.21	<0.5	1	2	2	0.61
58747		0.68	0.014	0.4	1.94	2	<10	140	<0.5	<2	0.10	<0.5	1	2	1	0.50
58748		0.74	0.125	2.7	1.68	30	<10	390	0.7	2	0.23	1.0	2	5	9	0.82
58749		0.60	0.012	0.3	2.67	12	<10	150	<0.5	<2	0.10	0.5	1	4	2	0.81
58750		0.60	0.003	0.4	3.43	10	<10	190	0.6	2	0.05	0.5	2	7	2	0.90
58751		0.66	0.003	<0.2	1.67	5	<10	390	1.3	<2	0.25	<0.5	1	3	1	0.38
58752		0.56	0.041	0.6	1.40	14	<10	290	0.8	<2	0.28	0.7	2	7	4	0.66
58753		0.60	0.013	0.4	2.33	6	<10	160	1.1	2	0.07	0.5	1	4	2	0.62
58754		0.66	0.039	0.8	1.78	12	<10	200	1.0	2	0.09	0.6	2	5	4	0.82
58755		0.56	0.012	0.5	2.80	8	<10	300	1.4	2	0.14	0.5	2	5	3	0.83
58756		0.62	0.006	0.5	3.23	9	<10	330	1.8	2	0.60	0.6	2	6	3	0.89
58757		0.90	0.049	0.2	0.63	35	<10	120	<0.5	<2	0.12	<0.5	1	4	1	0.92
58758		0.62	0.005	0.2	3.13	28	<10	160	0.6	2	0.06	<0.5	4	6	1	1.50
58759		0.76	0.025	0.2	1.13	22	<10	70	<0.5	<2	0.04	<0.5	2	2	1	0.88
58760		0.76	0.007	0.3	1.17	7	<10	60	<0.5	<2	0.03	0.5	2	3	1	0.64
58761		0.62	0.006	<0.2	2.55	17	<10	150	<0.5	<2	0.01	<0.5	2	5	1	1.26
58762		0.54	0.098	0.2	0.60	7	<10	80	0.9	<2	0.13	<0.5	3	5	2	0.65
58763		0.80	0.014	<0.2	0.74	9	<10	50	0.6	2	0.03	<0.5	3	3	1	0.69
58764		0.64	0.054	0.3	0.65	13	<10	50	<0.5	<2	0.04	<0.5	2	3	1	0.55
58765		0.80	0.023	<0.2	0.62	10	<10	60	0.9	<2	0.15	<0.5	3	3	1	0.69
58766		0.70	0.005	<0.2	0.49	10	<10	50	0.6	<2	0.15	<0.5	2	2	1	0.47
58767		0.80	0.617	0.5	0.50	10	<10	50	<0.5	<2	0.03	<0.5	3	1	2	0.79
58768		0.76	0.039	0.3	1.16	11	<10	110	<0.5	<2	0.16	<0.5	1	1	1	0.32
58769		0.80	0.010	0.4	2.15	9	<10	140	<0.5	<2	0.08	<0.5	1	2	1	0.41
58770		0.76	0.006	0.3	2.56	3	<10	260	0.9	<2	0.15	0.5	1	4	2	0.84
58771		0.60	0.028	0.7	2.63	19	<10	230	1.1	2	0.22	0.6	2	4	4	0.72
58772		0.74	0.015	0.3	2.59	8	<10	210	<0.5	<2	0.12	<0.5	1	3	1	0.60
58773		0.70	0.024	0.6	1.75	15	<10	260	1.3	<2	0.31	0.8	2	5	3	0.59
58774		0.68	0.047	0.7	1.77	7	<10	190	1.5	2	0.20	0.7	2	3	4	0.63
58775		0.80	0.017	0.5	2.49	9	<10	230	1.4	3	0.27	0.7	2	5	3	0.62
58776		0.70	0.053	0.6	1.09	6	<10	440	0.6	2	0.79	0.8	2	3	5	0.49
58777		0.64	0.049	1.0	1.22	7	<10	170	1.7	<2	0.46	0.6	2	5	4	0.30
58778		0.68	0.025	0.4	1.61	9	<10	260	1.1	<2	0.35	0.6	2	3	2	0.50
58779		0.70	0.056	0.9	1.44	8	<10	530	1.2	<2	0.92	1.5	3	3	5	0.62
58780		0.78	0.049	0.8	1.92	13	<10	360	1.9	2	0.34	1.1	3	6	6	0.68



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 4 - B

Total # Pages: 5 (A - C)

Finalized Date: 8-OCT-2006

Account: LINCOLN

Project: LA BUFA

CERTIFICATE OF ANALYSIS HE06095216

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
58741		<10	<1	0.11	30	0.06	253	1	<0.01	2	220	21	0.01	<2	<1	10
58742		<10	<1	0.12	30	0.06	244	1	<0.01	2	240	26	0.01	<2	<1	12
58743		<10	<1	0.14	40	0.05	56	<1	<0.01	2	190	25	<0.01	<2	<1	6
58744		<10	<1	0.12	40	0.05	89	<1	<0.01	3	150	18	0.01	<2	<1	12
58745		<10	<1	0.12	40	0.09	131	6	<0.01	2	200	22	<0.01	<2	<1	6
58746		<10	1	0.14	40	0.04	45	9	<0.01	2	120	16	<0.01	<2	<1	22
58747		<10	1	0.09	10	0.04	100	1	<0.01	2	110	12	0.01	2	1	13
58748		<10	3	0.12	10	0.08	2790	1	0.01	5	770	93	0.07	<2	1	27
58749		<10	1	0.10	10	0.08	259	1	<0.01	3	190	32	0.01	<2	1	13
58750		10	1	0.10	10	0.09	185	1	<0.01	5	160	35	<0.01	<2	2	7
58751		<10	<1	0.14	20	0.05	131	<1	<0.01	3	110	21	<0.01	<2	1	69
58752		<10	1	0.11	20	0.07	910	<1	0.01	5	400	52	0.04	2	1	39
58753		<10	2	0.12	20	0.06	167	1	<0.01	3	350	42	0.02	<2	1	18
58754		<10	1	0.13	10	0.08	236	1	<0.01	5	380	55	0.03	<2	1	19
58755		<10	1	0.12	10	0.10	548	1	<0.01	4	460	41	0.02	<2	1	27
58756		10	3	0.13	20	0.13	1200	1	<0.01	6	550	57	0.03	<2	1	101
58757		<10	2	0.16	30	0.03	124	1	<0.01	3	300	28	0.08	<2	<1	78
58758		<10	<1	0.18	30	0.05	258	1	<0.01	6	200	46	0.01	2	1	9
58759		<10	1	0.14	30	0.04	91	1	<0.01	<1	260	53	0.04	2	<1	10
58760		<10	<1	0.13	30	0.05	63	<1	<0.01	4	210	23	0.01	<2	<1	7
58761		<10	1	0.13	30	0.06	71	1	<0.01	6	70	25	<0.01	<2	1	2
58762		<10	<1	0.12	40	0.03	166	<1	<0.01	3	240	47	<0.01	<2	1	13
58763		<10	1	0.15	30	0.06	239	<1	<0.01	3	130	33	0.01	<2	<1	23
58764		<10	1	0.13	20	0.05	83	<1	<0.01	2	200	25	<0.01	<2	<1	6
58765		<10	1	0.13	30	0.08	443	<1	<0.01	3	140	30	<0.01	<2	<1	7
58766		<10	<1	0.18	30	0.04	129	1	<0.01	3	200	14	0.01	2	<1	8
58767		<10	<1	0.11	30	0.03	64	4	<0.01	1	180	39	<0.01	<2	<1	3
58768		<10	1	0.21	20	0.03	133	1	0.01	1	50	24	<0.01	<2	1	56
58769		<10	2	0.11	10	0.04	80	1	<0.01	2	80	21	0.01	2	1	13
58770		<10	<1	0.09	20	0.09	1240	1	<0.01	3	200	28	0.01	<2	1	15
58771		<10	1	0.12	20	0.10	1080	1	<0.01	5	700	47	0.06	<2	1	31
58772		<10	<1	0.09	10	0.06	129	1	<0.01	2	170	42	0.01	<2	1	20
58773		<10	<1	0.10	10	0.06	1040	1	<0.01	3	270	47	0.02	<2	1	35
58774		<10	<1	0.11	10	0.08	710	1	<0.01	2	450	57	0.04	<2	1	28
58775		<10	1	0.12	10	0.09	423	<1	<0.01	6	660	38	0.06	<2	1	41
58776		<10	<1	0.13	10	0.08	984	1	0.01	5	710	52	0.08	<2	1	120
58777		<10	1	0.17	20	0.06	498	<1	0.01	6	930	40	0.08	<2	<1	57
58778		<10	<1	0.11	10	0.07	589	1	<0.01	4	280	54	0.03	<2	1	58
58779		<10	1	0.12	10	0.10	2580	1	0.01	4	570	91	0.06	<2	1	146
58780		<10	1	0.12	20	0.09	2320	1	0.01	4	510	82	0.05	<2	1	68



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 4 - C
Total # Pages: 5 (A - C)
Finalized Date: 8-OCT-2006
Account: LINCOL

Project: LA BUFA

CERTIFICATE OF ANALYSIS HE06095216

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti %	ME-ICP41 Ti ppm	ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm
		0.01	10	10	1	10	2
58741		<0.01	<10	<10	8	<10	19
58742		<0.01	<10	<10	6	<10	19
58743		<0.01	<10	<10	3	<10	18
58744		<0.01	<10	<10	3	<10	12
58745		<0.01	<10	<10	3	<10	25
58746		<0.01	<10	<10	1	<10	17
58747		<0.01	<10	<10	5	<10	12
58748		<0.01	<10	<10	10	<10	39
58749		<0.01	<10	<10	8	<10	20
58750		<0.01	<10	<10	10	<10	24
58751		<0.01	<10	<10	4	<10	9
58752		0.01	<10	<10	7	<10	27
58753		<0.01	<10	<10	5	<10	14
58754		<0.01	<10	<10	10	<10	21
58755		<0.01	<10	<10	8	<10	25
58756		<0.01	<10	<10	8	<10	28
58757		<0.01	<10	<10	6	<10	7
58758		<0.01	<10	<10	13	<10	15
58759		<0.01	<10	<10	7	<10	10
58760		<0.01	<10	<10	6	<10	10
58761		<0.01	<10	<10	11	<10	17
58762		<0.01	<10	<10	4	<10	9
58763		<0.01	<10	<10	4	<10	16
58764		<0.01	<10	<10	5	<10	16
58765		<0.01	<10	<10	5	<10	19
58766		<0.01	<10	<10	3	<10	16
58767		<0.01	<10	<10	2	<10	17
58768		<0.01	<10	<10	3	<10	10
58769		<0.01	10	<10	3	<10	10
58770		<0.01	<10	<10	8	<10	22
58771		<0.01	<10	<10	8	<10	24
58772		<0.01	<10	<10	5	<10	14
58773		<0.01	<10	<10	5	<10	16
58774		<0.01	10	<10	8	<10	24
58775		<0.01	<10	<10	7	<10	27
58776		<0.01	<10	<10	6	<10	36
58777		<0.01	<10	<10	4	<10	21
58778		<0.01	10	<10	6	<10	15
58779		<0.01	<10	<10	8	<10	27
58780		0.01	<10	<10	10	<10	35



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 5 - A

Total # Pages: 5 (A - C)

Finalized Date: 8-OCT-2006

Account: LINCOLN

Project: LA BUFA

CERTIFICATE OF ANALYSIS HE06095216

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
58781		0.76	0.054	0.6	1.73	9	<10	210	0.6	2	0.14	<0.5	2	2	2	0.59
58782		0.68	0.014	0.4	1.26	7	<10	280	0.5	<2	0.05	<0.5	2	2	2	0.58
58783		0.68	0.003	<0.2	1.61	7	<10	290	1.0	<2	0.16	<0.5	1	3	1	0.71
58784		0.76	0.020	0.3	0.88	10	<10	410	0.5	<2	1.40	1.1	2	5	11	0.60
58785		0.76	0.013	0.4	1.19	14	<10	210	1.1	<2	0.09	0.5	4	2	1	0.94
58786		0.66	0.022	0.5	1.56	20	<10	120	0.7	<2	0.01	0.5	3	2	1	1.33
58787		0.82	0.676	1.0	0.96	16	<10	120	0.5	<2	0.01	<0.5	2	2	2	0.96
58788		0.68	0.163	<0.2	0.91	8	<10	50	<0.5	<2	0.07	<0.5	2	2	<1	0.76
58789		0.72	0.005	0.2	1.37	15	<10	60	1.0	<2	0.05	<0.5	2	2	1	1.29
58790		0.64	0.173	0.6	1.46	18	<10	70	<0.5	<2	0.01	<0.5	2	2	10	1.18
58791		0.84	0.007	0.8	0.94	12	<10	100	<0.5	<2	0.15	<0.5	2	2	2	0.70
58792		0.70	0.007	<0.2	0.68	12	<10	80	0.5	<2	0.19	<0.5	2	2	1	0.77
58793		0.84	0.011	0.2	0.65	8	<10	200	1.0	<2	0.31	0.5	3	3	3	0.96



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.

325 TAHOE DRIVE

CARSON CITY NV 89703

Page: 5 - B

Total # Pages: 5 (A - C)

Finalized Date: 8-OCT-2006

Account: LINCOL

Project: LA BUFA

CERTIFICATE OF ANALYSIS HE06095216

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
58781		<10	2	0.12	10	0.07	138	1	<0.01	3	280	33	0.02	<2	1
58782		<10	2	0.09	10	0.05	111	1	<0.01	3	270	26	0.01	<2	1
58783		<10	<1	0.12	10	0.08	295	1	<0.01	2	230	27	0.01	<2	1
58784		<10	<1	0.14	10	0.10	1300	<1	0.01	4	670	35	0.02	2	1
58785		<10	<1	0.13	30	0.05	727	1	<0.01	4	200	43	0.01	<2	1
58786		<10	1	0.15	30	0.05	82	1	<0.01	3	350	34	0.01	<2	<1
58787		<10	1	0.16	30	0.03	31	1	<0.01	4	280	46	0.04	<2	<1
58788		<10	<1	0.12	30	0.03	46	<1	<0.01	3	220	18	<0.01	<2	<1
58789		<10	1	0.15	30	0.04	77	<1	<0.01	3	240	20	0.02	<2	<1
58790		<10	1	0.15	30	0.03	39	2	<0.01	2	200	53	0.01	<2	<1
58791		<10	<1	0.12	20	0.04	86	1	<0.01	2	130	29	0.01	<2	<1
58792		<10	<1	0.10	20	0.05	150	1	<0.01	2	160	20	0.01	2	<1
58793		<10	<1	0.17	30	0.07	897	<1	<0.01	5	330	36	0.02	<2	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

994 Glendale Avenue, Unit 3

Sparks NV 89431-5730

Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: LINCOLN GOLD CORP.
325 TAHOE DRIVE
CARSON CITY NV 89703

Page: 5 - C
Total # Pages: 5 (A - C)
Finalized Date: 8-OCT-2006
Account: LINCOLN

Project: LA BUFA

CERTIFICATE OF ANALYSIS HE06095216

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
58781		<0.01	<10	<10	6	<10	16
58782		<0.01	<10	<10	7	<10	17
58783		<0.01	<10	<10	8	<10	20
58784		<0.01	<10	<10	9	<10	37
58785		<0.01	<10	<10	7	<10	21
58786		<0.01	<10	<10	9	<10	23
58787		<0.01	<10	<10	6	<10	11
58788		<0.01	<10	<10	6	<10	7
58789		<0.01	<10	<10	5	<10	17
58790		<0.01	<10	<10	5	<10	26
58791		<0.01	<10	<10	6	<10	17
58792		<0.01	<10	<10	7	<10	20
58793		<0.01	<10	<10	9	<10	29

Lincoln Gold					
Soil Sample Survey Grid Points and Coordinates					
9/11/2006					
Coordinate System: UTM NAD27 Mexico, Zone 13					
* Au: Values at less than detection limit of 0.001ppm replaced with 0.0005ppm for compatibility with contouring software					
sample id	east	north	point id	Au ppm*	Ag ppm
58101	304908.49	2886125.00	L1-001	0.0040	0.2
58102	304930.14	2886137.50	L1-002	0.0020	0.3
58103	304951.79	2886150.00	L1-003	0.0280	0.2
58104	304973.45	2886162.50	L1-004	0.0010	0.1
58105	304995.10	2886175.00	L1-005	0.0010	0.1
58106	305016.75	2886187.50	L1-006	0.0020	0.3
58107	305038.40	2886200.00	L1-007	0.0010	0.1
58108	305060.05	2886212.50	L1-008	0.0070	0.2
58109	305081.70	2886225.00	L1-009	0.0260	0.4
58110	305103.35	2886237.50	L1-010	0.0050	0.2
58111	305125.00	2886250.00	L1-011	0.0460	0.2
58112	305146.65	2886262.50	L1-012	0.0150	0.4
58113	305168.30	2886275.00	L1-013	0.0180	0.3
58114	305189.95	2886287.50	L1-014	0.0170	0.7
58115	305211.60	2886300.00	L1-015	0.0020	0.2
58116	305233.25	2886312.50	L1-016	0.0010	0.1
58117	305254.90	2886325.00	L1-017	0.0040	0.3
58118	305276.55	2886337.50	L1-018	0.0030	0.1
58119	305298.21	2886350.00	L1-019	0.0005	0.1
58121	304861.84	2886155.80	L2-021	0.0360	0.2
58122	304883.49	2886168.30	L2-022	0.0010	0.2
58123	304905.14	2886180.80	L2-023	0.0010	0.3
58124	304926.79	2886193.30	L2-024	0.0005	0.1
58125	304948.45	2886205.80	L2-025	0.0050	0.2
58126	304970.10	2886218.30	L2-026	0.0110	0.7
58127	304991.75	2886230.80	L2-027	0.0020	0.1
58128	305013.40	2886243.30	L2-028	0.0040	0.2
58129	305035.05	2886255.80	L2-029	0.0350	0.4
58130	305056.70	2886268.30	L2-030	0.0170	0.6
58131	305078.35	2886280.80	L2-031	0.0070	0.4
58132	305100.00	2886293.30	L2-032	0.0170	0.2
58133	305121.65	2886305.80	L2-033	0.0050	0.1
58134	305143.30	2886318.30	L2-034	0.0040	0.3
58135	305164.95	2886330.80	L2-035	0.0040	0.2
58137	305208.25	2886355.80	L2-037	0.0040	0.1
58138	305229.90	2886368.30	L2-038	0.0020	0.7
58139	305251.55	2886380.80	L2-039	0.0050	0.5
58140	305273.21	2886393.30	L2-040	0.0020	0.1
58141	305294.86	2886405.80	L2-041	0.0010	0.3
58143	304793.54	2886174.10	L3-043	0.0150	0.3
58144	304815.19	2886186.60	L3-044	0.0005	0.1
58145	304836.84	2886199.10	L3-045	0.0020	0.1
58146	304858.49	2886211.60	L3-046	0.0020	0.3
58147	304880.14	2886224.10	L3-047	0.0090	0.3
58148	304901.79	2886236.60	L3-048	0.0020	0.2
58149	304923.45	2886249.10	L3-049	0.0050	0.2
58150	304945.10	2886261.60	L3-050	0.0030	0.1
58151	304966.75	2886274.10	L3-051	0.0120	0.2
58152	304988.40	2886286.60	L3-052	0.0110	0.2
58153	305010.05	2886299.10	L3-053	0.0020	0.1
58154	305031.70	2886311.60	L3-054	0.0220	0.2
58155	305053.35	2886324.10	L3-055	0.0030	0.2
58156	305075.00	2886336.60	L3-056	0.0060	0.2
58157	305096.65	2886349.10	L3-057	0.0020	0.1

sample id	east	north	point id	Au ppm*	Ag ppm				
58158	305118.30	2886361.60	L3-058	0.0040	0.1				
58159	305139.95	2886374.10	L3-059	0.0010	0.1				
58160	305161.60	2886386.60	L3-060	0.0020	0.1				
58161	305183.25	2886399.10	L3-061	0.0030	0.1				
58162	305204.90	2886411.60	L3-062	0.0050	0.4				
58163	305226.55	2886424.10	L3-063	0.0040	0.2				
58164	305248.21	2886436.60	L3-064	0.0120	0.2				
58165	305269.86	2886449.10	L3-065	0.0030	0.2				
58166	305291.51	2886461.60	L3-066	0.0005	0.1				
58167	304746.89	2886204.90	L4-067	0.0060	0.1				
58168	304768.54	2886217.40	L4-068	0.0100	0.1				
58169	304790.19	2886229.90	L4-069	0.0020	0.2				
58170	304811.84	2886242.40	L4-070	0.0080	0.7				
58171	304833.49	2886254.90	L4-071	0.0040	0.4				
58172	304855.14	2886267.40	L4-072	0.0050	0.2				
58173	304876.79	2886279.90	L4-073	0.0320	0.5				
58174	304898.45	2886292.40	L4-074	0.0110	0.2				
58175	304920.10	2886304.90	L4-075	0.0770	1.0				
58176	304941.75	2886317.40	L4-076	0.0290	0.3				
58177	304963.40	2886329.90	L4-077	0.0410	0.7				
58178	304985.05	2886342.40	L4-078	0.0020	0.1				
58179	305006.70	2886354.90	L4-079	0.0040	0.1				
58180	305028.35	2886367.40	L4-080	0.0140	0.1				
58181	305050.00	2886379.90	L4-081	0.0020	0.1				
58182	305071.65	2886392.40	L4-082	0.0005	0.1				
58183	305093.30	2886404.90	L4-083	0.0020	0.1				
58184	305114.95	2886417.40	L4-084	0.0020	0.1				
58185	305136.60	2886429.90	L4-085	0.0110	0.3				
58186	305158.25	2886442.40	L4-086	0.0050	0.1				
58187	305179.90	2886454.90	L4-087	0.0280	0.5				
58188	305201.55	2886467.40	L4-088	0.0360	0.4				
58189	305223.21	2886479.90	L4-089	0.0090	0.2				
58190	305244.86	2886492.40	L4-090	0.0030	0.2				
58191	305266.51	2886504.90	L4-091	0.0020	0.2				
58194	304765.19	2886273.21	L5-094	0.0430	1.9				
58195	304786.84	2886285.71	L5-095	0.0090	0.7				
58196	304808.49	2886298.21	L5-096	0.0140	0.5				
58197	304830.14	2886310.71	L5-097	0.0630	0.7				
58198	304851.79	2886323.21	L5-098	0.0120	0.3				
58199	304873.45	2886335.71	L5-099	0.0140	0.1				
58200	304895.10	2886348.21	L5-100	0.0150	0.2				
58201	304916.75	2886360.71	L5-101	0.0430	0.2				
58202	304938.40	2886373.21	L5-102	0.0080	0.2				
58203	304960.05	2886385.71	L5-103	0.0080	0.1				
58204	304981.70	2886398.21	L5-104	0.0030	0.3				
58205	305003.35	2886410.71	L5-105	0.0040	0.2				
58206	305025.00	2886423.21	L5-106	0.0040	0.3				
58207	305046.65	2886435.71	L5-107	0.0050	0.3				
58208	305068.30	2886448.21	L5-108	0.0030	0.2				
58209	305089.95	2886460.71	L5-109	0.0100	0.3				
58210	305111.60	2886473.21	L5-110	0.0120	3.2				
58211	305133.25	2886485.71	L5-111	0.0070	0.3				
58212	305154.90	2886498.21	L5-112	0.0020	0.1				
58213	305176.55	2886510.71	L5-113	0.0060	0.2				
58214	305198.21	2886523.21	L5-114	0.0060	0.3				
58215	305219.86	2886535.71	L5-115	0.0510	0.4				
58216	305241.51	2886548.21	L5-116	0.0030	0.2				
58217	304696.89	2886291.51	L6-117	0.0005	0.1				
58218	304718.54	2886304.01	L6-118	0.0380	0.9				
58219	304740.19	2886316.51	L6-119	0.0320	0.4				
58220	304761.84	2886329.01	L6-120	0.0540	3.1				

sample id	east	north	point id	Au ppm*	Ag ppm					
58221	304783.49	2886341.51	L6-121	0.0290	0.7					
58222	304805.14	2886354.01	L6-122	0.0340	0.5					
58223	304826.79	2886366.51	L6-123	0.0170	0.4					
58224	304848.45	2886379.01	L6-124	0.0150	0.3					
58225	304870.10	2886391.51	L6-125	0.0120	0.1					
58226	304891.75	2886404.01	L6-126	0.0020	0.1					
58227	304913.40	2886416.51	L6-127	0.0010	0.1					
58228	304935.05	2886429.01	L6-128	0.0120	0.1					
58229	304956.70	2886441.51	L6-129	0.0060	0.1					
58230	304978.35	2886454.01	L6-130	0.0050	0.2					
58231	305000.00	2886466.51	L6-131	0.0050	0.6					
58232	305021.65	2886479.01	L6-132	0.0210	0.1					
58233	305043.30	2886491.51	L6-133	0.0090	0.1					
58234	305064.95	2886504.01	L6-134	0.0070	0.1					
58235	305086.60	2886516.51	L6-135	0.0030	0.1					
58236	305108.25	2886529.01	L6-136	0.0080	0.1					
58237	305129.90	2886541.51	L6-137	0.0050	0.1					
58238	305151.55	2886554.01	L6-138	0.0130	0.2					
58239	305173.21	2886566.51	L6-139	0.0040	0.2					
58240	305194.86	2886579.01	L6-140	0.0090	0.1					
58241	305216.51	2886591.51	L6-141	0.0040	0.1					
58246	304780.14	2886397.31	L7-146	0.0210	0.4					
58247	304801.79	2886409.81	L7-147	0.0120	0.2					
58248	304823.45	2886422.31	L7-148	0.0170	0.4					
58249	304845.10	2886434.81	L7-149	0.0120	0.3					
58250	304866.75	2886447.31	L7-150	0.0140	0.1					
58251	304888.40	2886459.81	L7-151	0.0020	0.1					
58252	304910.05	2886472.31	L7-152	0.0030	0.1					
58253	304931.70	2886484.81	L7-153	0.0560	0.3					
58254	304953.35	2886497.31	L7-154	0.0230	0.2					
58255	304975.00	2886509.81	L7-155	0.0180	0.1					
58256	304996.65	2886522.31	L7-156	0.0930	0.2					
58257	305018.30	2886534.81	L7-157	0.0230	0.1					
58258	305039.95	2886547.31	L7-158	0.0160	0.1					
58259	305061.60	2886559.81	L7-159	0.0040	0.1					
58260	305083.25	2886572.31	L7-160	0.0070	0.1					
58261	305104.90	2886584.81	L7-161	0.0130	0.2					
58267	304733.49	2886428.11	L8-167	0.0150	0.2					
58268	304755.14	2886440.61	L8-168	0.0100	0.4					
58269	304776.79	2886453.11	L8-169	0.0210	0.4					
58270	304798.45	2886465.61	L8-170	0.0550	0.1					
58271	304820.10	2886478.11	L8-171	0.0150	0.1					
58272	304841.75	2886490.61	L8-172	0.0070	0.1					
58273	304863.40	2886503.11	L8-173	0.0710	0.4					
58274	304885.05	2886515.61	L8-174	0.0150	0.2					
58275	304906.70	2886528.11	L8-175	0.0130	0.2					
58276	304928.35	2886540.61	L8-176	0.1430	0.4					
58277	304950.00	2886553.11	L8-177	0.0020	0.1					
58278	304971.65	2886565.61	L8-178	0.0020	0.1					
58279	304993.30	2886578.11	L8-179	0.0040	0.1					
58280	305014.95	2886590.61	L8-180	0.0030	0.1					
58281	305036.60	2886603.11	L8-181	0.0030	0.1					
58282	305058.25	2886615.61	L8-182	0.0070	0.2					
58283	305079.90	2886628.11	L8-183	0.0070	0.1					
58285	305123.21	2886653.11	L8-185	0.0020	0.2					
58286	305144.86	2886665.61	L8-186	0.0030	0.1					
58288	304686.84	2886458.91	L9-188	0.0620	1.7					
58289	304708.49	2886471.41	L9-189	0.0640	0.4					
58290	304730.14	2886483.91	L9-190	0.0100	0.3					
58291	304751.79	2886496.41	L9-191	0.0070	0.2					
58292	304773.45	2886508.91	L9-192	0.0180	0.3					

sample id	east	north	point id	Au ppm*	Ag ppm					
58293	304795.10	2886521.41	L9-193	0.0400	0.3					
58294	304816.75	2886533.91	L9-194	0.0110	0.3					
58295	304838.40	2886546.41	L9-195	0.0250	0.4					
58296	304860.05	2886558.91	L9-196	0.0830	0.3					
58297	304881.70	2886571.41	L9-197	0.0120	0.3					
58298	304903.35	2886583.91	L9-198	0.0450	0.3					
58299	304925.00	2886596.41	L9-199	0.0800	0.2					
58300	304946.65	2886608.91	L9-200	0.0010	0.1					
58302	304989.95	2886633.91	L9-202	0.0005	0.1					
58303	305011.60	2886646.41	L9-203	0.0005	0.1					
58304	305033.25	2886658.91	L9-204	0.0005	0.1					
58305	305054.90	2886671.41	L9-205	0.0020	0.1					
58306	305076.55	2886683.91	L9-206	0.0090	0.4					
58307	305098.21	2886696.41	L9-207	0.0130	0.9					
58308	304640.19	2886489.71	L10-208	0.0200	0.8					
58309	304661.84	2886502.21	L10-209	0.0080	0.1					
58310	304683.49	2886514.71	L10-210	0.0005	0.2					
58311	304705.14	2886527.21	L10-211	0.0670	0.4					
58312	304726.79	2886539.71	L10-212	0.0280	0.4					
58313	304748.45	2886552.21	L10-213	0.0500	0.3					
58315	304791.75	2886577.21	L10-215	0.0950	0.8					
58316	304813.40	2886589.71	L10-216	0.0860	0.7					
58317	304835.05	2886602.21	L10-217	0.5190	0.9					
58318	304856.70	2886614.71	L10-218	0.0050	0.2					
58319	304878.35	2886627.21	L10-219	0.0050	0.1					
58320	304900.00	2886639.71	L10-220	0.0090	0.2					
58324	304986.60	2886689.71	L10-224	0.0260	0.6					
58325	305008.25	2886702.21	L10-225	0.0060	0.2					
58326	305029.90	2886714.71	L10-226	0.0060	0.3					
58327	305051.55	2886727.21	L10-227	0.0270	0.2					
58328	305073.21	2886739.71	L10-228	0.0110	0.2					
58329	304615.19	2886533.01	L11-229	0.0250	0.7					
58330	304636.84	2886545.51	L11-230	0.0210	0.6					
58331	304658.49	2886558.01	L11-231	0.0180	0.6					
58332	304680.14	2886570.51	L11-232	0.0380	0.4					
58333	304701.79	2886583.01	L11-233	0.0550	0.7					
58334	304723.45	2886595.51	L11-234	0.0280	0.6					
58335	304745.10	2886608.01	L11-235	0.0360	0.9					
58336	304766.75	2886620.51	L11-236	0.0100	0.2					
58337	304788.40	2886633.01	L11-237	0.0210	0.9					
58338	304810.05	2886645.51	L11-238	0.0180	0.4					
58339	304831.70	2886658.01	L11-239	0.0120	0.1					
58340	304853.35	2886670.51	L11-240	0.0140	0.2					
58341	304875.00	2886683.01	L11-241	0.0030	0.3					
58342	304896.65	2886695.51	L11-242	0.0180	0.3					
58343	304918.30	2886708.01	L11-243	0.0120	0.4					
58344	304939.95	2886720.51	L11-244	0.0180	0.6					
58345	304961.60	2886733.01	L11-245	0.0470	0.8					
58346	304983.25	2886745.51	L11-246	0.0220	0.8					
58347	305004.90	2886758.01	L11-247	0.0080	0.4					
58348	305026.55	2886770.51	L11-248	0.0070	0.4					
58349	305048.21	2886783.01	L11-249	0.0010	0.1					
58350	304590.19	2886576.31	L12-250	0.0260	1.0					
58351	304611.84	2886588.81	L12-251	0.0200	0.6					
58352	304633.49	2886601.31	L12-252	0.0110	0.8					
58354	304676.79	2886626.31	L12-254	0.0110	0.7					
58355	304698.45	2886638.81	L12-255	0.0040	0.2					
58356	304720.10	2886651.31	L12-256	0.0040	0.3					
58357	304741.75	2886663.81	L12-257	0.0110	0.5					
58358	304763.40	2886676.31	L12-258	0.0610	0.4					
58359	304785.05	2886688.81	L12-259	0.0240	0.4					

sample id	east	north	point id	Au ppm*	Ag ppm				
58360	304806.70	2886701.31	L12-260	0.0130	0.4				
58361	304828.35	2886713.81	L12-261	0.0650	0.8				
58362	304850.00	2886726.31	L12-262	0.0390	0.6				
58363	304871.65	2886738.81	L12-263	0.0270	0.3				
58364	304893.30	2886751.31	L12-264	0.0080	0.2				
58365	304914.95	2886763.81	L12-265	0.0150	0.3				
58366	304936.60	2886776.31	L12-266	0.0070	0.3				
58367	304958.25	2886788.81	L12-267	0.0090	0.8				
58368	304979.90	2886801.31	L12-268	0.0005	0.1				
58370	305023.21	2886826.31	L12-270	0.0170	1.0				
58375	304630.14	2886657.12	L13-275	0.0040	0.6				
58376	304651.79	2886669.62	L13-276	0.0030	0.3				
58377	304673.45	2886682.12	L13-277	0.0070	0.7				
58378	304695.10	2886694.62	L13-278	0.0100	0.6				
58379	304716.75	2886707.12	L13-279	0.0040	0.5				
58380	304738.40	2886719.62	L13-280	0.0080	1.2				
58381	304760.05	2886732.12	L13-281	0.0140	0.9				
58382	304781.70	2886744.62	L13-282	0.0760	2.0				
58383	304803.35	2886757.12	L13-283	0.0110	1.1				
58384	304825.00	2886769.62	L13-284	0.0160	0.6				
58385	304846.65	2886782.12	L13-285	0.0230	0.3				
58386	304868.30	2886794.62	L13-286	0.0180	0.3				
58387	304889.95	2886807.12	L13-287	0.0370	0.4				
58388	304911.60	2886819.62	L13-288	0.0210	0.9				
58389	304933.25	2886832.12	L13-289	0.0200	0.6				
58390	304954.90	2886844.62	L13-290	0.0140	0.5				
58391	304976.55	2886857.12	L13-291	0.0450	0.6				
58397	304626.79	2886712.92	L14-297	0.0100	2.2				
58399	304670.10	2886737.92	L14-299	0.0060	0.4				
58406	304821.65	2886825.42	L14-306	0.7510	16.3				
58407	304843.30	2886837.92	L14-307	0.0210	0.3				
58408	304864.95	2886850.42	L14-308	0.1400	2.6				
58409	304886.60	2886862.92	L14-309	0.0560	1.4				
58410	304908.25	2886875.42	L14-310	0.0220	1.1				
58411	304929.90	2886887.92	L14-311	0.0510	0.6				
58412	304951.55	2886900.42	L14-312	0.0010	0.1				
58420	304645.10	2886781.22	L15-320	0.0140	2.1				
58421	304666.75	2886793.72	L15-321	0.0080	1.4				
58424	304731.70	2886831.22	L15-324	0.0210	1.4				
58426	304775.00	2886856.22	L15-326	0.0180	0.7				
58427	304796.65	2886868.72	L15-327	0.1150	6.5				
58428	304818.30	2886881.22	L15-328	0.0330	0.8				
58429	304839.95	2886893.72	L15-329	0.0320	0.8				
58430	304861.60	2886906.22	L15-330	0.0170	0.4				
58432	304904.90	2886931.22	L15-332	0.0010	0.2				
58433	304926.55	2886943.72	L15-333	0.0005	0.1				
58442	304641.75	2886837.02	L16-342	0.0020	0.1				
58443	304663.40	2886849.52	L16-343	0.0450	0.7				
58444	304685.05	2886862.02	L16-344	0.0030	0.4				
58448	304771.65	2886912.02	L16-348	0.0005	0.1				
58449	304793.30	2886924.52	L16-349	0.0005	0.1				
58450	304814.95	2886937.02	L16-350	0.0130	0.3				
58451	304836.60	2886949.52	L16-351	0.0040	0.1				
58452	304858.25	2886962.02	L16-352	0.0005	0.3				
58453	304879.90	2886974.52	L16-353	0.0005	0.1				
58454	304901.55	2886987.02	L16-354	0.0020	0.1				
58462	304573.45	2886855.32	L17-362	0.0005	0.1				
58463	304595.10	2886867.82	L17-363	0.0005	0.1				
58464	304616.75	2886880.32	L17-364	0.0005	0.1				
58465	304638.40	2886892.82	L17-365	0.0010	0.1				
58466	304660.05	2886905.32	L17-366	0.0030	0.1				

sample id	east	north	point id	Au ppm*	Ag ppm					
58467	304681.70	2886917.82	L17-367	0.0010	0.1					
58468	304703.35	2886930.32	L17-368	0.0010	1.5					
58469	304725.00	2886942.82	L17-369	0.0030	0.2					
58470	304746.65	2886955.32	L17-370	0.0030	0.3					
58473	304811.60	2886992.82	L17-373	0.0005	0.1					
58474	304833.25	2887005.32	L17-374	0.0005	0.1					
58483	304548.45	2886898.62	L18-383	0.0010	0.5					
58484	304570.10	2886911.12	L18-384	0.0010	0.8					
58485	304591.75	2886923.62	L18-385	0.0005	0.1					
58486	304613.40	2886936.12	L18-386	0.0040	0.1					
58487	304635.05	2886948.62	L18-387	0.0020	0.2					
58488	304656.70	2886961.12	L18-388	0.0170	0.5					
58489	304678.35	2886973.62	L18-389	0.0030	0.1					
58490	304700.00	2886986.12	L18-390	0.0010	0.2					
58491	304721.65	2886998.62	L18-391	0.0005	0.1					
58492	304743.30	2887011.12	L18-392	0.0005	0.1					
58493	304764.95	2887023.62	L18-393	0.0005	0.1					
58494	304786.60	2887036.12	L18-394	0.0010	0.1					
58495	304808.25	2887048.62	L18-395	0.0005	0.1					
58498	304393.54	2886866.92	L19-398	0.0170	1.1					
58499	304415.19	2886879.42	L19-399	0.0270	2.1					
58500	304436.84	2886891.92	L19-400	0.1030	2.0					
58501	304458.49	2886904.42	L19-401	0.0330	2.5					
58502	304480.14	2886916.92	L19-402	0.0160	0.7					
58503	304501.79	2886929.42	L19-403	0.0190	0.9					
58504	304523.45	2886941.92	L19-404	0.0100	0.4					
58505	304545.10	2886954.42	L19-405	0.0290	0.7					
58506	304566.75	2886966.92	L19-406	0.0060	0.4					
58507	304588.40	2886979.42	L19-407	0.0060	0.3					
58508	304610.05	2886991.92	L19-408	0.0070	0.2					
58509	304631.70	2887004.42	L19-409	0.0005	0.2					
58510	304653.35	2887016.92	L19-410	0.0090	0.2					
58511	304675.00	2887029.42	L19-411	0.0005	0.1					
58512	304696.65	2887041.92	L19-412	0.0010	0.1					
58513	304718.30	2887054.42	L19-413	0.0005	0.1					
58514	304739.95	2887066.92	L19-414	0.0005	0.1					
58515	304761.60	2887079.42	L19-415	0.0005	0.1					
58516	304783.25	2887091.92	L19-416	0.0310	0.5					
58517	304804.90	2887104.42	L19-417	0.0030	0.1					
58520	304390.19	2886922.72	L20-420	0.0080	1.0					
58521	304411.84	2886935.22	L20-421	0.0030	0.8					
58522	304433.49	2886947.72	L20-422	0.0080	0.7					
58523	304455.14	2886960.22	L20-423	0.0190	0.5					
58524	304476.79	2886972.72	L20-424	0.0050	0.4					
58525	304498.45	2886985.22	L20-425	0.0110	0.4					
58526	304520.10	2886997.72	L20-426	0.0070	0.5					
58527	304541.75	2887010.22	L20-427	0.0080	0.4					
58528	304563.40	2887022.72	L20-428	0.0100	0.4					
58529	304585.05	2887035.22	L20-429	0.0030	0.2					
58530	304606.70	2887047.72	L20-430	0.0005	0.1					
58531	304628.35	2887060.22	L20-431	0.0005	0.1					
58532	304650.00	2887072.72	L20-432	0.0005	0.1					
58533	304671.65	2887085.22	L20-433	0.0005	0.1					
58534	304693.30	2887097.72	L20-434	0.0005	0.1					
58535	304714.95	2887110.22	L20-435	0.0005	0.3					
58536	304736.60	2887122.72	L20-436	0.0010	0.1					
58537	304758.25	2887135.22	L20-437	0.0330	0.7					
58538	304779.90	2887147.72	L20-438	0.0005	0.1					
58539	304321.89	2886941.03	L21-439	0.0910	1.0					
58540	304343.54	2886953.53	L21-440	0.0680	1.5					
58541	304365.19	2886966.03	L21-441	0.0370	0.6					

sample id	east	north	point id	Au ppm*	Ag ppm					
58542	304386.84	2886978.53	L21-442	0.0240	0.5					
58543	304408.49	2886991.03	L21-443	0.0140	0.3					
58544	304430.14	2887003.53	L21-444	0.0040	0.3					
58545	304451.79	2887016.03	L21-445	0.0010	0.4					
58546	304473.45	2887028.53	L21-446	0.0010	0.6					
58547	304495.10	2887041.03	L21-447	0.0005	0.2					
58548	304516.75	2887053.53	L21-448	0.0005	0.2					
58549	304538.40	2887066.03	L21-449	0.0005	0.1					
58550	304560.05	2887078.53	L21-450	0.0005	0.1					
58551	304581.70	2887091.03	L21-451	0.0005	0.1					
58552	304603.35	2887103.53	L21-452	0.0020	0.1					
58553	304625.00	2887116.03	L21-453	0.0010	0.1					
58554	304646.65	2887128.53	L21-454	0.0010	0.1					
58555	304668.30	2887141.03	L21-455	0.0005	0.1					
58556	304689.95	2887153.53	L21-456	0.0005	0.2					
58557	304711.60	2887166.03	L21-457	0.0030	0.1					
58558	304733.25	2887178.53	L21-458	0.4530	9.0					
58559	304754.90	2887191.03	L21-459	0.0020	0.1					
58560	304296.89	2886984.33	L22-460	0.1030	0.7					
58561	304318.54	2886996.83	L22-461	0.0580	0.5					
58562	304340.19	2887009.33	L22-462	0.0240	0.4					
58563	304361.84	2887021.83	L22-463	0.0130	0.3					
58564	304383.49	2887034.33	L22-464	0.0110	0.3					
58565	304405.14	2887046.83	L22-465	0.0130	0.5					
58566	304426.79	2887059.33	L22-466	0.0040	0.2					
58567	304448.45	2887071.83	L22-467	0.0040	0.2					
58568	304470.10	2887084.33	L22-468	0.0020	0.9					
58569	304491.75	2887096.83	L22-469	0.0040	0.3					
58570	304513.40	2887109.33	L22-470	0.0070	0.1					
58571	304535.05	2887121.83	L22-471	0.0020	0.2					
58572	304556.70	2887134.33	L22-472	0.0010	0.2					
58573	304578.35	2887146.83	L22-473	0.0010	0.1					
58574	304600.00	2887159.33	L22-474	0.0010	0.1					
58575	304621.65	2887171.83	L22-475	0.0040	0.1					
58576	304643.30	2887184.33	L22-476	0.0005	0.1					
58577	304664.95	2887196.83	L22-477	0.0030	0.1					
58578	304686.60	2887209.33	L22-478	0.0070	0.1					
58579	304708.25	2887221.83	L22-479	0.0020	0.1					
58580	304729.90	2887234.33	L22-480	0.0030	0.1					
58581	304250.24	2887015.13	L23-481	0.0500	1.1					
58582	304271.89	2887027.63	L23-482	0.0970	1.0					
58583	304293.54	2887040.13	L23-483	0.0150	0.7					
58584	304315.19	2887052.63	L23-484	0.0530	1.0					
58585	304336.84	2887065.13	L23-485	0.0650	0.5					
58586	304358.49	2887077.63	L23-486	0.0060	0.2					
58587	304380.14	2887090.13	L23-487	0.0040	0.1					
58588	304401.79	2887102.63	L23-488	0.0010	0.2					
58589	304423.45	2887115.13	L23-489	0.0030	0.1					
58590	304445.10	2887127.63	L23-490	0.0060	0.2					
58591	304466.75	2887140.13	L23-491	0.0005	0.1					
58592	304488.40	2887152.63	L23-492	0.0020	0.3					
58593	304510.05	2887165.13	L23-493	0.0005	0.1					
58594	304531.70	2887177.63	L23-494	0.0020	0.1					
58595	304553.35	2887190.13	L23-495	0.0005	0.1					
58596	304575.00	2887202.63	L23-496	0.0010	0.1					
58597	304596.65	2887215.13	L23-497	0.0005	0.1					
58598	304618.30	2887227.63	L23-498	0.0020	0.1					
58599	304639.95	2887240.13	L23-499	0.0005	0.1					
58600	304661.60	2887252.63	L23-500	0.0010	0.1					
58601	304683.25	2887265.13	L23-501	0.0030	0.1					
58604	304268.54	2887083.43	L24-504	0.1430	6.9					

sample id	east	north	point id	Au ppm*	Ag ppm					
58605	304290.19	2887095.93	L24-505	0.0820	2.2					
58607	304333.49	2887120.93	L24-507	0.0020	0.1					
58608	304355.14	2887133.43	L24-508	0.0060	0.2					
58609	304376.79	2887145.93	L24-509	0.0040	0.1					
58610	304398.45	2887158.43	L24-510	0.0010	0.2					
58611	304420.10	2887170.93	L24-511	0.0010	0.1					
58612	304441.75	2887183.43	L24-512	0.0030	0.1					
58613	304463.40	2887195.93	L24-513	0.0005	0.3					
58614	304485.05	2887208.43	L24-514	0.0020	0.1					
58615	304506.70	2887220.93	L24-515	0.0030	0.2					
58616	304528.35	2887233.43	L24-516	0.0030	0.1					
58617	304550.00	2887245.93	L24-517	0.0060	0.1					
58618	304571.65	2887258.43	L24-518	0.0030	0.1					
58619	304593.30	2887270.93	L24-519	0.0020	0.1					
58620	304614.95	2887283.43	L24-520	0.0070	0.1					
58622	304658.25	2887308.43	L24-522	0.0005	0.1					
58629	304330.14	2887176.73	L25-529	0.0090	0.1					
58630	304351.79	2887189.23	L25-530	0.0190	0.4					
58631	304373.45	2887201.73	L25-531	0.0030	0.1					
58632	304395.10	2887214.23	L25-532	0.0020	0.1					
58633	304416.75	2887226.73	L25-533	0.0010	0.1					
58634	304438.40	2887239.23	L25-534	0.0020	0.1					
58635	304460.05	2887251.73	L25-535	0.0060	0.1					
58636	304481.70	2887264.23	L25-536	0.0010	0.1					
58637	304503.35	2887276.73	L25-537	0.0010	0.1					
58638	304525.00	2887289.23	L25-538	0.0010	0.2					
58639	304546.65	2887301.73	L25-539	0.0005	0.1					
58640	304568.30	2887314.23	L25-540	0.0020	0.1					
58641	304589.95	2887326.73	L25-541	0.0040	0.1					
58642	304611.60	2887339.23	L25-542	0.0110	0.1					
58643	304633.25	2887351.73	L25-543	0.0005	0.1					
58644	304305.15	2887220.04	L26-544	0.0010	0.2					
58645	304326.81	2887232.54	L26-545	0.0010	0.1					
58646	304348.47	2887245.05	L26-546	0.0020	0.2					
58647	304370.12	2887257.55	L26-547	0.0040	0.2					
58648	304391.77	2887270.05	L26-548	0.0005	0.1					
58649	304413.42	2887282.54	L26-549	0.0020	0.2					
58650	304435.07	2887295.04	L26-550	0.0040	0.1					
58651	304456.72	2887307.54	L26-551	0.0010	0.1					
58652	304478.36	2887320.05	L26-552	0.0020	0.1					
58653	304500.01	2887332.55	L26-553	0.0005	0.1					
58654	304521.67	2887345.05	L26-554	0.0010	0.1					
58655	304543.32	2887357.54	L26-555	0.0010	0.1					
58656	304564.97	2887370.04	L26-556	0.0005	0.1					
58657	304586.62	2887382.54	L26-557	0.0020	0.2					
58658	304608.27	2887395.05	L26-558	0.0005	0.1					
58659	304258.51	2887250.85	L27-559	0.0020	0.1					
58660	304280.16	2887263.35	L27-560	0.0010	0.1					
58661	304301.81	2887275.84	L27-561	0.0050	0.3					
58662	304323.46	2887288.34	L27-562	0.0250	0.4					
58663	304345.11	2887300.84	L27-563	0.0010	0.5					
58664	304366.76	2887313.34	L27-564	0.0070	0.2					
58665	304388.42	2887325.85	L27-565	0.0040	0.3					
58666	304410.07	2887338.35	L27-566	0.0070	0.2					
58667	304431.72	2887350.85	L27-567	0.0010	0.2					
58668	304453.37	2887363.34	L27-568	0.0070	0.3					
58669	304475.02	2887375.84	L27-569	0.0050	0.5					
58670	304496.67	2887388.34	L27-570	0.0030	0.2					
58671	304518.32	2887400.85	L27-571	0.0060	0.2					
58672	304539.96	2887413.35	L27-572	0.0030	0.3					
58673	304561.61	2887425.85	L27-573	0.0070	0.1					

sample id	east	north	point id	Au ppm*	Ag ppm					
58674	304583.27	2887438.34	L27-574	0.0050	0.1					
58675	304211.85	2887281.64	L28-575	0.0070	0.3					
58676	304233.50	2887294.14	L28-576	0.0120	0.1					
58677	304255.15	2887306.64	L28-577	0.0010	0.1					
58678	304276.81	2887319.14	L28-578	0.0050	0.1					
58679	304298.47	2887331.65	L28-579	0.0130	0.2					
58680	304320.12	2887344.15	L28-580	0.0240	0.4					
58681	304341.77	2887356.65	L28-581	0.0100	0.2					
58682	304363.42	2887369.14	L28-582	0.0030	0.2					
58683	304385.07	2887381.64	L28-583	0.0320	0.6					
58684	304406.71	2887394.14	L28-584	0.0030	0.2					
58685	304428.36	2887406.65	L28-585	0.0030	0.1					
58686	304450.01	2887419.15	L28-586	0.0010	0.1					
58687	304471.67	2887431.65	L28-587	0.0030	0.1					
58688	304493.32	2887444.14	L28-588	0.0110	0.2					
58689	304514.97	2887456.64	L28-589	0.0070	0.3					
58690	304536.62	2887469.14	L28-590	0.0080	0.1					
58691	304558.27	2887481.65	L28-591	0.0020	0.2					
58692	304186.86	2887324.96	L29-592	0.0070	0.1					
58693	304208.51	2887337.46	L29-593	0.0180	0.3					
58694	304230.16	2887349.96	L29-594	0.0290	0.4					
58695	304251.81	2887362.45	L29-595	0.0020	0.2					
58696	304273.46	2887374.95	L29-596	0.0030	0.4					
58697	304295.11	2887387.45	L29-597	0.0060	0.1					
58698	304316.76	2887399.95	L29-598	0.0060	0.1					
58699	304338.41	2887412.45	L29-599	0.0110	0.2					
58700	304360.07	2887424.96	L29-600	0.0110	0.3					
58701	304381.72	2887437.46	L29-601	0.0080	0.3					
58702	304403.37	2887449.95	L29-602	0.0010	0.3					
58703	304425.02	2887462.45	L29-603	0.0040	0.2					
58704	304446.67	2887474.95	L29-604	0.0040	0.1					
58705	304468.32	2887487.45	L29-605	0.0030	0.2					
58706	304489.96	2887499.96	L29-606	0.0040	0.2					
58707	304511.61	2887512.46	L29-607	0.0010	0.1					
58708	303967.01	2887255.75	L30-608	0.0060	0.2					
58709	303988.66	2887268.25	L30-609	0.0010	0.2					
58710	304010.31	2887280.75	L30-610	0.0070	0.2					
58711	304031.96	2887293.25	L30-611	0.0010	0.1					
58712	304161.86	2887368.25	L30-612	0.0030	0.3					
58713	304183.50	2887380.75	L30-613	0.0270	0.3					
58714	304205.15	2887393.25	L30-614	0.0020	0.5					
58715	304226.80	2887405.75	L30-615	0.0070	0.1					
58716	304248.47	2887418.26	L30-616	0.0090	0.1					
58717	304270.12	2887430.76	L30-617	0.0090	0.2					
58718	304291.77	2887443.26	L30-618	0.0080	0.2					
58719	304313.42	2887455.75	L30-619	0.0060	0.4					
58720	304335.07	2887468.25	L30-620	0.0020	0.4					
58721	304356.72	2887480.75	L30-621	0.0060	0.3					
58722	304378.36	2887493.25	L30-622	0.0090	0.5					
58723	304400.01	2887505.76	L30-623	0.0070	0.8					
58724	304421.67	2887518.26	L30-624	0.0150	1.2					
58725	304443.32	2887530.76	L30-625	0.0900	0.4					
58726	304464.97	2887543.25	L30-626	0.1170	0.6					
58727	304486.62	2887555.75	L30-627	0.0140	0.2					
58728	303942.01	2887299.06	L31-628	0.0080	0.2					
58729	303963.66	2887311.55	L31-629	0.0250	0.6					
58730	303985.31	2887324.05	L31-630	0.0280	0.5					
58731	304006.95	2887336.55	L31-631	0.0330	0.7					
58734	304201.81	2887449.05	L31-634	0.0040	0.1					
58735	304223.47	2887461.55	L31-635	0.0020	0.2					
58736	304245.12	2887474.05	L31-636	0.0100	0.3					

sample id	east	north	point id	Au ppm*	Ag ppm				
58737	304266.76	2887486.55	L31-637	0.0270	0.5				
58738	304288.41	2887499.06	L31-638	0.0260	0.2				
58739	304310.06	2887511.56	L31-639	0.0060	0.2				
58740	304331.72	2887524.06	L31-640	0.0090	0.2				
58741	304353.37	2887536.55	L31-641	0.0110	0.7				
58742	304375.02	2887549.05	L31-642	0.0110	0.3				
58743	304396.67	2887561.55	L31-643	0.0090	0.5				
58744	304418.32	2887574.05	L31-644	0.0050	0.2				
58745	304439.96	2887586.56	L31-645	0.0090	0.3				
58746	304461.61	2887599.06	L31-646	0.0120	0.7				
58747	303917.00	2887342.35	L32-647	0.0140	0.4				
58748	303938.65	2887354.86	L32-648	0.1250	2.7				
58749	303960.31	2887367.36	L32-649	0.0120	0.3				
58750	303981.96	2887379.86	L32-650	0.0030	0.4				
58751	304003.61	2887392.36	L32-651	0.0030	0.1				
58752	304025.26	2887404.86	L32-652	0.0410	0.6				
58753	304046.91	2887417.35	L32-653	0.0130	0.4				
58754	304068.56	2887429.85	L32-654	0.0390	0.8				
58755	304090.21	2887442.35	L32-655	0.0120	0.5				
58756	304111.86	2887454.85	L32-656	0.0060	0.5				
58757	304220.12	2887517.36	L32-657	0.0490	0.2				
58758	304241.77	2887529.85	L32-658	0.0050	0.2				
58759	304263.42	2887542.35	L32-659	0.0250	0.2				
58760	304285.07	2887554.85	L32-660	0.0070	0.3				
58761	304306.72	2887567.35	L32-661	0.0060	0.1				
58762	304328.37	2887579.85	L32-662	0.0980	0.2				
58763	304350.01	2887592.36	L32-663	0.0140	0.1				
58764	304371.66	2887604.86	L32-664	0.0540	0.3				
58765	304393.32	2887617.36	L32-665	0.0230	0.1				
58766	304414.97	2887629.85	L32-666	0.0050	0.1				
58767	304436.62	2887642.35	L32-667	0.6170	0.5				
58768	303870.36	2887373.15	L33-668	0.0390	0.3				
58769	303892.01	2887385.65	L33-669	0.0100	0.4				
58770	303913.66	2887398.15	L33-670	0.0060	0.3				
58771	303935.31	2887410.65	L33-671	0.0280	0.7				
58772	303956.96	2887423.15	L33-672	0.0150	0.3				
58773	303978.61	2887435.65	L33-673	0.0240	0.6				
58774	304000.26	2887448.15	L33-674	0.0470	0.7				
58775	304021.91	2887460.66	L33-675	0.0170	0.5				
58776	304043.56	2887473.16	L33-676	0.0530	0.6				
58777	304065.20	2887485.66	L33-677	0.0490	1.0				
58778	304086.85	2887498.16	L33-678	0.0250	0.4				
58779	304108.50	2887510.65	L33-679	0.0560	0.9				
58780	304130.15	2887523.15	L33-680	0.0490	0.8				
58781	304151.81	2887535.65	L33-681	0.0540	0.6				
58782	304173.47	2887548.15	L33-682	0.0140	0.4				
58783	304195.12	2887560.65	L33-683	0.0030	0.1				
58784	304216.77	2887573.15	L33-684	0.0200	0.3				
58785	304238.42	2887585.66	L33-685	0.0130	0.4				
58786	304260.06	2887598.16	L33-686	0.0220	0.5				
58787	304281.71	2887610.66	L33-687	0.6760	1.0				
58788	304303.37	2887623.15	L33-688	0.1630	0.1				
58789	304325.02	2887635.65	L33-689	0.0050	0.2				
58790	304346.67	2887648.15	L33-690	0.1730	0.6				
58791	304368.32	2887660.65	L33-691	0.0070	0.8				
58792	304389.97	2887673.16	L33-692	0.0070	0.1				
58793	304411.61	2887685.66	L33-693	0.0110	0.2				

APPENDIX 6

Lincoln Gold Exploration Rock Samples

Lincoln Gold Rock Sample Data from 2007

Lincoln Gold Rock Samples as Checks with Grid Capital Samples

Lincoln Gold La Bufa Project Gold-Silver Values for Rock Samples Collected June 2007 ALS Chemex Laboratory Job Number: CH07065626 - Finalized Coordinate System: UTM NAD27 Mexoco, Zone 13														
Sample No.	Easting	Northing	Az	Dip	Length (m)	Sample Descriptions				Au-ICP21	Au-ICP21	Au-GRA21	ME-ICP61	Ag-OG62
						Sample Type	Alteration	Ox	Sul	Au ppm	Au Check ppm	Au ppm	Ag ppm	Ag ppm
2001	305115.43	2886114.03	105	-70	1.00	fault w/bx-gouge	wk argillic	hematite		0.015			<0.5	
2002	305113.04	2886113.18	105	-70	0.25	basalt dike	chl-silicic			0.002			<0.5	
2003	305116.30	2886103.18	100	-80	0.40	Qtz veinlets	chl-silicic	hematite	Tr Pyrite	0.084			3.5	
2004	305117.78	2886093.40	100	-80	0.25	ox frac fillings	arg/silicic	jarosite		0.010			<0.5	
2005	305135.50	2886152.40	100	-65	0.30	Qtz veinlets	prop/silicic	hematite	Tr Pyrite	0.051			6.4	
2006	305139.16	2886157.28	100	-80		ox frac fillings	silicic	hematite	Tr Pyrite	0.004			1.5	
2007	305139.85	2886154.08	90	-85	0.50	Qtz veinlets	silicic	jarosite	Tr Pyrite	0.086			5.9	
2008	305144.10	2886161.51	70	-65	0.30	Qtz veinlets	silicic	goe/jar	Tr Pyrite	0.033			2.2	
2009	305142.61	2886163.93	90	-85		ox frac fillings	argillic	hematite		0.035			0.6	
2010	305144.76	2886167.73	100	-75		ox frac fillings	silicic	hematite		0.009			0.7	
2011	305172.03	2886211.32	100	-85	0.30	Qtz veinlets		hematite	Tr Pyrite	0.727			0.7	
2012	305104.93	2886180.69	90	-55		fault/bx	silicic	goe/jar	Tr Pyrite	0.075			2.1	
2013	305102.02	2886176.66	90	-60		fault/bx	silicic	goe/jar	Tr Pyrite	0.281			15.6	
2014	305098.33	2886174.54	180	-30		ox frac fillings	silicic	hematite	Tr Pyrite	0.290			26.9	
2015	305096.93	2886169.31	140	-85		Qtz veinlets	argillic	goe/jar	Tr Pyrite	0.100			9.1	
2016	305067.72	2886126.61	110	-90	0.20	ox frac fillings	argillic	hematite		0.027			0.6	
2017	305200.24	2886307.47	70	-85	0.15	Qtz veinlets		goe/jar	Tr Pyrite	0.018			0.5	
2018	305234.48	2886305.87	140	-70	0.25	Qtz veinlets	chlorite	hematite		0.031			<0.5	
2019	305228.33	2886300.28	120	-65	0.20	Qtz veinlets	arg/silicic	hematite		0.046			<0.5	
2020	305211.59	2886281.70	20	-90		Qtz veinlets		goe/jar		0.034			1.0	
2021	304762.72	2886122.52	90	-90	0.05	Qtz veinlets		hematite		0.023			<0.5	
2022	304784.44	2886111.66	340	-25	0.20	rhy dike				<0.001			<0.5	
2023	304896.97	2886088.45	120	-85		fault/bx	argillic	hematite		0.010			<0.5	
2024	305020.25	2886093.08	90	-90	0.15	Qtz veinlets		hematite	Tr Pyrite	0.026			4.5	
2025	304599.11	2886461.64	120	-70		Qtz veinlets		hematite		0.244			2.1	
2026	304601.03	2886458.61	120	-75		Qtz veinlets	argillic	hematite	Tr Pyrite	0.011			0.6	
2027	304600.56	2886455.66	45	-90		Qtz veinlets			Tr Pyrite	0.093			<0.5	
2028	304874.63	2886308.39	330	-50		Qtz veinlets		jarosite	Tr Pyrite	2.590			2.1	
2029	304853.85	2886313.82	140	-80		Qtz veinlets		goe/jar	Tr Pyrite	0.233			1.1	
2030	304652.90	2886834.49	100	-85	0.05	Qtz veinlets		hematite	Tr Pyrite	0.055			3.4	
2031	304657.21	2886817.42	100	-85	1.00	Qtz veinlets		hematite	Tr Pyrite	0.302			5.1	
2032	304659.05	2886814.00	330	-60		Qtz veinlets		hematite		0.027			3.8	
2033	304644.90	2886782.93	100	-60	0.40	Qtz veinlets		hematite	Tr Pyrite	0.064			6.0	
2034	304622.69	2886777.13	120	-85	0.05	Qtz veinlets		hematite		0.068			11.5	
2035	304626.79	2886778.99	300	-75	0.05	Qtz veinlets		hematite	Tr Pyrite	>10.0		30.500	>100	260
2036	304632.17	2886770.51	300	-75	0.04	Qtz veinlets		hem/CuOx		1.785			25.3	
2037	304647.49	2886747.26	120	-70	0.08	Qtz veinlets		hematite	Tr Pyrite	0.357			2.9	
2038	304645.10	2886752.70	180	-80	0.05	Qtz veinlets			Tr Pyrite	0.050			3.0	
2039	304788.27	2886948.74	360	-80	0.07	Qtz veinlets	argillic	jarosite	Tr Pyrite	0.029			0.9	
2040	304782.58	2886935.48	20	-80	0.50	Qtz veinlets	silicic	goe/jar	Tr Pyrite	0.222			2.7	
2041	304782.46	2886932.04	130	-80	0.75	Qtz veinlets	chlorite	jarosite	Tr Pyrite	0.028			2.0	
2042	304778.89	2886920.93	100	-50	0.20	Qtz veinlets	chlorite	hematite	Tr Pyrite	0.152			5.2	
2043	304779.08	2886917.35	160	-65	0.03	Qtz veinlets	chlorite	jarosite	Tr Pyrite	0.183			5.3	
2044	304775.70	2886916.97	120	-45	0.02	Qtz veinlets		hematite	Tr Pyrite	0.135			6.6	
2045	304774.25	2886911.54	60	-50	0.40	Qtz veinlets	silicic		Tr Pyrite	0.058			2.2	
2046	304774.88	2886908.68	100	-60	0.30	Qtz veinlets		goe/jar	Tr Pyrite	0.065			1.7	

Sample No.	Easting	Northing	Az	Dip	Length (m)	Sample Descriptions			Sul	Au ppm	Au Check ppm	Au ppm	Ag ppm	Ag ppm
						Sample Type	Alteration	Ox						
2047	304772.38	2886906.75	80	-80	0.20	Qtz veinlets	chlorite	goe/jar	Tr Pyrite	3.320			4.0	
2048	304770.16	2886899.29	120	-40		Qtz veinlets	chlorite	goe/jar	Tr Pyrite	0.041			2.0	
2049	304754.67	2886879.15	140	-45	0.07	Qtz veinlets		hematite	Py + Pb-Zn-Cu Sulfides	0.776			34.6	
2050	304722.94	2886869.46	45	-75	0.30	Qtz veinlets		goe/jar	Tr Pyrite	0.120			7.3	
2051	304722.11	2886866.20	85	-60	0.30	Qtz veinlets	silicic	goe/jar	Tr Pyrite	0.027			2.5	
2052	304704.66	2886865.39	95	-55	0.40	Qtz veinlets		goe/jar	Py + Pb-Zn-Cu Sulfides	0.024			4.6	
2053	304696.94	2886815.87	95	-85	0.20	Qtz veinlets	chlorite	goe/jar	Tr Pyrite	0.099			10.4	
2054	304709.07	2886808.71	180	-80	0.20	fault/bx	silicic	goe/jar	Tr Pyrite	0.115			25.0	
2055	304714.27	2886804.10	100	-60	1.00	Qtz veinlets		goe/jar	Py + Pb-Zn-Cu Sulfides	0.500			41.4	
2056	304701.82	2886788.03	150	-90	0.15	Qtz veinlets			Py + Pb-Zn-Cu Sulfides	0.212			36.1	
2057	304697.43	2886782.68	90	-60	0.20	Qtz veinlets		goe/jar	Tr Pyrite	0.150			19.1	
2058	304713.33	2886768.19	100	-75	1.00	Qtz veinlets		goe/jar	Tr Pyrite	2.080			6.6	
2059	304715.90	2886756.57	100	-65	0.70	Qtz veinlets		hematite		0.029			1.7	
2060	305012.53	2886839.39	100	-75	0.05	Qtz veinlets		hematite		0.056			1.1	
2061	304961.84	2886646.34	120	-60	0.04	ox frac fillings		hematite		0.005			<0.5	
2062	304935.25	2886702.31	120	-35	1.00	Qtz veinlets		hematite	Tr Pyrite	0.438			7.1	
2063	304844.83	2886714.54	180	-50	0.05	Qtz veinlets		hematite	Tr Pyrite	0.161			6.0	
2064	304847.07	2886708.29	90	-65	0.30	Qtz veinlets		hematite		1.545			6.3	
2065	304828.64	2886718.85	90	-70	1.00	Qtz veinlets		hematite	Tr Pyrite	0.073			8.3	
2066	304814.93	2886782.90	90	-60	0.20	Qtz veinlets		hematite		0.501			7.0	
2067	304889.18	2886807.83	110	-65	0.40	Qtz veinlets		hematite		1.480			57.5	
2068	304917.78	2886802.92	105	-75	0.30	Qtz veinlets		hematite	Tr Pyrite	>10.0		20.300	81.9	
2069	304946.31	2886792.33	115	-65	0.30	fault/bx	silicic	hematite	Tr Pyrite	0.068			15.8	
2070	304653.20	2886960.05	120	-55	1.50	Qtz veinlets		hematite	Tr Pyrite	0.110			1.8	
2071	304590.68	2886996.61	100	-55	0.30	fault/bx		hematite	Tr Pyrite	0.030			3.2	
2072	304549.13	2886982.68	120	-75	1.00	Qtz veinlets		hematite	Tr Pyrite	0.023			1.0	
2073	304663.45	2887010.71	90	-55	0.30	Qtz veinlets		hematite	Tr Pyrite	0.044			1.3	
2074	304470.95	2886964.02	120	-80	0.25	Qtz veinlets		hematite	Tr Pyrite	0.022			1.2	
2075	304376.42	2887022.35	110	-60	0.05	ox frac fillings		hematite	Tr Pyrite	0.011			0.6	
2076	304389.03	2887056.59	120	-65	0.30	Qtz veinlets		hematite		0.004			6.0	
2077	304378.96	2887060.66	120	-65	0.20	Qtz veinlets		hematite	Tr Pyrite	<0.001			0.5	
2078	304366.60	2887067.25	120	-40	0.20	Qtz veinlets		hematite	Tr Pyrite	0.002			0.8	
2079	304411.83	2886922.11	110	-70	1.30	Qtz veinlets		hematite	Tr Pyrite	2.370			31.6	
2080	304421.42	2886923.52	310	-80	0.03	Qtz veinlets		hematite	.	0.079			6.3	
2081	304434.80	2886915.76	110	-70	1.50	Qtz veinlets		hematite		0.322			14.1	
2082	304457.08	2886905.78	110	-90	0.75	Qtz veinlets	chlorite	hematite		>10.0		11.650	74.6	
2083	304483.96	2886905.11	120	-90	0.05	Qtz veinlets		hematite		0.165			4.2	
2084	304493.27	2886907.41	140	-70	0.05	Qtz veinlets		hematite		0.047			3.6	
2085	304495.58	2886913.14	120	-90	0.05	Qtz veinlets		hematite		0.185			4.7	
2086	304502.51	2886930.89	130	-75	0.07	Qtz veinlets		hematite		0.002			1.1	
2087	304479.08	2886893.69	115	-85	1.50	Qtz veinlets		hematite		0.720			31.3	
2088	304484.84	2886890.71	110	-85	1.50	Qtz veinlets		hematite	Tr Pyrite	1.880			13.6	
2089	304491.92	2886886.96	115	-85	1.50	Qtz veinlets		hematite	Tr Pyrite	0.476			22.8	
2090	304497.80	2886883.74	110	-85	1.50	Qtz veinlets		goe/jar		3.890			42.3	
2091	304553.79	2886874.69	125	-80	0.03	Qtz veinlets		hematite		0.017			0.5	
2092	304368.99	2886938.35	120	-85	0.50	Qtz veinlets		hematite		1.265	0.973		30.5	
2093	304362.30	2886935.88	120	-90	0.15	Qtz veinlets		hematite		0.057			14.3	
2094	304352.25	2886949.15	140	-90	0.40	Qtz veinlets		hematite		0.805			22.7	
2095	304343.79	2886954.11	125	-85	0.40	Qtz veinlets		goe/jar		2.390			>100	116
2096	304342.48	2886952.79	125	-85	0.30	Qtz veinlets		hematite		0.824			60.1	
2097	304336.59	2886956.54	130	-90	0.50	Qtz veinlets		hematite		0.412			47.1	
2098	304330.71	2886960.33	110	-85	0.70	Qtz veinlets		hematite		8.700			35.6	
2099	304318.29	2886968.83	115	-70	0.07	Qtz veinlets	chlorite	hematite		1.255			25.0	
2100	304316.19	2886968.85	110	-70	0.05	Qtz veinlets		goe/jar		>10.0		285.000	46.4	

Sample No.	Easting	Northing	Az	Dip	Length (m)	Sample Descriptions			Sul	Au ppm	Au Check ppm	Au ppm	Ag ppm	Ag ppm
						Sample Type	Alteration	Ox						
2101	304312.91	2886968.98	100	-70	0.08	Qtz veinlets		hematite		0.873			22.1	
2102	304294.73	2886983.05	115	-75	0.40	Qtz veinlets		hematite		0.318			55.0	
2103	304294.34	2886979.85	115	-85	0.40	Qtz veinlets		hematite		0.732			42.5	
2104	304284.88	2886980.82	115	-80	0.05	Qtz veinlets		hematite		0.099			20.1	
2105	304249.94	2887014.01	120	-85	0.20	fault/bx	silicic	hematite		0.030			7.9	
2106	304237.51	2887021.32	115	-80	0.05	Qtz veinlets		hematite		>10.0		9.130	8.4	
2107	304247.88	2887047.35	145	-75	0.05	Qtz veinlets		goe/jar		0.313			8.3	
2108	304242.50	2887055.63	145	-80	0.25	Qtz veinlets		hematite		1.675			>100	120
2109	304228.03	2887033.24	130	-70	0.20	fault/bx		goe/jar		0.014			0.5	
2110	304262.85	2887093.10	330	-80	0.20	Qtz veinlets		hematite	Tr Pyrite	0.135			12.3	
2111	304268.14	2887092.87	180	-80	0.10	fault/bx	silicic	hematite		0.061			2.0	
2112	304212.27	2887039.39	140	-75	0.30	Qtz veinlets		hematite		0.169			10.3	
2113	304209.71	2887038.65	120	-90	0.50	Qtz veinlets		hematite		0.162			18.0	
2114	304297.03	2887601.29	60	-90	0.03	Qtz veinlets			Tr Pyrite	0.014			<0.5	
2115	304429.92	2887039.19	120	-65		fault/bx	silicic	hematite		0.007			1.3	
2116	304393.74	2886767.24	110	-85	0.30	Qtz veinlets		hematite		0.345			9.1	
2117	304431.38	2886784.23	110	-85	0.05	Qtz veinlets		hematite		0.237			1.3	
2118	304410.80	2886761.68	110	-90	0.05	Qtz veinlets		goe/jar		0.044			0.9	
2119	304394.98	2886754.75	110	-90	0.20	Qtz veinlets		hematite		0.690			5.2	
2120	305023.46	2886483.24	110	-70	0.50	fault/bx	silicic	hematite		0.018			1.1	
2121	305068.06	2886486.22	110	-70	1.00	Qtz veinlets		hematite		0.029			0.7	
2122	304928.83	2886544.75	110	-75	0.80	Qtz veinlets		hematite		0.085			4.4	
2123	304927.26	2886539.98	110	-75	0.30	Qtz veinlets		hematite		0.132			5.3	
2124	304873.49	2886598.89	80	-70	0.30	fault/bx	silicic	hematite		0.102			2.2	
2125	304862.13	2886598.20	85	-70	0.30	Qtz veinlets	silicic	hematite		0.027			1.1	
2126	304810.92	2886692.17	90	-80	1.00	Qtz veinlets		hematite		0.281			8.8	
2127	304768.85	2886686.36	80	-65	0.20	fault/bx	silicic	hematite		1.030			4.6	
2128	304739.64	2886687.15	90	-80	1.50	Qtz veinlets		hematite		0.057			2.3	
2129	304752.27	2886600.91	110	-85	0.35	Qtz veinlets		hematite	Tr Pyrite	0.647			4.1	
2130	304763.41	2886598.53	110	-85	0.35	Qtz veinlets		goe/jar	Tr Pyrite	0.160			6.3	
2131	304754.48	2886589.14	110	-80	0.20	Qtz veinlets		jarosite	Tr Pyrite	0.660			3.2	
2132	304785.71	2886478.86	90	-90	0.30	Qtz veinlets		hematite		0.733			0.6	
2133	304721.90	2886941.85	110	-75	0.40	Qtz veinlets		goe/jar		0.048			0.7	

[illegible]


APPENDIX 7

Down Hold Survey Spreadsheet,
Geological Cross Sections and Drill Hole Log


SECTION 304872 E

LBDDH_001 Az 45/-45


LBDDH_O11 Az 45/-60




SECTION 305190 E
LBDDH_002 Az 50/-45
LBDDH_005 Az 45/-60




SECTION 304942 E
LBDDH_003 Az 45/-45
LBDDH_007 Az 45/-60



SECTION 305331 E
LBDDH_004 Az 45/-45
LBDDH_009 Az 45/-60



SECTION 305119 E
LBDDH_006 Az 45/-45



LEGEND

- Tigw** Tertiary Ignimbrite/ weldad tuffs (U. V.)
- TRd** Tertiary Riodacitic (Cxs - lithic tuffs and flows) Base Upper Volc.
- TqA** Tertiary Trachiandesite/ Andesite (Volc flow) Lower volc.
- T QMz** Tertiary Late QuartzMonzonitic Intrusive (Qtz eyes)
- Kz - T MzDio** MonzoDioritic Early Intrusive Upper Cretacic - Lower Tertiary


MINERA LINCOLN DE MEXICO S.A. DE C.V.
LINCOLN GOLD CORP.
LA BUFA PROJECT
Drill Hole LB-006

Cross section 305119 E
Chapito/S. Nello zone
Scale: graphic

By: F. Lopez
Drawing: C. Zesati
June 2008

0 25 50 100 m

SECTION 305049E
 LBDDH_008 Az 45/-45
 LBDDH_010 Az 45/-60



LEGEND

- Tigw** Tertiary Ignimbrite/ welded tuffs (U. V.)
- TRd** Tertiary Riodacitic (Cxs - lithic tuffs and flows)
Base Upper Volc.
- TqA** Tertiary Trachandesite/ Andesite (Volc flow)
Lower volc.
- Ks - T
MzDio** Monzodioritic Early Intrusive
Upper Cretacic - Lower Tertiary

MINERA LINCOLN DE MEXICO S.A. DE C.V.
LINCOLN GOLD CORP.
LA BUFA PROJECT
 Drill Hole: LBDDH_010

Cross section 305049 E By: F. Lopez
 Monte Cristo zone Drawing: C. Zesati
 Scale : graphic Junio 2008

0 25 50 100 m

Lincoln Gold Corporation							
La Bufa Project, Chihuahua, Mexico							
Down Hole Deviation Survey Data							
	degrees	degrees	meters		degrees	degrees	meters
hole id	azimuth	angle	depth	hole id	azimuth	angle	depth
LBDDH-003	45.0	-45.0	surface	LBDDH-007	45.0	-60.0	surface
	38.1	46.7	48.76		39.0	-60.1	51.81
	38.9	-47.1	99.06		39.2	-60.6	102.10
	40.3	-47.4	149.35		40.6	-60.6	150.00
	45.0	-46.5	199.61		41.9	-60.5	202.70
	45.0	-46.5	250.00		41.1	-60.5	253.00
	48.4	-45.3	300.22		46.5	-60.2	303.27
	51.5	-43.3	350.52		48.7	-59.8	333.75
	54.8	-42.3	400.81				
LBDDH-004	45.0	-45.0	surface	LBDDH-008	45.0	-45.0	surface
	36.4	-45.3	53.34		37.0	-44.4	53.34
	38.1	-44.7	83.82		40.0	-45.2	103.64
	39.5	-43.9	114.30		44.0	-44.6	153.92
	39.8	-42.8	144.78		44.0	-44.8	204.21
	40.9	-42.7	175.26		46.1	-43.8	254.50
	43.2	-42.2	205.74		47.2	-41.0	304.80
	44.2	-42.0	236.22		50.3	-37.4	355.00
	47.2	-40.6	266.70		53.3	-34.2	405.38
	47.7	-39.7	327.66	LBDDH-009	45.0	-60.0	surface
	47.8	-38.9	358.14		187.5	-60.8	39.62
	50.4	-37.7	388.62		37.6	-60.7	89.91
	50.4	-36.1	419.10		40.2	-60.2	140.20
					40.8	-59.9	190.50
LBDDH-005	45.0	-60.0	surface		42.5	-60.6	240.79
	43.5	-59.3	50.29		48.5	-58.4	341.40
	47.4	-59.1	100.58		53.0	-57.5	391.70
	48.4	-59.8	150.87		164.7	-56.5	441.96
	56.2	57.5	201.16				
	61.2	-56.2	251.46				
	66.5	-59.2	301.75				
	69.1	-51.9	352.00				
	72.9	-49.4	400.00				
LBDDH-006	45.0	-45.0	surface				
	43.5	-44.8	10.70				
	43.8	-45.9	60.96				
	26.1	-45.7	111.25				
	36.7	-46.3	161.50				
	38.0	-46.4	211.84				
	40.6	-45.4	263.00				
	40.2	-43.3	312.45				
	47.1	-40.7	362.70				
	49.8	-37.5	413.00				

MINERA LINCOLN DE MEXICO SA DE CV																									HOLE NUMBER: LB-DDH-001									
DIAMOND DRILL EXPLORATION PROGRAM																									TYPE DRILL CORE: NTW									
																									REDUCTION:FROM 0 TO 289.6 N TW. FROM 289.6 TO 399.28 M BTW									
DATE START: 12/03/2008												Trd TERT. RIODAC. CXS & LITHICS TUFFS /			CORE SIZE: NTW. FROM: 0.00 m TO: 289.6 NTW. BTW F										PAD "A"	PROG. DEPTH: 400 M. T.D.= 399.28 M								
DATE END: March 27/08												TqA ANDESITIC-TRAQUIANDESITIC FLOWS			GEOLOGIST: F LOPEZ																	AZIMUT: 45		
EASTING: 304183.225 (NAD27) Surveyed by Juan Pablo Garcia Flores												MONZODIOR. INTR.			DRILL COMPANY: Energold																	ANGLE: -45		
NORTHING: 28869.001 (NAD27)												TigW IGNI. OR WELDED TUFFS			DRILLER: RENE																	ELEV. INTERCEP:		
SAMPLING CONTROL & ASSAYS															DESCRIPTION ALT.											SULPHIDES					ELEV. COLLAR: 2,346.216 (NAD27)			
# SAMPLE	FROM	TO	WIDE	Au	Ag	Cu	Pb	Zn	Mo	W	COLOR	HEM	QTZ V.	EPID.	CH.	Kspar	SILICIF.	QvBx	SER.	CLAYS	Py	Cpy	Gn	Sph	LITHOLOGY	SAMPLE DESC. AND DRILL NOTES								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	(0-40.90) Ignimbritic welded tuff, pnk due fe-mg in groundmass, with fractures moderated-weak due locally fault from 9.15 to 12.2 with angle 30, and isolated subparalels fractures								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	" "								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	" "								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	" "								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	" "								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	" "								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	" "								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	" "								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	" "								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	" "								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	" "								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	" "								
											pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	" "								
518501	39.65	41.14	1.49	0.02	2.3	19	54	136			pnk	0	0	0	0	0	0	0	0	1	0	0	0	0	Tigw / Trd	39.65: INTERBEDDED CXS TUFFS AND IGNIMBRITIC TUFFS WITH SOME 10 CMS VOLCANOSEDIMENTS THINY BED.								
518502	41.14	42.7	1.56	0.04	2.2	15	69	39			Gry-Grn	0	0	0	0	0	0	0	0	0	2	0	0	0	Trd	(39.65- 46.5)Rhyodacite, lithic tuff white-greenish with py disseminated-weak-moderated chlorite(moderated propilitization), hematite in fractures, predominant angle of fractures between 30 and 40 deegres. SILICIF 1-2 AS WELL QTZ VEINING IN M.M. SIZE								
518503	42.7	44.2	1.5	0	0.9	13	41	25			Gry-Grn	0	0	0	0	0	0	0	0	0	2	0	0	0	Trd									
518504	44.2	45.7	1.5	0.02	2.7	13	44	22			Gry-Grn	0	0	0	0	0	0	0	0	0	2	0	0	0	Trd	(46.5-47.25) BROKEN ZONE IN LOCAL FAULT 35-40° R.C.A.								
518505	45.7	47.2	1.5	0.01	1.9	90	35	29			Gry-Grn	0	0	0	0	0	0	0	0	1	0	0	0	0	Trd									
518506	47.2	48.53	1.33	0.01	1.1	26	24	86			W-Grn	1	2	0	1	0	2	0	0	1	2	1	1	1	QvBx	47.2 TO 48.53: QTZ VEINS WITH FRESH Py,CPy, GALENA, SPHALERITE ASSOC TO QTZ VNS (DRUSSED AND WHITE). POOR HEMATITE AFTER INCIENIT PyOx. VERY POOR STKWK IN FOOTWALL. WITH LOCAL BASE SULPHIDES IN M.M. QTZ VEINS IN SAMPLE NUMBER 8								
518507	48.53	50.53	2	0.13	3.4	40	40	105			W-Grn	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	VERY POOR QTZ VEINING IN FOOTWALL.								
518508	50.53	52.53	2	0.03	2.1	39	116	239			W-Grn	0	0	0	0	2	0	2	0	0	2	0	0	0	Trd	IN RIODACITIC CXS TUFFS PLUS MOD PERVASIVE SILICIF.								
518509	52.53	54.53	2	0	1.4	13	25	96			W-Grn	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "								
518510	54.53	56.53	2	0.01	1.3	13	22	58			W-Grn	0	0	0	0	0	0	0	0	1	0	0	0	0	Trd	" "								
518511	56.53	58.26	1.73	0	0.8	18	23	76			W-Grn	0	1	0	1	1	0	0	0	0	2	0	0	0	Trd	" "								

518512	58.26	58.85	0.59	0.02	4.1	261	80	129		W-Grn	0	1	0	1	1	0	0	0	0	2	0	0	0	QvBx/StkWk	(58.26 TO 62.85): QTZ STOCKWORK AND INCIENT QVBX WITH SEVERAL TYPES OF QTZ (WHITE, GRAY AND DRUSSED CXS) WITH SOME BASE METALS ASSOC BUT BASICLY FINEST GRAIN FRESH Py AND POSSIBLE ARG TOO. ALL HOSTED IN RIODACITIC VOLC FLOWS AND CXS TUFFS. MOD SILICIF IN GENERAL
518513	58.85	60.85	2	0.01	1.5	11	60	162		W-Grn	0	1	0	1	1	0	0	0	0	2	0	0	0	StkWk	" "
518514	60.85	62.85	2	0.51	14	57	179	576		W-Grn	0	1	0	1	1	0	0	0	0	2	0	0	0	StkWk	" "
518515	62.85	64.85	2	0.05	1.6	45	73	207		Gry-Grn-Pnk	0	1	0	1	0	0	0	0	0	1	0	0	0	Trd / Tq	(518515-518526) BASICLY BARREN OR POORLY ALT RIODACITIC TO LATITIC VOLCANIC FLOWS AND CRYSTALLS TUFFS, ISOLATED QTZ VEINING IN M.M. SIZE WITH POOR Py ASSOC.
518516	64.85	67.35	2.5	0	0.8	38	27	81		Gry-Grn-Pnk	0	1	0	1	0	0	0	0	0	1	0	0	0	Trd / Tq	" "
518517	67.35	69.85	2.5	0	<0.2	19	12	68		Gry-Grn-Pnk	0	1	0	0	0	0	0	0	0	1	0	0	0	Trd / Tq	" "
518518	69.85	72.35	2.5	0.01	0.9	17	17	61		Gry-Grn-Pnk	0	1	0	0	0	0	0	0	0	2	0	0	0	Trd / Tq	" "
518519	72.35	74.85	2.5	0.03	1.7	13	22	74		Gry-Grn-Pnk	0	1	0	0	1	1	0	0	0	1	1	1	1	Trd / Tq	" "
518520	74.85	77.35	2.5	0	0.5	7	23	55		Gry-Grn-Pnk	0	1	0	0	1	1	0	0	0	1	0	0	0	Trd / Tq	" "
518521	77.35	78.85	1.5	0	0.7	6	37	175		Gry-Grn-Pnk	0	1	0	0	1	1	0	0	0	1	0	0	0	Trd / Tq	" "
518522	78.85	80.35	1.5	0	0.9	48	25	127		Gry-Grn-Pnk	0	3	0	1	1	2	1	0	1	1	0	0	0	Trd /QVBX	LOCAL QVBX ASSOC TO FAULT ZONE IN 35 TO 40° R.C.A. WITH LOCAL CHLORITE, LOCALLY MOD FRESH Py (<1%) IN GRAY QTZ VEINS. GREEN CLAYS IN REACTIVED TECTONIC BX TEXTURE WITH QTZ FRAGMENTS.
518523	80.35	82.85	2.5	0	1.1	7	34	87		Gry-Grn-Pnk	0	1	0	1	1	0	0	0	0	1	0	0	0	Trd / Tq	" "
518524	82.85	85.35	2.5	0	1.6	7	88	110		Gry-Grn-Pnk	0	1	0	1	1	0	0	0	0	1	0	0	0	Trd / Tq	" "
518525	85.35	87.85	2.5	0	1.1	12	47	180		Gry-Grn-Pnk	0	1	0	1	1	0	0	0	0	1	0	0	0	Trd / Tq	" "
518526	87.85	89.2	1.35	0.01	1.8	58	50	274		Gry-Grn-Pnk	0	1	0	1	1	0	0	0	0	2	0	0	0	Trd / Tq	" "
518527	89.2	90	0.8	0.17	11.3	172	236	502		W-Grn-Gry	0	2	0	2	0	3	2	0	1	3	1	1	0	QVBX	QTZ BX PLUS MOSTLY FRESH Py (1-2%)TRACES CPy AND GALENA. NOT VISIBLE SPHALERITE. SILICIF 2-3 HOSTED IN LATITE OR TRAQUIANDESITIC ROCK.
518528	90	91.5	1.5	0.01	1	14	118	261		Gry-Grn-Pnk	0	1	0	1	0	2	0	0	1	1	1	0	0	Tq/StkWk	WEAK TO MOD STKWK DEVELOPMENT HOSTED IN LATITIC (TRAQUIANDESITIC) VOLCANICS FLOWS. SILICIF MOD PERVASIVE OVER THE PORPHIRITIC MATRIX. OPENED / ISOLATED QTZ M.M. VEINS WITH LOCAL CPy AND POOR GALENA
518529	91.5	93	1.5	0.18	11.4	145	222	304		Gry-Grn-Pnk	0	1	0	1	0	2	0	0	1	1	1	0	0	Tq/StkWk	" "
518530	93	94.5	1.5	0.01	2.2	8	127	79		Gry-Grn-Pnk	0	1	0	1	0	2	0	0	1	1	1	0	0	Tq/StkWk	" "
518531	94.5	97	2.5	4.12	281	1.07	561	764		Gry-Grn-Pnk	0	1	0	1	0	2	0	0	1	1	1	0	0	Tq/StkWk	" "
518532	97	97	0	0.4	>100	>100	>100	>10000	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
518533	97	99.5	2.5	0.04	4.7	29	1010	185		Gry-Pnk	0	1	1	1	0	2	0	0	0	1	1	1	1	Tq/StkWk	SIMILAR ABOVE WITH LOCAL BASE METALS INREASE CLOSE TO QTZ BX IN 518547 SAMPLES.
518534	99.5	102.19	2.69	0.01	1	9	36	47		Gry-Pnk	0	1	0	1	0	2	0	0	0	1	1	1	1	Tq/StkWk	POOR EPIDOTE ATTACKING PLAGIOCLASE CXS. AS REACTION WITH POSSIBLE CO2 ADITION IN HYDROTHERMALK SYSTEM AND REACTION WITH POSSIBLE INCIPIENT CALCIC COMPOSITION PLAGIOCLASE.
518535	102.19	104.65	2.46	0	0.6	11	42	84		Gry-Pnk	0	1	0	1	0	2	0	0	0	1	1	1	1	Tq/StkWk	" "
518536	104.65	107.2	2.55	0.04	2	12	39	62		Gry-Pnk	0	1	1	1	1	2	0	0	0	1	1	1	1	Tq/StkWk	" "
518537	107.2	109.55	2.35	0.01	0.6	4	20	42		Gry-Pnk	0	1	1	1	1	2	0	0	0	1	1	1	1	Tq/StkWk	" "

518538	109.55	111.1	1.55	0	0.5	4	21	98			Gry-Pnk	0	2	1	1	0	2	0	0	0	1	1	1	1	Tq/StkWk	"	"
518539	111.1	112.6	1.5	0	0.7	4	29	257			Gry-Pnk	0	2	1	1	0	2	0	0	0	1	1	1	1	Tq/StkWk	"	"
518540	112.6	114.2	1.6	0	0.4	3	28	338			Gry-Pnk	0	2	1	1	0	2	0	0	0	1	1	1	1	Tq/StkWk	"	"
518541	114.2	115.70	1.5	0.01	0.7	13	126	377			Gry-Pnk	0	2	1	1	0	2	0	0	0	1	1	1	1	Tq/StkWk	518541 TO 518543: FRACTURS ZONE IN SAME QTZ VEINING SYSTEM (35° RCA) WITH POOR GOUGE FILLING SPACES.	
518542	115.7	117.2	1.5	0.01	0.7	28	67	93			Gry-Pnk	0	2	1	1	0	2	0	0	0	1	1	1	1	Tq/StkWk	SIMILAR ABOVE WITH LOCAL BASE METALS INREASE CLOSE TO QTZ BX IN 518547 SAMPLES.	
518543	117.2	118.7	1.5	0	0.2	8	17	24			Gry-Pnk	0	2	1	0	0	2	0	0	0	1	1	1	1	Tq/StkWk	"	"
518544	118.7	120.2	1.5	0	0.3	16	156	254			Gry-Pnk	0	2	1	0	0	2	0	0	0	1	1	1	1	Tq/StkWk	"	"
518545	120.2	121.3	1.1	0.01	0.6	45	245	314			Gry-Pnk	0	2	1	0	0	2	0	0	0	2	1	1	1	Tq/StkWk	"	"
518546	121.3	122.2	0.9	0.02	2.1	45	526	1030			Gry-Pnk	0	2	1	0	1	2	0	0	0	2	1	1	1	Tq/StkWk	QTZ-ADULARIA VNS. ASSOC IN 518545-46 ASSOC TO QTZ VEINS AND FELDSPARS CXS.	
518547	122.2	123.5	1.3	0.43	23.7	4030	2310	3070			Gry-Pnk	0	3	0	0	1	2	2	0	0	2	1	1	1	QvBx	518547:QTZ BX WITH WHITE AND GRAY QTZ AND POOR DRUSSED & AMATHISTE QTZ. ALL WITH BASE METALS ASSOC. AS WELL POSIBLE ARGENTITE FINE GRAIN.	
518548	123.5	125.05	1.55	0.01	2	78	341	513			Gry-Pnk	0	2	0	0	1	2	1	0	0	2	1	1	1	QvBx/STKW	518547: QVBX AND FOOTWALL STKWK WIKTH GOOD QTZ VEINING FROM 518548 TO 518550 AS WELL AS 518554-55. ASSOC OF CPy, GALENA, ARG, SPHALERITE IN QTZ VEINING. GENERAL SILICIF 2-3 WITH SMALL FAULT ZONE IN 5185551 IN 25° RCA	
518549	125.05	126.55	1.5	0.01	5.8	1350	779	1430			Gry-Pnk	0	2	0	0	0	2	0	0	0	2	1	1	1	Tq/StkWk	"	"
518550	126.55	128.05	1.5	0.01	3.1	614	307	504			Gry-Pnk	0	1	0	0	0	2	0	0	0	1	1	1	1	Tq/StkWk	"	"
518551	128.05	129.55	1.5	0	0.3	15	95	102			Gry-Pnk	0	1	0	0	0	2	0	0	0	1	1	1	1	StkWk/FAL	518551:LOCAL GOUGE ZONE + CHLORITE AND CLAYS	
518552	129.55	131.05	1.5	0.01	0.4	17	131	244			Gry-Pnk	0	1	0	0	0	2	0	0	0	1	1	1	1	Tq/StkWk	"	"
518553	131.05	132.55	1.5	0.01	0.7	38	134	245			Gry-Pnk	0	2	0	1	0	2	1	0	0	2	1	1	1	QvBx/StkW	518553-54: QVBX AND STKWK DEVELOPMENT WITH LOCAL BASE METALS INCREASE (GALENA, CPy, SPH.) BASICLY AND POSSIBLE ARGENTITE FINE GRAIN ASSOC TO GALENA CRYSTALLS.	
518554	132.55	134.3	1.75	0.03	7.5	203	495	902			Gry-Pnk	0	3	0	1	0	2	1	0	0	2	1	1	1	QvBx/StkWk		
518555	134.3	135.55	1.25	0.04	11.1	1730	1410	3540			W-Gry-Pnk	0	3	0	1	0	3	2	0	0	2	2	2	2	QVBX	518555: LOCALLY STRONG QVBX SULPHIDES CONTENTS (CPy,GALENA, SPHALERITE, ARGENTITE??) APROX 1%	
518556	135.55	138.1	2.55	0.01	0.4	24	55	82			W-Gry-Pnk	0	1	1	1	0	2	0	0	0	1	0	0	0	TqA	POOR ALT IN LATTIC ROCKS ISOLATED QTZ VNS.	
518557	138.1	138.1	0	0.48	>100	>1000	>1000	>10000			STD Pb119	STD	STD Pb	STD	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb119	STD Pb119	
518558	138.1	138.1	0	0	0.5	26	25	62			BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	
518559	138.1	140.6	2.5	0.01	0.8	63	41	41			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	VERY POOR ALT IN TRAQUIANDESITIC OR LATITE ROCKS, SILICIF PERVASIVE MOD TO WEAK AS WELL ASSOC TO QTZ VEINING M.M. SIZE VERY ISOLATED OR POOR. NOT VISIBLE BASE METALS AND SULPHIDES SEEMS LIKE MOSTLY FRESH Py FINE GRAIN . BASICLY BARREN SEQUENCE.	
518560	140.6	143.1	2.5	0.01	0.5	52	38	43			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518561	143.1	145.6	2.5	0.02	0.7	35	79	125			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518562	145.6	148.1	2.5	0.01	0.6	31	74	82			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518563	148.1	151.1	3	0.01	0.4	13	30	38			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"

518564	151.1	154.1	3	0.01	0.6	15	40	67			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518565	154.1	157.1	3	0.02	1.1	63	300	368			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518566	157.1	159.9	2.8	0.02	1.5	26	56	85			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518567	159.9	161.40	1.5	0.02	0.9	17	23	147			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518568	161.4	162.95	1.55	0.04	2	60	49	589			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518569	162.95	166	3.05	0.02	0.5	21	446	85			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	POOR FRACTURES ZONE IN 518569 & 70	
518570	166	169.05	3.05	0.04	0.8	32	44	114			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518571	169.05	172.1	3.05	0	0.3	23	44	56			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518572	172.1	175.15	3.05	0.01	0.6	36	39	109			Pnk	0	1	0	0	0	2	0	0	0	1	0	0	0	TqA	"	"
518573	175.15	178.2	3.05	0.02	0.9	14	81	112			Pnk	0	1	0	0	0	2	0	0	0	1	0	0	0	TqA	"	"
518574	178.2	181.25	3.05	0.02	0.7	27	49	106			Pnk	0	1	0	0	0	2	0	0	0	1	0	0	0	TqA	"	"
518575	181.25	184.4	3.15	0.01	0.5	53	35	68			Pnk-Grn	0	1	0	2	0	2	0	0	0	1	0	0	0	TqA	MOD. CHLORITE ASSOC TO FRACTURES ZONE	
518576	184.4	187.45	3.05	0.01	1	99	68	60			Pnk-Grn	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518577	187.45	190.5	3.05	0.01	0.9	61	65	57			Pnk-Grn	0	2	0	1	0	2	0	0	0	1	0	0	0	TqA-STKW	518577: MOD VEINING IN QTZ + MOSTLY FRESH Py AS WELL TRAZES OF GALENA FINE GRAIN.	
518578	190.5	193.54	3.04	0.01	0.8	37	43	56			Pnk-Grn	0	1	0	2	0	2	0	0	0	1	0	0	0	TqA		
518579	193.54	196.59	3.05	0.01	0.2	42	28	32			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA		
518580	196.59	198.09	1.5	0.01	0.7	86	67	44			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA/STKW	518580-81: MOD QTZ VEINING + PY AND POOR GALENA. HOSTED IN ANDESITIC TRAQUIANDESITIC ROCKS.	
518581	198.09	199.59	1.5	0.05	1.9	45	93	102			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA/STKW	"	"
518582	199.59	199.59	0	0.41	>100	>1000	>1000	>10000			STD Pb119	STD	STD Pb	STD	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb119	STD Pb119	
518583	199.59	201.09	1.5	0.01	1	56	115	166			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	MOSTLY BARREN TRAQUIANDESITIC ROCK. SILIC PERVASIVE 2 AS WELL POORS AND ISOLATED QTZ VEINING WITH MOSTLY FRESH Py.	
518584	201.09	202.69	1.6	0.02	0.9	34	56	66			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518585	202.69	205.74	3.05	0.01	2.7	32	36	54			Pnk	0	1	1	1	0	2	0	0	0	1	0	0	0	TqA	"	"
518586	205.74	208.78	3.04	0.02	1.9	84	61	89			Pnk	0	1	1	1	0	2	0	0	0	2	0	0	0	TqA	STKW	
518587	208.78	211.83	3.05	0.03	2.4	38	18	33			Pnk	0	1	1	1	0	2	0	0	0	2	0	0	0	TqA	STKW	
518588	211.83	214.88	3.05	0.01	0.8	40	108	183			Pnk	0	1	1	1	0	2	0	0	0	1	0	0	0	TqA	518588 TO 518596: OPEN STOCKWORK WITH MOSTLY FRESH Py AND POOR GALENA. NOT CPy VISIBLE BUT FRESH Py LOCALLY STRONG ASSOC TO QTZ VEINS WITH GRAY TO BLACK METALLIC SULPHIDES VERY FINE GRAIN UNIDENTIFICATED. IF THIS SEQUENCE HAVE SOME ORE BODY, COULD BE MINED BY BULK SYSTEM DUE TO ITS NOT POSSIBLE TAKE SELECTIVE SAMPLES (QTZ VEINING ITS M.M. SIZE). POSSIBLE QTZ MONZONITIC INTRUSIVE NOT CLEAR FROM 5418594-96 WITH ISOLATED QTZ CXS SEEMS LIKE QTZ EYES. ALL THE SEQUENCE SEEMS LIKE TRAQUIANDESITIC UNIT VOLCANIC FLOWS WITH MOD TO STRONG SILICIF AND LOCALL POTACIC EPHITERMAL ALTERATION (QTZ ADULARIA????).	
518589	214.88	217.93	3.05	0.01	0.8	35	37	91			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqA	STKW	"
518590	217.93	220.98	3.05	0.02	0.8	61	41	70			Pnk	0	1	0	1	0	2	0	0	0	2	0	0	0	TqA	STKW	"
518591	220.98	224.02	3.04	0.01	0.7	48	24	43			Pnk	0	1	0	1	0	2	0	0	0	2	0	0	0	TqA	STKW	"
518592	224.02	227.08	3.06	0.01	0.6	44	24	54			Pnk	0	1	0	1	1	2	0	0	0	1	0	0	0	TqA	STKW	"
518593	227.08	230.13	3.05	0.04	0.5	35	20	37			Pnk	0	1	0	1	1	2	0	0	0	1	0	0	0	TqA	STKW	"

518594	230.13	233.18	3.05	0.01	0.5	31	11	29			Pnk	0	1	0	1	1	2	0	0	0	2	0	0	0	TqAtSTKW	"	"
518595	233.18	236.23	3.05	0.01	0.5	16	11	27			Pnk	0	1	0	1	1	2	0	0	0	2	0	0	0	TqAtSTKW	"	"
518596	236.23	239.28	3.05	0.04	0.4	32	10	25			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqAtSTKW	"	"
518597	239.28	242.33	3.05	0.03	0.4	22	11	34			Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	TqAtSTKW	"	"
518598	242.33	243.83	1.5	0.03	0.3	14	6	15			Gry-Grn	0	1	0	1	0	2	0	0	0	1	0	0	0	TqAtSTKW	K	
518599	243.83	244.78	0.95	0.01	0.7	30	13	29			Gry-Grn	0	1	0	1	0	2	0	0	0	1	0	0	0	TqAtSTKW	K	
																											518600 TO 518609: QVBX & STOCKWORK HOSTED IN VOLCANIC ROCKS (FLOWS): SILICIF 2, Py AS MAIN SULPHIDE WITH LITTLE Cpy AND POOR GALENA. CHLORITE ASSOC TO FXS ZONE. FOOTWALL OF THIS ZONE LOOKS LIKE FAULT ZONE WITH POOR CLAYS AND VERY FRACTURED.
518600	244.78	247.08	2.3	0.07	0.4	61	12	51			Gry-Grn	0	1	0	2	0	2	0	0	0	1	0	0	0	QvBx/StkWK		
518601	247.08	248.43	1.35	0.08	1.5	35	62	93			Gry-Grn	0	1	0	2	0	2	0	0	0	1	1	0	0	TqAtSTKW	"	"
518602	248.43	249.93	1.5	0.05	1.2	24	105	213			Gry-Grn	0	1	0	2	0	2	0	0	0	1	1	0	0	TqAtSTKW	"	"
518603	249.93	251.48	1.55	0.07	2.2	33	416	420			Gry-Grn	0	1	0	2	0	2	0	0	0	1	1	0	0	TqAtSTKW	"	"
518604	251.48	252.98	1.5	0.1	1.1	30	60	92			Gry-Grn	0	1	0	2	0	2	0	0	0	1	1	0	0	TqAtSTKW	"	"
518605	252.98	254.53	1.55	0.02	1	15	19	195			Gry-Grn	0	1	0	2	0	2	0	0	0	1	0	0	0	TqAtSTKW	"	"
518606	254.53	256.03	1.5	0.02	0.8	22	17	183			Gry-Grn	0	1	0	2	0	2	0	0	0	1	0	0	0	TqAtSTKW	"	"
518607	256.03	256.03	0	0.42	>100	>1000	>1000	>10000			STD Pb119	STD	STD Pb	STD	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb
518608	256.03	256.03	0	<0.00	0.4	66	34	208			BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK
																											THIS IS THE FOOTWALL OF THE QVBX ZONE MENTIONED ABOVE. FOOTWALL SEEMS LIKE POOR ALT. AND BASICLY BARREN. ANDESITIC TRAQUIANDESITIC VOLC ROCKS.
518609	256.03	257.58	1.55	0.54	1.8	86	49	207			Gry-Grn	0	1	0	1	0	1	0	0	0	1	1	0	0	TqA		
518610	257.58	259.08	1.5	0.48	2.8	44	102	408			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"
518611	259.08	260.63	1.55	0.04	1.9	42	21	251			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"
																											518612-13: FRACTURED ZONE WITH POOR CLAYS DUE A FAULT ZONE IN FOOTWALL IN 30-35JR.C.A.
518612	260.63	262.13	1.5	0.04	1.3	57	23	217			Gry-Grn	0	1	0	1	0	1	0	0	1	1	0	0	0	TqA		
518613	262.13	263.68	1.55	0.02	0.7	8	19	110			Gry-Grn	0	1	0	1	0	1	0	0	1	1	0	0	0	TqA	"	"
518614	263.68	265.2	1.52	0.06	0.7	6	23	84			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA		TRAQUIANDESITICI ROCKS BASICLY BARREN.
518615	265.25	266.75	1.5	0.02	0.9	11	28	115			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA		TRAQUIANDESITICI ROCKS BASICLY BARREN.
518616	266.75	268.25	1.5	0.02	1.3	9	48	84			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA		TRAQUIANDESITICI ROCKS BASICLY BARREN.
518617	268.25	269.75	1.5	0.02	1.1	14	21	72			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA		TRAQUIANDESITICI ROCKS BASICLY BARREN.
518618	269.75	271.3	1.55	0.02	0.4	10	15	64			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA		TRAQUIANDESITICI ROCKS BASICLY BARREN.
518619	271.3	272.8	1.5	0.03	0.5	9	26	51			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA		TRAQUIANDESITICI ROCKS BASICLY BARREN.
518620	272.8	274.35	1.55	0.02	0.8	6	42	67			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA		TRAQUIANDESITICI ROCKS BASICLY BARREN.
518621	274.35	275.85	1.5	0.01	0.9	9	20	63			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA		TRAQUIANDESITICI ROCKS BASICLY BARREN.
518622	275.85	277.4	1.55	0.01	0.4	39	36	78			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA		TRAQUIANDESITICI ROCKS BASICLY BARREN.
518623	277.4	278.9	1.5	0.06	1.3	20	38	64			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"
518624	278.9	280.45	1.55	0.02	0.7	8	19	80			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"
518625	280.45	281.95	1.5	0.13	0.8	11	34	82			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"
518626	281.95	283.5	1.55	0.01	0.3	9	13	83			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"
518627	283.5	285	1.5	0.02	0.4	13	27	46			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"
518628	285	286.55	1.55	0.01	0.4	33	65	122			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"

518629	286.55	288.05	1.5	0.02	1.1	39	49	61			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	
518630	288.05	289.60	1.55	0.01	0.6	31	26	65			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	
518631	289.6	291.10	1.5	0.01	4.4	16	51	137			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	
518632	291.1	291.10	0	0.37	>100	>1000	>1000	>10000			STD Pb119	STD	STD Pb	STD	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	STD Pb	
518633	291.1	292.65	1.55	0.02	1.2	95	203	500			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	
518634	292.65	294.20	1.55	0.04	0.9	21	35	136			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	
518635	294.2	295.70	1.5	0.03	1.2	49	57	103			Gry-Grn	0	1	0	1	0	1	0	0	0	2	0	0	0	TqA		BROKEN ZONE WITH FRESH Py INCREASE.AND SOME LITHICS FRAGMENTS IN CONTACT BETWEEN TRAQUIANDESITIC ROCKS AND POSSIBLE MONZONITIC ROCK	
518636	295.7	297.20	1.5	0.01	0.2	22	28	61			Gry-Grn	0	1	0	1	0	1	0	0	0	2	0	0	0	TqA	"	"	
518637	297.2	298.70	1.5	0.01	0.4	29	30	95			Gry-Grn	0	1	0	1	0	1	0	0	0	2	0	0	0	TqA	"	"	
518638	298.7	300.20	1.5	0.01	0.6	24	30	90			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	
518639	300.2	301.70	1.5	0	0.5	28	28	97			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	
518640	301.7	303.32	1.62	0.01	0.4	26	25	84			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	
518641	303.32	304.82	1.5	0.01	0.5	8	34	90			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	
518642	304.82	306.37	1.55	0	0.2	6	24	57			Gry-Grn	0	1	0	1	1	1	0	0	0	1	0	0	0	TqA	"	"	
518643	306.37	307.87	1.5	0	<0.2	11	24	55			Gry-Grn	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	
518644	307.87	309.42	1.55	0	<0.2	10	19	58			Pnk	0	1	0	1	1	1	0	0	0	1	0	0	0	Ks-T MzDlo		FROM 518644 TO 518647: STRONG POTACIC ALTERATION, NOT QTZ ADULARIOA, SEEMS LIKE HIPOTERMAL KsPAR, AS WELL SECONDARY BIOTITE HOSTED IN MONZONITIC INTRUSIVE?? PORPHIRITIC TEXTURE. M.M. QTZ-FRESH Py LOCALLY WITH >1%, POOR SERICITE AFTER KSPAR ALTERATED.	
518645	309.42	312.47	3.05	0	<0.2	5	10	31			Pnk	0	1	0	1	2	1	0	0	0	1	0	0	0	Ks-T MzDlo	"	"	
518646	312.47	315.52	3.05	0	<0.2	5	10	34			Pnk	0	1	0	1	2	1	0	0	0	1	0	0	0	Ks-T MzDlo	"	"	
518647	315.52	318.57	3.05	0.01	<0.2	8	23	49			Pnk	0	1	0	1	2	1	0	0	0	1	0	0	0	Ks-T MzDlo	"	"	
518648	318.5	321.57	3.05	0.01	<0.2	20	30	78			Pnk	0	1	0	1	2	1	0	0	0	1	0	0	0	Ks-T MzDlo			
518649	321.6	324.57	3	0.02	<0.2	12	29	62			Pnk	0	1	0	1	2	1	0	0	0	1	0	0	0	Ks-T MzDlo			
518650	324.6	327.57	3	0.01	<0.2	12	20	48			Pnk	0	1	0	1	2	1	0	0	0	1	0	0	0	Ks-T MzDlo			
518651	327.6	329.18	1.61	0	<0.2	22	29	59			Pnk	0	1	0	1	2	1	0	0	0	1	0	0	0	Ks-T MzDlo		INCREASE STOCKWORK AND POTASIC ALTERATIOO	
518652	329.2	330.68	1.5	0.01	<0.2	21	26	54			Pnk	0	2	0	1	2	1	0	0	0	1	0	0	0	Ks-T MzDlo		STRONG PINK DUE POTASIC ALT , FROM 330.3 TO 330.8 STKW BRECCIA WITH PY	
518653	330.7	332.23	1.55	0	0.4	11	26	29			Pnk-Grn	0	2	0	2	2	1	0	0	0	1	0	0	0	Ks-T MzDlo		STRONG PINK DUE POTASIC ALT WITH ABUNDANT STKW	
518654	332.2	333.73	1.5	0.01	0.2	13	9	23			Pnk	0	1	0	2	1	1	0	0	0	1	0	0	0	Ks-T MzDlo		DECREASE STKWK	
518655	333.7	335.28	1.55	0.01	0.2	19	9	29			Pnk	0	1	0	1	1	1	0	0	0	1	0	0	0	Ks-T MzDlo		POTASIC ALTERATION,SECONDARY BIOTITE HOSTED IN MONZONITIC INTRUSIVE?? PORPHIRITIC TEXTURE	
518656	335.3	336.98	1.7	0	0.2	28	5	30			Pnk	0	1	0	1	1	1	0	0	0	1	0	0	0	Ks-T MzDlo	"	"	
518657	337	336.98	0	0.4	>100	>1000	>1000	>10000			stdpb119	stdpb119	stdpb119	stdpb119	stdpb119	stdpb119	stdpb119	stdpb119	stdpb119	stdpb119	stdpb119	stdpb119	stdpb119	stdpb119	stdpb119	stdpb119		
518658	337	336.98	0	<0.00	0.4	28	34	60			BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK		
518659	337	338.33	1.35	0	0.3	18	23	42			Pnk	0	1	0	1	1	1	0	0	0	1	0	0	0	Ks-T MzDlo		POTASIC ALTERATION,SECONDARY BIOTITE HOSTED IN MONZONITIC INTRUSIVE?? PORPHIRITIC TEXTURE, OPEN STKWK	
518660	338.3	341.33	3	0	<0.2	27	16	35			Pnk	0	1	0	1	1	1	0	0	0	1	0	0	0	Ks-T MzDlo	"	"	
518661	341.3	342.73	1.4	0	0.3	23	13	32			Pnk	0	1	0	1	1	1	0	0	0	1	0	0	0	Ks-T MzDlo	"	"	
518662	342.7	345.73	3	0	1.5	31	23	40			Grn	0	1	0	2	0	0	0	0	0	2	1	0	0	0	Ks-T MzDlo		GREEN DUE CHLORITIZATION FOR FAULT

[illegible]

MINERA LINCOLN DE MEXICO SA DE CV																									HOLE NUMBER: LBDDH-002																
N																									TYPE DRILL CORE: HQ																
LA BUFA GOLD & SILVER PROJECT																									REDUCTION: 216.11 M NQ																
DATE START: 23 - 03 - 08							1=WEAK														CORE SIZE: H.T.W FROM: 0.00 m TO:216.11 m. N.T.W. FROM:216.11 m. TO: 400.81 m.		NEW "G" CHOICE 1°		PROG. DEPTH: 400 M T.D.= 400.00 M																
DATE END: 01 - 04 - 08							2=MOD														GEOLOGIST: F LOPEZ / FCO VAZQUEZ.				AZIMUT: 50°																
EASTING: 304635.739 (NAD27)							3=HEAVY/STRONG														DRILL COMPANY: ENERGOLD				ANGLE: -45°																
NORTHING: 2886785.141 (NAD27)																					DRILLER: ERICK SURVEYOR: Juan Pablo Garcia Flores				ELEV. INTERCEP:																
GEOTECHNICAL CONTROL										CONTROL SAMPLING										DESCRIPTION ALT.										SULPHIDES										ELEV. COLLAR: 2366.263 (NAD27)	
FROM	TO	TOT. D.	REC. M	REC %	R.Q.D.	# SAMPLE	WIDE S.	Au	Ag	Cu	FROM	TO	COLOR	HEM	QTZ V.	EPID.	CH.	Kspar	SILICIF.	QvBx	SER.	CLAYS	Py	Cpy	Gn	Sph	LITHOLOGY	SAMPLE DESC. AND DRILL NOTES													
0.0	1.52	1.5	1.00	65.79	90.00	110101	1.5				0	1.5	Br-R	2	1	0	0	0	1	0	0	1	0	0	0	0	Trd/STKWK	FROM 110101 TO 110119: RIODACITIC TUFFS (LITHIC AND CRYSTALLS) WITH LESS VOLCANIC FLOWS INTERBEDED. SOME CLAYS AND LIMONITES IN FIRST 3 SAMPLES. AFTER: PERVASIVE POOR SILICIF. ASSOC TO QTZ VEINING CRYSTALLINE CRYSTALLS DRUSSED AND LESS GRAY COLOR. LOCAL MOD FRESH Py ASOC TO FXS AND QTZ VEINING. POOR EPIDOTE IN FRACTURES WITH QTZ TOO.													
1.5	3.05	1.53	1.50	98	91.00	110102	1.55				1.5	3.1	Y-R	2	1	0	0	0	1	0	0	2	0	0	0	0	Trd/STKWK	" "													
3.05	6.10	3.05	3.05	100	88.00	110103	1.45				3.05	4.5	Y-R	2	1	0	0	0	1	0	0	2	0	0	0	0	Trd/STKWK	" "													
6.10	9.11	3.01	2.90	96	89.00	110104	1.6				4.5	6.1	Pnk	0	1	1	1	0	1	0	0	1	1	0	0	0	Trd/STKWK	" "													
9.11	12.16	3.05	2.90	95	85.00	110105	1.5				6.1	7.6	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
12.16	13.72	1.56	1.50	96	78.00	110106	1.51				7.6	9.1	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
13.72	16.76	3.04	3.01	99	68.00	110107	1.49				9.11	10.6	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
16.76	19.81	3.05	3.05	100	90.00	110108	1.5				10.6	12.1	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
19.81	21.34	1.53	1.45	95	90	110109	1.5				12.1	13.6	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
21.34	24.39	3.05	3.05	100	89	110110	1.5				13.6	15.1	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
24.39	27.43	3.05	3.05	100	95.00	110111	1.5				15.1	16.6	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
27.43	30.48	3.05	3.05	100	85.00	110112	1.5				16.6	18.1	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
30.48	33.53	3.05	3.00	98	93	110113	1.5				18.1	19.6	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
33.53	36.58	3.05	3.05	100	65	110114	1.5				19.6	21.1	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
36.58	39.62	3.04	3.05	100	88.00	110115	1.5				21.1	22.6	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
39.62	42.67	3.05	3.05	100	95.00	110116	1.5				22.6	24.1	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
42.67	45.72	3.05	2.95	97	90.00	110117	1.5				24.1	25.6	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
45.72	48.77	3.05	3.05	100	95.00	110118	1.83				25.6	27.4	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "													
48.77	51.82	3.05	3.05	100	91.00	110119	3.05				27.43	30.5	Pnk	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd	110119 TO 110124: DECEREMENT IN QTZ VEINING. RIODACITIC TUFFS BASICLY BARREN OR POOR SILICIF.													
51.82	54.87	3.05	3.00	98	93	110120	3.05				30.48	33.5	Pnk	0	0	1	1	0	1	0	0	0	1	0	0	0	Trd	" "													
54.87	57.91	3.05	3.05	100	91.00	110121	3.05				33.53	36.6	Pnk	0	0	0	1	0	1	0	0	0	1	0	0	0	Trd	" "													
57.91	60.96	3.05	3.05	100	70.00	110122	3.05				36.58	39.6	Pnk	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "													
60.96	64.01	3.05	3.05	100	72.00	110123	3.04				39.63	42.7	Pnk	0	0	0	1	0	1	0	0	0	1	0	0	0	Trd	" "													
64.01	67.06	3.05	3.05	100	68.00	110124	3.05				42.67	45.7	Pnk	0	0	0	1	0	1	0	0	0	1	0	0	0	Trd	" "													
67.06	70.10	3.04	3.04	100	75	110125	0	2.71	113	1.36%	45.72	45.7	STD PM1119	STD	STD PM1	STD P	STD	STD PM1	STD PM1	STD PM1	STD P	STD PM1	STD P	STD P	STD P	STD P	STD PM119	STÁNDAR SAMPLE PM 1119													
70.10	73.15	3.05	3.05	100	66	110126	1.5				45.72	47.2	Pnk	1	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK	110126 TO 110135: WEAK QTZ-Py VEINING HOSTED ON Trd LITHIC AND CRYSTALLS TUFFS. SEEMS LIKE STOCKWORK INCIPIENT. POOR FEOX (HEM) DERIVED FROM PyOx. POSSIBLE GALENA FINE GRAIN. POOR GOUGE AND CHLORITE IN ISOLATED FRACTURES. CHLORITE MOSTLY VISIBLE ATTACKING PLAGIOCLASE. QTZ VEINING MOSTLY IN DRUSED CRYSTALLS AND LESS GRAY COLOR.													
73.15	76.20	3.05	3.05	100	87	110127	1.55				47.22	48.8	Pnk	1	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK	" "													
76.20	79.25	3.05	3.05	100	86.00	110128	1.5				48.77	50.3	Pnk	1	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK	" "													
79.25	82.30	3.05	3.05	100	88.00	110129	1.55				50.27	51.8	Pnk	1	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK	" "													
82.30	85.34	3.04	3.04	100	80.00	110130	1.5				51.82	53.3	Pnk	1	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK	" "													
85.34	88.39	3.05	3.05	100	82.00	110131	1.55				53.32	54.9	Pnk	1	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK	" "													
88.39	91.44	3.05	3.05	100	94.00	110132	1.5				54.87	56.4	Pnk	1	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK	" "													
91.44	94.49	3.05	3.05	100	95.00	110133	1.54				56.37	57.9	Pnk	1	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK	" "													
94.49	97.54	3.05	3.05	100	89.00	110134	1.5				57.91	59.4	Pnk	1	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK	" "													
97.54	100.58	3.05	3.05	100	96	110135	1.55				59.41	61.0	Pnk	1	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK	" "													

[illegible]

198.12	201.17	3.05	2.90	95	72.00	110169	1				106.68	107.7	Gry-O	0	1	0	2	0	1	0	0	0	2	0	0	0	Trd/QvBx	"	"
201.17	204.22	3.05	2.95	97	66.00	110170	0.92				107.68	108.6	Gry	0	3	0	0	0	2	0	0	0	2	0	0	0	QVBX	Grey silice with abundant pyrite disseminated	
204.22	207.26	3.04	3.00	99	80.00	110171	1.13				108.6	109.7	Pnk	1	1	0	2	0	1	0	0	0	1	0	0	0	Tqa/QvBx	FROM 110171 TO 110173 : Trd MOD SILICIFATED WITH CLOSE STOCKWORK, CHLORITE-PY DISS. PREDOMINANT ANGLE OF FRACTURES BETWEEN 35 AND 45 DEEGRES.	
207.26	210.31	3.05	3.00	98	52.00	110172	2.29				109.73	112.0	Pnk	1	1	0	2	0	1	0	0	0	1	0	0	0	Tqa/QvBx	FRACTURATED CORE W/STOCKWORK	
210.31	213.36	3.05	2.90	95	85.00	110173	1.54				112.02	113.6	Pnk	1	1	0	2	0	1	0	0	0	1	0	0	0	Tqa/QvBx	FRACTURATED CORE W/STOCKWORK	
213.36	216.41	3.05	3.00	98	68.90	110174	0.74				113.56	114.3	Pnk	1	1	0	2	0	1	0	0	0	1	0	0	0	Tqa	FROM 110174 TO 110190: DECREMENT IN QTZ VEINING AND SILICIFICATION.CHLORITE DISSEMINATED IN GROUNDMASS, PY IN VEINS AND FRACTURES, PINK bands of feldspar..	
216.41	219.46	3.05	3.00	98	42.62	110175	0	3.67	109	1.33%	114.3	114.3	STD PM1119	STD	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1119	STANDAR SAMPLE PM 1119	
219.46	220.98	1.52	1.50	99	56.66	110176	1.5				114.3	115.8	Pnk-Br	1	0	0	2	0	1	0	0	0	2	0	0	0	Tqa	" "	
220.98	222.50	1.52	1.50	99	18.66	110177	1.55				115.8	117.4	Pnk-Br	1	0	0	2	0	1	0	0	0	2	0	0	0	Tqa	" "	
222.50	225.55	3.05	3.00	98	65.57	110178	3.05				117.35	120.40	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	" "	
225.55	227.08	1.53	1.50	98	71.33	110179	1.52				120.40	121.92	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	" "	
227.08	230.12	3.04	2.20	72	45.90	110180	3.05				121.92	124.97	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	" "	
230.12	233.17	3.05	3.00	98	65.57	110181	3.05				124.97	128.02	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	" "	
233.17	236.22	3.05	3.00	98	60.65	110182	3.04				128.02	131.06	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	" "	
236.22	239.27	3.05	3.00	98	62.22	110183	3.05				131.06	134.11	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	" "	
239.27	240.79	1.52	1.50	99	22.29	110184	3.05				134.11	137.16	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	FRACTURATED CORE,	
240.79	243.84	3.05	3.00	98	59.07	110185	3.05				137.16	140.21	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	" "	
243.84	246.89	3.05	3.00	98	67.21	110186	3.05				140.21	143.26	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	SUBPARALELL FRACTURES	
246.89	249.94	3.05	3.00	98	67.86	110187	3.04				143.26	146.30	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	" "	
249.94	252.98	3.04	3.02	99	59.01	110188	3.05				146.30	149.35	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	" "	
252.98	256.03	3.05	3.00	98	80.32	110189	3.05				149.35	152.40	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	" "	
256.03	259.08	3.05	3.05	100	60.65	110190	1.55				152.4	153.95	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	" "	
259.08	262.13	3.05	3.05	100	65.57	110191	1.5				153.95	155.45	Gry	0	1	0	0	0	2	0	0	0	2	0	0	0	QVBX/STKWK	QTZ BRECCIA WITH FINE PYRITE	
262.13	265.18	3.05	3.02	99	62.28	110192	3.05				155.45	158.50	Pnk	1	0	0	2	0	1	0	0	0	1	0	0	0	Tqa	FROM 155.45 TO 201.17 COARSE TEXTURE WITH ABUNDANT CRISTALS AND LESS LITHICS, CHLORITE REPLACING FEMG, FEW FRACTURES FILLED BY CHLORITE AND CALCITE AND WEAK PYRITE, PINK COLOUR DUE FK	
265.18	268.22	3.04	3.00	99	73.77	110193	3.05				195.07	198.1	Gry	1	0	0	1	0	1	0	0	0	1	0	0	0	Tqa	" "	
268.22	271.27	3.05	3.05	100	57.37	110194	3.05				198.12	201.17	Gry-Grn	1	0	0	1	0	1	0	0	0	2	0	0	0	Tqa	" "	
271.27	274.32	3.05	3.00	98	55.73	110195	1.93				201.17	203.10	Gry-Grn	0	1	0	1	0	2	0	0	0	2	0	0	0	Tqa/STKWK	110194, STOCKWORK AND QTZ VEINS WITH GREY SILICE AND PYRITE	
274.32	277.37	3.05	3.05	100	59.01	110196	1.12				203.1	204.22	Gry	0	0	0	1	0	2	0	0	0	2	0	0	0	Tqa	" "	
277.37	280.42	3.05	3.05	100	88.52	110197	3.04				204.22	207.26	Gry-Pnk	1	0	0	1	0	1	0	0	0	1	0	0	0	Tqa	FROM 110197 TO 110199 -- INCREMENT IN LITHICS FRAGMENTS, GREY WITH PINK HORIZONTS WITH UNCONSISTENT THINY VEINS WITH PYRITE.	
280.42	283.46	3.04	3.00	99	60.65	110198	3.05				207.26	210.31	Gry-Pnk	1	0	0	1	0	1	0	0	0	1	0	0	0	Tqa	" "	
283.46	286.51	3.05	3.05	100	68.85	110199	2.29				210.31	212.60	Gry-Pnk	1	0	0	1	0	1	0	0	0	1	0	0	0	Tqa	" "	
286.51	289.56	3.05	3.05	100	56.72	110200	0				212.6	212.60	STD PM1119	STD	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1	STD PM1119	STANDAR SAMPLE PM 1119	
289.56	292.61	3.05	3.05	100	62.29	110201	0				212.6	212.60	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLANK SAMPLE.	
292.61	294.13	1.52	1.50	99	53.33	110202	2.01				212.6	214.61	Gry	0	1	0	0	0	2	0	0	0	1	0	0	0	TMz-QzMz	POSSIBLE MONZONITE QTZ MONZONITIC LATE INTRUSSIVE. PINK COLOR AND MEDIUM GRAIN SIZE GROUNDMASS.	
294.13	297.18	3.05	3.00	98	65.57	110203	3				214.61	217.61	Gry-Br	0	0	0	1	1	1	0	0	0	1	0	0	0	TMz-QzMz	" "	
297.18	300.23	3.05	3.05	100	73.77	110204	3				217.61	220.61	Gry-Br	0	1	0	1	1	1	1	0	0	1	0	0	0	TMz-QzMz	" "	
300.23	303.28	3.05	3.00	98	91.80	110205	3				220.61	223.61	Gry-Br	0	1	0	1	1	1	1	0	0	1	0	0	0	Tqa	FROM 110205 TO 110207. QTZ VEINING AND SILICIFICATION.CHLORITE DISSEMINATED IN GROUNDMASS, PY IN VEINS AND FRACTURES.	
303.28	306.32	3.04	3.00	99	80.33	110206	3				223.61	226.61	Pnk	1	0	0	1	0	1	0	0	0	1	0	0	0	Tqa	" "	
306.32	309.37	3.05	3.05	100	85.24	110207	3				226.61	229.61	Pnk	1	0	0	1	0	1	0	0	0	1	0	0	0	Tqa	" "	
309.37	312.42	3.05	3.00	98	85.24	110208	3				229.61	232.61	Pnk	1	0	0	1	0	1	0	0	0	1	0	0	0	Tqa	" "	
312.42	315.47	3.05	3.05	100	93.77	110209	3				232.61	235.61	Pnk	1	0	0	1	0	1	0	0	0	1	1	0	0	Tqa	" "	
315.47	318.52	3.05	3.05	100	91.8	110210	3				235.61	238.61	Pnk	1	0	0	1	0	0	0	0	0	1	0	0	0	Tqa	" "	
318.52	321.56	3.04	3.05	100	95.08	110211	3				238.61	241.61	Pnk	0	0	0	1	0	1	0	0	0	1	0	0	0	Tqa	" "	
321.56	324.61	3.05	3.00	98	90.16	110212	3				241.61	244.61	Pnk	0	0	0	1	0	1	0	0	0	2	0	0	0	Tqa	" "	
324.61	327.67	3.06	3.00	98	85.24	110213	3				244.61	247.61	Pnk-Br	1	0	0	1	0	1	0	0	0	2	0	0	1	Tqa	" "	
327.67	330.71	3.04	3.00	99	82.95	110214	3				247.61	250.61	Pnk	0	0	0	1	0	1	0	0	0	2	0	0	0	Tqa	" "	
330.71	333.76	3.05	3.05	100	95.08	110215	3				250.61	253.61	Pnk	0	1	0	1	0	2	0	0	0	1	0	0	0	Tqa/STKWK	110215, STOCKWORK AND QTZ VEINS WITH GREY SILICE AND PYRITE	

[illegible]


MINERA LINCOLN DE MEXICO SA DE CV																							HOLE NUMBER: LBDDH-003												
DIAMOND DRILL EXPLORATION PROGRAM																							TYPE DRILL CORE: NTW												
LA BUFA GOLD & SILVER PROJECT																							REDUCTION: BTW since 202.71												
DATE START:											CORE SIZE: H.Q. FROM: 0.00 m TO: 202.71 H.Q. . N.Q. FROM:202.71 TO: 400.81 .												PAD NEW "B"	PROG. DEPTH: 400 T.D. 400.81 M											
DATE END: April 15, 2008											GEOLOGIST:													AZIMUT: 45											
EASTING: 304279.427 (NAD27)											DRILL COMPANY: ENERGOLD													ANGLE: -45											
NORTHING: 2886889.305 (NAD27)											DRILLER: ERICK SURVEYOR: Juan Pablo Garcia Flores													ELEV. INTERCEP:											
GEOTECHNICAL CONTROL										CONTROL SAMPLING						DESCRIPTION ALT.										SULPHIDES						ELEV. COLLAR: 2350.793 (NAD27)			
FROM	TO	TOT. D.	REC. M	REC %	R.Q.D.%	# SAMPLE	WIDE	Au	Ag	Cu	FROM	TO	COLOR	HEM	QTZ V.	EPID.	CH.	Kspar	SILICIF.	QvBx	SER.	CLAYS	Py	Cpy	Gn	Sph	LITHOLOGY	SAMPLE DESC. AND DRILL NOTES							
0.0	1.50	1.50	1.50	100	30.00		0						Pnk-Brn	0	0	0	0	0	0	0	0	0	2	0	0	0	0	Trd-Tigw	(0-13.7) RIODACITIC TUFFS, WLEDED OR CXS TUFSS, SOME LITHICS, VERY CLAYISH DUE TO SUPERGENETIC PROCES OR WEATHERING.						
1.5	3.1	1.55	1.10	71	48.18		0						Pnk-Brn	0	0	0	0	0	0	0	0	0	2	0	0	0	0	Trd-Tigw	" "						
3.1	4.6	1.52	0.76	50	25.21		0						Pnk-Brn	0	0	0	0	0	0	0	0	0	2	0	0	0	0	Trd-Tigw	" "						
4.6	6.1	1.53	0.35	23	0.00		0						Pnk-Brn	0	0	0	0	0	0	0	0	0	3	0	0	0	0	Trd-Tigw	" "						
6.1	7.62	1.52	0.33	22	0.00		0						Pnk-Brn	0	0	0	0	0	0	0	0	0	3	0	0	0	0	Trd-Tigw	" "						
7.6	9.15	1.53	0.36	24	0.00		0						Pnk-Brn	0	0	0	0	0	0	0	0	0	3	0	0	0	0	Trd-Tigw	" "						
9.2	10.66	1.51	0.56	37	13.21		0						Pnk-Brn	0	0	0	0	0	0	0	0	0	2	0	0	0	0	Trd-Tigw	" "						
10.7	12.19	1.53	0.74	48	13.51		0						Pnk-Brn	0	0	0	0	0	0	0	0	0	2	0	0	0	0	Trd-Tigw	" "						
12.2	13.72	1.53	0.70	46	34.28		0						Pnk-Brn	0	0	0	0	0	0	0	0	0	2	0	0	0	0	Trd-Tigw	" "						
13.7	15.24	1.52	1.25	82	66.4		0						Pnk-R	2	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	(13.7-21.34)Rhyodacite, lithic-crystals tuff, pink-red, strong hematization.						
15.2	18.29	3.05	2.95	97	73.22		0						Pnk-R	2	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "						
18.3	21.34	3.05	3.00	98	67.54		0						Pnk-R	2	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "						
21.3	24.44	3.10	3.00	97	45	110285	3.06				21.34	24.4	Pnk-R	2	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "						
24.4	27.43	2.99	2.90	97	59.01	110286	3.03				24.4	27.43	Pnk-R	2	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "						
27.4	30.48	3.05	3.00	98	85.24	110287	3.05				27.43	30.48	Pnk-R	2	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "						
30.5	33.53	3.05	3.00	98	44.26	110288	3.05				30.48	33.53	Gr-R	2	1	0	0	0	0	0	0	0	0	0	0	0	0	Trd	Fractures with hematite and silicification with few qtz veins						
33.5	35.05	1.52	1.40	92	67.33	110289	3				33.53	36.53	Gr-R	2	1	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "						
35.1	38.10	3.05	3.00	98	72.13	110290	3				36.53	39.53	Gr-R	2	1	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "						
38.1	41.14	3.04	3.00	99	85.57	110291	3				39.53	42.53	Gr-R	2	1	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "						
41.1	44.20	3.06	3.00	98	96.72	110292	3				42.53	45.53	Br-R	2	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	Brown-red with hematization and silicification moderated, pink horizons possible potasic alteration, qtz veins with hem-py with predominant angle between 65-80 deegres.						
44.2	47.24	3.04	3.00	99	83.33	110293	3				45.53	48.53	Br-R	2	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	" "						
47.2	50.29	3.05	3.00	98	85.24	110294	3				48.53	51.53	Br-R	2	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	" "						
50.3	53.34	3.05	3.00	98	77.04	110295	3				51.53	54.53	Br-R	2	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	" "						
53.3	56.39	3.05	3.05	100	93.77	110296	3				54.53	57.53	Br-R	2	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	" "						
56.4	59.44	3.05	3.05	100	85.57	110297	3				57.53	60.53	Br-R	2	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	" "						
59.4	62.48	3.04	3.00	99	90.49	110298	3				60.53	63.53	Br-R	2	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	" "						
62.5	65.53	3.05	3.05	100	70.81	110299	3				63.53	66.53	Br-R	2	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	" "						
65.5	68.58	3.05	3.00	98	70.81	518701	3				66.53	69.53	Br-R	2	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	" "						
68.6	71.62	3.04	3.00	99	72.78	518702	3				69.53	72.53	Br-R	2	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	" "						
71.6	74.68	3.06	3.00	98	90.33	518703	3				72.53	75.53	Br-R	2	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	" "						
74.7	77.62	2.94	2.90	99	78.68	518704	3				75.53	78.53	Br-R	2	1	0	0	1	2	0	0	0	0	1	0	0	0	Trd	" "						
77.6	80.77	3.15	3.05	97	68.85	518705	3				78.53	81.53	Br-R	2	1	0	0	1	2	0	0	0	0	1	0	0	0	Trd	" "						
80.8	83.82	3.05	3.00	98	83.27	518706	3				81.53	84.53	Br-R	1	1	0	0	1	2	0	0	0	0	1	0	0	0	Trd	" "						
83.8	86.87	3.05	3.00	98	80.65	518707	0				84.53	84.53	STD Pb119	STD BLK	STD Pb119	STD BLK	STD Pb119	STD BLK	STD Pb119	STD BLK	STD Pb119	STD BLK	STD Pb119	STD BLK	STD Pb119	STD BLK	STD Pb119	STD BLK	STD Pb119	STD BLK					
86.9	89.92	3.05	3.00	98	82.62	518708	0				84.53	84.53	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK					
89.9	92.96	3.04	3.00	99	78.68	518709	1.5				84.53	86.03	Br-R	1	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	Isolated qtz vein with Gal-Sphalerite-Py						
93.0	96.01	3.05	3.00	98	90.00	518710	1.5				86.03	87.53	Br-R	1	1	0	0	1	1	0	0	0	0	1	0	0	0	Trd	Silicification horizons, fractures filled by hematite, qtz veins with py.						

96.0	99.06	3.05	3.05	100	86.22	518711	1.5					87.53	89.03	Br-R	1	1	0	0	1	1	0	0	0	1	0	0	0	Trd	"	"	
99.1	102.11	3.05	3.00	98	83.27	518712	1.5					89.03	90.53	Br-R	1	1	0	0	1	1	0	0	0	1	0	0	0	Trd	"	"	
102.1	103.63	1.52	1.50	99	50.66	518713	1.5					90.53	92.03	Br-R	1	1	0	0	1	1	0	0	0	1	0	0	0	Trd	"	"	
103.6	106.68	3.05	3.00	98	57	518714	3					92.03	95.03	Br-R	1	1	0	0	1	1	0	0	0	1	0	0	0	Trd	"	"	
106.7	109.73	3.05	3.05	100	83.93	518715	3					95.03	98.03	Br-R	1	1	0	0	1	1	0	0	0	1	0	0	0	Trd	"	"	
109.7	112.78	3.05	3.00	98	78.68	518716	2					98.03	100.03	Br-R	1	1	0	0	1	1	0	0	0	1	0	0	0	Trd	"	"	
112.8	115.82	3.04	3.00	99	77.04	518717	5.1					100.03	105.13	Br-R	1	1	0	0	1	1	0	0	0	1	0	0	0	Trd	"	"	
115.8	118.87	3.05	3.00	98	66.55	518718	3.67					105.13	108.8	Br-R	1	1	0	0	1	1	0	0	0	1	0	0	0	Trd	"	"	
118.9	121.92	3.05	3.00	98	77.33	518719	2.8					108.8	111.6	Br-R	1	1	0	0	1	1	0	0	0	1	0	0	0	Trd / STKWK	Qtz vein with gal-sphalerite-argentite, and traces of yellow sphalerite		
121.9	124.97	3.05	3.00	98	62.95	518720	1.9					111.6	113.5	Br-R	1	1	0	0	1	1	0	0	0	1	0	0	0	Trd / STKWK	"	"	
125.0	126.49	1.52	1.50	99	63.33	518721	2.32					113.5	115.82	Gr-Brn	0	1	0	0	1	1	0	0	0	1	0	0	0	Trd / STKWK	Silicification moderated with close stkww, qtz veins with py.		
126.5	129.54	3.05	3.00	98	83.27	518722	1.6					115.82	117.42	Gry	0	1	0	0	1	2	0	0	0	3	0	0	0	Trd / QTZ Bx	Qtz breccia with pyrite as cementant, stkww moderated, horizons with flow marks.		
129.5	132.14	2.60	2.40	92	93.33	518723	1.5					117.42	118.92	Gry	0	1	0	0	1	2	0	0	0	2	0	0	0	Trd / STKWK	Constantly stockwork horizons with abundant pyrite, qtz veins with predominant angle between 60-70 deegres		
132.1	135.43	3.29	2.50	76	85	518724	3					118.92	121.92	Gry	0	1	0	0	1	2	0	0	0	2	0	0	0	Trd	"	"	
135.4	138.68	3.25	2.75	85	70.9	518725	3					121.92	124.92	Gry	0	1	0	0	1	2	0	0	0	2	0	0	0	Trd	"	"	
138.7	140.21	1.53	1.40	92	78.57	518726	1.57					124.92	126.49	Gry	0	1	0	0	1	2	0	0	0	2	0	0	0	Trd	"	"	
140.2	143.26	3.05	3.00	98	81.00	518727	3					126.49	129.49	Gry	0	1	0	0	1	2	0	0	0	2	0	0	0	Trd	"	"	
143.3	144.78	1.52	1.20	79	56.66	518728	2.65					129.49	132.14	Gry	0	1	0	0	1	2	0	0	0	2	0	0	0	Trd	"	"	
144.8	147.83	3.05	3.05	100	86.88	518729	3.29					132.14	135.43	Gry	0	1	0	0	1	2	0	0	0	2	0	0	0	Trd	"	"	
147.8	150.88	3.05	3.00	98	84.66	518730	3.25					135.43	138.68	Gry	0	1	0	0	1	2	0	0	0	2	0	0	0	Trd	"	"	
150.9	153.92	3.04	3.00	99	76.06	518731	3					138.68	141.68	Gry	0	1	0	0	1	2	0	0	0	2	0	0	0	Trd	"	"	
153.9	156.97	3.05	3.00	98	87.21	518732	0					141.68	141.68	STD Pb119	STD	STD Pb119	STD	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	
157.0	160.02	3.05	3.00	98	88.00	518733	3.1					141.68	144.78	Gry	0	1	0	0	1	2	0	0	0	2	0	0	0	Trd	"	"	
160.0	163.07	3.05	3.00	98	74.09	518734	3.05					144.78	147.83	Gry-Brn	0	1	0	0	1	2	0	0	0	2	0	0	0	Trd	"	"	
163.1	166.12	3.05	3.00	98	91.80	518735	3.05					147.83	150.88	Gry-Grn.	0	2	0	0	1	2	0	0	0	2	0	0	0	Trd / qtz vein	From 148.1 to 148.3 qtz vein with gal-sphalerite-py		
166.1	169.16	3.04	3.00	99	71.14	518736	3.04					150.88	153.92	Gry-brown	0	2	0	0	1	2	0	0	0	2	0	0	0	Trd / qtz vein	"	"	
169.2	172.21	3.05	3.00	98	67.33	518737	1.5					153.92	155.42	Gry-Grn	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	Intrusive fragments, stockwork and py in fractures.		
172.2	175.26	3.05	2.95	97	61.01	518738	1.55					155.42	156.97	Gr-Grn-Br	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	"	"	
175.3	178.31	3.05	3.00	98	77.00	518739	1.5					156.97	158.47	Br	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd / TqA	RIODACITIC TO LATITIC SHOWIN LIKE VOLCANIC FLOWS HORIZONTS AND CRYSTALLS TUFFS, WITH QTZ VEINING		
178.3	181.36	3.05	3.00	98	74.23	518740	1.55					158.47	160.02	Br	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd / TqA	"	"	
181.4	184.41	3.05	2.90	95	56.00	518741	1.5					160.02	161.52	Br	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd / TqA	"	"	
184.4	187.46	3.05	2.90	95	43.38	518742	1.55					161.52	163.07	Br	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd / TqA	"	"	
187.5	190.51	3.05	2.70	89	71.85	518743	1.5					163.07	164.57	Gry	0	2	0	1	1	2	0	0	0	2	0	0	0	QvBx / StkWk	518743, QTZ VEINS WITH Py, STKWK AND SILICIFICATION.		
190.5	193.56	3.05	2.90	95	69.65	518744	1.75					164.57	166.32	Gry	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd / TqA	RIODACITIC TO LATITIC, WITH VOLCANIC FLOWS HORIZONTS AND CRYSTALLS TUFFS, WITH QTZ VEIN AND STKWK.		
193.6	196.61	3.05	2.95	97	64.40	518745	1.5					166.32	167.82	Gry	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd / TqA	"	"	
196.6	199.66	3.05	3.00	98	62.00	518746	1.3					167.82	169.12	Gry	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd / TqA	"	"	
199.7	202.71	3.05	2.95	97	74.57	518747	1.5					169.12	170.62	Gry	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd / TqA	"	"	
202.7	205.74	3.03	2.90	96	41.37	518748	1.6					170.62	172.22	Gry-Br	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd / TqA	"	"	
205.7	208.79	3.05	3.00	98	61.00	518749	1.5					172.22	173.72	Gry-Br	0	1	0	1	1	1	0	0	0	2	0	0	0	QvBx / StkWk	518749- FROM 172.21 TO 177.1 QTZ VEINS WITH STOCKWORK, BLACK SULPHIDES BANDED IN QTZ, FRACTURES FILLED WITH CALCITE AND QTZ.		

208.8	211.84	3.05	3.00	98	76.66	518750	1.54					173.72	175.26	Gry-W	0	1	0	1	0	1	2	0	0	2	1	2	1	QvBx / StkWk	QVBX WITH BANDED SULPHIDES WITH STRONG GALENA CPy, SPHALERITE,POSSIBLE ARGENTITE? AMETHIST SMALL VEINS		
211.8	214.88	3.04	3.00	99	68.85	518751	1.5					175.26	176.76	Gry-W	0	1	0	1	0	1	2	0	0	2	1	2	1	QvBx / StkWk	"		
214.9	217.93	3.05	3.00	98	83.93	518752	1.5					176.76	178.26	Gry	0	1	0	1	0	1	1	0	0	1	0	0	0	tqa? / stkwk	"		
217.9	220.98	3.05	2.90	95	78.68	518753	3					178.26	181.26	Gry	0	1	0	1	0	1	0	0	0	2	0	0	0	Tqa	TRAQUIANDESITIC OR LATITE ROCK, HORIZONS WITH SILICIFICATION, NOT VISIBLE BASE METALS, MODERATED PYRITE DISSEMINATED .CALCITE VEIN, AND ISOLATED QTZ VEIN WITH FINE PY.		
221.0	224.03	3.05	2.80	92	55.73	518754	3					181.26	184.26	Gry	0	1	0	1	0	1	0	0	0	2	0	0	0	Tqa	"		
224.0	227.08	3.05	2.90	95	70.16	518755	3					184.26	187.26	Gry	0	1	0	1	0	1	0	0	0	2	0	0	0	Tqa	"		
227.1	230.12	3.04	2.90	95	62.50	518756	3					187.26	190.26	Gry	0	1	0	1	0	1	0	0	0	2	0	0	0	Tqa	"		
230.1	233.17	3.05	2.77	91	76.06	518757	0					190.26	190.26	STD Pb119	STD F	STD Pb1	STD P	STD	STD Pb	STD Pb1	STD Pb	STD Pb1	STD Pb	STD Pb1	STD F	STD F	STD F	STD F	STD Pb119	STD Pb119	
233.2	236.22	3.05	2.30	75	27.21	518758	0					190.26	190.26	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	
236.2	237.74	1.52	1.33	87	70.39	518759	3					190.26	193.26	Gry	0	1	0	1	0	1	0	0	0	2	0	0	0	Tqa	"		
237.7	240.79	3.05	2.85	93	66.55	518760	3					193.26	196.26	Gry	0	1	0	1	0	1	0	0	0	2	0	0	0	Tqa	"		
240.8	243.84	3.05	2.70	89	66.22	518761	3					196.26	199.26	Gry	0	1	0	1	0	1	0	0	0	2	0	0	0	Tqa	"		
243.8	246.89	3.05	2.70	89	34.42	518762	1.5					199.26	200.76	Gry	0	1	0	1	0	1	0	0	0	2	0	0	0	Tqa	"		
246.9	248.41	1.52	1.40	92	68.42	518763	1.95					200.76	202.71	Brn-pnk	0	1	0	1	1	1	0	0	0	2	0	0	0	Tqa	Isolated vein w/cpy-sphalerite		
248.4	251.46	3.05	2.80	92	63.27	518764	1.5					202.71	204.21	Gry-PNk	0	1	0	1	1	1	0	0	0	1	0	0	0	Tqa /Ks-TMzD.	Dark grey monzo dioritic INTRUSIVE FLOODING??? IN TRAQUIANDESITIC VOLC FLOWS. pink due potassic alteration, Reduction NTW since 202.71		
251.5	254.51	3.05	2.75	90	33.44	518765	1.53					204.21	205.74	Gry-PNk	0	1	0	1	1	1	0	0	0	1	0	0	0	Tqa /Ks-TMzD.	"		
254.5	257.56	3.05	2.47	81	45.90	518766	3					205.74	208.74	Gry-PNk	0	1	0	1	1	1	0	0	0	1	0	0	0	Tqa /Ks-TMzD.	"		
257.6	260.60	3.04	2.85	94	78.94	518767	3					208.74	211.74	Gry-PNk	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	TRAQUIANDESITIC OR LATITE ROCK, HORIZONS WITH SILICIFICATION, NOT VISIBLE BASE METALS, MODERATED PYRITE DISSEMINATED .CALCITE VEIN, AND ISOLATED QTZ VEIN WITH GAL-CPY.		
260.6	263.65	3.05	2.87	94	67.86	518768	3					211.74	214.74	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
263.7	266.70	3.05	2.95	97	68.33	518769	3					214.74	217.74	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
266.7	269.75	3.05	2.20	72	55.73	518770	3					217.74	220.74	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
269.8	272.80	3.05	2.90	95	63.80	518771	3					220.74	223.74	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
272.8	275.84	3.04	2.95	97	65.78	518772	3					223.74	226.74	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
275.8	278.89	3.05	3.00	98	72.78	518773	3					226.74	229.74	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
278.9	281.94	3.05	2.93	96	72.13	518774	2.5					229.74	232.24	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
281.9	284.99	3.05	2.95	97	86.55	518775	3					232.24	235.24	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
285.0	288.03	3.04	2.80	92	69.07	518776	3					235.24	238.24	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
288.0	291.08	3.05	2.93	96	70.49	518777	3					238.24	241.24	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
291.1	294.13	3.05	2.80	92	63.93	518778	3					241.24	244.24	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
294.1	295.66	1.53	1.47	96	65.35	518779	3					244.24	247.24	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	Broken zone from 243 to 248, constanmtly fractures, predominant fractures angle between 50 and 60 deegres.		
295.7	298.70	3.04	2.90	95	82.23	518780	3					247.24	250.24	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	TRAQUIANDESITIC OR LATITE ROCK, MODERATED PYRITE DISSEMINATED .CALCITE VEIN, AND ISOLATED SMALL QTZ VEIN WITH GAL-CPy., BARREN SEQUENCE,		
298.7	301.75	3.05	2.95	97	38.68	518781	3					250.24	253.24	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
301.8	304.80	3.05	2.80	92	68.85	518782	0					253.24	253.24	STD Pb119	STD F	STD Pb1	STD P	STD	STD Pb	STD Pb1	STD Pb	STD Pb1	STD Pb	STD Pb1	STD F	STD F	STD F	STD F	STD Pb119	STD Pb119	
304.8	307.85	3.05	2.90	95	71.66	518783	3					253.24	256.24	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
307.9	310.90	3.05	2.90	95	63.93	518784	3					256.24	259.24	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
310.9	313.94	3.04	3.00	99	69.00	518785	3					259.24	262.24	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		
313.9	316.99	3.05	3.00	98	87.00	518786	3					262.24	265.24	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	TqA	"		

317.0	320.04	3.05	3.00	98	64.00	518787	3					265.24	268.24	Gry	0	1	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
320.0	323.09	3.05	2.95	97	71.00	518788	3					268.24	271.24	Gry	0	1	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
323.1	326.14	3.05	3.00	98	28.00	518789	1.5					271.24	272.74	Gry	0	1	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
326.1	329.18	3.04	3.02	99	83.00	518790	1.5					272.74	274.24	Gry	0	1	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
329.2	332.23	3.05	3.00	98	74.00	518791	1.6					274.24	275.84	Gry	0	0	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
332.2	335.28	3.05	3.05	100	26.00	518792	1.4					275.84	277.24	Gry	0	0	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
335.3	338.33	3.05	3.05	100	70.00	518793	1.65					277.24	278.89	Gry	0	0	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
338.3	341.38	3.05	3.03	99	96.72	518794	3					278.89	281.89	Gry	0	1	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
341.4	342.90	1.52	1.50	98	98.00	518795	3					281.89	284.89	Gry	0	2	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
342.9	345.95	3.05	3.05	100	78.00	518796	3					284.89	287.89	Gry	0	1	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
346.0	349.00	3.05	3.05	100	78.00	518797	3.19					287.89	291.08	Brn	0	0	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
349.0	352.04	3.05	3.05	99	78	518798	1.5					291.08	292.58	Gry-Brn	0	0	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
352.0	355.09	3.05	2.90	95	55	518799	1.55					292.58	294.13	Gry-Brn	0	0	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
355.1	358.14	3.05	2.95	97	75	518800	1.53					294.13	295.66	Gry-Brn	0	0	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
358.1	361.19	3.05	3.00	100	83	518801	1.5					295.66	297.16	Gry-Brn	0	0	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
361.2	364.24	3.05	2.95	97	73	518802	1.54					297.16	298.7	Gry-Brn	0	0	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
364.2	367.28	3.04	3.03	100	83	518803	3					298.7	301.7	Gry-Brn	0	0	0	1	1	1	1	0	0	0	2	0	0	0	TqA	From 298.7 to 301.75, Broken zone from, predominant fractures angle between 40 and 50 deegres.			
367.3	370.33	3.05	3.05	101	97	518804	1.5					301.7	303.2	Gry-Brn	0	0	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
370.3	373.38	3.05	3.05	100	84	518805	1.6					303.2	304.8	Gry-Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	TqA	"	"		
373.4	376.43	3.05	3.05	100	54	518806	3.05					304.8	307.85	Gry-Brn	0	2	0	1	0	1	1	0	0	0	2	0	0	0	TqA / stkwk	From 518806 to 518813, from Traquiandesite-latite intercalated with Qtz veins, open stockwork zone, cavities with drussy qtz, py-weak gal, argentine ?Boiled texture qtz.			
376.4	379.48	3.05	3.00	102	92	518807	0					307.85	307.85	STD Pb119	STD F	STD Pb1	STD F	STD Pb1	STD F	STD Pb1	STD F	STD Pb1	STD F	STD Pb1	STD F	STD Pb119	STD Pb119						
379.5	382.53	3.05	3.00	98	30	518808	0					307.85	307.85	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK					
382.5	385.57	3.04	2.94	97	78	518809	3.05					307.85	310.9	Gry	0	2	0	1	0	1	1	0	0	0	2	0	0	0	TqA / stkwk	"	"		
385.6	388.62	3.05	3.05	103	67	518810	1.2					310.9	312.1	Gry	0	1	0	1	0	1	0	1	0	0	0	2	0	0	0	TqA / stkwk	"	"	
388.6	391.67	3.05	3.00	98	40	518811	1.84					312.1	313.94	Gry	0	1	0	1	0	1	0	1	0	0	0	2	0	0	0	TqA / stkwk	"	"	
391.7	394.72	3.05	3.00	98	83	518812	2.16					313.94	316.1	Gry	0	2	0	1	0	1	1	0	0	0	2	0	0	0	TqA / stkwk	"	"		
394.72	397.76	3.04	3.00	104	83.00	518813	1					316.1	317.1	Gry	2	3	0	1	0	1	1	0	0	0	2	0	0	0	QvBx	From 316 to 317.1 qtz vein with hematite in fractures., py.			
397.76	400.81	3.05	2.90	95	75.00	518814	2.94					317.1	320.04	Gry	0	1	0	1	0	1	1	0	0	0	2	0	0	0	TqA / stkwk	Traquiandesite-latite,with moderated pyrite disseminated, , constantly broken zone and qtz veins-open stockwork zone.			
						518815	3.05					320.04	323.09	Gry	0	1	0	1	0	1	1	0	0	0	2	0	0	0	TqA / stkwk	"	"		
						518816	3.05					323.09	326.14	Gry	0	1	0	1	0	1	0	1	0	0	0	2	0	0	0	TqA / stkwk	"	"	
						518817	3.04					326.14	329.18	Gry	0	1	0	1	0	1	0	1	0	0	0	2	0	0	0	TqA / stkwk	"	"	
						518818	3.05					329.18	332.23	Gry	0	1	0	1	0	1	0	1	0	0	0	2	0	0	0	TqA / stkwk	"	"	
						518819	3.05					332.23	335.28	Gry	0	1	0	1	0	1	0	1	0	0	0	2	0	0	0	TqA / stkwk	"	"	
						518820	1.47					335.28	336.75	Gry-Br	1	2	0	1	0	1	1	0	0	0	2	0	0	0	TqA / stkwk	Qtz vein from 335.28 to 335.6			
						518821	1.58					336.75	338.33	Grey-Br	1	1	0	1	0	1	1	0	0	0	2	0	0	0	TqA / stkwk	Traquiandesite-latite,with moderated pyrite disseminated, , constantly broken zone and qtz veins-open stockwork zone.			
						518822	3.05					338.33	341.38	Grey-Br	1	1	0	1	0	1	1	0	0	0	2	0	0	0	TqA / stkwk	"	"		
						518823	1.77					341.38	343.15	Grey-Br	1	1	0	1	0	1	0	1	0	0	0	2	0	0	0	TqA / stkwk	"	"	
						518824	1.15					343.15	344.3	Gry	1	2	0	1	0	1	1	0	0	0	2	0	0	0	TqA / stkwk	Qtz vein from 343.05 to 343.7			
						518825	1.65					344.3	345.95	Br-pnk	0	1	0	1	0	1	1	0	0	0	2	0	0	0	TqA	Traquiandesite-latite,with silification moderated, calcite VEINLETS lees pyrite.			
						518826	3.05					345.95	349.00	Br-pnk	0	1	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	
						518827	3.04					349.00	352.04	Br-pnk	0	1	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	
						518828	1.21					352.04	353.25	Br-pnk	0	1	0	1	0	1	0	1	0	0	0	1	0	0	0	TqA	"	"	

						518829	1.84					353.25	355.09	Grn	0	1	0	2	0	1	0	0	0	1	0	0	0	TAd / TqA	ANDESITIC DIKE, with traquiandesite ASSIMILATED fragments, chloritization moderated with fine texture		
						518830	2.11					355.09	357.20	Grn	0	1	0	2	0	1	0	0	0	1	0	0	0	TAd / TqA	" "		
						518831	0.94					357.20	358.14	Grn	0	1	0	1	2	1	0	0	0	1	0	0	0	Ks-TMzD	FROM 518831 TO 518835 DARK GREY-PINK DUE POTACIC ALTERATION, IN MONZODIORITIC INTRUSIVE BASAL?? FINE-MEDIUM GRAIN TEXTURE WITH CALCITE IN VEINS, CHLORITE-PYRITE MODERATED.WEAK SILICIFICATION.		
						518832	0					358.14	358.14	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	
						518833	3.05					358.14	361.19	Gry-Pnk	0	1	0	1	2	1	0	0	0	1	0	0	0	Ks-TMzD	" "		
						518834	3.05					361.19	364.24	Gry-Pnk	0	1	0	1	2	1	0	0	0	1	0	0	0	Ks-TMzD	" "		
						518835	3.04					364.24	367.28	Gry-Pnk	0	1	0	1	2	1	0	0	0	1	0	0	0	Ks-TMzD	" "		
						518836	0.97					367.28	368.25	Gry	0	2	0	1	1	1	0	0	0	1	0	0	0	T-KsPoMz /stkwl	Frome 518836 to 518840, 367.28-376.43 close stockwork , qtz breccias with abundant fine pyrite DISS. with monzodioritic rocks, choritization moderates and potasic alteration, can not see base metals.		
						518837	2.08					368.25	370.33	Gry	0	2	0	1	1	1	0	1	0	1	0	0	0	T-KsPoMz /stkwl	" "		
						518838	3.05					370.33	373.38	Gry	0	1	0	2	1	1	0	0	0	1	0	0	0	T-KsPoMz /stkwl	" "		
						518839	1.2					373.38	374.58	Gry	0	1	0	2	1	1	0	0	0	1	0	0	0	T-KsPoMz /stkwl	" "		
						518840	1.85					374.58	376.43	Gry	0	3	0	1	1	1	0	1	0	1	0	0	0	T-KsPoMz /stkwl	" "		
						518841	3.05					376.43	379.48	Gry-Grn	0	1	0	1	1	1	0	0	0	1	0	0	0	Ks-TMzD	Fine texture monzodiorite		
						518842	3.04					379.48	382.52	Gry-Grn	0	1	0	1	1	1	0	0	0	1	0	0	0	Ks-TMzD	" "		
						518843	3.05					382.52	385.57	Gry-Grn	0	1	0	1	1	1	0	0	0	1	0	0	0	Ks-TMzD	" "		
						518844	3.05					385.57	388.62	Brn-Gry	0	1	0	1	1	1	0	0	0	1	0	0	0	TQMz	QTZ-MONZONITE WITH PORPHYRITIC TEXTURE, QTZ EYES		
						518845	2.28					388.62	390.9	Brn-Gry	0	1	0	1	1	1	0	0	0	1	0	0	0	TQMz	" "		
						518846	3					390.9	393.9	Gry-Grn	0	1	0	1	1	1	0	0	0	1	0	0	0	TQMz	" "		
						518847	2.95					393.9	396.85	Gry-Grn	0	1	0	1	1	1	0	0	0	1	0	0	0	TQMz	" "		
						518848	0.91					396.85	397.76	Gry-Grn	0	1	0	1	1	1	0	0	0	1	0	0	0	TQMz	" "		
						518849	3.05					397.76	400.81	Gry-Grn	0	1	0	1	1	1	0	0	0	1	0	0	0	TQMz	QTZ-MONZONITE WITH PORPHYRITIC TEXTURE, QTZ EYES		



MINERA LINCOLN DE MEXICO SA DE CV																											
DRILL LOG																											
LA BUFA GOLD & SILVER PROJECT																											
DATE START: 01-04-08					1=WEAK										CORE SIZE: H.T.W FROM: 0.00 m TO: 296.25 N.T.W FROM: 296.25 TO: 419.80 m.												PAD "J"
DATE END: 17-04-08					2=MOD																						
EASTING: 304773.376 (NAD27) Juan Pablo Garcia Flores					3=HEAVY/STRONG																						
NORTHING: 2886682.092 (NAD27)																											
GEOTECHNICAL CONTROL						CONTROL SAMPLING						DESCRIPTION ALT.										SULPHIDES					
FROM	TO	TOT. D.	REC. M	REC %	R.Q.D. %	# SAMPLE	WIDE S.	Au	Ag	Cu	FROM	TO	COLOR	HEM	QTZ V.	EPID.	CH.	Kspar	SILICIF.	Qvbx	SER.	CLAYS	Py	Cpy	Gn	Sph	LITHOLOGY
0.0	3.05	3.05	2.81	92	20.65	518865	3.1				0	3.1	Y-R-Br	1	0	0	1	0	0	0	0	2	0	0	0	0	Tigw
3.1	6.10	3.05	2.97	97	39.34	518866	3.1				3.1	6.1	R-Y-Gr	2	0	0	1	0	0	0	0	1	1	0	0	0	Tigw
6.1	9.15	3.05	3.00	98	64.26	518867	3.1				6.1	9.2	R-Y-Gr	2	1	0	1	0	1	0	0	0	1	0	0	0	Tigw
9.2	12.20	3.05	2.95	97	62.95	518868	3.1				9.2	12.2	R-Y-Gr	2	1	0	2	0	1	0	0	1	1	0	0	0	Tigw
12.2	15.25	3.05	2.93	96	56.72	518869	3.1				12.2	15.3	Y-R - Br.	2	1	0	2	0	1	0	0	1	2	0	0	0	Trd / TqA
15.3	18.30	3.05	2.96	97	39.01	518870	3.1				15.3	18.3	Y-R - Br.	2	1	0	1	0	1	0	0	0	1	0	0	0	Trd / TqA
18.3	21.35	3.05	2.86	94	33.44	518871	3.1				18.3	21.4	Br - Y - Gr	2	0	0	1	0	1	0	0	0	0	0	0	0	Trd / TqA
21.4	24.40	3.05	3.04	100	28.85	518872	3.1				21.4	24.4	Br - Y - R	2	0	0	0	0	1	0	0	0	0	0	0	0	Trd / TqA
24.4	27.15	2.75	2.64	96	19.27	518873	3.0				24.4	27.4	Br - Y - R	1	0	0	0	0	1	0	0	0	0	0	0	0	Trd / TqA
27.2	29.00	1.85	1.84	99	15.13	518874	3.0				27.4	30.4	Br - Y - R - Gr	1	0	0	1	0	1	0	0	0	1	0	0	0	Trd / TqA
29.0	31.15	2.15	2.04	95	20.46	518875	2.9				30.4	33.3	Br - Y - R - Gr	1	1	0	1	0	1	0	0	0	1	0	0	0	Trd / TqA
31.2	33.30	2.15	2.06	96	41.86	518876	3.0				33.3	36.3	Br - Y - R - Gr	1	0	0	1	0	1	0	0	0	0	0	0	0	Trd
33.3	35.15	1.85	1.62	88	25.94	518877	3.0				36.3	39.3	Br - Y - R - Gr	2	0	0	1	0	1	0	0	0	1	0	0	0	Trd
35.2	38.20	3.05	2.91	95	15.08	518878	3.0				39.3	42.3	R- Gr-Gy	2	0	0	1	0	1	0	0	0	0	0	0	0	Trd
38.2	40.45	2.25	2.03	90	27.55	518879	3.0				42.3	45.3	Gy - Gr	0	0	0	1	0	1	0	0	0	0	0	0	0	Trd
40.5	42.75	2.30	2.09	91	17.82	518880	3.0				45.3	48.3	PNK	1	0	0	0	1	1	0	0	0	0	0	0	0	Trd
42.8	45.80	3.05	2.98	98	64.59	518881	3.0				48.3	51.3	PNK	1	0	0	0	0	1	0	0	0	0	0	0	0	Trd
45.8	48.85	3.05	3.03	99	56.10	518882	0.0	stdpm1	stdpm	stdpm	51.3	51.3	stdpm1119	stdpm	stdpm1	stdpm	stdpm1	stdpm1	stdpm	stdpm	stdpm1	stdpm	stdpm	stdpm	stdpm	stdpm	stdpm1119
48.9	51.90	3.05	3.00	98	59.33	518883	3.0				51.3	54.3	PNK	1	1	0	0	0	1	0	0	0	1	0	0	0	Trd
51.9	54.95	3.05	3.00	98	38.68	518884	3.0				54.3	57.3	Gy - Gr	0	0	0	1	0	1	0	0	0	1	0	0	0	Trd
55.0	58.00	3.05	3.05	100	72.13	518885	3.0				57.3	60.3	Gy - Gr	0	1	0	2	0	1	0	0	0	1	1	0	1	Trd
58.0	61.05	3.05	3.00	98	80.32	518886	3.0				60.3	63.3	Gy - Gr	0	1	0	2	0	1	0	0	0	1	0	0	1	Trd
61.1	64.10	3.05	3.00	98	49.33	518887	3.0				63.3	66.3	PNK	0	0	0	1	0	1	0	0	0	1	0	0	0	Trd
64.1	67.15	3.05	3.00	98	69.83	518888	3.0				66.3	69.3	Gy - Gr	0	1	0	2	0	1	0	0	0	1	0	0	1	Trd
67.2	70.20	3.05	3.00	98	82.33	518889	3.0				69.3	72.3	Gy - Gr	0	1	0	2	0	1	0	0	0	1	0	0	1	Trd
70.2	73.25	3.05	3.00	98	44.66	518890	3.0				72.3	75.3	Gy - Gr	0	1	0	2	0	1	0	0	0	1	0	0	1	Trd
73.3	76.30	3.05	3.00	98	80	518891	3.4				75.3	78.7	Gy - Gr	0	1	0	1	0	1	0	0	0	1	0	0	1	Trd
76.3	79.35	3.05	3.00	98	72.45	518892	3.0				78.7	81.7	Gy - Gr	0	1	0	1	0	2	0	0	0	1	0	0	1	Trd
79.4	82.40	3.05	3.05	100	69.18	518893	3.0				81.7	84.7	Gy - Gr	0	1	0	1	0	1	0	0	0	1	0	0	2	Trd
82.4	85.45	3.05	3.00	98	62.00	518894	3.0				84.7	87.7	PNK	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd
85.5	88.50	3.05	3.03	99	70.29	518895	3.0				87.7	90.7	PNK	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd
88.5	91.55	3.05	3.00	98	70.00	518896	3.0				90.7	93.7	PNK	0	1	0	0	0	1	0	0	0	1	0	0	0	Trd
91.6	94.60	3.05	3.02	99	75.16	518897	3.0				93.7	96.7	PNK	1	0	0	0	1	0	0	0	0	1	0	0	1	Trd
94.6	97.65	3.05	3.00	98	90.33	518898	3.0				96.7	99.7	PNK	1	1	0	0	0	1	0	0	0	1	0	0	1	Trd
97.7	100.65	3.00	3.03	100	73.26	518899	3.0				99.7	102.7	PNK	1	1	0	0	1	1	0	0	0	1	0	0	1	Trd
100.7	103.70	3.05	3.00	98	64.66	518900	3.0				102.7	105.7	PNK	1	1	0	0	1	1	0	0	0	1	0	0	0	Trd
103.7	106.75	3.05	3.02	99	69.30	518901	3.0				105.7	108.7	PNK	1	1	0	0	0	1	0	0	0	1	0	0	0	Trd
106.8	109.80	3.05	3.00	98	82.62	518902	3.0				108.7	111.7	PNK - Gr	1	1	0	1	0	1	0	0	0	1	0	0	0	Trd
109.8	112.85	3.05	3.00	98	70.66	518903	3.0				111.7	114.7	PNK	0	0	0	1	0	1	0	0	0	0	1	0	0	Trd

112.9	115.90	3.05	2.98	98	67.78	518904	3.0				114.7	117.7	PNK	0	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd
115.9	118.95	3.05	2.80	92	44.64	518905	3.0				117.7	120.7	PNK	1	0	0	0	1	0	0	0	0	0	1	0	0	0	Trd
119.0	122.00	3.05	3.00	98	75.08	518906	3.0				120.7	123.7	PNK - Gr	1	0	0	1	1	0	0	0	0	0	1	0	0	0	Trd
122.0	125.05	3.05	2.94	96	62.92	518907	0.0	stdpm1	stdpm	stdpm	123.7	123.7	stdpm1119	stdpm	stdpm1	stdpm	stdpm	stdpm1	stdpm11	stdpm	stdpm	stdpm1	stdpm	stdpm	stdpm	stdpm	stdpm1119	
125.1	128.10	3.05	3.00	98	82	518908	0.0	BLK	BLK	BLK	123.7	123.7	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	
128.1	131.15	3.05	3.05	100	77.04	518909	3.0				123.7	126.7	PNK - Gr	1	0	0	1	1	0	0	0	0	0	1	0	0	0	Trd
131.2	134.20	3.05	3.00	98	51.47	518910	3.0				126.7	129.7	PNK - Gr	1	0	0	1	0	0	0	0	0	0	1	0	0	0	Trd
134.2	137.25	3.05	3.00	98	58.49	518911	3.0				129.7	132.7	PNK - Gr	1	0	0	1	0	0	0	0	0	0	1	0	0	0	Trd
137.3	140.30	3.05	3.00	98	64.05	518912	3.0				132.7	135.7	PNK - Gr	1	0	0	1	1	0	0	0	0	0	1	0	0	0	Trd
140.3	143.35	3.05	2.95	97	72.08	518913	3.0				135.7	138.7	PNK - Gr	1	0	0	1	1	0	0	0	0	0	1	0	0	0	Trd
143.4	146.40	3.05	2.95	97	72.95	518914	3.0				138.7	141.7	PNK - Gr	1	0	0	1	1	0	0	0	0	0	1	0	0	0	Trd
146.4	149.45	3.05	2.95	97	47.54	518915	1.7				141.7	143.4	PNK - Gr	1	0	0	1	1	0	0	0	0	0	1	0	0	0	Trd
149.5	151.00	1.55	1.40	90	32.89	518916	1.5				143.4	144.9	Gy	0	1	0	0	0	2	1	0	0	0	1	0	0	0	Trd / QTZ VEIN
151.0	154.05	3.05	2.95	97	37.37	518917	1.6				144.9	146.4	Gy - Gr	0	1	0	1	1	2	1	0	0	0	1	0	0	1	Trd / QTZ VEIN
154.1	157.10	3.05	2.80	92	57.37	518918	3.0				146.4	149.5	PNK - Gr	1	0	0	1	1	1	0	0	0	0	1	0	0	0	Trd
157.1	160.15	3.05	2.95	97	52.45	518919	1.6				149.5	151.0	PNK	1	0	0	0	1	1	0	0	0	0	1	0	0	1	Trd
160.2	163.20	3.05	2.80	92	52.85	518920	3.1				151.0	154.1	PNK	1	0	0	0	1	1	0	0	0	0	1	0	0	1	Trd
163.2	166.25	3.05	2.95	97	65.57	518921	3.0				154.1	157.1	PNK	1	0	0	0	1	1	0	0	0	0	1	0	0	1	Trd
166.3	169.30	3.05	2.85	93	65.30	518922	3.1				157.1	160.2	PNK - Gr	1	0	0	1	1	1	0	0	0	0	1	0	0	0	Trd
169.3	172.35	3.05	2.90	95	55.08	518923	1.5				160.2	161.7	Gy - Gr	0	1	0	1	1	2	1	0	0	0	1	0	0	1	Trd / QTZ VEIN
172.4	175.40	3.05	3.00	98	0.00	518924	1.5				161.7	163.2	Gy - Gr-R	1	1	0	2	0	1	0	0	0	0	1	0	0	0	Trd / QTZ VEIN
175.4	178.45	3.05	2.95	97	37.70	518925	1.5				163.2	164.7	Gy - Gr-R	1	1	0	1	0	2	0	0	0	0	1	0	0	0	Trd / QTZ VEIN
178.5	181.50	3.05	2.80	92	66.88	518926	1.6				164.7	166.3	Gy - Gr-R	1	1	0	1	1	1	0	0	0	0	1	0	0	0	Trd / QTZ VEIN
181.5	184.55	3.05	2.85	93	44.26	518927	1.5				166.3	167.8	Gr-R	1	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd
184.6	187.60	3.05	2.90	95	47.86	518928	1.6				167.8	169.3	Gr-R	1	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd
187.6	189.40	1.80	1.57	87	70.58	518929	1.5				169.3	170.8	R	2	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd
189.4	192.30	2.90	2.77	96	48.27	518930	1.5				170.8	172.4	Gr-R	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Trd
192.3	195.35	3.05	2.87	94	45.90	518931	1.5				172.4	173.9	Gy - Gr	0	1	0	1	1	1	0	0	0	0	1	0	0	1	TRd/QvBx
195.4	198.40	3.05	2.80	92	69.50	518932	0.0	stdpm1	stdpm	stdpm	173.9	173.9	stdpm1119	stdpm	stdpm1	stdpm	stdpm	stdpm1	stdpm11	stdpm	stdpm	stdpm1	stdpm	stdpm	stdpm	stdpm	stdpm1119	
198.4	200.80	2.40	2.20	92	45.83	518933	1.6				173.9	175.4	Gy - Gr	0	1	0	1	1	1	0	0	0	0	1	0	0	1	TRd/QvBx
200.8	202.50	1.70	1.40	82	23.75	518934	1.5				175.4	176.9	Gy - Gr	0	1	0	1	1	1	0	0	0	0	1	0	0	1	TRd/QvBx
202.5	204.70	2.20	1.95	89	47.50	518935	1.5				176.9	178.5	Gr-R	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Trd / STKWK
204.7	207.75	3.05	2.95	97	57.37	518936	1.5				178.5	180.0	Gr-R-W	1	1	0	1	0	1	1	0	0	0	1	0	1	1	Trd / STKWK
207.8	210.80	3.05	2.80	92	66.55	518937	1.6				180.0	181.5	Gr-R-W	1	1	0	1	0	1	1	0	0	0	1	0	0	1	Trd / STKWK
210.8	213.40	2.60	2.40	92	45.38	518938	1.5				181.5	183.0	Gr-Br	1	0	0	2	0	0	0	0	0	0	1	0	0	0	Trd / STKWK
213.4	215.45	2.05	1.80	88	46.34	518939	1.6				183.0	184.6	Gr-Br	1	0	0	2	0	0	0	0	0	0	1	0	0	0	Trd
215.5	218.50	3.05	3.00	98	72.13	518940	1.5				184.6	186.1	PNK - Gr	0	1	0	0	0	1	0	0	0	0	1	0	0	1	Trd
218.5	221.55	3.05	3.02	99	70.00	518941	1.5				186.1	187.6	PNK - Gr	0	1	0	0	0	1	0	0	0	0	1	0	0	0	Trd
221.6	224.60	3.05	3.00	98	77.88	518942	1.8				187.6	189.40	PNK - Gr	0	1	0	0	0	1	0	0	0	0	1	0	0	0	Trd
224.6	227.65	3.05	3.00	98	68.85	518943	2.0				189.4	191.40	Gy - Gr - Br	1	1	0	1	0	1	0	0	0	0	1	0	0	1	Trd
227.7	229.15	1.50	1.50	100	78.94	518944	1.7				191.4	193.10	Gy - Gr	0	2	0	1	0	2	1	0	0	0	1	0	0	1	TRd/STKWK
229.2	232.20	3.05	3.00	98	83.27	518945	2.3				193.1	195.35	Gy - Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	0	TRd/STKWK
232.2	235.25	3.05	3.00	98	75.40	518946	1.5				195.4	196.85	Gy - Gr - Br	0	1	0	1	0	1	0	0	0	0	1	0	0	0	TRd/STKWK
235.3	238.31	3.06	2.95	96	60.65	518947	1.6				196.9	198.40	Gy - Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	1	TRd/STKWK

[illegible]

"	"
"	"
"	"
STÁNDAR SAMPLE PM 1119	
BLANK SAMPLE.	
FROM 518909 TO 518915 RIODACITIC AND CRYSTALLS TUFFS? FRAGMENT LITHICS. POOR SILICF. ALTERATION POTASIC. POOR SPHALERITE? AND PIRITE DISEMINED. QTZ VENING IN M.M. SIZE.	
"	"
"	"
"	"
"	"
"	"
"	"
FROM: 518916 TO: 518917. CONTACT ENTRE RIODACITIC AND QTZ VEIN SIMPLE, NOT QTZ BX.	
"	"
FROM 518918 TO 518922 RIODACITIC FRAGMENTAL LITHICS TUFFS. POOR SILICF. ALTERATION POTASIC?. POOR SPHALERITE? AND PIRITE DISEMINED. QTZ VENING IN M.M. SIZE.	
"	"
"	"
"	"
"	"
CONTACT ENTRE RIODACITIC AND QTZ VEIN.	
FROM 518924 TO 518926 : Trd MOD SILICIFATED WITH CLOSE Qvbx, CHLORITE-PY DISEMINED.	
"	"
"	"
FROM 518927 TO 518930 RIODACITIC. POOR SILICF + HEMATITE. AND PIRITE DISEMINED. QTZ VENING IN M.M.	
"	"
"	"
"	"
FROM 518931 TO 518934 : Trd MOD SILICIFATED WITH CLOSED Qvbx, CHLORITE-PY DISEMINED AND SPHALERITE?	
STÁNDAR SAMPLE PM 1119	
"	"
"	"
FROM 518935 TO 51 8943 RIODACITIC AND CRYSTALLS TUFFS FRAGMENTAL LITHICS. POOR SILICF. POOR SPHALERITE. AND FRESH PIRITE. QTZ VENING. M.M. LOOKS LIKE FOOTWALL STOCKWORK	
"	"
"	"
"	"
"	"
"	"
"	"
"	"
"	"
FROM 518944. STOCKWORK AND QTZ VEINS WITH GREY SILICE AND PYRITE	
FROM 518945 TO 518947 BASICLY BARREN OR POORLY ALT RIODACITIC. ISOLATED QTZ VEINING IN M.M. SIZE WITH Py ASSOC. TEXT. FINE VEINING CALCITE. POOR SPHALERITE	
"	"
"	"

	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
FROM: 519001 TO 519005 TRAQUIANDESITIC. VOLCANIC FLOWS AND CRYSTALLS TUFFS, VEINING CALCITE. SIZE M.M. WITH POOR Py ASSOC.		
	09	10
	09	10
	09	10
	09	10
519006 QTZ BX WITH WHITE AND GRAY QTZ AND POOR DRUSSED & AMATHISTE QTZ, ALL WITH BASE METALS ASSOC. AS WELL POSSIBLE ARGENTITE, GALENE, SHPALERITE FINE.		
STÁNDAR SAMPLE PM 1119		
BLANK SAMPLE.		
FROM 519009 TO 519011 RODACITIC TO LATITIC VOLCANIC FLOWS AND CRISTALLS TUFFS, WITH LOCAL CHLORITE, LOCALLY MOD FRESH Py .		
	09	10
	09	10
FROM: 519012 TO 519015. POSSIBLE MONZODIORITE?. WITH PORPHYRITIC TEXTURE. DISEMINED Py AND QTZ VEINING. ALT. CHLORITE. POOR EPIDOTE IN FRACTURES. VEING QTZ AND STCWK.		
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
FROM: 519022 TO 519029 - 30 . Kc-T/ INT. DIORITICO WITH PERVASIVE POOR SILICIF. ASSOC TO QTZ VEINING CRYSTALLINE CRYSTALLS DRUSSED AND LESS GRAY COLOR. LOCAL MOD FRESH Py AND VEINING. AND QTZ VEINING. POOR EPIDOTE IN FRACTURES.		
	09	10
	09	10
	09	10
	09	10
	09	10
	09	10
BX QTZ BRECH TECTONIC. ALT. CHLORITE. POOR Py DIEMINED. STRONG VEING QTZ.		
	09	10
END OF HOLE AT 419.80 M.		

MINERA LINCOLN DE MEXICO SA DE CV																										HOLE NUMBER: LB-DDH-005			
DIAMOND DRILL EXPLORATION PROGRAM																										TYPE DRILL CORE: NTW			
LA BUFA GOLD & SILVER PROJECT																										REDUCTION: 136.38 M			
DATE START: 3/04/08						1=WEAK										CORE SIZE: HTW FROM: 0.00 m TO: 138.68 NTW. FROM: 138.68 TO: 402.34						PAD NEW "G" CHOICE 2°		PROG. DEPTH: 400 M t.d= 402.34 m					
END DATE: 12/04/2008						2=MOD										GEOLOGIST: F. LOPEZ / FCO. Vazquez								AZIMUT: 50°					
EASTING: 304635.421 (NAD27)						3=HEAVY/STRONG										DRILL COMPANY: ENERGOLD								ANGLE: -60°					
NORTHING: 2886784.882 (NAD27)																DRILLER: Erick SURVEYOR: Juan Pablo Garcia Flores								ELEV. INTERCEP:					
GEOTECHNICAL CONTROL						CONTROL SAMPLING						DESCRIPTION ALT.						SULPHIDES						ELEV. COLLAR: 2366.255 (NAD27)					
FROM	TO		REC. M	REC %	R.Q.D.	# SAMPLE	WIDE S.	Au	Ag	Cu	FROM	TO	COLOR	HEM	QTZ V.	EPID.	CH.	Kspar	SILICIF.	QvBx	SER.	CLAYS	Py	Cpy	Gn	Sph	LITHOLOGY	SAMPLE DESC. AND DRILL NOTES	
0.0	1.52	1.52	1.05	69	23	519033	3.04				0	3.04	Gry-O	2	0	0	0	0	0	0	0	1	0	0	0	0	Trd	(39.65- 46.5)Rhyodacite, lithic-cristalls tuff, predominant angle of fractures between 40 and 50 deegres, isolated qtz veins with sulphides mostly pY.	
1.52	3.04	1.52	1.40	92	62	519034	3.06				3.04	6.10	Gry-O	2	1	0	0	0	0	0	0	1	0	0	0	0	Trd	" "	
3.04	6.10	3.06	2.80	92	65	519035	3.04				6.10	9.14	Gry	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "	
6.10	9.14	3.04	2.90	95	85	519036	3.05				9.14	12.19	Gry	0	0	0	0	0	0	0	0	0	0	1	0	0	Trd	" "	
9.14	12.19	3.05	2.95	97	85	519037	4.57				12.19	16.76	Gry	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd	" "	
12.19	13.72	1.53	1.52	99	68	519038	3.05				16.76	19.81	Gry	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd	" "	
13.72	16.76	3.04	2.95	97	85	519039	3.05				19.81	22.86	Gry	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd	" "	
16.76	19.81	3.05	2.95	97	74	519040	3.05				22.86	25.91	Gry	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd	" "	
19.81	22.86	3.05	2.95	97	65	519041	3.05				25.91	28.96	Gry	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd	" "	
22.86	25.91	3.05	2.92	96	61	519042	3.04				28.96	32.00	Gry-Brn	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd	" "	
25.91	28.96	3.05	3.00	98	84	519043	3.05				32.00	35.05	Gry-Brn	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd	" "	
28.96	32.00	3.04	2.95	97	59	519044	3.05				35.05	38.10	Brn	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd	" "	
32.00	35.05	3.05	2.95	97	62	519045	3.05				38.10	41.15	Brn	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd	" "	
35.05	38.10	3.05	3.05	100	93	519046	3.05				41.15	44.20	Brn	1	0	0	0	0	0	0	0	0	1	0	0	0	Trd	" "	
38.10	41.15	3.05	3.05	100	73	519047	3.04				44.20	47.24	Brn	1	0	0	0	0	0	1	0	0	1	0	0	0	Trd	" "	
41.15	44.20	3.05	3.05	100	98	519048	3.05				47.24	50.29	Brn-R	2	1	0	0	0	0	1	0	0	0	1	0	0	0	Trd	Rhyodacite, lithic-cristalls tuff with qtz hematite veins, calcite veins, stockwork development, rare base metals, sample 519059 small qtz vein with pyrite and white sphalerite?
44.20	47.24	3.04	3.05	100	86	519049	3.05				50.29	53.34	Brn-R	2	1	0	0	0	0	1	0	0	0	1	0	0	0	Trd	" "
47.24	50.29	3.05	3.00	98	82	519050	3.05				53.34	56.39	Brn-R	2	1	0	0	0	0	1	0	0	0	1	0	0	0	Trd	" "
50.29	53.34	3.05	3.00	98	95	519051	3.05				56.39	59.44	Brn-R	2	1	0	0	0	0	1	0	0	0	1	0	0	0	Trd	" "
53.34	56.39	3.05	3.05	100	100	519052	3.04				59.44	62.48	Brn	2	1	0	1	0	0	1	0	0	0	1	0	0	0	Trd	" "
56.39	59.44	3.05	3.05	100	98	519053	3.05				62.48	65.53	Brn	2	1	0	1	0	0	1	0	0	0	1	0	0	0	Trd	" "
59.44	62.48	3.04	2.95	97	75	519054	3.05				65.53	68.58	Brn-R	2	1	0	1	0	0	1	0	0	0	1	0	0	0	Trd	" "
62.48	65.53	3.05	3.05	100	91	519055	3.05				68.58	71.63	Brn-R	1	1	0	1	0	0	1	0	0	0	1	0	0	0	Trd	" "
65.53	68.58	3.05	3.05	100	100	519056	3.05				71.63	74.68	Brn-R	1	1	0	1	0	0	1	0	0	0	1	0	0	0	Trd	" "
68.58	71.63	3.05	3.02	99	97	519057	0.00				74.68	74.68	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	
71.63	74.68	3.05	3.05	100	90	519058	0.00				74.68	74.68	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	
74.68	77.72	3.04	3.00	99	95	519059	3.04				74.68	77.72	Brn	1	1	0	1	0	0	1	0	0	0	1	0	0	0	Trd	" "
77.72	80.77	3.05	3.05	100	92	519060	3.05				77.72	80.77	Brn-R	2	1	0	1	0	0	1	0	0	0	1	0	0	0	Trd	" "
80.77	83.82	3.05	2.95	97	85	519061	3.05				80.77	83.82	Brn-R	2	1	0	1	0	0	1	0	0	0	1	0	0	0	Trd	" "
83.82	86.87	3.05	3.05	100	93	519062	1.52				83.82	85.34	Gry-Gr	0	1	0	1	0	0	1	0	0	0	2	0	0	0	Trd / stkwk	Rhyodacite, lithic-cristalls tuff with close stockwork, chlorite-pyrite moderated, with some qtz-calcite breccias cemented by pyrite from 85.6 to 94.9, isolated base metals, predominant veins angle between 40-50 deegres and isolated paralel veins (dilatation fractures) Qtz veins from 112.78 to 113.1, 121.4 to 121.9
86.87	89.91	3.04	3.05	100	80	519063	1.53				85.34	86.87	Gry-Gr	0	1	0	1	0	0	1	0	0	0	1	0	0	0	Trd / stkwk	" "
89.91	92.96	3.05	2.95	97	62	519064	1.52				86.87	88.39	Gry-Gr	0	1	0	1	0	0	1	0	0	0	1	0	0	0	Trd / stkwk	" "
92.96	96.01	3.05	3.05	100	93	519065	1.52				88.39	89.91	Gry-Gr	0	1	0	1	0	0	1	0	0	0	1	0	0	0	Trd / stkwk	" "
96.01	99.06	3.05	3.05	100	95	519066	1.52				89.91	91.43	Gry-Gr	0	1	0	1	0	0	1	0	0	0	1	0	0	0	Trd / stkwk	" "

99.06	102.11	3.05	3.05	100	72	519067	1.53					91.43	92.96	Gry-Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd / stkwk	"	"	
102.11	105.16	3.05	3.05	100	88	519068	1.52					92.96	94.48	Gry	0	1	0	1	0	2	2	0	0	2	0	0	0	0	Trd / stkwk	"	"	
105.16	108.20	3.04	3.00	99	55	519069	1.53					94.5	96.01	Gry	0	1	0	1	0	2	2	0	0	2	0	0	0	0	Trd / stkwk	"	"	
108.20	111.25	3.05	3.05	100	68	519070	3.05					96.01	99.06	Brn-Gr	0	1	0	1	0	1	0	0	0	2	0	0	0	0	Trd	"	"	
111.25	112.78	1.53	1.53	100	62	519071	3.05					99.06	102.11	Brn-Gr	0	1	0	1	0	1	0	0	0	2	0	0	0	0	Trd	"	"	
112.78	115.82	3.04	3.05	100	75	519072	3.05					102.11	105.16	Brn-Gr	0	2	0	1	0	2	0	0	0	2	0	0	0	0	Trd	"	"	
115.82	118.87	3.05	3.00	98	52	519073	1.70					105.16	106.86	Gry	0	2	0	1	0	2	0	0	0	2	0	0	0	0	Trd / stkwk	"	"	
118.87	121.92	3.05	3.04	100	80	519074	1.64					106.86	108.50	Gry	0	1	0	1	0	1	0	0	0	2	0	0	0	0	Trd	"	"	
121.92	124.97	3.05	2.96	97	86	519075	2.75					108.50	111.25	Gry	0	1	0	1	0	1	0	0	0	2	0	0	0	0	Trd	"	"	
124.97	128.02	3.05	2.95	97	54	519076	1.53					111.25	112.78	Gry	0	1	0	1	0	1	0	0	0	2	0	0	0	0	Trd	"	"	
128.02	129.54	1.52	1.52	100	55	519077	1.52					112.78	114.30	Gry	0	2	0	1	0	1	0	0	0	2	0	0	0	0	Trd	"	"	
129.54	132.59	3.05	2.95	97	75	519078	1.52					114.30	115.82	Gry	0	1	0	1	0	1	0	0	0	2	0	0	0	0	Trd	"	"	
132.59	135.64	3.05	3.00	98	86	519079	3.05					115.82	118.87	Gry	1	1	0	1	0	1	0	0	0	2	0	0	0	0	Trd	"	"	
135.64	138.68	3.04	2.75	90	70	519080	3.05					118.87	121.92	Gry	1	1	0	1	0	1	1	0	0	2	0	0	0	0	Trd / stkwk	"	"	
138.68	141.73	3.05	2.90	95	66	519081	3.05					121.92	124.97	Gry	1	2		1	0	1	0	0	0	2	0	0	0	0	Trd / stkwk	"	"	
141.73	144.78	3.05	3.05	100	96	519082	0.00					124.97	124.97	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD		
144.78	147.83	3.05	3.00	98	90	519083	3.05					124.97	128.02	Gry	0	2	0	1	0	2	0	0	0	2	0	0	0	0	Trd / stkwk	"	"	
147.83	150.88	3.05	2.95	97	96	519084	1.52					128.02	129.54	Gry-Brn	0	1	0	1	0	1	0	0	0	2	0	0	0	0	Trd	"	"	
150.88	152.40	1.52	1.52	100	59	519085	1.31					129.54	130.85	Gry-Brn	0	1	0	1	0	1	0	0	0	2	0	0	0	0	Trd	"	"	
152.40	155.45	3.05	3.05	100	68	519086	1.74					130.85	132.59	Gry-Brn	0	2	0	1	0	2	0	0	0	2	0	0	0	0	Trd / stkwk	"	"	
155.45	158.50	3.05	3.05	100	77	519087	1.36					132.59	133.95	Gry-Brn	0	2	0	1	0	2	0	0	0	2	0	0	0	0	Trd / stkwk	"	"	
158.50	161.54	3.04	3.05	100	100	519088	1.35					133.95	135.30	Gry	0	1	0	2	0	2	2	0	0	2	1	1	1	1	QvBx	From 134.2 to 135.25 Dark grey qtz-breccia with pyrite-Gal-Cpy-sphalerite with small drussy qtz.cavities, with 30 deegres angle fractures.	"	"
161.54	164.59	3.05	3.05	100	100	519089	2.33					135.30	137.63	Gry	0	2	0	1	0	2	0	0	0	2	0	0	0	0	Trd / stkwk	"	"	
164.59	167.64	3.05	3.05	100	68	519090	1.05					137.63	138.68	Gry	0	2	0	1	0	2	0	0	0	2	0	0	0	0	Trd / stkwk	"	"	
167.64	169.16	1.52	1.52	100	82	519091	3.05					138.68	141.73	Gry	0	2	0	1	0	2	0	0	0	2	0	0	0	0	Trd / stkwk	"	"	
169.16	172.21	3.05	3.00	98	80	519092	1.52					141.73	143.25	Gry	0	2	0	1	0	2	0	0	0	2	0	0	0	0	Trd / stkwk	"	"	
172.21	175.26	3.05	3.00	98	68	519093	1.53					143.25	144.78	Gry	0	2	0	1	0	2	0	0	0	2	0	0	0	0	Trd / stkwk	"	"	
175.26	178.31	3.05	3.00	98	48	519094	1.52					144.78	146.30	Gry	0	2	0	0	0	2	2	0	0	2	1	1	1	1	Trd / stkwk	"	"	
178.31	181.36	3.05	3.05	100	82	519095	1.53					146.30	147.83	Gry	0	2	0	0	0	2	2	0	0	2	1	1	1	1	Trd / stkwk	"	"	
181.36	184.40	3.04	2.95	97	65	519096	1.53					147.83	149.36	Gry	0	2	0	0	0	2	0	0	0	2	1	1	1	1	Trd / stkwk	Hanguing wall stockwork with base metals and pyrite	"	"
184.40	187.45	3.05	3.05	100	68	519097	1.52					149.36	150.88	Gry	0	2	0	0	0	2	0	0	0	2	1	1	1	1	Trd / stkwk	"	"	
187.45	190.50	3.05	3.05	100	100	519098	1.52					150.88	152.40	Gry	0	2	0	0	0	2	0	0	0	2	1	1	1	1	Trd / stkwk	"	"	
190.50	193.55	3.05	3.05	100	74	519099	1.53					152.4	153.93	Wht-Gry	0	0	0	0	0	2	3	0	0	2	1	1	1	1	QvBx	From 152.4 to 155.65 Qtz breccia with boiled qtz texture (vuggs due boil activity), gal-sphalerite-cpy-py, possible argentine associated with fine gal	"	"
193.55	196.60	3.05	3.00	98	70	519100	1.52					153.93	155.45	Wht-Gry	0	0	0	0	0	2	3	0	0	2	1	1	1	1	QvBx	"	"	
196.60	199.64	3.04	3.05	100	84	519101	1.53					155.45	156.98	Gry	0	1	0	1	0	1	1	0	0	2	1	1	1	1	TqA / stkwk	FOOTWALL OF THE QVBX ZONE MENTIONED ABOVE: BASICLY BARREN TRAQUIANDESITIC VOLC ROCKS WITH ISOLATED ROCK FRAGMENTS, CALCITE VEINS, WEAK CHLORITE, FROM 519105 WEAK POTASIC ALTERATION HORIZONS, PREDOMINANT ANGLE OF FRACTURES BETWEEN 60 AND 70 DEEGRES,	"	"
199.64	202.69	3.05	2.90	95	59	519102	1.52					156.98	158.50	Gry	0	0	0	1	0	1	0	0	0	1	0	0	0	0	TqA	"	"	
202.69	205.74	3.05	3.05	100	68	519103	3.04					158.50	161.54	Gry	0	0	0	1	0	1	0	0	0	1	0	0	0	0	TqA	"	"	
205.74	208.79	3.05	2.90	95	72	519104	3.05					161.54	164.59	Gry	0	0	0	1	0	1	0	0	0	1	0	0	0	0	TqA	"	"	
208.79	211.84	3.05	3.05	100	75	519105	3.05					164.59	167.64	Gry-Brn	0	0	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"	"	
211.84	214.88	3.04	2.90	95	86	519106	1.52					167.64	169.16	Gry-Brn	0	0	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"	"	
214.88	217.93	3.05	3.05	100	88	519107	0.00					169.16	169.16	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119	STD Pb119		

[illegible]

382.52	384.05	1.53	1.40	92	60	519163	3.05					324.61	327.66	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd / stkwk	Traquianandesite with stockwork development with subverticals grey qtz veins with fine pyrite and calcite veins, no visible base metals, potassic alteration patches, isolated qtz-hem veins.
384.05	387.10	3.05	3.05	100	100	519164	3.05					327.66	330.71	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd / stkwk	"
387.10	390.14	3.04	3.05	100	100	519165	3.04					330.71	333.75	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd / stkwk	"
390.14	393.19	3.05	3.00	98	93	519166	1.53					333.75	335.28	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd / stkwk	"
393.19	396.24	3.05	3.05	100	77	519167	3.05					335.28	338.33	Brn	0	0	0	1	1	1	1	0	0	0	1	0	0	0	TqA	"
396.24	399.29	3.05	3.00	98	27	519168	1.52					338.33	339.85	Brn	0	0	0	1	1	1	1	0	0	0	1	0	0	0	TqA	"
399.29	402.34	3.05	2.95	97		519169	3.05					339.85	342.90	Brn	0	0	0	1	1	1	1	0	0	0	1	0	0	0	TqA	"
						519170	3.05					342.90	345.95	Brn	0	0	0	1	1	1	1	0	0	0	1	0	0	0	TqA	"
						519171	3.04					345.95	348.99	Brn	0	1	0	1	1	1	1	0	0	0	1	0	0	0	TqA	"
						519172	3.05					348.99	352.04	Brn	0	1	0	1	1	2	2	0	0	2	1	0	0	0	TqA / stkwk	"
						519173	3.05					352.04	355.09	Brn	0	0	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519174	2.61					355.09	357.70	Brn	0	0	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519175	1.96					357.70	359.66	Gry	1	1	0	1	1	2	2	0	0	2	1	0	0	0	TqA / stkwk	"
						519176	1.94					359.66	361.60	Gry	0	1	0	1	1	2	2	0	0	2	1	0	0	0	TqA / stkwk	"
						519177	2.64					361.60	364.24	Gry	1	1	0	1	1	1	0	0	0	2	1	0	0	0	TqA / stkwk	"
						519178	3.04					364.24	367.28	Brn	1	1	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519179	3.05					367.28	370.33	Brn	1	1	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519180	3.05					370.33	373.38	Brn	1	1	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519181	3.05					373.38	376.43	Brn	1	1	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519182	0					376.43	376.43	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
						519183	3.05					376.43	379.48	Brn	1	1	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519184	3.04					379.48	382.52	Brn	1	1	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519185	4.58					382.52	387.10	Brn	1	1	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519186	3.04					387.10	390.14	Brn	1	1	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519187	3.05					390.14	393.19	Brn	1	1	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519188	3.05					393.19	396.24	Brn	1	1	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519189	3.05					396.24	399.29	Brn	1	1	0	1	1	1	0	0	0	1	0	0	0	0	TqA	"
						519190	3.05					399.29	402.34	Brn	1	1	0	1	1	1	0	0	0	1	0	0	0	0	TqA	End of at 402.34

MINERA LINCOLN DE MEXICO SA DE CV																									HOLE NUMBER: LB DDH-006									
DIAMOND DRILL EXPLORATION PROGRAM																									TYPE DRILL CORE: HQ									
LA BUFA GOLD & SILVER PROJECT																									REDUCTION: 240.85 m NQ									
DATE START: 13-04-08													CORE SIZE: H.Q. FROM: 0.00 m TO: 240.85 m N.Q. FROM: 240.85 m TO: 413.00 M												PROG. DEPTH: 400 M. T.D.= 413.0 M									
DATE END: 20-04-08													GEOLOGIST: F. LOPEZ												AZIMUT: 45									
EASTING: 304587.271 (NAD27)													DRILL COMPANY: Energold												ANGLE: - 45									
NORTHING: 2886825.450 (NAD27)													DRILLER: ERIK, MARCOS SURVEYOR: Juan Pablo Garcia Flores												ELEV. INTERCEP:									
GEOTECHNICAL CONTROL										CONTROL SAMPLING					DESCRIPTION ALT.										SULPHIDES					ELEV. COLLAR: 2380.095				
FROM	TO	TOT. D.	REC. M	REC %	R.Q.D.	# SAMPLE	WIDE S	Au	Ag	Cu	FROM	TO	COLOR	HEM	QTZ V.	EPID.	CH.	Kspar	SILICIF.	QvBx	SER.	CLAYS	Py	Cpy	Gn	Sph	LITHOLOGY	SAMPLE DESC. AND DRILL NOTES						
0.0	1.5	1.52	1	95	46.05	NOT					SAMPLED	INTERVAL	pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	FROM: 0.00 TO: 28.96 m. IGIMBRITIC WELDED TUFF, Pnk COLORS, WITH FRACTURES MODERATED. LOCALLY FAULT FROM: 23.50 TO: 25.91						
1.5	3.1	1.53	1.45	95	76.45	NOT					SAMPLED	INTERVAL	pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	"	"					
3.1	6.1	3.05	2.90	95	81.96	NOT					SAMPLED	INTERVAL	pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	"	"					
6.1	9.2	3.05	2.95	97	78.68	NOT					SAMPLED	INTERVAL	pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	"	"					
9.2	12.20	3.05	2.90	95	88.52	NOT					SAMPLED	INTERVAL	pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	"	"					
12.2	15.24	3.04	2.90	95	88.52	NOT					SAMPLED	INTERVAL	pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	"	"					
15.2	18.29	3.05	2.90	95	81.96	NOT					SAMPLED	INTERVAL	pnk	1	0	0	0	0	0	0	0	0	0	1	0	0	Tigw	"	"					
18.3	21.34	3.05	2.90	95	85.24	NOT					SAMPLED	INTERVAL	pnk	0	0	0	0	0	0	0	0	0	0	0	0	0	Tigw	"	"					
21.3	24.38	3.04	2.10	69	18.68	NOT					SAMPLED	INTERVAL	pnk	0	0	0	0	0	0	0	0	0	1	0	0	0	Tigw	"	"					
24.4	25.91	1.53	1.40	92	16.66	NOT					SAMPLED	INTERVAL	pnk	0	0	0	1	0	0	0	0	0	1	0	0	0	Tigw	"	"					
25.9	28.96	3.05	2.98	98	71.14	NOT					SAMPLED	INTERVAL	pnk	0	0	0	1	0	0	0	0	0	0	0	0	0	Tigw	"	"					
29.0	32.00	3.04	2.95	97	71.80	NOT					SAMPLED	INTERVAL	Gry-Gr-Br	1	0	0	1	0	0	0	0	0	0	2	0	0	0	Trd	FROM: 28.96 TO: 47.24 m. RHYODACITE, LITHIC TUFF, WITH Py DISSEMINATED - VEINING,WEAK- MODERATED CHLORITE, MODERATED PROPLITIZATION, HEMTITE IN FRACTURED.					
32.0	35.05	3.05	2.95	97	85.24	519191	1.5				32	33.5	Gry-Br	2	1	1	1	0	1	0	0	0	0	2	0	0	0	Trd	"	"				
35.1	38.10	3.05	2.95	97	91.8	519192	1.6				33.5	35.05	Gry-Br	1	0	0	1	0	0	0	0	0	0	1	0	0	0	Trd	"	"				
35.1	38.10	3.05	2.95	97	91.8	NOT					SAMPLED	INTERVAL	Gry-Br-W	1	0	0	1	0	0	0	0	0	1	2	0	0	0	Trd	FAULT_ZONE					
38.1	41.15	3.05	2.80	92	62.59	NOT					SAMPLED	INTERVAL	Gry-Br	1	0	0	1	0	0	0	0	0	0	1	0	0	0	Trd	"	"				
41.2	44.20	3.05	2.95	97	85.24	NOT					SAMPLED	INTERVAL	Gry-Br	1	1	0	1	0	0	0	0	0	0	2	0	0	0	Trd	"	"				
44.2	47.24	3.04	2.95	97	88.25	NOT					SAMPLED	INTERVAL	Gry-Br	1	1	0	1	0	0	0	0	0	0	2	0	0	0	Trd	"	"				
47.2	50.29	3.05	2.95	97	91.80	519193	1.5				47.24	48.74	Gm-Br-W	1	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd /QVBX	FROM: 47.20 TO: 53.34 m. LOCAL QVBX ASSOC TO FAULT_ZONE. WITH LOCAL CHLORITE, LOCALLY MOD FRESH Py IN VEINING, IN GRAY QTZ VEINS. REACTIVED TECTONIC BX TEXTURE WITH QTZ FRAGMENTS.					
50.3	53.34	3.05	2.85	93	68.85	519194	1.6				48.74	50.29	Gm-Br-W	1	2	0	1	0	2	1	0	0	0	2	0	0	0	Trd /QVBX	"	"				
53.3	56.39	3.05	2.90	95	81.96	519195	1.5				50.29	51.79	Gm-Br-W	1	1	0	1	0	1	1	0	0	0	2	0	0	0	Trd /QVBX	"	"				
56.4	59.44	3.05	2.80	92	85.24	519196	1.6				51.79	53.34	Gm-Br-W	1	1	0	1	0	1	1	0	0	0	1	0	0	0	Trd /QVBX	"	"				
59.4	62.48	3.04	2.95	97	96.72	519197	1.5				53.34	54.84	Gm-Br-W	1	1	0	1	0	1	1	0	0	0	1	0	0	0	Trd /QVBX?	"	"				
62.5	65.53	3.05	3.03	99	77.04	519198	1.6				54.84	56.39	Gm-Br-W	1	1	0	1	0	1	1	0	0	0	1	0	0	0	Trd /QVBX?	"	"				
65.5	68.58	3.05	3.00	98	86.88	519199	1.52				56.39	57.91	Gm-Br-W	1	1	0	1	0	1	2	0	0	0	1	0	0	0	Trd/STKWK	"	"				
68.6	71.63	3.05	3.00	98	72.13	519200	1.53				57.91	59.44	Gm-Br-W	1	1	0	1	0	1	1	0	0	0	1	0	0	0	Trd/STKWK	"	"				
71.6	74.68	3.05	3.00	98	62.29	519201	1.52				59.44	60.96	Gm- Br	1	0	0	1	0	0	0	0	0	0	1	0	0	0	TA	FROM: 53.34 TO: 102.01 m. ALT CHLORITE IN TYPICAL ANDESITIC?? ROCKS, HEMATITE EN FRACTURED,SILICIF PERVASIVE MOD TO WEAK AS WELL ASSOC TO QTZ VEINING M.M. SIZE VERY ISOLATED OR POOR. NOT VISIBLE BASE METALS AND SULPHIDES SEEMS LIKE MOSTLY FRESH Py FINE GRAIN . WITH HORIZONTE VOLCANIC FLOWS AND CRYSTALLS TUFFS.					
74.7	77.72	3.04	3.02	99	90.16	519202	1.52				60.96	62.48	Gm- Br	1	0	0	1	0	0	0	0	0	0	1	0	0	0	TA	"	"				
77.7	80.75	3.03	3.00	99	77.70	519203	1.52				62.48	64	Gm- Br	1	0	0	1	0	0	0	0	0	0	1	0	0	0	TA	"	"				
80.8	83.82	3.07	3.00	98	98.00	519204	1.53				64	65.53	Gm- Br	1	0	0	1	0	0	0	0	0	0	1	0	0	0	TA	"	"				

83.8	80.75	-3.07	3.00	-98	77.70	519205	1.52					65.53	67.05	Grn- Br	1	1	0	1	0	0	0	0	0	0	1	0	0	0	TA	"	"	
80.8	83.82	3.07	3.00	98	98.00	519206	1.53					67.05	68.58	Grn- Br	1	1	0	1	0	0	0	0	0	0	1	0	0	0	TA	"	"	
83.8	80.75	-3.07	3.00	-98	77.70	519207		TDPM111	DPM111	DPM111	STDPM111	STDPM111	STDPM111	STDPM1119	DPM111	DPM111	DPM111	DPM111	DPM111	DPM111	DPM111	DPM111	DPM111	DPM111	DPM111	DPM111	DPM111	DPM111	STDPM1119			
80.8	83.82	3.07	3.00	98	98.00	519208	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK				
83.8	86.87	3.05	2.90	95	90.81	519209	3.05					68.58	71.63	Grn- Br	1	1	0	1	0	0	0	0	0	0	1	0	0	0	TA		"	"
86.9	89.92	3.05	3.00	98	79.01	NOT		SAMPLED						Grn- Br	1	0	0	1	0	0	0	0	0	0	1	0	0	0	TA		"	"
89.9	92.96	3.04	2.95	97	80.98	NOT		SAMPLED						Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
93.0	96.01	3.05	3.00	98	80.00	NOT		SAMPLED						Grn- Br	1	0	0	1	0	0	0	0	0	0	1	0	0	0	TA		"	"
96.0	99.06	3.05	3.00	98	70.16	NOT		SAMPLED						Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
99.1	102.01	2.95	2.90	98	74.75	NOT		SAMPLED						Grn- Br	1	0	0	1	0	0	0	0	0	0	1	0	0	0	TA		"	"
102.0	105.16	3.15	3.02	96	59.01	NOT		SAMPLED						Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA	FROM 102.01 TO 129.50 m . TEXTURE WITH ABUNDANT CRISTALS AND LESS LITHICS, HEMATITE IN FRACTURED, CHLORITE REPLACING FEMG, FEW FRACTURES FILLED BY CHLORITE AND CALCITE AND WEAK PYRITE. POOR EPIDOTE.		
105.2	108.20	3.04	3.05	100	59.60	NOT		SAMPLED						Grn- Br	1	1	0	1	0	0	0	0	0	1	1	0	0	0	TA			
108.2	111.25	3.05	3.05	100	61.96	NOT		SAMPLED						Grn- Br	1	0	1	1	0	0	0	0	0	0	1	0	0	0	TA		"	"
111.3	114.30	3.05	3.00	98	66.55	NOT		SAMPLED						Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
114.3	117.35	3.05	2.90	95	66.88	NOT		SAMPLED						Grn- Br	1	1	1	1	0	0	1	0	0	0	1	0	0	0	TA		"	"
117.4	120.40	3.05	3.05	100	84.59	NOT		SAMPLED						Grn- Br	1	1	1	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
120.4	123.44	3.04	3.02	99	89.18	NOT		SAMPLED						Grn- Br	2	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
123.4	126.50	3.06	3.04	99	83.27	NOT		SAMPLED						Grn- Br	1	1	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
126.5	129.54	3.04	2.93	96	65.57	NOT		SAMPLED						Grn- Br	1	1	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
129.5	132.54	3.00	2.95	98	83.60	NOT		SAMPLED						Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA	FROM 129.50 TO 175.26 m. POOR SILICIFICATION.CHLORITE INVADING PERVASIVE IN GROUNDMASS, PY IN VEINS AND FRACTURES AND HEMATITE. QTZ VEINING		
132.5	135.69	3.15	3.00	95	76.72	NOT		SAMPLED						Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
135.7	138.68	2.99	2.90	97	76.39	NOT		SAMPLED						Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
138.7	141.73	3.05	3.00	98	68.85	NOT		SAMPLED						Grn- Br	1	1	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
141.7	144.78	3.05	3.00	98	65.57	NOT		SAMPLED						Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
144.8	147.83	3.05	3.00	98	82.95	NOT		SAMPLED						Grn- Br	1	0	0	2	0	1	0	0	0	0	1	0	0	0	TA		"	"
147.8	150.88	3.05	3.00	98	72.13	NOT		SAMPLED						Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
150.9	153.92	3.04	3.00	99	78.68	NOT		SAMPLED						Grn- Br	2	1	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
153.9	156.97	3.05	3.00	98	50.00	NOT		SAMPLED						Grn- Br	1	1	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
157.0	160.02	3.05	2.95	97	48.09	NOT		SAMPLED						Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
160.0	163.07	3.05	3.00	98	80.32	NOT		SAMPLED						Grn- Br	1	1	0	2	0	1	0	0	0	0	1	0	0	0	TA		"	"
163.1	166.12	3.05	2.95	97	78.68	NOT		SAMPLED						Grn- Br	1	1	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
166.1	169.16	3.04	3.00	99	75.40	NOT		SAMPLED						Grn- Br	1	1	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
169.2	172.21	3.05	3.00	98	68.85	NOT		SAMPLED						Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
172.2	175.26	3.05	3.00	98	85.24	NOT		SAMPLED						Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
175.3	178.31	3.05	3.00	98	91.80	NOT		SAMPLED						Grn- Br	1	1	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
178.3	181.36	3.05	3.00	98	81.96	519210	3.05					175.26	178.31	Grn- Br	1	1	0	1	0	1	0	0	0	0	1	0	0	0	TA	FROM 175.26 TO 220.98 m. INCREMENT IN LITHICS FRAGMENTS, GREY WITH PINK HORIZONTS WITH UNCONSISTENT TINY VEINS WITH PYRITE. HEMTITE IN FRACTURED . POSSIBLE SHPALERITE?.		
181.4	184.40	3.04	3.02	99	55.40	519211	3.01					178.31	181.32	Grn- Br	1	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa/STKWK	FROM 519211 TO 519212 STOCKWORK AND QTZ VEINS WITH GREY SILICE AND PYRITE.		
184.4	187.45	3.05	3.00	98	75.40	519212	3.08					181.32	184.4	Grn- Br	1	1	0	1	0	1	0	0	0	0	2	0	0	0	Tqa/STKWK		"	"
187.5	190.50	3.05	3.00	98	73.71	519213	3.05					184.4	187.45	Grn - R	1	1	0	1	0	1	0	0	0	0	1	0	0	0	TA	BASICLY BARREN ROCK		
190.5	193.55	3.05	3.00	98	91.8	519214	3.05					187.45	190.5	Grn - R	2	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
193.6	196.60	3.05	2.90	95	75.4	519215	3.05					190.5	193.55	Grn - R	2	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
196.6	199.65	3.05	3.00	98	85.24	519216	3.05					193.55	196.6	Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"
199.7	202.69	3.04	3.03	100	85.24	519217	3.05					196.6	199.65	Grn- Br	1	0	0	1	0	1	0	0	0	0	1	0	0	0	TA		"	"

202.7	205.74	3.05	2.98	98	72.13	519218	3.04				199.65	202.69	Gm- Br - R	2	0	0	1	0	1	0	1	0	0	0	1	0	0	0	TA	"	"	
205.7	208.79	3.05	3.00	98	78.68	519219	3.05				202.69	205.74	Gm - Br	1	0	0	1	0	1	0	1	0	0	0	1	0	0	0	TA	"	"	
208.8	211.84	3.05	3.00	98	55.73	NOT				SAMPLED			Gm - Br	1	0	0	1	1	1	0	0	0	0	1	0	0	0	TA	"	"		
211.8	214.88	3.04	2.98	98	49.18	NOT				SAMPLED			Gm - Br - Pnk	1	0	0	1	1	1	0	0	0	0	2	0	0	0	TA	"	"		
214.9	217.93	3.05	2.90	95	70.49	NOT				SAMPLED			Gm - Br - Pnk	1	0	0	1	1	1	0	0	0	0	1	0	0	1	TA	"	"		
217.9	220.98	3.05	3.05	100	68.85	NOT				SAMPLED			Gm- Gy	0	0	0	1	1	1	0	0	0	0	1	0	0	0	TA	"	"		
221.0	224.03	3.05	3.02	99	73.77	NOT				SAMPLED			Gm - Gy	0	0	0	2	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	FROM: 221.00 TO 224.03 m. POSSIBLE MONZODIORITE, DISEMINED Py AND QTZ VEINING?. ALT. CHLORITE. POSSIBLE Cpy? FROM 227.10 TO 233.17 FAUL ZONE. AND HEMATITE IN FRACTURED.			
224.0	227.08	3.05	3.05	100	77.04	NOT				SAMPLED			Gm - Gy	0	0	0	2	0	1	0	0	0	0	1	1	0	0	Ks-T MzDio	"	"		
227.1	230.12	3.04	2.20	72	8.52	NOT				SAMPLED			Gm- Br - R	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	FAUL ZONE			
230.1	233.17	3.05	3.00	98	62.82	NOT				SAMPLED			Gm - Br - R	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	FAUL ZONE			
233.2	236.22	3.05	3.00	98	68.85	NOT				SAMPLED			Gm- Br - R	1	1	0	1	0	1	0	0	0	0	1	0	0	0	TA	FROM 233.20 TO 240.85 m. QTZ VEINING AND SILICIFICATION.CHLORITE DISSEMINATED IN GROUNDMASS, PY IN VEINS AND FRACTURES.			
236.2	239.27	3.05	2.90	95	68.85	NOT				SAMPLED			Gm- Br - R	1	1	0	1	0	1	0	0	0	0	1	0	0	0	TA	"	"		
239.3	240.85	1.58	1.40	89	60	NOT				SAMPLED			Gm - Br - R	1	1	0	1	0	1	0	0	0	0	1	0	0	0	TA	REDUCTION: 240.85 m NQ			
240.9	242.32	1.47	1.30	88	73.33	NOT				SAMPLED			Gm- Gy	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	FROM: 240.85 TO 248.41 m. POSSIBLE MONZODIORITE. + DISEMINED Py AND QTZ VEINING?. ALT. CHLORITE AND HEMATITE IN FRACTURED.			
242.3	245.36	3.04	3.05	100	86.88	NOT				SAMPLED			Gm - Gy	1	1	0	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
245.4	248.41	3.05	3.00	98	84.59	NOT				SAMPLED			Gm - Gy	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
248.4	251.46	3.05	3.00	98	90.16	NOT				SAMPLED			Gm - Gy - Pnk	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	FROM: 251.46 TO . POSSIBLE MONZODIORITE. DISEMINED Py AND POOR QTZ VEINING. ALT. POTASICA. FROM: 519221-519226. ARGENTINE. Cpy, Py DISEMINED. POOR EPIDOTE.			
251.5	254.51	3.05	2.95	97	63.93	NOT				SAMPLED			Gm - Gy - Pnk	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
254.5	257.56	3.05	3.03	99	81.96	NOT				SAMPLED			Gm - Gy - Pnk	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
257.6	260.60	3.04	3.05	100	84.26	NOT				SAMPLED			Gm - Gy - Pnk	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
260.6	263.65	3.05	3.05	100	82.95	NOT				SAMPLED			Gm - Gy - Pnk	0	1	0	0	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
263.7	266.70	3.05	3.05	100	75.40	NOT				SAMPLED			Gry - Pnk	0	1	0	0	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
266.7	269.75	3.05	3.00	98	87.21	NOT				SAMPLED			Gry - Pnk	1	1	0	0	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
269.8	272.80	3.05	3.03	99	68.85	NOT				SAMPLED			Gry	0	0	0	0	0	1	0	0	0	0	0	0	0	0	Ks-T MzDio	"	"		
272.8	275.85	3.05	2.90	95	85.24	NOT				SAMPLED			Gry	0	0	0	0	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
275.9	278.90	3.05	3.00	98	80.32	NOT				SAMPLED			Gry	0	0	0	0	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
278.9	281.95	3.05	3.00	98	85.24	NOT				SAMPLED			Gry	0	1	0	0	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
282.0	285.00	3.05	3.00	98	88.52	NOT				SAMPLED			Gry	0	0	0	0	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
285.0	288.05	3.05	2.98	98	73.11	519220	3.05				284.99	288.04	Gry - W	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
288.1	291.08	3.03	3.00	99	68.85	519221	1.5				288.04	289.54	Gry - W - Gr	0	1	1	1	1	1	0	0	0	0	1	1	0	0	Ks-T MzDio	"	"		
291.1	294.13	3.05	3.00	98	84.59	519222	1.54				289.54	291.08	Gry - Br - Gr	0	0	0	1	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
294.1	297.20	3.07	3.00	98	77.37	519223	3.05				291.08	294.13	Gry - Br - Gr	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
297.2	300.23	3.03	2.98	98	87.21	NOT				SAMPLED			Gry - Gr	0	0	0	1	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
300.2	303.28	3.05	3.00	98	96.06	NOT				SAMPLED			Gry - Gr	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
303.3	306.24	2.96	2.90	98	89.50	NOT				SAMPLED			Gry - Gr	0	0	0	1	0	1	0	0	0	0	2	0	0	0	Ks-T MzDio	"	"		
306.2	309.27	3.03	3.00	99	87.21	NOT				SAMPLED			Gry - Gr	0	1	0	2	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
309.3	312.32	3.05	3.00	98	90.81	NOT				SAMPLED			Gry - Gr - Pnk	0	1	0	2	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
312.3	315.37	3.05	3.00	98	92.45	NOT				SAMPLED			Gry - Gr - Pnk	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
315.4	318.52	3.15	3.00	95	89.83	NOT				SAMPLED			Gry - Gr - Pnk	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
318.5	321.56	3.04	3.00	99	90.49	NOT				SAMPLED			Gry - Gr - Pnk	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
321.6	324.61	3.05	3.02	99	93.11	NOT				SAMPLED			Gry	0	0	0	0	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
324.6	327.66	3.05	3.00	98	88.52	NOT				SAMPLED			Gry - Grn - Pn	0	0	1	0	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
327.7	330.71	3.05	3.00	98	96.06	NOT				SAMPLED			Gry - Grn - Pn	0	0	1	0	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		
330.7	333.76	3.05	3.00	98	76.06	519224					330.71	333.76	Gry - Grn - Pn	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"		


333.8	336.80	3.04	3.03	100	93.11	519225					333.76	335.26	Gry - Grn - Pnk	0	1	0	1	1	1	1	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
336.8	339.85	3.05	3.00	98	78.68	519226					335.26	336.8	Gry - Gr - W	0	1	0	1	1	1	1	0	0	0	1	1	1	0	Ks-T MzDio	"	"			
339.9	342.90	3.05	2.85	93	80.32	519227					336.8	339.85	Gry - Gr - W	0	1	0	1	1	1	1	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
342.9	345.95	3.05	2.96	97	88.52	NOT		SAMPLED		INTERVAL			Gry - Pnk	0	1	0	0	1	1	1	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
346.0	349.00	3.05	2.90	95	80.32	NOT		SAMPLED		INTERVAL			Gry - Pnk	0	1	0	0	1	1	1	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
349.0	352.04	3.05	3.05	100	82.00	NOT		SAMPLED		INTERVAL			Gry - Gr	0	1	1	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
352.0	355.09	3.05	3.05	100	92.00	NOT		SAMPLED		INTERVAL			Gry - Gr - Pnk	0	1	1	1	1	1	0	0	0	0	2	0	0	0	Ks-T MzDio	"	"			
355.1	358.14	3.05	3.00	98	95.00	NOT		SAMPLED		INTERVAL			Gry - Gr - Pnk	0	1	1	1	1	1	0	0	0	0	2	0	0	0	Ks-T MzDio	"	"			
358.1	361.19	3.05	3.00	98	80.00	NOT		SAMPLED		INTERVAL			Gry - Gr - Pnk	0	1	0	1	1	1	0	0	0	0	2	0	0	0	Ks-T MzDio	"	"			
361.2	364.24	3.05	3.05	100	98.00	NOT		SAMPLED		INTERVAL			Gry - Gr - Pnk	0	1	0	1	1	1	0	0	0	0	2	0	0	0	Ks-T MzDio					
																																FROM: 364.20 TO 370.33 M. POSSIBLE MONZODIORITE. DISEMINED Py AND POOR QTZ VEINING, POOR EPIDOTE. WITH FRAGMENT LITHIC.	
364.2	367.28	3.04	3.05	100	87.00	NOT		SAMPLED		INTERVAL			Gry - Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
367.3	370.33	3.05	3.05	100	83.00	NOT		SAMPLED		INTERVAL			Gry - Gr	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
																																FROM 370.30 TO 376.43 MONZO-DIORITIC WITH ASSIMILATED OF POSSIBLE TRAQUIANDESITE. - ANDESITE WITH STRONG Py DISEMINED.	
370.3	373.38	3.05	3.00	98	73.00	NOT		SAMPLED		INTERVAL			Gry	0	0	0	0	0	0	1	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
373.4	376.43	3.05	3.00	98	87.00	NOT		SAMPLED		INTERVAL			Gry	0	0	0	0	0	0	1	0	0	0	2	0	0	0	Ks-T MzDio	"	"			
																																FROM 376.40 TO 388.62 m. DARK GREY- PINK DUE POOR POTACIC ALTERATION, IN MONZODIORITIC INTRUSIVE BASAL. FINE - MEDIUM GRAIN GROUNDMASS , WITH CALCITE- QTZ IN VEINS, CHLORITE-PYRITE MODERATED.WEAK SILICIFICATION. POOR EPIDOTE.	
376.4	379.48	3.05	3.05	100	93.00	NOT		SAMPLED		INTERVAL			Gry - Grn	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
379.5	382.52	3.04	3.05	100	90.00	NOT		SAMPLED		INTERVAL			Gry - Grn	0	0	0	1	1	1	1	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
382.5	385.57	3.05	3.05	100	97.00	NOT		SAMPLED		INTERVAL			Gry - Grn	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
385.6	388.62	3.05	3.05	100	93.00	NOT		SAMPLED		INTERVAL			Gry - Grn	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
388.6	391.67	3.05	3.05	100	85.00	NOT		SAMPLED		INTERVAL			Gry - Grn	0	1	1	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
391.7	394.72	3.05	3.05	100	39.00	NOT		SAMPLED		INTERVAL			Gry - Grn	0	0	1	1	0	0	0	0	0	1	1	0	0	0	Ks-T MzDio	FAUL ZONE				
394.7	397.76	3.04	3.00	99	88.00	NOT		SAMPLED		INTERVAL			Gry - Grn	0	1	1	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
397.8	400.81	3.05	3.05	100	92.00	NOT		SAMPLED		INTERVAL			Gry - Grn	0	1	1	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
400.8	403.86	3.05	3.05	100	97.00	NOT		SAMPLED		INTERVAL			Gry - Grn	0	1	1	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
403.9	406.91	3.05	3.05	100	67.00	NOT		SAMPLED		INTERVAL			Gry - Grn	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Ks-T MzDio	"	"			
406.9	409.96	3.05	3.00	98	90.00	NOT		SAMPLED		INTERVAL			Gry - Grn	0	1	1	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	"	"			
410.0	413.00	3.04	3.05	100	47.00	NOT		SAMPLED		INTERVAL			Gry - Grn	0	1	1	1	0	1	0	0	0	0	1	0	0	0	Ks-T MzDio	END OF HOLE AT 413.00				

MINERA LINCOLN DE MEXICO SA DE CV																										HOLE NUMBER: LBDDH-007																				
DIAMOND DRILL EXPLORATION PROGRAM																										TYPE DRILL CORE: HQ																				
LA BUFA GOLD & SILVER PROJECT																										REDUCTION: 271.27 M																				
DATE START: 15/04/2008													CORE SIZE: NTW. FROM: 0.00 m TO: 271.27 H.Q. . BTW FROM:271.27 TO: 365.8 .													SAMPLES FROM 519228 TO 519353				PROG. DEPTH: 400 T.D.= 365.8 M																
DATE END: 26/04/2008													GEOLOGIST: F. LOPEZ / FVM																	AZIMUT: 45																
EASTING: 304278.536 (NAD27)													DRILL COMPANY: ENERGOLD SURVEYOR: Juan Pablo Garcia Flores																	ANGLE: -60																
NORTHING: 2886888.983 (NAD27)													DRILLER: JUAN LUIS TERMINA BARRENO DE RENE.																	ELEV. INTERCEP:																
GEOTECHNICAL CONTROL													CONTROL SAMPLING													DESCRIPTION ALT.													SULPHIDES				ELEV. COLLAR: 2351.235 (NAD27)			
FROM	TO	TOT. D.	REC. M	REC %	R.Q.D.%	# SAMPLE	WIDE	Au	Ag	Cu	FROM	TO	COLOR	HEM	QTZ V.	EPID.	CH.	Kspar	SILICIF.	QvBx	SER.	CLAYS	Py	Cpy	Gn	Sph	LITHOLOGY	SAMPLE DESC. AND DRILL NOTES																		
0.0	1.52	1.52	1.52	100	0								Brn	0	0	0	0	0	0	0	0	2	0	0	0	0	Tigw	(0-11.3) TERTIARY IGIMBRITE UINIT HEAVY WEATHERING PROCESS, FRACTURED AND CLAYISH. BARREN ROCK																		
1.52	3.05	1.53	1.30	85	0								Brn	0	0	0	0	0	0	0	0	2	0	0	0	0	Tigw	" "																		
3.05	6.15	3.10	1.52	49	0								Brn	0	0	0	0	0	0	0	0	2	0	0	0	0	Tigw	" "																		
6.15	9.15	3.00	1.30	43	0								Brn	0	0	0	0	0	0	0	0	2	0	0	0	0	Tigw	" "																		
9.15	12.20	3.05	2.40	79	24								Brn	0	0	0	0	0	0	0	0	2	0	0	0	0	Tigw	" "																		
12.20	15.25	3.05	2.55	84	49								R	0	0	0	0	0	0		0	0	0	0	0	0	Trd	(13.7-21.34)Rhodyacite, lithic-cristalls tuff, pink-red, strong hematization, calcite veins.																		
15.25	18.29	3.04	3.05	100	85								R	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "																		
18.29	21.34	3.05	3.05	100	85								R	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "																		
21.34	24.38	3.04	3.05	100	100								R	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "																		
24.38	27.43	3.05	3.05	100	100								R	0	0	0	0	0	0	0	0	0	0	0	0	0	Trd	" "																		
27.43	30.48	3.05	3.02	99	95								R	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd	" "																		
30.48	33.53	3.05	3.05	100	77								R	0	0	0	0	0	0	0	0	0	1	0	0	0	Trd	" "																		
33.53	36.58	3.05	3.05	100	59								R	0	0	0	1	0	1	0	0	0	1	0	0	0	Trd	" "																		
36.58	39.62	3.04	2.95	97	62	519228	3.04				36.58	39.62	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	Rhodyacite grey-brown, cristalls tuff and volcanic flow, with stockwork-hematite, and isolate qtz vein with gal-argentite-cpy- sphalerite,silicification-py disseminated, predominant angle of veins between 40 and 50, qtz veins with base metals 42.3-42.4, 62.85 to 63,																		
39.62	42.67	3.05	3.05	100	84	519229	1.60				39.62	41.22	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	" "																		
42.67	45.72	3.05	3.05	100	97	519230	1.45				41.22	42.67	Gry	0	1	0	1	1	1	0	0	0	2	1	1	1	Trd	" "																		
45.72	48.77	3.05	3.05	100	98	519231	3.05				42.67	45.72	Gry-Brn	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	" "																		
48.77	51.82	3.05	3.05	100	85	519232	0.00				45.72	45.72	STD Pb119	0	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD																		
51.82	54.86	3.04	3.05	100	100	519233	3.05				45.72	48.77	Gry-Brn	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	" "																		
54.86	57.91	3.05	3.03	99	95	519234	3.05				48.77	51.82	Gry-Brn	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	" "																		
57.91	60.96	3.05	3.05	100	100	519235	3.04				51.82	54.86	Brn	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	" "																		
60.96	64.01	3.05	3.05	100	92	519236	3.05				54.86	57.91	Brn	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	" "																		
64.01	67.06	3.05	3.05	100	100	519237	3.05				57.91	60.96	Brn	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	" "																		
67.06	70.10	3.04	3.00	99	98	519238	3.05				60.96	64.01	Brn	0	1	0	1	1	1	0	0	0	2	1	1	1	Trd	" "																		
70.10	73.15	3.05	3.03	99	95	519239	3.05				64.01	67.06	Brn	0	1	0	1	1	1	0	0	0	2	1	1	1	Trd	" "																		
73.15	76.20	3.05	3.05	100	100	519240	3.04				67.06	70.10	Brn	0	1	0	1	1	1	0	0	0	2	1	1	1	Trd	" "																		
76.20	79.25	3.05	3.05	100	98	519241	3.05				70.10	73.15	Brn	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	" "																		
79.25	82.30	3.05	3.05	100	47	519242	3.05				73.15	76.20	Brn	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	" "																		
82.30	85.34	3.04	2.70	89	33	519243	3.05				76.20	79.25	Brn	0	1	0	1	1	1	0	0	0	2	1	1	1	Trd	" "																		
85.34	88.39	3.05	3.05	100	98	519244	3.05				79.25	82.30	Brn	0	1	0	1	1	1	0	0	0	2	1	1	1	Trd	Broken zone, fractures subverticales respect core axis , chlorite moderated.																		
88.39	91.44	3.05	3.05	100	92	519245	3.04				82.30	85.34	Brn	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	" "																		
91.44	94.49	3.05	3.03	99	82	519246	3.05				85.34	88.39	Brn	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	Rhodyacite grey-brown, cristalls tuff and volcanic flow,pyrite disseminated in open stockwork showing isolate qtz vein with gal-cpy-sphalerite, from 99.75 to 100.7 broken zone gouge in fractures.																		

94.49	97.54	3.05	3.00	98	38	519247	3.05					88.39	91.44	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd	"	"		
97.54	100.59	3.05	2.40	79	50	519248	3.05					91.44	94.49	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd	"	"		
100.59	103.63	3.04	2.95	97	97	519249	3.05					94.49	97.54	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd	"	"		
103.63	106.68	3.05	3.02	99	77	519250	3.05					97.54	100.59	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd	"	"		
106.68	109.73	3.05	3.00	98	93	519251	3.04					100.59	103.63	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd / stkwk	"	"		
109.73	112.78	3.05	2.95	97	77	519252	3.05					103.63	106.68	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd	"	"		
112.78	115.83	3.05	3.02	99	70	519253	3.05					106.68	109.73	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd	"	"		
115.83	118.87	3.04	3.00	99	98	519254	3.05					109.73	112.78	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd	"	"		
118.87	121.92	3.05	3.00	98	93	519255	3.05					112.78	115.83	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd	"	"		
121.92	124.97	3.05	3.00	98	88	519256	3.04					115.83	118.87	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd	"	"		
124.97	128.02	3.05	3.02	99	83	519257	0.00					118.87	118.87	STD PM-11	0	STD	Pb	STD	STD	STD	P	STD	P	STD	STD	STD	STD	STD	STD	STD	Pb119	STD Pb119	
128.02	131.06	3.04	3.05	100	87	519258	0.00					118.87	118.87	BLK	0	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK		
131.06	134.11	3.05	2.95	97	85	519259	3.05					118.87	121.92	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd	"	"		
134.11	137.16	3.05	3.01	99	84	519260	3.05					121.92	124.97	Brn	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd	"	"		
137.16	140.21	3.05	3.05	100	80	519261	2.10					124.97	127.07	Gry	0	1	0	1	1	1	1	0	0	0	2	0	0	0	Trd	"	"		
140.21	143.26	3.05	3.02	99	82	519262	1.52					127.07	128.59	Gry-grn	0	1	0	1	0	1	2	0	0	0	2	1	1	1	QvBx	From 127.15 to 130.27 , Qtz-cal breccia grey greenish, sphalerite-cpy-gal, mostly galena			
143.26	144.78	1.52	1.52	100	54	519263	1.71					128.59	130.3	Gry-grn	0	1	0	1	0	1	2	0	0	0	2	1	1	1	QvBx	Strong sphalerite, >> gal-cpy			
144.78	147.83	3.05	2.95	97	84	519264	1.52					130.3	131.82	Gry	0	1	0	1	1	1	0	0	0	0	2	0	0	0	Trd	Rhyodacite grey-brown, cristalls tuff and volcanic flow, pyrite disseminated with silicification and qtz-cal veins, pyrite disseminated. , from 144.78-145.2 greenish qtz breccia,chlorite-pyrite disseminated.			
147.83	150.88	3.05	3.05	100	92	519265	2.29					131.82	134.11	Gry	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd	"				"
150.88	153.92	3.04	2.98	98	72	519266	3.05					134.11	137.16	Gry	0	1	0	1	1	1	0	0	0	0	2	0	0	0	Trd	"	"		
153.92	156.97	3.05	3.03	99	93	519267	3.05					137.16	140.21	Gry	0	1	0	1	1	1	0	0	0	0	2	0	0	0	Trd	"	"		
156.97	160.02	3.05	2.85	93	81	519268	3.05					140.21	143.26	Gry	0	1	0	1	0	1	1	0	0	0	2	0	0	0	Trd/QvBx	"	"		
160.02	163.07	3.05	2.85	93	69	519269	1.52					143.26	144.78	Gry-grn	0	1	0	2	0	1	0	0	0	0	2	0	0	0	Trd	"	"		
163.07	166.11	3.04	2.90	95	755	519270	1.52					144.78	146.3	Gry-grn	0	1	0	2	0	1	1	0	0	0	2	0	0	0	Trd	"	"		
166.11	169.16	3.05	2.95	97	71	519271	1.53					146.3	147.83	Brn	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd	"	"		
169.16	172.21	3.05	2.80	92	69	519272	3.05					147.83	150.88	Brn	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd	"	"		
172.21	175.26	3.05	3.00	98	87	519273	3.04					150.88	153.92	Brn	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd	"	"		
175.26	178.31	3.05	2.95	97	72	519274	3.05					153.92	156.97	Gry	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd	"	"		
178.31	181.36	3.05	2.90	95	70	519275	3.05					156.97	160.02	Gry	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd	"	"		
181.36	184.41	3.05	2.90	95	89	519276	3.05					160.02	163.07	Gry	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd	"	"		
184.41	187.45	3.04	2.90	95	90	519277	3.04					163.07	166.11	Gry	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd	"	"		
187.45	190.50	3.05	3.00	98	68	519278	3.05					166.11	169.16	Gry	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd	"	"		
190.50	193.55	3.05	2.90	95	79	519279	3.05					169.16	172.21	Gry	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd	"	"		
193.55	196.60	3.05	2.90	95	67	519280	3.05					172.21	175.26	Gry	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd	"	"		
196.60	199.64	3.04	2.30	76	35	519281	3.05					175.26	178.31	Gry	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd	"	"		
199.64	201.18	1.54	1.40	91	60	519282	0.00					178.31	178.31	STD Pb119	0	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD		
201.18	204.22	3.04	3.00	99	69	519283	3.05					178.31	181.36	Gry	0	1	0	2	0	2	1	0	0	0	2	0	0	0	Trd / stkwk	From 179.6 to 182 , Qtz-cal veins (between 0.1-2.5 cm) sphalerite-cpy-gal, mostly pyrite.			
204.22	207.27	3.05	2.95	97	83	519284	3.05					181.36	184.41	Gry	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd / stkwk	Rhyodacite, lithic-cristalls tuff, qtz-cal veins, pyrite disseminated., broken zone from 194.5-196			
207.27	210.32	3.05	2.80	92	82	519285	3.04					184.41	187.45	Gry-Brn	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"		
210.32	213.37	3.05	2.95	97	62	519286	3.05					187.45	190.50	Gry	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"		
213.37	216.41	3.04	2.90	95	85	519287	3.05					190.50	193.55	Gry	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"		
216.41	219.46	3.05	2.80	92	65	519288	3.05					193.55	196.60	Gry	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"		
219.46	222.50	3.04	3.05	100	75	519289	4.58					196.60	201.18	Gry	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"		
222.50	225.55	3.05	3.05	100	59	519290	3.04					201.18	204.22	Gry	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"		
225.55	228.60	3.05	3.00	98	3	519291	3.05					204.22	207.27	Gry	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"		
228.60	231.65	3.05	3.05	100	100	519292	3.05					207.27	210.32	Gry	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"		
231.65	234.70	3.05	3.05	100	96	519293	3.05					210.32	213.37	Gry-Brn	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"		
234.70	237.75	3.05	2.95	97	88	519294	3.04					213.37																					

237.75	240.79	3.04	2.90	95	78	519295	3.05					216.41	219.46	Gry-Brn	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"	
240.79	243.84	3.05	2.95	97	70	519296	3.04					219.46	222.50	Gry-Brn	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"	
243.84	246.89	3.05	2.80	92	64	519297	3.05					222.50	225.55	Gry-Brn	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"	
246.89	249.94	3.05	2.90	95	46	519298	3.05					225.55	228.60	Gry-Brn	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"	
249.94	252.98	3.04	2.85	94	80	519299	3.05					228.60	231.65	Gry-Brn	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"	
252.98	256.03	3.05	2.85	93	61	519300	3.05					231.65	234.70	Gry-Brn	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"	
256.03	259.08	3.05	2.90	95	58	519301	3.05					234.70	237.75	Brn	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"	
259.08	262.13	3.05	2.85	93	75	519302	3.04					237.75	240.79	Brn	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"	
262.13	265.18	3.05	2.90	95	69	519303	3.05					240.79	243.84	Brn	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Trd	"	"	
265.18	268.22	3.04	2.90	95	88	519304	3.05					243.84	246.89	Brn	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Trd	"	"	
268.22	271.27	3.05	1.90	62	26	519305	1.91					246.89	248.80	Brn	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"	
271.27	274.32	3.05	2.60	85	72	519306	1.42					248.88	250.30	Brn	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd	"	"	
274.32	277.37	3.05	2.90	95	90	519307	0.00					250.30	250.30	STD PM-11	0	STD P	STD	STD	STD P	STD P	STD P	STD P	STD P	STD P	STD P	STD P	STD P	STD P	STD Pb119	STD Pb119		
277.37	280.42	3.05	3.00	98	77	519308	0.00					250.30	250.30	BLK	0	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK		
280.42	283.46	3.04	3.05	100	3	519309	1.52					250.30	251.82	Gry	0	1	0	1	1	2	3	0	0	0	3	1	1	1	QvBx	From 250.3 to 251.1 Qtz breccia subparallel to the hole angle, with hosted rock fragements cemented by pyrite, from 251.1 to 255.6 closeed stockwork and qtz veins with gal-cpy-sphalerite, argentite with fine gal.		
283.46	286.51	3.05	3.00	98	95	519310	1.16					251.82	252.98	Gry	0	1	0	1	1	2	2	0	0	0	2	1	1	1	Tqa/stkww	"	"	
286.51	289.56	3.05	3.05	100	85	519311	1.52					252.98	254.50	Gry	0	2	0	1	1	2	1	0	0	0	2	1	1	1	Tqa/stkww	"	"	
289.56	292.61	3.05	2.75	90	34	519312	1.53					254.50	256.03	Gry	0	2	0	1	1	2	0	0	0	0	2	1	1	1	Tqa/stkww	"	"	
292.61	295.66	3.05	3.05	100	66	519313	3.05					256.03	259.08	Brn	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Tqa	Traquandite cristalls tuff and volcanic flow, with qtz-cal veins.		
295.66	298.70	3.04	3.00	99	72	519314	3.05					259.08	262.13	Brn	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Tqa	"	"	
298.70	301.75	3.05	3.00	98	62	519315	3.05					262.13	265.18	Brn	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Tqa	"	"	
301.75	304.80	3.05	3.05	100	68	519316	3.04					265.18	268.22	Brn	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Tqa	"	"	
304.80	307.85	3.05	3.05	100	69	519317	3.05					268.22	271.27	Brn	0	1	0	1	1	1	0	0	0	0	2	0	0	0	Tqa	Broken zone, low recovery.		
307.85	310.90	3.05	3.00	98	93	519318	3.05					271.27	274.32	Brn	0	2	0	1	1	2	0	0	0	0	2	0	0	0	Tqa/stkww	Close stockwork, qtz-cal veins with pyrite, no base metals. Reduction to NTW At 271.27		
310.90	313.94	3.04	3.05	100	65	519319	1.48					274.32	275.80	Brn	0	2	0	1	1	2	0	0	0	0	2	1	1	1	Tqa/stkww	"	"	
313.94	316.99	3.05	3.00	98	85	519320	2.2					275.80	278	Brn	0	1	0	1	1	2	0	0	0	0	2	1	1	1	TTqa/stkww	From 275.58 to 275.8 Qtz vein, calcite-chlorite, amethyst, closed stkww with py, isolated vein with cpy-gal		
316.99	320.05	3.06	3.05	100	80	519321	1.4					278	279.4	Brn	0	2	0	1	1	2	0	0	0	0	2	1	1	1	Stkww/QvBx	Qtz veins with gal-sphalerite-cpy in borders, closed stockwork.		
320.05	323.10	3.05	3.05	100	70	519322	1.7					279.4	281.1	Gry-Brn	0	3	0	1	0	2	1	0	0	0	2	1	1	1	QvBx	FROM 279.4 TO 287.7 QTZ BRECCIA WITH GAL-CPY-SPHALERITE-PY, CALCITE CAVITIES, PYRITE-CHLORITE MODERATED, HEMATITE IN FRACTURES,(279.4 TO 281.1 QTZ VEIN) FROM 281.1 TO 284 QVBX WITH HOSTED ROCK FRAGMENTS WIITH ABUNDANT QTZ-STOCKWORK DEVELOPMENT .FROM 284 TO 287.7 QTZ BRECCIA, ROCK FRAGMENTS CEMENTE BY QTZ-PY, STRONG GAL.		
323.10	326.15	3.05	2.95	97	87	519323	1.45					281.1	282.55	Gry-Brn	0	2	0	1	0	2	1	0	0	0	2	1	1	1	QvBx/STKWK	"	"	
326.15	329.20	3.05	2.95	97	69	519324	1.45					282.55	284	Gry-Brn	0	2	0	1	0	2	1	0	0	0	2	1	1	1	QvBx/STKWK	"	"	
329.20	332.25	3.05	3.05	100	70	519325	1					284	285	Gry-Brn	0	1	0	1	0	2	3	0	0	0	2	1	1	1	QvBx	"	"	
332.25	335.30	3.05	3.00	98	70	519326	1.51					285	286.51	Gry-wht	0	1	0	1	0	2	3	0	0	0	2	1	1	1	QvBx	"	"	
335.30	338.35	3.05	3.00	98	79	519327	1.2					286.51	287.71	Gry-wht	0	1	0	1	0	2	3	0	0	0	2	1	1	1	QvBx	"	"	
338.35	341.40	3.05	2.85	93	56	519328	1.85					287.71	289.56	Brn	0	1	0	1	1	2	0	0	0	0	2	1	1	1	Tqa/stkww	Footwall stockwork-brecciated, with silicification moderated.		
341.40	344.45	3.05	3.05	100	92	519329	3.05					289.56	292.61	Brn	0	1	0	1	1	1	0	0	0	0	2	0	0	0	Tqa	Broken zone, low recovery.		

344.45	347.50	3.05	3.05	100	72	519330	3.05					292.61	295.66	Brn	0	1	0	1	1	1	0	0	0	1	0	0	0	Tqa	Traquiandesite volcanic flow, coarse texture with qtz-cal veins, fractures with predominant angle between 30-40 deegres.		
347.50	350.55	3.05	2.90	95	75	519331	3.04					295.66	298.70	Brn	0	1	0	1	1	1	0	0	0	1	0	0	0	Tqa	"		
350.55	353.60	3.05	2.70	89	65	519332	0					298.70	298.70	STD PM-11	0	STD PH	STD	STD	STD PH	STD PH	STD PH	STD PH	STD	STD	STD	STD	STD Pb119	STD Pb119			
353.60	356.65	3.05	3.05	100	90	519333	3.05					298.70	301.75	Brn	0	1	0	0	1	1	0	0	0	1	0	0	0	Tqa	"		
356.65	359.70	3.05	3.05	100	77	519334	3.05					301.75	304.8	Brn	0	1	0	0	1	1	0	0	0	1	0	0	0	Tqa	"		
359.70	362.75	3.05	2.85	93	65	519335	3.05					304.80	307.85	Brn	0	1	0	0	1	1	0	0	0	1	0	0	0	Tqa	"		
362.75	365.80	3.05	2.70	89	49	519336	3.05					307.85	310.90	Brn	0	1	0	0	2	2	0	0	0	1	0	0	0	Tqa	"		
						519337	3.04					310.90	313.94	Brn	0	1	0	0	1	1	0	0	0	1	0	0	0	Tqa	"		
						519338	3.05					313.94	316.99	Brn	0	1	0	0	2	2	0	0	0	1	0	0	0	Tqa	"		
						519339	3.06					316.99	320.05	Gry-Brn	0	1	0	0	2	1	0	0	0	1	0	0	0	Tdi DIKE	From 318.1 to 320.1 Dioritic intrusive, dark grey with host rock fragments.		
						519340	3.05					320.05	323.10	Brn	0	1	0	0	1	1	0	0	0	1	0	0	0	Tqa	"		
						519341	3.05					323.10	326.15	Brn	0	1	0	0	1	1	0	0	0	1	0	0	0	Tqa	"		
						519342	3.05					326.15	329.20	Brn	0	1	0	0	1	1	0	0	0	1	0	0	0	Tqa	"		
						519343	3.05					329.20	332.25	Brn	0	1	0	0	1	2	0	0	0	1	0	0	0	Tqa	"		
						519344	0.9					332.25	333.15	Gry-Brn	0	1	0	0	2	2	2	0	0	2	0	0	0	Tqa/QvBx	Qtz breccia with silicification-pyrite		
					333.15	335.3	519345	2.15				333.15	335.3	Brn-Pnk	0	1	0	0	1	2	0	0	0	1	0	0	0	Tqa	Traquiandesite volcanic flow, coarse-medium grain texture with qtz-cal veins, increase potasic alteration..		
					335.30	338.35	519346	3.05				335.30	338.35	Brn-Pnk	0	1	0	0	1	2	0	0	0	1	0	0	0	Tqa	"		
					338.35	341.40	519347	3.05				338.35	341.40	Brn-Pnk	0	1	0	0	1	2	0	0	0	2	0	0	0	Tqa	"		
					341.40	344.45	519348	3.05				341.40	344.45	Brn-Pnk	0	1	0	0	1	2	0	0	0	2	0	0	0	Tqa	"		
					344.45	347.50	519349	3.05				344.45	347.50	Brn-Pnk	0	1	0	0	1	2	0	0	0	2	0	0	0	Tqa	"		
																													Traquiandesite volcanic flow with dark grey monzodioritic into volcanic flow with strong pyrite, silicification-stockwork.Isolated qtz vein with gal-cpy-sphalerite in sample 519351.qtz veins mm with pyrite.		
					347.50		519350	3.05				347.50	350.55	Brn-Gry	0	1	0	0	2	2	0	1	0	2	0	0	0	Tqa/Ks-T Mdio.	"		
					350.55	353.60	519351	3.05				350.55	353.60	Brn-Gry	0	1	0	0	2	2	0	1	0	2	1	1	1	Tqa/Ks-T Mdio.	"		
					353.60	356.65	519352	3.05				353.60	356.65	Brn-Gry	0	1	0	0	2	2	0	0	0	2	0	0	0	Tqa/Ks-T Mdio.	"		
					356.65	359.70	519353	3.05				356.65	359.70	Brn-Gry	0	1	0	0	2	2	0	0	0	2	0	0	0	Tqa/Ks-T Mdio.	"		
					359.70	362.75	519354	3.05				359.70	362.75	Brn-Gry	0	1	0	0	2	2	0	0	0	2	0	0	0	Tqa/Ks-T Mdio.	End of hole at 365.8		
																													HOLE STOPED DUE PROBLEMS IN BOTTOM HOLE. DRILLERS ABANDOND THE PROJECT FRIDAY 25 APRHIL NIGTH WITH ALL COLUMN OF RODS INSIDE BOTTOM HOLE. WHEN JUAN LUIS WENT TO FINISH THE HOLE AND TREAT TO PULLOUT RODS, ALL THE COLUMN WAS STUCKED. WE DONT ARRANGE THE MONZODIORITIC INTRUSIVE		
					362.75	365.80	519355					362.75	365.80	Brn-Gry	0	1	0	0	2	2	0	0	0	2	0	0	0	Tqa/Ks-T Mdio.	SMALL MISTAQUE: THE BOTTOM FOR LB 007 CORRESPOND WITH SAMPLE 519355		
																												</			




[illegible]

MINERA LINCOLN DE MEXICO SA DE CV																									HOLE: LB - DDH - 008			
DIAMOND DRILL EXPLORATION PROGRAM																									TYPE DRILL CORE: HQ			
LA BUFA GOLD & SILVER PROJECT																									REDUCTION: 252.98 m. NQ			
DATE START: 22 - 04 - 2008												CORE SIZE: H.Q. FROM: 0.00 m TO: 252.98 m. N.Q. FROM: 258.98 m. TO: 414.53 m.										P.D.: 400 M T.D.= 414.53 M						
DATE END: 01 - 05 - 2008												GEOLOGIST: FCO VAZQUEZ / JUDAS H./ F. LOPEZ										AZIMUT: 45						
EASTING: 304388.054 (NAD27)												DRILL COMPANY: ENERGOLD										ANGLE: - 45						
NORTHING: 2886839.298 (NAD27)												DRILLER: ERIK , MARCO SURVEYOR: Juan Pablo Garcia Flores										ELEV. INTERCEPT:						
GEOTECHNICAL CONTROL					CONTROL SAMPLING					DESCRIPTION ALT.										SULPHIDES					ELEV. COLLAR: 2362.151 (NAD27)			
FROM	TO	TOT. D.	REC. M	REC %	R.Q.D.	# SAMPLE	WIDE	Au	Ag	Cu	FROM	TO	COLOR	HEM	QTZ V.	EPID.	CH.	Kspar	SILICIF.	QvBx	SER.	CLAYS	Py	Cpy	Gn	Sph	LITHOLOGY	SAMPLE DESC. AND DRILL NOTES
0.0	1.5	1.52	1	63	0.00								R - Br	0	0	0	0	0	0	0	0	2	0	0	0	0	TALUD	FROM: 0.00 TO: 2.00 m. TALUD, STRONG WEATHERING.
1.5	3.1	1.53	1.40	92	30.00								R - Br	3	0	0	0	0	0	0	0	0	0	0	0	0	Trd	FROM: 519356 TO: 519361 RHYODACITE, LITHIC - CRISTALLS TUFF, STRONG HEMATITE, WITH POOR PYRITE AND QTZ VEINING. LIMONITE IN FRACTURED.
3.1	6.1	3.05	2.90	95	78.68	519356	3.1				3.05	6.1	R - Br	3	1	0	0	0	1	0	0	0	0	0	0	0	Trd	" "
6.1	9.1	3.04	2.85	94	90.16	519357							std pm1120	std pr	std pm11	std pm	std pr	std pm1	std pm11	std pm1	std pm	std pm11	std pr	std pm	std pr	std pr	std pm1120	STÁNDAR SAMPLE PM 1120
9.1	12.19	3.05	3.00	98	93.44	519358							BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLANK SAMPLE.
12.2	15.24	3.05	2.80	92	73.77	519359	3.0				6.1	9.14	R - Br	3	1	0	0	0	1	0	0	0	1	0	0	0	Trd	" "
15.2	18.29	3.05	2.95	97	70.49	519360	3.1				9.14	12.19	R - Br - Gr	2	1	0	1	0	1	0	0	0	2	0	0	0	Trd	" "
18.3	21.34	3.05	2.85	93	85.24	519361	3.1				12.19	15.24	R - Br - Gr - Y	2	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
21.3	24.38	3.04	2.90	95	88.52	519362	3.1				15.24	18.29	R - Gr - W	1	2	0	1	0	1	0	0	0	1	0	0	0	Trd	FROM: 519362 TO: 519378 RHYODACITE, LITHIC - CRISTALLS TUFF, FRESH PYRITE AND OXIDATION, QTZ VEINING. LIMONITE IN FRACTURES. LITHICS + CHLORITE AND POOR SER. NO METAL BASE.
24.4	27.43	3.05	2.55	84	22.95	519363	3.1				18.29	21.34	Gr - Br	1	1	0	1	0	1	0	1	0	2	0	0	0	Trd	" "
27.4	30.50	3.07	2.95	96	76.72	519364	3.1				21.34	24.39	R - Br - Gr	1	2	0	1	0	1	0	0	0	2	0	0	0	Trd	" "
30.5	33.53	3.03	2.90	96	88.52	519365	3.0				24.39	27.43	Br - Gr	1	1	0	1	0	1	0	0	0	2	0	0	0	Trd/ FAULT?	POSSIBLE FAULT AND BROKEN ZONE.
33.5	36.58	3.05	2.95	97	73.77	519366	3.1				27.43	30.5	R - Br - Gr	1	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
36.6	39.62	3.04	3.00	99	95.08	519367	3.0				30.5	33.53	R - Br - Gr	1	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
39.6	42.67	3.05	2.85	93	85.24	519368	3.1				33.53	36.58	Gy - Gr	0	0	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
42.7	45.72	3.05	2.90	95	83.60	519369	3.0				36.58	39.62	Gy - Gr	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
45.7	48.77	3.05	2.90	95	77.04	519370	3.1				39.62	42.67	Gy - Gr	0	0	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
48.8	51.82	3.05	2.90	95	90.16	519371	3.1				42.67	45.72	R - Br - Gr	1	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
51.8	54.86	3.04	2.95	97	93.44	519372	3.1				45.72	48.77	R - Br - Gr	1	0	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
54.9	57.91	3.05	3.00	98	85.24	519373	3.1				48.77	51.82	R - Gr	2	0	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
57.9	60.96	3.05	2.85	93	48.52	519374	3.0				51.82	54.86	R - Gr	2	0	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
61.0	64.01	3.05	3.05	100	52.60	519375	3.1				54.86	57.91	R - Br - Gr	1	0	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
64.0	67.06	3.05	3.05	100	57.70	519376	3.1				57.91	60.96	R - Br - Gr	2	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
67.1	70.10	3.04	2.95	97	40.98	519377	1.5				60.96	62.46	R - Br - Gr	2	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
70.1	73.15	3.05	2.95	97	83.6	519378	1.6				62.46	64.01	R - Br - Gr	1	1	0	1	0	1	0	0	0	1	0	0	0	Trd / QTZ VEIN	" "
73.2	76.20	3.05	2.93	96	88.52	519379	1.5				64.01	65.51	R - Br - Gr	1	0	0	1	0	1	0	0	0	1	0	0	0	Trd / StkWk	FROM: 519379 TO:519383 QTZ VEINS WITH Py, POSSIBLE Shp?. WEAK STKWK AND SILICIFICATION. SERICITA?
76.2	79.25	3.05	3.00	98	94.09	519380	1.6				65.51	67.06	R - Br - Gr	1	1	0	1	0	1	0	0	0	1	0	0	0	Trd / StkWk	" "
79.3	82.30	3.05	2.95	97	91.80	519381	1.5				67.06	68.56	Br - Gr - W	1	1	0	1	0	1	0	0	1	1	0	0	0	Trd / StkWk	" "
82.3	85.34	3.04	3.00	99	81.96	519382	0.0				68.56	68.56	std pm1120	std pr	std pm11	std pm	std pr	std pm1	std pm11	std pm1	std pm	std pm11	std pr	std pm	std pr	std pr	std pm1120	STÁNDAR SAMPLE PM 1120
85.3	88.39	3.05	2.95	97	91.80	519383	1.5				68.56	70.1	Br - Gr - W	2	2	0	1	0	2	1	0	0	1	0	0	0	Trd / StkWk	" "
88.4	91.44	3.05	2.95	97	86.22	519384	1.5				70.1	71.6	Br - Gr	1	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
91.4	94.49	3.05	2.95	97	95.08	519385	1.6				71.6	73.15	Br - Gr - W	1	1	0	1	0	1	0	0	0	1	0	1	0	Trd / QTZ VEIN	FROM: 519385 QTZ VEIN WITH GAL-Py
94.5	97.54	3.05	2.95	97	90.16	519386	1.6				73.15	74.7	Br - Gr	1	0	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
97.5	100.58	3.04	3.00	99	72.13	519387	1.5				74.7	76.2	Br - Gr - W	1	1	1	1	0	1	0	0	0	1	0	0	0	Trd / QTZ VEIN	FROM: 519387 TO: 519389 QTZ VEIN WITH POOR GAL-Sph-Py
100.6	103.63	3.05	3.00	98	83.6	519388	1.5				76.2	77.7	Pnk	0	0	0	0	0	0	1	0	0	0	1	0	1	Trd / QTZ VEIN	" "
103.6	106.68	3.05	3.00	98	84.26	519389	1.6				77.7	79.25	Pnk - W	0	1	0	0	0	1	0	0	0	0	1	0	0	Trd / QTZ VEIN	" "

106.7	109.73	3.05	2.85	93	88.52	519390	1.5					79.25	80.75	Pnk - W	1	1	0	1	0	1	0	0	0	1	0	1	1	Trd / QTZ VEIN	FROM: 519390 TO: 519397 RHYODACITE, Trd UNIT, WITH STWK QTZ VEIN WITH GAL-Sph-ARG-Py				
109.7	112.77	3.04	2.90	95	78.03	519391	1.6					80.75	82.3	Pnk - W	1	1	0	1	0	1	0	0	0	1	0	1	1	Trd / QTZ VEIN	"	"			
112.8	115.82	3.05	3.00	98	95.08	519392	1.5					82.3	83.8	Pnk - W	1	1	0	1	0	1	0	1	0	1	0	1	1	Trd / QTZ VEIN	"	"			
115.8	118.87	3.05	2.90	95	75.40	519393	1.5					83.8	85.34	Pnk - W	1	1	0	1	0	1	0	1	0	1	0	1	1	Trd / QTZ VEIN	"	"			
118.9	121.92	3.05	2.95	97	83.6	519394	1.5					85.34	86.84	Pnk - W	1	1	0	1	0	1	0	1	0	1	0	0	1	Trd / QTZ VEIN	"	"			
121.9	124.97	3.05	2.95	97	61.31	519395	1.6					86.84	88.39	Pnk - W	1	1	0	1	0	1	0	1	0	1	0	0	1	Trd / QTZ VEIN	"	"			
125.0	128.02	3.05	2.85	93	52.45	519396	1.5					88.39	89.89	Pnk - W	1	1	0	1	0	1	0	1	0	1	0	0	1	STKWK / QTZ VEIN	"	"			
128.0	131.06	3.04	2.95	97	87.21	519397	1.6					89.89	91.44	Pnk - W	1	1	0	1	0	1	0	1	0	1	0	0	1	Trd / QTZ VEIN	"	"			
131.1	134.11	3.05	3.00	98	82.25	519398	1.5					91.44	92.94	Pnk - W - Gr	0	1	0	1	0	1	0	1	0	1	0	0	0	Trd	FROM: 519398 PERVASIVE SILICIFICATION MODERATED, POOR QTZ VEINS WITH Py				
134.1	137.16	3.05	2.95	97	49.18	519399	1.6					92.94	94.49	Pnk - W - Gr	0	1	0	1	0	1	0	1	0	1	0	0	1	Trd / QTZ VEIN	FROM: 519399 LOCAL QTZ Bx HOSTED IN Trd UNIT, WITH QTZ VEIN. POOR Shp.				
137.2	140.21	3.05	2.90	95	39.34	519400	1.5					94.49	95.99	Pnk - W - Gr	0	1	0	1	0	1	0	1	0	1	0	0	0	STKWK / QTZ VEIN	FROM 519400 STKWK/QTZ VEIN WITH GAL-Shp-Py.				
140.2	143.26	3.05	2.90	95	31.14	519401	1.6					95.99	97.54	Pnk - Gr	0	1	0	1	0	1	0	1	0	1	0	0	0	Trd	"	"			
143.3	146.30	3.04	2.90	95	60.65	519402	1.5					97.54	99.04	Pnk - W - Gr	0	1	0	1	0	1	0	1	0	1	0	0	1	Trd / QTZ VEIN	FROM: 519402 LOCAL QTZ Bx HOSTED IN Trd UNIT, WITH QTZ VEIN. POOR Shp.				
146.3	149.35	3.05	3.00	98	37.70	519403	1.5					99.04	100.58	Pnk - Gr	1	1	0	1	0	1	0	1	0	1	0	0	0	Trd	"	"			
149.4	152.40	3.05	3.00	98	61.31	519404	1.5					100.58	102.08	Pnk - Gr	1	1	0	1	0	1	0	1	0	1	0	0	0	Trd	"	"			
152.4	155.45	3.05	3.00	98	55.08	519405	1.6					102.08	103.63		1	1	0	1	0	1	0	1	0	1	0	0	0	Trd	"	"			
155.5	158.50	3.05	2.95	97	38.36	519406	1.5					103.63	105.13	Pnk - W - Gr	0	1	0	1	1	1	1	0	1	0	1	0	1	1	STKWK / QTZ VEIN	FROM 519406 STKWK/QTZ VEIN WITH GAL-Shp-Py.			
158.5	161.54	3.04	3.00	99	40.98	519407	0.0					105.13	105.13	std pm1120	std pr	std pm11	std pm	std pr	std pm1	std pm11	std pm1	std pm	std pm11	std pr	std pm	std pr	std pm1120	STÁNDAR SAMPLE PM 1120					
161.5	164.59	3.05	2.60	85	0.00	519408	0.0					105.13	105.13	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK			
164.6	167.64	3.05	2.20	72	0.00	519409	1.6					105.13	106.68	Pnk - Gr	1	1	0	1	1	1	1	0	1	0	1	0	0	0	Trd	FROM: 519409 TO: 519413 BROWN-RED HEMATIZATION AND SILICIFICATION MODERATED, QTZ VEIN WITH HEM- Py.			
167.6	170.69	3.05	2.80	92	67.21	519410	1.5					106.68	108.18	Pnk - Gr	1	1	0	1	1	1	1	0	0	0	1	0	0	0	Trd	"	"		
170.7	173.74	3.05	2.90	95	39.34	519411	1.6					108.18	109.73	Pnk - Gr	1	0	0	1	0	1	0	1	0	0	1	0	0	0	Trd	"	"		
173.7	176.78	3.04	2.85	94	0.00	519412	1.5					109.73	111.23	Pnk - Gr	1	0	0	1	0	1	0	1	0	0	1	0	0	0	Trd	"	"		
176.8	179.83	3.05	2.95	97	30.49	519413	1.5					111.23	112.77	Pnk - Gr	1	1	0	1	0	1	0	1	0	0	1	0	0	1	Trd	"	"		
179.8	182.88	3.05	3.00	98	23.60	519414	1.5					112.77	114.27	Pnk - Gr - W	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Trd / STKWK	FROM: 519414 STKWK WITH Py, POSSIBLE Shp?. AND PERVASIVE SILICIFICATION.			
182.9	185.93	3.05	2.90	95	45.90	519415	1.6					114.27	115.82	Pnk - Gr - W	1	2	0	1	0	1	0	0	0	0	1	0	1	1	STKWK / QTZ VEIN	FROM: 519415 TO: 519441 QTZ STOCKWORK AND INCIPIENT QTZ VEIN, ARCILLES SERICITE, CERARGIRITE??. WITH SOME BASE METALS ASSOC BUT BASICLY FINEST GRAIN FRESH Py AND POSSIBLE ARG- Gn-Sph. ALL HOSTED IN RIODACITIC VOLC FLOWS AND CXS TUFFS. MOD SILICIF IN GENERAL			
185.93	188.98	3.05	3.05	100	34.42	519416	1.5					115.82	117.32	Pnk - Gr - W	1	2	0	1	0	1	0	1	0	0	1	0	1	1	1	STKWK / QTZ VEIN	"	"	
188.98	192.02	3.04	2.90	95	3.27	519417	1.6					117.32	118.87	Pnk - Gr - W	1	2	0	1	0	1	0	1	0	0	0	1	1	1	1	STKWK / QTZ VEIN	"	"	
192.02	195.07	3.05	3.05	100	15.40	519418	1.5					118.87	120.37	Pnk - Gr - W	1	2	0	1	0	1	0	1	0	0	0	1	0	1	1	STKWK / QTZ VEIN	"	"	
195.07	198.12	3.05	2.52	83	24.59	519419	1.6					120.37	121.92	Pnk - Gr - W	1	1	0	1	0	1	0	1	0	1	0	1	0	0	1	STKWK / QTZ VEIN	"	"	
198.12	201.17	3.05	2.95	97	54.09	519420	1.5					121.92	123.42	Pnk - Gr - W	1	1	0	1	0	1	0	1	0	1	0	1	0	0	0	Trd / QTZ VEIN	"	"	
201.17	204.2	3.05	3.05	100	18.68	519421	1.6					123.42	124.97	Pnk - Gr - W	1	1	0	1	0	1	0	1	0	1	0	1	0	0	0	Trd / QTZ VEIN	"	"	
204.2	207.26	3.04	3.00	99	57.37	519422	1.5					124.97	126.47	Pnk - Gr - W	1	1	0	1	0	1	0	1	1	0	1	1	0	0	0	Trd / Bx/ QTZ VEIN	"	"	
207.26	210.31	3.05	3.05	100	80.98	519423	1.6					126.47	128.02	Pnk - Gr - W	1	1	0	1	0	1	0	1	0	0	1	0	0	1	1	Trd / QTZ VEIN	"	"	
210.31	213.36	3.05	2.95	97	75.40	519424	1.5					128.02	129.52	Pnk - Gr - W	1	1	0	1	0	1	0	1	0	0	0	1	0	0	1	Trd / QTZ VEIN	"	"	
213.36	216.41	3.05	3.00	98	90.16	519425	1.5					129.52	131.06	Pnk - Gr - W	1	1	0	1	0	1	0	1	0	1	0	1	0	1	1	STKWK / QTZ VEIN	"	"	
216.41	219.46	3.05	3.05	100	86.88	519426	1.5					131.06	132.56	Pnk - Gr - W	1	1	0	1	0	1	0	1	0	0	1	1	0	1	1	STKWK / QTZ VEIN	"	"	
219.5	222.50	3.04	3.00	99	77.04	519427	1.6					132.56	134.11	Pnk - Gr - W	1	1	0	1	0	1	0	1	0	1	1	1	0	0	1	STKWK / QTZ VEIN	"	"	

222.5	225.55	3.05	3.05	100	73.77	519428	3.0					134.11	137.16	Pnk - Gr - W	1	1	0	1	0	1	0	0	0	0	1	0	0	1	STKWK / QTZ VEIN	"	"		
225.6	228.60	3.05	3.00	98	54.09	519430	1.5					137.16	138.66	Pnk - Gr - W	1	1	0	1	0	1	0	0	0	0	1	1	1	1	1	STKWK / QTZ VEIN	"	"	
228.6	231.65	3.05	3.05	100	80.32	519431	1.6					138.66	140.21	Pnk - Gr - W	1	1	0	1	0	1	0	0	0	0	1	1	1	1	1	STKWK / QTZ VEIN	"	"	
231.7	234.70	3.05	3.00	98	42.00	519432	0.0					140.21	140.21	std pm1120	std pr	std pm11	std pm	std pr	std pm1	std pm11	std pm1	std pm	std pm11	std pr	std pr	std pr	std pr	std pm1120	STÁNDAR SAMPLE PM 1120				
234.7	237.74	3.04	3.00	99	81.96	519433	1.5					140.21	141.71	Pnk - Gr - W	1	1	0	1	0	1	0	0	0	0	1	0	0	1	STKWK / QTZ VEIN	"	"		
237.7	240.79	3.05	3.05	100	80.32	519434	1.5					141.71	143.26	Pnk - Gr - W	1	1	0	1	0	1	0	0	0	0	1	0	0	1	STKWK / QTZ VEIN	"	"		
240.8	243.84	3.05	3.05	100	81.96	519435	1.5					143.26	144.76	Pnk - Gr - W	1	1	0	1	0	1	0	0	0	0	1	0	1	1	STKWK / QTZ VEIN	"	"		
243.8	246.86	3.02	2.95	98	65.57	519436	1.5					144.76	146.3	Pnk - Gr - W -	1	1	0	1	0	1	0	0	0	0	1	0	1	1	STKWK / QTZ VEIN	"	"		
246.9	249.94	3.08	3.00	97	75.40	519437	1.5					146.3	147.8	Pnk - Gr - W -	1	1	0	1	0	1	0	0	1	0	1	0	0	1	STKWK / QTZ VEIN	"	"		
249.9	252.98	3.04	2.95	97	81.96	519438	1.5					147.8	149.35	Pnk - Gr - W -	1	1	0	1	0	1	0	0	1	0	1	0	0	1	STKWK / QTZ VEIN	"	"		
253.0	256.03	3.05	3.05	100	83.60	519439	1.5					149.35	150.85	Pnk - Gr - W	1	1	1	1	0	1	0	0	0	0	1	0	0	1	STKWK / QTZ VEIN	"	"		
256.0	259.08	3.05	2.80	92	78.68	519440	1.6					150.85	152.4	Pnk - Gr - W	1	1	0	1	0	1	0	0	0	0	1	0	0	1	Trd / QTZ VEIN	"	"		
259.1	262.13	3.05	3.00	98	73.77	519441	1.5					152.4	153.9	Pnk - Gr - W	1	1	0	1	0	1	0	0	0	0	1	0	0	1	STKWK / QTZ VEIN	"	"		
262.1	265.18	3.05	3.05	100	85.24	519442	1.5					153.9	155.45	Br - Gr	2	1	1	1	0	1	0	0	0	0	1	0	0	0	Tqa	FROM: 519442 TO: 519455 TRAQUIANDESITIC OR LATITE ROCK, MODERATED PYRITE DISSEMINATED .CALCITE VEIN, WITH HEMATITE IN FRACTURED. LOCAL QTZ Bx.			
265.2	268.22	3.04	3.05	100	88.52	519443	1.5					155.45	156.95	Br - Gr	2	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa/Bx	"	"		
268.2	271.27	3.05	3.05	100	100.00	519444	1.6					156.95	158.5	Br - Gr	2	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
271.3	274.32	3.05	3.02	99	85.24	519445	1.5					158.5	160	Br - Gr	2	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
274.3	277.37	3.05	3.00	100	75.40	519446	1.5					160	161.54	Br - Gr	2	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
277.4	280.42	3.05	3.00	98	86.88	519447	1.5					161.54	163.04	Br - Gr	2	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa/Bx	"	"		
280.4	283.46	3.04	3.05	100	100.00	519448	1.6					163.04	164.59	Br - Gr	1	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
283.5	286.51	3.05	2.95	97	81.96	519449	3.0					164.59	167.64	Br - Gr	1	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
286.5	289.56	3.05	3.05	100	90.16	519450	3.1					167.64	170.69	Br - Gr	2	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
289.6	292.61	3.05	3.05	100	59.01	519451	3.1					170.69	173.74	Br - Gr	2	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
292.6	295.66	3.05	2.95	97	75.73	519452	3.0					173.74	176.78	Br - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa/ FAUL?	"	"		
295.7	298.70	3.04	3.05	100	85.24	519453	3.1					176.78	179.83	Br - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa/ FAUL?	"	"		
298.7	301.75	3.05	3.05	100	62.29	519454	3.0					179.83	182.88	Br - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
301.8	304.80	3.05	2.65	87	55.73	519455	3.1					182.88	185.93	Br - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
304.8	307.85	3.05	3.00	98	91.80	519456	3.0					185.93	188.98	Br - Gr	1	0	1	1	0	1	0	0	0	0	1	0	0	0	Tqa/ QTZ VEIN	FROM: 519456 TRAQUIANDESITE-LATITE HOSTING QTZ VEINS, CAVITIES WITH DRUSSY QTZ, Py, BOILED TEXTURE QTZ.			
307.9	310.90	3.05	3.05	100	96.72	519457	0.0					188.98	188.98	std pm1120	std pr	std pm11	std pm	std pr	std pm1	std pm11	std pm1	std pm	std pm11	std pr	std pr	std pr	std pr	std pm1120	STÁNDAR SAMPLE PM 1120				
310.9	313.94	3.04	3.05	100	55.73	519458	0.0					188.98	188.98	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLANK SAMPLE.				
313.9	316.99	3.05	2.95	97	65.57	519459	3.0					188.98	192.02	Br - Gr	1	0	1	1	0	1	0	0	0	0	1	0	0	0	Tqa/ FAUL?	FROM: 519459 TO: 519462 TRAQUIANDESITE IN ZONE FAULT?			
317.0	320.04	3.05	3.05	100	55.73	519460	3.0					192.02	195.07	Br - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa/ FAUL?	"	"		
320.0	323.09	3.05	3.00	98	65.57	519461	3.1					195.07	198.12	Br - Gr	1	0	1	1	0	1	0	0	0	0	1	0	0	0	Tqa/ FAUL?	"	"		
323.1	326.14	3.05	2.95	97	44.59	519462	3.0					198.12	201.17	Br - Gr	1	0	1	1	0	1	0	0	0	0	1	0	0	0	Tqa/ FAUL?	"	"		
326.1	329.18	3.04	2.98	98	80.32	519463	3.1					201.17	204.22	Br - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	FROM: 519463 TO: 519474 TRAQUIANDESITE-LATITE, WITH SILITIFICATION MODEATED, CALCITE VEINS AND LEES Py. WITH TRAZES DE QTZ.			
329.2	332.23	3.05	3.00	98	78.68	519464	3.0					204.22	207.26	Br - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
332.2	335.28	3.05	3.00	98	55.73	519465	3.1					207.26	210.31	Br - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
335.3	338.33	3.05	3.00	98	67.21	519466	3.1					210.31	213.36	Br - Gr - W	1	0	0	1	0	1	0	0	0	0	1	0	0	1	Tqa/ QTZ VEIN	"	"		
338.3	341.38	3.05	3.00	98	31.14	519467	3.0					213.36	216.41	Br - Gr - W	1	0	0	1	0	1	0	0	0	0	1	0	1	1	Tqa/ QTZ VEIN/Bx	"	"		
341.4	344.42	3.04	2.98	98	84.59	519468	3.1					216.41	219.46	Br - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
344.4	347.47	3.05	2.90	95	51.10	519469	3.0					219.46	222.5	Br - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		
347.5	350.52	3.05	3.00	98	59.01	519470	3.1					222.5	225.55	Br - Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	1	Tqa	"	"		
350.5	353.57	3.05	3.05	100	92.72	519471	3.0					225.55	228.6	Br - Gr	0	0	0	1	0	1	0	0	0	0	1	0	0	1	Tqa	"	"		
353.6	356.62	3.05	3.05	100	45.90	519472	3.1					228.6	231.65	Br - Gr - W	0	1	0	1	0	1	0	0	0	0	1	0	0	1	Tqa	"	"		
356.6	359.66	3.04	3.05	100	81.96	519473	3.0					231.65	234.7	Br - Gr - W	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"	"		

359.7	362.71	3.05	2.50	82	57.60	519474	3.0					234.7	237.74	Br - Gr - W	1	2	0	1	0	1	0	0	0	0	1	0	0	1	Tqa/ QTZ VEIN	"	"	
362.7	365.76	3.05	2.88	94	19.67	519475	3.0					237.74	240.79	Br - Gr - W	1	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	FROM: 519475 TO: 519498 TRAQUIANDESITIC VOLCANIC FLOW, HORIZONTS WITH SILICIFICATION, NOT VISIBLE BASE METALS, MODERATED PYRITE DISSEMINATED AND VEINS. CALCITE VEIN.		
365.8	368.81	3.05	3.00	98	63.93	519476	3.1					240.79	243.84	Br - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa			
368.8	371.86	3.05	2.95	97	75.90	519477	3.0					243.84	246.89	Br	0	0	0	0	0	1	0	0	0	0	1	0	0	0	Tqa			
371.9	374.90	3.04	2.90	95	96.72	519478	3.1					246.89	249.94	Br	0	0	0	0	0	1	0	0	0	0	1	0	0	0	Tqa			
374.9	377.95	3.05	3.05	100	75.40	519479	3.0					249.94	252.98	Br	0	0	0	0	0	1	0	0	0	0	1	0	0	0	Tqa	REDUCTION: 252.98 m. NQ		
378.0	381.00	3.05	2.90	95	67.86	519480	3.0					252.98	256.03	Br	0	0	0	0	0	1	0	0	0	0	0	0	0	0	Tqa			
381.0	384.05	3.05	2.95	97	78.68	519481	3.1					256.03	259.08	Br	0	0	0	0	0	1	0	0	0	0	1	0	0	0	Tqa	STÁNDAR SAMPLE PM 1120		
384.1	387.10	3.05	3.00	98	44.26	519482	0.0					259.08	259.08	std pm1120	std pr	std pm11	std pm	std pr	std pm1	std pm11	std pm1	std pm	std pm11	std pr	std pm	std pr	std pm	std pr	std pm1120			
387.1	390.14	3.04	3.00	99	21.31	519483	3.1					259.08	262.13	Br	0	0	0	0	0	1	0	0	0	0	1	0	0	0	Tqa	"		
390.1	393.19	3.05	3.00	98	54.42	519484	3.1					262.13	265.18	Br	0	0	0	0	1	1	0	0	0	0	1	0	0	0	Tqa			
393.2	396.24	3.05	3.03	99	55.08	519485	3.0					265.18	268.22	Br	0	0	0	0	0	1	0	0	0	0	1	0	0	0	Tqa	"		
396.2	399.29	3.05	3.00	98	73.77	519486	3.0					268.22	271.27	Br	0	0	0	0	0	1	0	0	0	0	1	0	0	0	Tqa			
399.3	402.34	3.05	2.95	97	70.49	519487	3.1					271.27	274.32	Br - Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa/STKWK	"		
402.3	405.38	3.04	3.00	99	73.77	519488	3.1					274.32	277.37	Br - Gr	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Tqa			
405.4	408.43	3.05	3.00	98	81.96	519489	3.1					277.37	280.42	Br - Gr	0	0	0	1	1	1	0	0	0	0	1	0	0	0	Tqa	"		
408.4	411.48	3.05	3.03	99	65.57	519490	3.0					280.42	283.46	Br - Gr	0	1	0	1	1	1	0	0	0	0	1	0	0	0	Tqa			
411.5	414.53	3.05	3.00	98	93.77	519491	3.1					283.46	286.57	Br - Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"		
						519492	3.0					286.57	289.56	Br - Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	1	Tqa			
						519493	3.1					289.56	292.61	Br - Gr	0	1	1	1	0	1	0	0	0	0	1	0	0	1	Tqa	"		
						519494	3.1					292.61	295.66	Br - Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	1	Tqa			
						519495	3.0					295.66	298.70	Br - Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"		
						519496	3.1					298.7	301.75	Br	0	0	0	0	0	1	0	0	0	0	1	0	0	0	Tqa			
						519497	3.1					301.75	304.80	Br - Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"		
						519498	3.1					304.8	307.85	Br - Gr	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa			
						519499	3.0					307.85	310.90	Br - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	FROM: 519499 TO: 519530 TRAQUIANDESITIC OR LATITE ROCK, BANDS OF SILICIFICATION, NOT VISIBLE BASE METALS, MODERATED PYRITE DISSEMINATED, CALCITE VEIN, MONZONITE HORIZONTS ??		
						519500	3.0					310.9	313.94	Br - Gr	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa			
						519501	3.1					313.94	316.99	Br - Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa			
						519502	3.1					316.99	320.04	Br - Gr	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa			
						519503	3.0					320.04	323.09	Br - Gr	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"		
						519504	3.1					323.09	326.14	Br - Gr	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa			
						519505	3.0					326.14	329.18	Br - Gr	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"		
						519506	3.1					329.18	332.23	Br - Gr - W	0	2	0	1	0	1	0	0	0	0	1	0	0	1	Tqa/ QTZ VEIN			
						519507	0.0					332.23	332.23	std pm1120	std pr	std pm11	std pm	std pr	std pm1	std pm11	std pm1	std pm	std pm11	std pr	std pm	std pr	std pm	std pr	std pm1120	STÁNDAR SAMPLE PM 1120		
						519508	0.0					332.23	332.23	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK			
						519509	3.0					332.23	335.28	Br - Gr	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"		
						519510	3.1					335.28	338.33	Br - Gr - W	0	1	0	1	0	1	0	0	0	0	1	0	0	1	Tqa/STKWK			
						519511	3.1					338.33	341.38	Br - Gr	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"		
						519512	3.0					341.38	344.42	Br - Gr	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa			
						519513	3.0					344.42	347.41	Br - Gr	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa	"		
						519514	3.1					347.41	350.52	Br - Gr	0	0	0	1	0	1	0	0	0	0	1	0	0	0	Tqa			
						519515	3.1					350.52	353.57	Br - Gr	0	1	0	0	1	1	0	0	0	0	1	0	0	0	Tqa	"		
						519516	3.1					353.57	356.62	Br - Gr	0	0	0	1	1	1	0	0	0	0	1	0	0	0	Tqa			
						519517	3.0					356.62	359.63	Br - Gr	0	0	0	1	1	1	0	0	0	0	1	0	0	0	Tqa	"		
						519518	3.1					359.63	362.71	Br - Gr	0	0	0	1	1	1	0	0	0	0	1	0	0	0	Tqa			



MINERA LINCOLN DE MEXICO SA DE CV																										HOLE: LB - DDH - 009			
DIAMOND DRILL EXPLORATION PROGRAM																										TYPE DRILL CORE: HQ			
LA BUFA GOLD & SILVER PROJECT																										REDUCTION:274.32			
DATE START: 22 - 04 - 2008												CORE SIZE: HTW. FROM: 0.00 m TO: 274.32 HTW. FROM: 274.32 T															P.D. : 400 T.D.= 452.63 M		
DATE END: 7-05-2008												GEOLOGIST: Judas Hernandez & F. LOPEZ.															AZIMUT: 45		
EASTING: 304773.118 (NAD27)												DRILL COMPANY: ENERGOLD															ANGLE: -60		
NORTHING: 2886681.812 (NAD27)												DRILLER: JUAN LUIS-ERICK SURVEYOR: Juan Pablo Garcia Flores															ELEV. INTERCEP:		
GEOTECHNICAL CONTROL						CONTROL SAMPLING						DESCRIPTION ALT.										SULPHIDES						ELEV. COLLAR: 2420.445 (NAD 27)	
FROM	TO	TOT.	REC.	REC %	R.Q.D.	# SAMPLE	WIDE	Au	Ag	Cu	FROM	TO	COLOR	HEM	QTZ	EPID	CH	Kspar	SILICIF	QvBx	SER	CLAY	Py	Cpy	Gn	Sph	LITHOLOGY	SAMPLES DESC. & DRILL NOTES	
0.00	3.05	3.05	3	95	52.45	519531	3.05				0.00	3.05	Y - R - Gr	2	0	0	1	0	0	0	1	1	0	0	0	0	Trd / stkwk	FROM 0 TO 18.3 M: RIODACITIC VOLCANIC FLOWS AND CRYSTALLS TUFFS, ISOLATED QTZ VEINING IN M.M. SIZE WITH Py ASSOC. OXIDATION (HEM < LIM) . IN FXS; VEINING + CALCITE.	
3.05	6.10	3.05	2.85	93	45.90	519532	0.00				3.05	3.05	STD PM-112	STD	STD	P	STD	P	STD	PM	STD	PM	STD	PM	STD	STD	STD	STD PM-1120	STD PM-1120
6.10	9.15	3.05	3.05	100	88.52	519533	3.05				3.05	6.10	Y - R - Gr	1	1	0	1	0	0	0	0	1	1	0	0	0	Trd / stkwk	" "	
9.15	12.20	3.05	2.90	95	55.73	519534	3.05				6.10	9.15	Red-Grey	1	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd / stkwk	" "
12.20	15.25	3.05	2.95	97	71.45	519535	3.05				9.15	12.20	Red-Grey	1	1	0	1	0	1	0	0	0	2	0	0	0	Trd / stkwk	" "	
15.25	18.30	3.05	3.03	99	65.57	519536	2.37				12.20	14.57	Red-Grey	1	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd / stkwk	" "
18.30	21.35	3.05	3.05	100	44.26	519537	2.28				14.57	16.85	Red-Grey	1	2	0	1	0	1	0	0	1	1	0	0	0	Trd / stkwk	Qtz vein with hematite-goethite, pyrite.	
21.35	23.90	2.55	2.45	96	17.37	519538	1.45				16.85	18.3	Red-Grey	1	2	0	0	0	0	0	0	0	0	1	0	0	0	Trd / stkwk	" "
23.90	25.95	2.05	2.00	98	14.42	519539	3.05				18.3	21.35	Br - Y - R	1	0	0	0	0	0	0	0	0	0	0	0	0	Trd/ FAULT?	FROM 18.30 TO 62.40 m. DECREMENT IN QTZ VEINING. VERY FRACTURED ROCK IN RIODACITIC TUFFS BASICLY BARREN OR POOR SILICIF. Py DISEMINED. OXIDATION FXS HEM + LIM. ALT. HEMATITE IN ROCK AND STRONG FeOx-MgOx. FROM 27.50 TO 34.95 m. FRESH PYRITE. STRONG CALCITE VEINS IN SAMPLES 519551 TO 519553.	
25.95	27.45	1.50	1.45	97	0	519540	2.55				21.35	23.9	Br - Y - R	1	0	0	0	0	0	0	0	0	0	0	0	0	Trd/ FAULT?	" "	
27.45	29.85	2.40	2.20	92	0.00	519541	2.05				23.9	25.95	Br - R	2	0	0	0	0	0	0	0	0	2	0	0	0	0	Trd/ FAULT?	" "
29.85	31.90	2.05	1.95	95	11.14	519542	3.00				25.95	28.95	Br - R	2	0	0	0	0	0	0	0	0	2	0	0	0	0	Trd/ FAULT?	" "
31.90	34.95	3.05	2.60	85	22.85	519543	2.95				28.95	31.9	Br - R	2	0	0	0	0	0	0	0	0	1	0	0	0	0	Trd/ FAULT?	" "
34.95	38.00	3.05	2.60	85	13.77	519544	3.05				31.9	34.95	Br - R	2	0	0	0	0	0	0	0	0	1	0	0	0	0	Trd	" "
38.00	39.55	1.55	1.10	71	0.00	519545	3.05				34.95	38	Br - R - Gr	2	0	0	1	0	1	0	0	0	0	0	0	0	0	Trd	" "
39.55	42.60	3.05	2.85	93	65.57	519546	3.00				38	41	Br - R - Gr	2	0	0	1	0	1	0	1	0	0	1	0	0	0	Trd	" "
42.60	45.15	2.55	2.20	86	0.00	519547	3.05				41	44.05	Br - R - Gr	1	0	0	1	0	1	0	0	0	0	0	0	0	0	Trd	" "
45.15	47.15	2.00	1.90	95	26.00	519548	3.10				44.05	47.15	Br - R - Gr	1	0	0	1	0	1	0	0	0	0	1	0	0	0	Trd	" "
47.15	50.20	3.05	2.65	87	16.39	519549	3.05				47.15	50.20	Br - R - Gr	1	0	0	1	0	1	0	0	0	0	0	0	0	0	Trd	FROM 45 TO 62 M: FRACTURES ZONE + POOR HEM AND WHITE CLAYS.
50.20	53.25	3.05	2.70	89	36.06	519550	3.05				50.20	53.25	Br - R - Gr	1	0	0	1	0	1	0	0	1	1	0	0	0	0	Trd	" "
53.25	56.30	3.05	2.70	89	0.00	519551	3.05				53.25	56.30	Br - R - Gr	1	1	0	1	0	1	0	0	0	1	0	0	0	0	Trd	" "
56.30	59.35	3.05	2.80	92	0.00	519552	3.05				56.3	59.35	Br - R - Gr	1	0	0	1	0	1	0	0	0	1	0	0	0	0	Trd	" "
59.35	62.40	3.05	2.75	90	27.21	519553	3.05				59.4	62.40	Br - R - Gr	1	0	0	1	0	1	0	0	0	0	0	0	0	0	Trd	" "
62.40	65.45	3.05	2.95	97	68.85	519554	3.05				62.4	65.45	Br - R - Gr	1	0	0	1	0	1	0	0	0	0	0	0	0	0	Trd	" "
65.45	68.50	3.05	3.00	98	59.01	519555	3.05				65.5	68.50	Brn-Grey	0	2	0	1	0	2	0	0	0	2	0	0	0	0	Trd	Qtz veins with fine pyrite,open stockwork, chlorite-silicification horizons, isolated fractures with hematite, small fault with gouge at 85.3
68.50	71.55	3.05	2.90	95	65.57	519556	3.05				68.5	71.55	Grey	0	2	0	1	0	2	0	0	0	2	0	0	0	0	Trd	" "
71.55	74.60	3.05	2.85	93	57.37	519557	0.00				71.55	71.55	STD PM-112	STD	STD	P	STD	P	STD	PM	STD	PM	STD	PM	STD	STD	STD	STD PM-1120	STD PM-1120
74.60	77.65	3.05	2.90	95	52.45	519558	0.00				71.55	71.55	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK
77.65	80.70	3.05	3.00	98	40.98	519559	3.05				71.6	74.60	Grey	0	1	0	1	0	2	0	0	0	2	0	0	0	0	Trd	" "
80.70	83.75	3.05	2.95	97	57.37	519560	3.05				74.6	77.65	Grey	0	1	0	1	0	2	0	0	0	2	0	0	0	0	Trd	" "

211.90	214.95	3.05	2.93	96	44.00	519604	2.85				190.75	193.6	Brn-Grey	0	1	0	1	1	1	0	0	0	1	0	0	0	Tdr	"	"
214.95	218.00	3.05	3.00	98	65.00	519605	3.05				193.6	196.65	Brn-Gren	0	1	0	2	1	1	0	0	2	1	0	0	0	Tdr	"	"
218.00	221.05	3.05	3.05	100	54.00	519606	3.05				196.65	199.7	Brn-Grey	0	1	0	1	1	1	0	0	0	1	0	0	0	Tdr	"	"
221.05	224.10	3.05	3.00	98	59.00	519607	0.00				199.7	199.7	STD PM-112	STD P	STD P	STD P	STD P	STD PM	STD P	STD P	STD P	STD P	STD P	STD P	STD P	STD PM-1120	STD PM-1120		
224.10	227.15	3.05	3.05	100	80.00	519608	0.00				199.7	199.7	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK
227.15	228.70	1.55	1.55	100	79.00	519609	3.05				199.7	202.75	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tdr	"	"
228.70	231.75	3.05	3.05	100	67.00	519610	3.05				202.8	205.80	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tdr	"	"
231.75	234.80	3.05	3.05	100	69.00	519611	3.05				205.8	208.85	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tdr	"	"
234.80	237.85	3.05	3.05	100	72.00	519612	3.05				208.9	211.90	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tdr	"	"
237.85	240.90	3.05	3.05	100	77.00	519613	3.05				211.9	214.95	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd/stkww	"	"
240.90	243.95	3.05	2.90	95	85.00	519614	3.05				214.95	218.00	Brown	0	1	0	1	1	1	0	0	1	1	0	0	0	Trd/stkww	"	"
243.95	247.00	3.05	3.05	100	62.00	519615	3.05				218.00	221.05	Brown	0	1	0	1	1	1	0	0	1	1	0	0	0	Trd/stkww	"	"
247.00	250.05	3.05	3.00	98	77.00	519616	3.05				221.05	224.10	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tdr	"	"
250.05	253.10	3.05	3.05	100	55.00	519617	3.05				224.10	227.15	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tdr	"	"
253.10	255.65	2.55	2.55	100	31.00	519618	1.55				227.15	228.7	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tdr	"	"
																													Rhyodacite cristals tuff/volcanic flow with close stockwork-silicification and qtz breccia horizontz (234.55-236.35), qtz-pyrite veins, no base metals, QvBx from 239.37-240.37. seems like poor mineralization.
255.65	257.70	2.05	2.00	98	#####	519619	1.52				228.7	230.22	Grey-Grn	0	1	0	1	1	1	0	0	0	2	0	0	0	Trd / stkww	"	"
257.70	260.75	3.05	3.05	100	#####	519620	1.53				230.22	231.75	Grey-Grn	0	2	0	1	0	1	0	0	0	2	0	0	0	Trd / stkww	"	"
260.75	262.25	1.50	1.45	97	67.00	519621	1.52				231.75	233.27	Grey	0	2	0	1	0	2	0	0	0	2	0	0	0	Trd / stkww	"	"
262.25	265.30	3.05	3.05	100	95.00	519622	1.28				233.27	234.55	Grey	0	2	0	1	0	2	0	0	0	2	0	0	0	Trd / stkww	"	"
265.30	268.35	3.05	3.05	100	59.00	519623	1.80				234.55	236.35	Grey	0	1	0	1	0	2	2	0	0	2	0	0	0	QvBx/Stkww	"	"
268.35	271.40	3.05	3.05	100	57.00	519624	1.50				236.35	237.85	Grey	0	2	0	1	0	2	0	0	0	2	0	0	0	Trd / stkww	"	"
271.40	274.32	2.92	2.70	92	48.00	519625	1.52				237.85	239.37	Grey	0	2	0	1	0	2	0	0	0	2	0	0	0	Trd / stkww	"	"
274.32	277.37	3.05	3.05	100	46.00	519626	1.00				239.37	240.37	Wht-Grey	0	1	0	1	0	2	3	0	0	2	0	0	0	QvBx	"	"
277.37	280.42	3.05	3.02	99	64.00	519627	2.05				240.37	242.42	Grey	0	2	0	1	0	2	0	0	0	2	0	0	0	Trd / stkww	"	"
280.42	283.46	3.04	3.00	99	47.00	519628	1.53				242.42	243.95	Grey	0	2	0	1	0	2	1	0	0	2	1	1	1	Trd / stkww	From 242.84 to 243.6 Qtz vein with gal-cpy-sphalerite, pyrite., barren rock from 244 to 250.4.	
283.46	286.51	3.05	3.05	100	75.00	519629	3.05				243.95	247	Brn-Grn	0	1	0	2	0	1	0	0	0	1	0	0	0	Tdr	"	"
286.51	289.56	3.05	3.00	98	52.00	519630	1.52				247	248.52	Brn-Grn	0	1	0	2	0	1	0	0	0	1	0	0	0	Tdr	"	"
289.56	292.61	3.05	2.95	97	77.00	519631	1.88				248.52	250.4	Brn-Grn	0	1	0	2	0	1	0	0	0	1	0	0	0	Tdr	"	"
292.61	295.66	3.05	3.05	100	85.00	519632	0.00				250.4	250.4	STD PM-112	STD P	STD P	STD P	STD P	STD PM	STD P	STD P	STD P	STD P	STD P	STD P	STD P	STD PM-1120	STD PM-1120		
295.66	298.70	3.04	3.05	100	67.00	519633	1.65				250.4	252.05	Grey	0	1	0	1	0	2	2	0	0	2	0	0	0	QvBx	Qtz breccia, dark grAy due abundant pyrite, qtz-py as cementant, no base metals.	
298.70	301.75	3.05	2.95	97	77.00	519634	1.75				252.05	253.8	Grey	0	1	0	1	0	2	1	0	1	2	1	1	1	Trd / stkww	Broken zone from 252.3 to 254.4, with subvertical fractures and veins, close stockwork and silicification., qtz-pyrite veins.	
301.75	304.80	3.05	3.05	100	85.00	519635	1.85				253.8	255.65	Grey	0	1	0	1	0	2	1	0	1	2	1	1	1	Trd / stkww	"	"
304.80	307.85	3.05	3.05	100	64.00	519636	1.52				255.65	257.17	Grey	0	1	0	1	0	2	1	0	0	2	0	0	0	Trd / stkww	"	"
307.85	310.90	3.05	3.05	100	69.00	519637	1.43				257.17	258.6	Grey	0	1	0	1	0	2	1	0	0	2	0	0	0	Trd / stkww	"	"
310.90	313.94	3.04	3.02	99	82.00	519638	1.32				258.6	259.92	Grey	0	1	0	1	0	2	1	0	0	2	0	0	0	Trd / stkww	"	"
																													QTZ BRECCIA FROM 259.92 TO 263.55, DRUSSY QTZ CAVITIES, WITH VERY POOR GAL-CPY-SPHALERITE, QTZ-PYRITE VEINS, POSSIBLE ARGENTITE ASSOC. WITH FINEST GALENA, DRUSSY QTZ VEINS AROUND CAVITIES
313.94	316.99	3.05	3.05	100	44.00	519639	1.08				259.92	261	Grey	0	1	0	1	0	2	2	0	0	2	1	1	1	QvBx	"	"
316.99	320.04	3.05	3.05	100	47.00	519640	1.25				261	262.25	Grey	0	1	0	1	0	2	3	0	0	2	1	1	1	QvBx	"	"
320.04	323.09	3.05	3.05	100	87.00	519641	1.30				262.25	263.55	Grey	0	1	0	1	0	2	3	0	0	2	1	1	1	QvBx	"	"
323.09	326.14	3.05	3.05	100	59.00	519642	1.75				263.55	265.3	Grey	0	2	0	1	0	2	0	0	0	2	0	0	0	Tqa / stkww	Traquiandesite cristals tuff/volcanic flow IN footwall stockwork.	
326.14	329.18	3.04	3.00	99	92.00	519643	1.52				265.3	266.82	Grey	0	2	0	1	0	2	0	0	0	2	0	0	0	Tqa / stkww	"	"

0.00		0.00	#DIV/0!		519688	3.04				387.10	390.14	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tga	"	'
0.00		0.00	#DIV/0!		519689	3.05				390.14	393.19	Brown	0	2	0	1	1	2	0	0	0	1	0	0	0	Tga	"	'
0.00		0.00	#DIV/0!		519690	3.05				393.19	396.24	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tga	"	'
0.00		0.00	#DIV/0!		519691	3.05				396.24	399.29	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tga	"	'
0.00		0.00	#DIV/0!		519692	3.05				399.29	402.34	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tga	"	'
0.00		0.00	#DIV/0!		519693	3.04				402.34	405.38	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tga	"	'
0.00		0.00	#DIV/0!		519694	4.58				405.38	409.96	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tga	Fractures zone, low recovery	
0.00		0.00	#DIV/0!		519695	3.04				409.96	413.00	Brown	0	1	0	1	1	1	0	0	0	1	0	0	0	Tga		
0.00		0.00	#DIV/0!		519696	3.05				413.00	416.05	Black-Gry	0	1	1	1	1	0	0	0	0	0	0	0	0	Tdi.	From 413.2 to 420.4 Dark green dioritic intrusive, fine texture, with abundant calcite veins in sample 519697, isolate fractures with epidote, broken core due fractures, predominant angle of fractures between 60-70 deegres.	
0.00		0.00	#DIV/0!		519697	3.05				416.05	419.10	Black-Gry	0	1	1	1	1	0	0	0	0	0	0	0	0	Tdi.	"	'
0.00		0.00	#DIV/0!		519698	3.05				419.10	422.15	Grn-Brn	0	1	0	1	1	0	0	0	0	1	0	0	0	Tga	Traquiandesite,cristals tuff/volcanic flow, with qtz veins and silicification, brown pink horizons due potasic alteration, qtz vein weak pyrite, from 427.9 to 428.30	
0.00		0.00	#DIV/0!		519699	3.05				422.15	425.20	Brown	0	1	0	1	1	0	0	0	0	1	0	0	0	Tga	"	'
					519700	3.04				425.20	428.24	Brown	0	1	0	1	1	0	0	0	0	1	0	0	0	Tga	"	'
					519701	3.05				428.24	431.29	Brown	0	1	0	1	1	0	0	0	0	1	0	0	0	Tga	"	'
					519702	3.05				431.29	434.34	Brown	0	1	0	1	1	0	0	0	0	1	0	0	0	Tga	"	'
					519703	3.05				434.34	437.39	Brn-Grn	0	1	0	2	0	0	0	0	1	1	0	0	0	Tga	"	'
					519704	3.05				437.39	440.44	Green	0	1	0	2	0	0	0	0	1	1	0	0	0	Tga	"	'
					519705	3.04				440.44	443.48	Brn-Gry	0	1	1	1	1	2	0	0	0	2	0	0	0	Tga/Tdi	Traquiandesite,cristals tuff/volcanic flow, dark grey-brown with LATE dioritic intrusive, from 440.4 to 443.48 fragments breccia with stkwk-pyrite,silicification-epidote.	
					519706	3.05				443.48	446.53	Brn-Gry	0	1	0	1	1	1	0	0	0	1	0	0	0	Tga/Tdi	"	'
					519707	0.00				446.53	446.53	STD PM-112	STD F	STD P	STD P	STD P	STD PM	STD PM	STD P	STD P	STD P	STD P	STD P	STD P	STD PM-1120	STD PM-1120		
					519708	0.00				446.53	446.53	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK		
					519709	3.05				446.53	449.58	Brn-Gry	0	1	0	1	1	1	0	0	0	1	0	0	0	Tga/Tdi	"	'
					519710	3.05				449.58	452.63	Brn-Gry	0	1	0	1	1	1	0	0	0	1	0	0	0	Tga/Tdi	End of hole LBDDH-009 at 452.63	

MINERA LINCOLN DE MEXICO SA DE CV																										HOLE: LBDDH-10		
€																										TYPE DRILL CORE: HQ		
LA BUFA GOLD & SILVER PROJECT																										REDUCTION: 261.95		
DATE START: 12 - 05 - 2008												CORE SIZE: HTW. FROM: 0.00 m TO: 261.95 HTW. FROM: 261.95 TO:															T.D. = 439.58	
DATE END: 22 - 05 - 2008												GEOLOGIST: LUIS CASTILLO - F. LOPEZ															AZIMUT: 45	
EASTING: 304388.103 (NAD27)												DRILL COMPANY: ENERGOLD															ANGLE: -60	
NORTHING: 2886839.724 (NAD27)												DRILLER: ERICK SURVEYOR: Juan Pablo Garcia Flores															ELEV. INTERCEP:	
GEOTECHNICAL CONTROL				CONTROL SAMPLING								DESCRIPTION ALT.										SULPHIDES				ELEV. COLLAR: 2362.083 (NA		
FROM	TO	TOT.	REC.	REC %	R.Q.D.	# SAMPL	WIDE S	Au	Ag	Cu	FROM	TO	COLOR	HEM	QTZ	EPID	CHK	spa	ILIC	QvBx	SER	CLAY	Py	Cpy	Gn	Sp	LITHOLOGY	SAMPLE DESC. AND DRILL N
0.00	3.05	3.05	1.35	44.26	19.67	NOT SAMPLED							R-Br	2	0	0	0	0	0	0	0	0	0	0	0	0	Trd	CRYSTAL TUFFS, RHYODACITE, HEMATITE AFTER MAPHICS BASICLY , CALCITE VEINLENTS (mm),
3.05	6.10	3.05	3.02	99.02	80.32	519711	3.05				3.05	6.10	R	2	0	0	0	0	1	0	0	0	1	0	0	0	Trd	" "
6.10	9.14	3.04	2.65	87.17	86.88	519712	3.04				6.10	9.14	R	2	0	0	0	0	1	0	0	0	1	0	0	0	Trd	RHYODACITE, CRYSTAL TUFFS AND LYTHICS, QTZ-CALCITE VEINLENTS, WEAK SILICIFICATION, HMT AFTER Py AND MAPHICS, CHLORITIZATION IN FRACTURES AND LYTHICS
9.14	12.19	3.05	3.03	99.34	67.21	519713	1.5				9.14	10.64	R	2	0	0	0	0	1	0	0	0	1	0	0	0	Trd	" "
12.19	15.24	3.05	3.05	100.00	56.72	519714	1.55				10.64	12.19	R	1	1	0	1	0	1	0	0	0	1	0	0	0	Trd/Vn	" "
15.24	18.29	3.05	3.00	98.36	63.93	519715	1.5				12.19	13.69	R-Br	1	1	0	1	0	1	0	0	0	2	0	0	0	Trd/Vn	" "
18.29	21.34	3.05	3.04	99.67	41.96	519716	1.55				13.69	15.24	R-Br	1	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
21.34	24.38	3.04	2.96	97.37	65.13	519717	1.5				15.24	16.74	R-Br	2	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
24.38	27.43	3.05	2.92	95.74	50.81	519718	1.5				16.74	18.29	R-Br	2	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "
27.43	30.48	3.05	3.00	98.36	79.67	519719	1.5				18.29	19.79	R-Br-Y-G	2	1	0	1	1	2	1	0	0	1	0	0	0	Trd/QvBx	RHYODACITE, CRYSTAL TUFFS AND LYTHICS, WEAK-MOD SILIC, WEAK-MOD CHLORITIZATION, WHITE QTZ VEINS MOD CONTENT, (Py 1%) IN FRACTURES, BRECCIAE ZONES (20.30-21.00m) MOD Hmt>Lmt IN FRACTURES AND BRECCIAE ZONES, W-Gr CLAY IN FRACT, RCA 40°
30.48	33.53	3.05	3.05	100.00	93.77	519720	1.55				19.79	21.34	R-Br-Y-G	2	2	0	1	1	2	2	0	1	2	0	0	0	Trd/QvBx	" "
33.53	36.58	3.05	2.60	85.25	51.47	519721	1.5				21.34	22.84	R-Br-Y-G	2	2	0	1	1	2	1	0	1	1	0	0	0	Trd/QvBx	" "
36.58	39.62	3.04	3.03	99.67	80.32	519722	1.54				22.84	24.38	R-Br-Y-G	2	2	0	2	0	1	1	0	1	2	0	0	0	Trd/QvBx	" "
39.62	42.67	3.05	3.02	99.02	91.80	519723	1.5				24.38	25.88	R-Br-Y-G	1	2	0	1	0	0	1	0	0	1	0	0	0	Trd/QvBx	" "

152.40	155.45	3.05	3.05	100.00	78.68	NOT SAMPLED					105.13	106.68	Brown-pir	1	1	0	1	1	2	1	0	0	1	0	0	0	Trd	"	"
155.45	158.50	3.05	3.00	98.36	70.49	NOT SAMPLED					106.68	109.73	Brown-pir	1	1	0	1	1	2	1	0	0	1	0	0	0	Trd	"	"
158.50	161.54	3.04	3.05	100.33	76.72	NOT SAMPLED					109.73	112.78	Brown-pir	1	1	0	1	1	2	1	0	0	1	0	0	0	Trd	"	"
161.54	164.59	3.05	3.03	99.34	56.00	519753	3.04				112.78	115.82	Brown-Gr	0	1	0	1	1	1	0	0	1	1	0	0	0	Trd/Vn	rhyodacite, aislated Qz white veins (<1")Py<1% asociate to veins and chl alt	
164.59	167.64	3.05	3.05	100.00	69.00	519754	3				115.82	118.87	Brown-Gr	0	1	0	1	1	1	0	0	1	1	0	0	0	Trd	Rhyodacite, aislated white-gray Qtz veins (<2cm) mod silicification	
167.64	170.69	3.05	3.05	100.00	74.00	519755	3.05				118.87	121.92	Brown-Gr	0	1	0	1	1	1	0	0	1	1	0	0	0	Trd	"	"
170.69	173.74	3.05	3.05	100.00	75.00	519756	3.05				121.92	124.97	Brown-Gr	0	1	0	1	1	1	0	0	1	1	0	0	0	Trd	"	"
173.74	176.78	3.04	2.98	98.03	67.00	519757	0				124.97	124.97	td pm112	pm1	pm1	pm1	pm1	pm1	pm1	pm1	0	pm1	pm1	pm1	pm1	pm1	std pm1120	STÁNDAR SAMPLE PM 1120	
176.78	179.83	3.05	3.02	99.02	75.00	519758	0				124.97	124.97	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	0	BLK	BLK	BLK	BLK	BLK	BLK	BLK	
179.83	182.88	3.05	2.96	97.05	62.00	519759	3.05				124.97	128.02	Brown-Gr	0	1	0	1	1	1	0	0	1	1	0	0	0	Trd	"	"
182.88	185.93	3.05	3.04	99.67	90.00	519760	3.04				128.02	131.06	Brown-Gr	0	1	0	1	1	1	0	0	1	1	0	0	0	Trd	"	"
185.93	188.98	3.05	3.00	98.36	56.00	519761	1.5				131.06	132.56	white-gra	0	2	0	0	1	2	0	0	0	1	0	0	0	Trd/Vn	Qtz (white-gray) vein , mod silicification	
188.98	192.02	3.04	3.05	100.33	24.00	519762	1.55				132.56	134.11	brown-pir	0	0	0	1	1	1	0	0	0	1	0	0	0	Trd	Rhyodacite, crystal TUFFS AND -flows, mod silic, Py<1%, sporadic lithics, weak chl.	
192.02	195.07	3.05	2.70	88.52	44.00	519763	3.05				134.11	137.16	brown-pir	0	0	0	1	1	1	0	0	0	1	0	0	0	Trd	"	"
195.07	198.12	3.05	3.04	99.67	48.00	519764	3.05				149.35	152.40	brown-pir	0	0	0	1	1	2	0	0	0	2	0	0	0	Trd/Fault?	Ryodacite, crystal-flow tuff, mod silic, Py<1%, Qtz-calcite veinlents (mm) chloritization in fractures	
198.12	201.17	3.05	2.80	91.80	38.00	519765	3.05				152.40	155.45	brown-pir	0	0	0	0	1	2	0	0	0	1	0	0	0	Trd	"	"
201.17	204.22	3.05	2.90	95.08	48.00	519766	3.05				155.45	158.50	brown-pir	0	0	0	1	1	2	0	0	0	2	0	0	0	Trd	"	"
204.22	207.26	3.04	2.95	97.04	57.00	519767	3.05				158.50	161.54	brown-pir	1	0	0	1	1	2	0	0	0	1	0	0	0	Trd	"	"
207.26	210.31	3.05	3.05	100.00	39.00	519768	3.05				161.54	164.59	brown-pir	0	1	0	1	0	1	0	0	0	1	0	1	1	Trd/Vn	Ryodacite, crystal-flow-tuff, mod silic, Py<1%, Qtz-calcite veinlents (mm) chloritization in fracturesand veins, Sph-Gn traces 5n veins(<1")	
210.31	213.36	3.05	3.01	98.69	47.00	519769	3.05				164.59	167.64	brown-pir	0	1	0	1	0	2	0	0	0	1	0	1	1	Trd/Vn	"	"
213.36	216.41	3.05	2.95	96.72	63.00	519770	3.05				167.64	170.69	brown-pir	0	1	0	1	0	1	0	0	0	1	0	1	1	Trd/Vn	"	"
216.41	219.46	3.05	3.02	99.02	67.00	NOT SAMPLED					173.74	176.78	brown-pir	0	1	0	1	0	1	0	0	0	1	0	1	1	Trd	"	"
219.46	222.50	3.04	3.03	99.67	69.00	NOT SAMPLED					176.78	179.83	brown-pir	0	1	0	1	0	1	0	0	0	1	0	1	1	Trd	"	"
222.50	225.55	3.05	2.90	95.08	59.00	NOT SAMPLED					179.83	182.88	brown-pir	0	1	0	1	0	1	0	0	0	1	0	1	1	Trd	"	"
225.55	228.60	3.05	3.04	99.67	62.00	519771	3.05				182.88	185.93	Br-Pink	1	0	0	1	1	2	0	0	0	1	0	0	0	Trd	Rhyodacite, crystal TUFFS and flow , sporadic lithics chloritized, Py <1%	
228.60	231.65	3.05	2.98	97.70	39.00	519772	3.05				185.93	188.98	Br-Pink-G	0	1	0	1	0	1	0	0	1	1	0	1	0	Trd/Fault?	Rhyodacite, crystalS TUFFS AND FLOWS, sporadic lithics chloritized, Py <1%. Aislated veins (<2cm) Qtz-calcite, high fracturing system, fault?, Sph-Gn sporadic traces??	

231.65	234.70	3.05	3.05	100.00	59.00	519773	3.04				188.98	192.02	Br-Pink-G	0	1	0	1	0	1	0	0	1	1	0	1	0	Trd/Fault?	"	"	
																												Rhyodacite, Qtz white-gray breccia, chloritic alteration in structure, fine Py <1%. Sph-Gn traces.		
234.70	237.74	3.04	3.05	100.33	75.00	519774	1.5				192.02	193.52	Gray-Gr-f	0	2	0	2	0	2	2	0	2	1	0	1	1	Trd/QvBx	"	"	
237.74	240.79	3.05	3.01	98.69	48.00	519775	1.55				193.52	195.07	Gray-Gr-f	0	2	0	2	0	2	2	0	2	1	0	1	1	Trd/QvBx	"	"	
																												Rhydacite, crystal TUFFS & flow , high fracturing system with RCA 30°(possible structure), white-green clay in fractures, sporadic Qtz-calcite veinlents, fine Py<1%		
240.79	243.84	3.05	2.98	97.70	79.00	519776	3.05				195.07	198.12	Br	0	1	0	1	0	1	0	0	2	1	0	0	0	Trd/Fault?	"	"	
243.84	246.88	3.04	2.98	98.03	82.00	519777	3.05				198.12	201.17	Br	0	1	0	1	0	1	0	0	2	1	0	0	0	Trd/Fault?	"	"	
246.88	249.94	3.06	2.80	91.50	82.00	519778	3.05				201.17	204.22	Br	0	1	0	1	0	1	0	0	2	1	0	0	0	Trd/Fault?	"	"	
249.94	252.98	3.04	3.05	100.33	62.00	519779	3.04				204.22	207.26	Br	0	1	0	1	0	1	0	0	2	1	0	0	0	Trd/Fault?	"	"	
252.98	256.03	3.05	3.00	98.36	51.00	519780	3.05				207.26	210.31	Br	0	1	0	1	0	1	0	0	2	1	0	0	0	Trd/Fault?	"	"	
256.03	259.08	3.05	3.05	100.00	54.00	519781	3.05				210.31	213.36	Br	0	1	0	1	0	1	0	0	2	1	0	0	0	Trd/Fault?	"	"	
259.08	262.13	3.05	3.00	98.36	51.00	519782	0				213.36	213.36	std pm11	std	std	pr	std	std	pr	std	pr	std	std	std	std	std	std	std	std pm1120	STÁNDAR SAMPLE PM 1120
262.13	265.18	3.05	2.80	91.80	49.00	519783	3.05				213.36	216.41	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
265.18	268.22	3.04	3.05	100.33	59.00	NOT SAMPLED					216.41	219.46	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
268.22	271.27	3.05	2.98	97.70	67.00	NOT SAMPLED					219.46	222.50	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
271.27	274.32	3.05	3.05	100.00	82.00	NOT SAMPLED					222.50	225.55	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
274.32	277.37	3.05	3.00	98.36	68.00	NOT SAMPLED					225.55	228.60	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
277.37	280.42	3.05	3.00	98.36	69.00	NOT SAMPLED					228.60	231.65	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
280.42	283.46	3.04	3.02	99.34	72.00	NOT SAMPLED					231.65	234.70	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
283.46	286.51	3.05	3.05	100.00	84.00	NOT SAMPLED					234.70	236.2	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
286.51	289.56	3.05	2.85	93.44	49.00	519784	0.6				236.2	236.8	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd/Vn	fine Py<1%		
289.56	291.08	1.52	0.95	62.50	27.00	NOT SAMPLED					236.8	237.74	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
291.08	294.13	3.05	2.90	95.08	57.00	NOT SAMPLED					237.74	240.79	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
294.13	297.18	3.05	3.00	98.36	52.00	NOT SAMPLED					240.79	243.84	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
297.18	300.22	3.04	3.00	98.68	44.00	NOT SAMPLED					243.84	246.88	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
300.22	303.27	3.05	3.05	100.00	75.00	NOT SAMPLED					246.88	248.44	Br-pink	0	1	0	1	0	1	0	0	1	1	0	0	0	Trd	"	"	
																												some fractures and veins(<2cm) chloritized weak, white-green clays, Py asociated to fractures and veins.		
303.27	306.32	3.05	3.00	98.36	78.00	519785	3.05				248.44	251.49	Br-Pink-G	0	0	0	1	0	2	1	0	1	1	0	0	0	Trd/Vn	"	"	
306.32	309.37	3.05	3.00	98.36	75.00	519786	3.00				251.49	254.48	Br-Pink-G	0	0	0	1	0	2	1	0	1	1	0	0	0	Trd/Vn	"	"	
309.37	312.42	3.05	3.05	100.00	47.00	519787	2.58				261.78	264.36	Br-Pink-G	0	0	0	1	0	1	0	0	1	1	0	0	0	Trd	fractured zone (moderated) brown clay		
312.42	315.47	3.05	3.00	98.36	70.00	519784	0.6				236.2	236.8	Br-pink	0	0	0	1	0	1	0	0	1	1	0	0	0	Trd/Vn	Aislated vein (2cm) chloritized, fine Py<1%		
																												some fractures and veins(<2cm) chloritized weak, white-green clays, Py asociated to fractures and veins.		
315.47	318.52	3.05	3.05	100.00	72.00	519785	3.05				248.44	251.49	Br-Pink-G	0	0	0	1	0	2	1	0	1	1	0	0	0	Trd/Vn	"	"	
318.52	321.56	3.04	3.03	99.67	66.00	519786	3				251.49	254.48	Br-Pink-G	0	1	0	1	0	2	1	0	1	1	0	0	0	Trd/Vn	"	"	

321.56	324.61	3.05	3.05	100.00	36.00	519787	2.58				261.78	264.36	Br-Pink-G	0	0	0	1	0	1	0	0	1	1	0	0	0	Trd	fractured zone (moderated) brown clay
324.61	327.66	3.05	3.05	100.00	72.00	NOT SAMPLED					264.36	265.18	Br-Pink-G	0	0	0	1	0	1	0	0	1	1	0	0	0	Trd	" "
327.66	330.71	3.05	3.05	100.00	72.00	NOT SAMPLED					265.18	268.22	Br-Pink-G	0	0	0	1	0	1	0	0	1	1	0	0	0	Trd	" "
330.71	333.76	3.05	3.05	100.00	69.00	519788	3.05				268.22	271.27	Br-Pink-G	0	1	0	1	0	2	0	0	1	1	0	0	0	Trd/Vn	crystal tuff, veins 1" gray silic, mod chl in vein, Py<1% en zone, RCA 30°
333.76	336.80	3.04	3.00	98.68	69.00	519789	3.05				271.27	274.32	Br-Pink-G	0	1	0	1	0	2	0	0	1	1	0	0	0	Trd/Vn	" "
336.80	339.92	3.12	3.00	96.15	53.00	NOT SAMPLED					274.32	277.37	Br-Pink-G	0	1	0	1	1	1	0	0	1	1	0	0	0	Trd	rhyodacite, crystal tuff, some Qtz-calcite veinlents (mm), with
339.92	342.90	2.98	3.05	102.35	69.00	NOT SAMPLED					277.37	280.42	Br-Pink-G	0	1	0	1	1	1	0	0	1	1	0	0	0	Trd	" "
342.90	345.95	3.05	2.90	95.08	62.00	NOT SAMPLED					280.42	283.46	Br-Pink-G	0	1	0	1	1	1	0	0	1	1	0	0	0	Trd	" "
345.95	349.00	3.05	3.00	98.36	83.00	519790	3.05				283.46	286.51	Gr-Pink	0	0	0	2	0	1	0	0	0	1	1	1	0	Trd	chl alt concntrate in zone, Gn- Sph(?), Py<1%, sporadic Qtz- calcite veinlents (mm)
349.00	352.04	3.04	3.05	100.33	77.00	519791	1.35				286.51	287.86	Br-Pink-G	0	1	0	1	1	1	0	0	1	1	1	0	0	Trd	rhyodacite, crystal tuff, some Qtz-calcite veinlents (mm)
352.04	355.09	3.05	3.00	98.36	70.00	519792	0.65				287.86	288.51	Br-Pink-G	0	1	0	1	1	1	0	0	1	1	1	0	0	Trd/Fault	moderate fracturing, white clay,
355.09	358.14	3.05	2.98	97.70	62.00	519793	1.55				288.51	290.06	Gray-Wh	0	2	0	1	0	2	2	0	1	1	1	3	3	QvBx	FROM 519793 TO 519795: massive sulphides zone, Sph- Gn-Arg??-CPy, Qtz breccia (white-gray), white clay in fractures (SULFATES). MEDIUM SIZE CUBIC CXS GALENA, SPAHALERITE >1%, POSSIBLE ARGENTITE FINE GRAIN CXS. FILLING SPACES.
358.14	361.19	3.05	3.05	100.00	76.00	519794	1.12				290.06	291.18	Gray-Wh	0	2	0	2	0	2	1	0	2	1	1	0	0	QvBx/FAULT	high altered zone, Qtz white- gray, green gouge (fault), Py- Cpy weak <1%. VERY CLOSED QTZ BX, POOR DRUSSY CXS AND CAVITYS..
361.19	364.24	3.05	3.00	98.36	51.00	519795	2.95				291.18	294.13	Gray-Wh	0	1	0	2	0	1	0	0	0	1	0	0	0	Trd/Vn	some veins (1") silic gray, Py<1%, sporadic Qtz-calcite
364.24	367.28	3.04	3.00	98.68	75.00	519796	3.05				294.13	297.18	Br-Pink-G	0	1	0	2	0	1	0	0	0	1	0	0	0	Trd	" "
367.28	370.33	3.05	3.00	98.36	73.00	519797	3.04				297.18	300.22	Br-Pink-G	0	1	0	2	0	1	0	0	0	1	0	0	0	Trd	" "
370.33	373.38	3.05	3.02	99.02	84.00	NOT SAMPLED					300.22	303.27	Br-Pink	0	1	0	0	1	2	0	0	0	1	0	0	0	Trd	Rhydacite, Crystal tuff, sporadic lithics, mod silicification, Py<1% disseminated (fine), sporadic Qtz(xhite)-calcite veinlents.
373.38	376.43	3.05	3.03	99.34	72.00	NOT SAMPLED					303.27	306.32	Br-Pink	0	0	0	0	1	2	0	0	0	1	0	0	0	Trd	" "
376.43	379.48	3.05	2.98	97.70	79.00	NOT SAMPLED					306.32	309.37	Br-Pink	0	1	0	0	1	2	0	0	0	1	0	0	0	Trd	" "
379.48	382.52	3.04	3.00	98.68	69.00	NOT SAMPLED					309.37	312.42	Br-Pink	0	0	0	0	1	2	0	0	0	1	0	0	0	Trd	" "
382.52	385.57	3.05	3.05	100.00	74.00	NOT SAMPLED					312.42	315.47	Br-Pink	0	1	0	0	1	2	0	0	0	1	0	0	0	Trd	" "
385.57	388.62	3.05	3.05	100.00	56.00	NOT SAMPLED					315.47	318.52	Br-Pink	0	0	0	0	1	2	0	0	0	1	0	0	0	Trd	" "
388.62	390.14	1.52	1.48	97.37	56.00	519798	2.3				318.52	320.82	Br-Pink	0	0	0	0	1	2	0	0	0	1	0	0	0	Trd/QvBx	" "

390.14	393.19	3.05	3.05	100.00	51.00	519799	1.84					320.82	322.66	Gray-Br-V	0	2	0	1	0	2	1	0	1	1	0	0	0	Trd/QvBx	Rhyodacite, Qtz breccia, weak chloritic alteration, calcite veinlents, Weak white-green clay.	
393.19	396.24	3.05	3.03	99.34	66.00	519800	1.95					322.66	324.61	Brown-Gr	0	1	0	1	1	1	0	0	0	1	1	0	0	Trd	moderate fracturing system, Qtz(white)-calcite veinlents (mm), fine Py<1% dissem	
396.24	399.29	3.05	3.05	100.00	58.00	519801	3.05					324.61	327.66	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	Rhyodacite, volcanic flow, sporadic intrusive fragments FLOADING INTO THE VOLC FLOW, weak chloritization, fine Py,	
399.29	402.34	3.05	3.00	98.36	62.00	519802	3.05					327.66	330.71	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "	
402.34	405.38	3.04	3.05	100.33	59.00	519803	3.05					330.71	333.76	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "	
405.38	408.43	3.05	3.05	100.00	57.00	519804	3.04					333.76	336.80	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "	
408.43	409.96	1.53	1.50	98.04	67.00	519805	0.00				STD PM-11	D PM-11	D PM-11	PM-11	PM-11	PM-11	PM-11	PM-11	PM-11	PM-11	PM-11	PM-11	PM-11	PM-11	PM-11	PM-11	PM-11	PM-11	STD PM-1120	
409.96	413.00	3.04	3.05	100.33	79.00	519806	0.00					BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	
413.00	416.05	3.05	2.95	96.72	69.00	519807	3.12					336.80	339.92	Brown-Pi	0	1	0	1	1	2	0	0	0	1	0	0	0	Trd	" "	
416.05	419.10	3.05	3.00	98.36	80.00	519808	2.98					339.92	342.90	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "	
419.10	422.15	3.05	2.90	95.08	52.00	519809	3.05					342.90	345.95	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "	
422.15	425.20	3.05	3.03	99.34	74.77	519810	3.05					345.95	349.00	Brown-Pi	0	0	0	2	1	2	0	0	0	1	0	0	0	Trd/Tqa	Rhyodacite, volcanic flow, intrusive fragments (15cm), weak chloritization, fine Py,	
425.20	428.24	3.04	3.02	99.34	49.18	519811	3.04					349.00	352.04	Brown-Pi	0	0	0	2	1	2	0	0	0	1	0	0	0	Trd/Tqa	" "	
428.24	431.29	3.05	2.98	97.70	75.40	519812	2.10					352.04	354.14	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "	
431.29	434.34	3.05	2.98	97.70	81.19	519813	1.25					354.14	355.39	Brown-Pi	0	1	0	1	1	2	0	0	0	2	1	0	0	Trd/Vn	Qtz(white) veins(1") zone, moderate silicif. Py>1% in veins zone, possible Cpy?	
434.34	435.86	1.52	1.45	95.39	66.00	519814	1.54					355.39	356.93	Brown-Pi	0	1	0	1	1	2	0	0	0	2	1	0	0	Trd/Vn	" "	
435.86	438.91	3.05	3.05	100.00	77.04	519815	1.21					356.93	358.14	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	Rhyodacite, volcanic flow, intrusive fragments (15cm), weak chloritization, fine Py,	
438.91	439.58	0.67	0.66	98.51	91.00	519816	3.05					358.14	361.19	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "	
						519817	1.61					361.19	362.80	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "	
						519818	1.44					362.80	364.24	Brown-Pi	0	1	0	1	1	2	0	0	0	2	1	0	0	Trd/Vn	Qtz(gray) vein(1") zone, moderate silicif. Py>1% in veins zone, possible Cpy?	
						519819	1.50					364.24	365.74	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	Rhyodacite, volcanic flow, intrusive fragments (1cm), weak chloritization, fine Py <1%, sporadic Qtz (white) veins (2cm),	
						519820	1.54					365.74	367.28	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "	
						519821	1.10					367.28	368.38	Brown-Pi	0	1	0	1	1	2	0	0	0	2	1	0	0	Trd/Vn	Qtz(gray) vein(1") zone, moderate silicif. Py>1% in veins zone, possible Cpy?	
																														Rhyodacite, volcanic flow, intrusive fragments (1cm), weak chloritization, fine Py <1%.

						519823	1.30				370.33	371.63	Brown-Pi	0	1	0	1	1	2	0	0	0	2	1	0	0	Trd/Vn	Qtz(gray) vein(1") zone, moderate silicif. Py>1% in veins zone, possible Cpy?
						519824	2.15				371.63	373.78	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	Rhyodacite, volcanic flow, intrusive fragments (1cm), weak chloritization, fine Py <1%, sporadic Qtz (white) veins (2cm),
						519825	2.65				373.78	376.43	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "
						519826	3.05				376.43	379.48	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "
						519827	3.04				379.48	382.52	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "
						519828	3.05				382.52	385.57	Brown-Pi	0	0	0	1	1	2	0	0	0	1	0	0	0	Trd	" "
						519829	3.05				385.57	388.62	Brown-Pi	0	0	0	1	1	2	0	0	1	1	0	0	0	Trd	" "
						519830	0				388.62	388.62	STD PM-1120	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD PM-1120	STD PM-1120
						519831	1.52				388.62	390.14	Brown-Pi	0	1	0	1	2	2	0	0	1	1	0	0	0	Trd/TqA	Tqa (TRACHIANDESITIC ROCKS IN TRANSIT TO RIODACITIC ROCKS) green clay in fractures, mod silic. Weak chloritization, fine Py<1%,
						519832	3.05				390.14	393.19	Brown-Pi	0	1	0	1	2	2	0	0	1	1	0	0	0	Trd/TqA	" "
						519833	3.05				393.19	396.24	Brown-Pi	0	1	0	1	2	2	0	0	1	1	0	0	0	Trd/TqA	" "
											396.24	399.29	Brown-Pi	0	1	0	1	2	2	0	0	1	1	0	0	0	Trd/TqA	" "
											399.29	402.34	Brown-Pi	0	1	0	1	2	2	0	0	1	1	0	0	0	Trd/TqA	" "
						519834	3.04				402.34	405.38	Brown-Pi	0	1	0	1	2	2	0	0	1	1	0	0	0	Trd/TqA	" "
						519835	3.05				405.38	408.43	Brown-Pi	0	1	0	2	2	1	0	0	1	2	0	0	0	Trd/TqA	some veins (1") chloritic alteration asociated, fine Py>1% in veins zone, sporadic calcite>Qtz veinlents
						519836	1.42				408.43	409.85	Brown-Pi	0	1	0	2	2	1	0	0	1	2	0	0	0	Trd/TqA	" "
						519837	1.43				409.85	411.28	Brown-Pi	0	1	0	2	2	1	0	0	1	2	0	0	0	Trd/TqA	" "
						519838	1.72				411.28	413.00	Brown-Gr	0	0	0	1	2	1	0	0	0	1	0	0	0	Trd/TqA	Tqa lithics increasing, weak silic. Weak chloritization, fine
						519839	3.05				413.00	416.05	Brown-Gr	0	0	0	1	2	1	0	0	0	1	0	0	0	Trd/TqA	" "
						519840	3.05				416.05	419.10	Brown-Gr	0	0	0	1	2	1	0	0	0	1	0	0	0	Trd/TqA	" "
						519841	3.75				419.10	422.85	Brown-Gr	0	0	0	1	2	1	0	0	0	1	0	0	0	Trd/TqA	" "
						519842	2.35				422.85	425.2	Brown-Pi	0	0	0	1	2	1	0	0	0	1	0	0	0	Trd/Ks-T MzDld	Rhyodacite, volcanic flow, , sporadic intrusive fragments FLOADING INSIDE VOLC FLOW.
						519843	3.04				425.2	428.24	Brown-Pi	0	1	0	0	1	1	0	0	0	1	0	0	0	Trd/TqA	1"Qtz (white-gray) vein with fine Py <1% , mod silicification
						519844	3.05				428.24	431.29	Brown-Pi	0	0	0	0	1	2	0	0	0	1	0	0	0	Trd/TqA	" "
						519845	1.5				431.29	432.79	Brown-Pi	0	0	0	0	1	2	0	0	0	1	0	0	0	Trd/TqA	" "
													Brown-Pi															Rhyodacite, aislated 5cm Qtz (white) vein, Py 1% and Gn-Sph traces in vein zone, weak

[illegible]

MINERA LINCOLN DE MEXICO SA DE CV																									HOLE NUMBER: LB-DDH-11			
DIAMOND DRILL EXPLORATION PROGRAM																									TYPE DRILL CORE: NTW			
REDUCTION:																												
DATE START: 23/05/2008												Trd TERT. RIODAC. CXS & LITHICS TUFFS /										CORE SIZE: NTW. FROM: 0.00 m TO: NTW. BTW FROM:			PAD "A"		PROG. DEPTH: 400 M. T.D.= 353.56 M	
DATE END: JUN 02 2008												TqA=ANDESITIC-TRAQUIANDESITIC FLO										GEOLOGIST: F LOPEZ					AZIMUT: 45	
EASTING: 304183.087 (NAD27) Surveyed by Juan Pablo Garcia Flores												IzDio=MONZO INTR.										DRILL COMPANY: Energold					ANGLE: -60	
NORTHING: 2886955.858 (NAD27)												IGNI. OR WELDED TUFFS										DRILLER: ERICK					ELEV. INTERCEP:	
SAMPLING CONTROL & ASSAYS												DESCRIPTION ALT.										SULPHIDES					ELEV. COLLAR: 2346.339 (NAD27)	
# SAMPLE	FROM	TO	WIDE	Au	Ag	Cu	Pb	Zn	Mo	W	COLOR	HEM	QTZ V.	EPID.	CH.	Kspar	SILICIF.	QvBx	SER.	CLAYS	Py	Cpy	Gn	Sph	LITHOLOGY	SAMPLE DESC. AND DRILL NOTES		
				NOT SAMPLED			FROM 0 TO 39.62 M				Pnk-R	1	0	0	0	0	0	0	0	0	1	0	0	0	0	Tigw	(0 TO 39.17) TERTIARY IGNIMBRITES, WELDED TUFFS AND LITHICS TUFFS WITH LOCAL BIG 3 INCHES ROCK FRAGMENTS	
				NOT SAMPLED			FROM 0 TO 39.62 M				Pnk-R	1	0	0	0	0	0	0	0	0	1	0	0	0	0	Tigw	SOME CLAYS MOSTLY DERIVED FROM WEATHERING. HEM 1-2 AS RESULT OF MAPHICS ALT. BASICLY AND LESS OF Py.	
				NOT SAMPLED			FROM 0 TO 39.62 M				Pnk-R	1	0	0	0	0	0	0	0	0	1	0	0	0	0	Tigw	FROM 6.10 TO 9.15 LOCAL FAULT WITH STRONG FRACTURES ZONE AND POOR CLAYS INCREMENT IN 45 DEG R.C.A.	
				NOT SAMPLED			FROM 0 TO 39.62 M				Pnk-R	1	0	0	0	0	0	0	0	0	1	0	0	0	0	Tigw	AROUND 38 M FEOX INC AS WELL POOR CLAYS TOO.	
				NOT SAMPLED			FROM 0 TO 39.62 M				Pnk-R	1	0	0	0	0	0	0	0	0	1	0	0	0	0	Tigw		
				NOT SAMPLED			FROM 0 TO 39.62 M				Pnk-R	1	0	0	0	0	0	0	0	0	1	0	0	0	0	Tigw		
				NOT SAMPLED			FROM 0 TO 39.62 M				Pnk-R	1	0	0	0	0	0	0	0	0	1	0	0	0	0	Tigw		
				NOT SAMPLED			FROM 0 TO 39.62 M				Pnk-R	1	0	0	0	0	0	0	0	0	1	0	0	0	0	Tigw		
				NOT SAMPLED			FROM 0 TO 39.62 M				Pnk-R	1	0	0	0	0	0	0	0	0	1	0	0	0	0	Tigw		
				NOT SAMPLED			FROM 0 TO 39.62 M				Pnk-R	1	0	0	0	0	0	0	0	0	1	0	0	0	0	Tigw		
				NOT SAMPLED			FROM 0 TO 39.62 M				Pnk-R	1	0	0	0	0	0	0	0	0	1	0	0	0	0	Tigw		
				NOT SAMPLED			FROM 0 TO 39.62 M				Pnk-R/ GRN	1	0	0	0	1	0	0	0	0	1	1	0	0	0	Tigw		
519847	39.62	41.12	1.5								GRN/W	0	1	0	2	0	0	0	0	0	1	2	0	0	0	Trd/STKWK	FROM 39.17 (519847 TO 519856) WEAK QTZ VEINING AND SILICIF PERV ASSOC. SCARCE QTZ-BLACK SULPHIDES VEINING ASSOC. (GALENA, SPHALERITE AND CPY, ARGENTITE). SEEMS LIKE OPEN STOCKWORK. HOSTED IN Trd UNIT. SOME CLAYS IN FRACT ZONES	
519848	41.12	42.67	1.55								GRN/W	0	1	0	2	0	0	0	0	0	1	2	0	0	0	Trd/STKWK	" "	
519849	42.67	44.17	1.5								GRN/W	0	1	0	2	0	0	0	0	0	1	2	0	0	0	Trd/STKWK	" "	
519850	44.17	45.72	1.55								GRN/W	0	1	0	2	0	0	0	0	0	1	2	0	0	0	Trd/STKWK	" "	
519851	45.72	47.22	1.5								GRN/W	0	1	0	2	0	0	0	0	0	1	2	0	0	0	Trd/STKWK	" "	
519852	47.22	48.77	1.55								GRN/W	0	1	0	2	0	0	0	0	0	1	1	0	0	0	Trd/STKWK	" "	
519853	48.77	50.27	1.5								GRN/W	0	1	0	2	0	0	0	0	0	1	1	0	0	0	Trd/STKWK	" "	
519854	50.27	51.82	1.55								GRN/W	0	1	0	2	0	0	0	0	0	1	1	0	0	0	Trd/STKWK	" "	
519855	51.82	53.32	1.5								GRN/W	0	1	0	2	0	0	0	0	0	1	1	0	0	1	Trd/STKWK	" "	
519856	53.32	54.86	1.54								GRN/W	0	1	0	2	0	0	0	0	0	1	1	0	0	0	Trd/STKWK	" "	
519857	54.86	56.36	1.5								GRN/W	0	1	0	2	0	0	0	0	0	1	1	0	0	0	Trd	TERTYARY RIODACITIC VOLC FLOWS UNIT, POOR SILICIF AND ISOLATED QTZ VEINING. BASICLY BARREN ROCK.	
519858	56.36	57.91	1.55								GRN/W	0	1	0	2	0	0	0	0	0	1	1	0	0	0	Trd		
519859	57.91	59.41	1.5								GRN/W	0	1	0	2	0	0	0	0	0	2	1	0	0	0	Trd		
519860	59.41	60.96	1.55								GRN/W	0	1	0	2	0	0	0	0	0	2	1	0	0	0	Trd	FAULT ZONE AS DESCRIBED IN GETECHNICAL CONTROL.	
519861	60.96	64.01	3.05								GRN/W	0	1	0	2	0	1	0	0	0	1	1	0	0	0	Trd		
519862	64.01	67.06	3.05								GRN/W	0	1	0	2	0	1	0	0	0	0	1	0	0	0	Trd		
519863	67.06	70.1	3.04								GRN/W	0	1	0	2	0	1	0	0	0	0	1	0	0	0	Trd		
519864	70.1	73.15	3.05								GRN/W	0	1	0	2	0	1	0	0	0	0	1	0	0	0	Trd		

[illegible]

519899	123.42	124.97	1.55									Pnk-Grn-W	0	2	0	1	1	1	0	1	1	2	0	0	0	Trd	519899 TO 519907: Trd UNIT MOD SILICIFICATION ASSOCIATED TO M.M. AND ISOLATED QTZ VEINING WITH POOR PY-CPy AND LESS SPHALERITE.	
519900	124.97	126.47	1.5									Pnk-Grn-W	0	2	0	1	1	1	0	1	1	2	0	0	0	Trd	" "	
519901	126.47	128.02	1.55									Pnk-Grn-W	0	2	0	1	1	1	0	1	1	2	0	0	0	Trd	" "	
519902	128.02	131.06	3.04									Pnk-Grn-W	0	1	0	1	1	1	0	1	1	2	0	0	0	Trd	" "	
519903	131.06	134.11	3.05									Pnk-Grn-W	0	1	0	1	1	1	0	1	1	2	0	0	0	Trd	" "	
519904	134.11	137.16	3.05									Pnk-Grn-W	0	1	0	1	1	1	0	1	1	2	0	0	0	Trd	" "	
519905	137.16	140.21	3.05									Pnk-Grn-W	0	1	0	1	1	1	0	1	1	2	0	0	0	Trd	" "	
519906	140.21	143.26	3.05									Pnk-Grn-W	0	1	0	1	1	1	0	1	1	2	0	0	0	Trd	" "	
519907	143.26	146.85	3.59									Pnk-Grn-W	0	1	0	1	1	1	0	1	1	2	0	0	0	Trd	" "	
519908	146.85	148.35	1.5									W - GRN	0	3	0	1	0	3	2	0	0	2	2	2	2	QvBx/Trd	QTZ Bx + SPAHELRITE (<1%), CPy (.5-1%), AND GALENA ASSOC TO WHITE QTZ VEINING & CALCITE, SOME POTACIC ALT., CHLORITE AND POOR CLAYS.	
519909	148.35	149.35	1									Pnk-GRN	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd	Trd UNIT IN VOLCANIC FLOWS MAINLY, POOR WHITE QTZ VEINING AS WELL CALCITE. FRESH DISS Py, NO BASE METALS VISIBLES.	
519910	149.35	152.40	3.05									Pnk-GRN	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd	" "	
519911	152.40	155.45	3.05									Pnk-GRN	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd	" "	
519912	155.45	158.50	3.05									Pnk-GRN	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd	" "	
519913	158.50	161.54	3.04									GRY-GRN	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd	" "	
519914	161.54	164.59	3.05									GRY-GRN	0	1	1	1	0	1	0	0	1	1	0	0	0	Trd	" "	
519915	164.59	167.64	3.05									GRY-GRN	0	1	1	1	0	1	0	0	1	1	0	0	0	Trd	" "	
519916	167.64	168.74	1.1									GRY-GRN	0	1	1	1	0	1	0	0	1	1	0	0	0	Trd	" "	
519917	168.74	170.69	1.95									GRY-GRN	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd	" "	
519918	170.69	172.19	1.5									GRY-GRN	0	2	1	1	0	1	0	0	0	2	1	1	1	Trd/QvBx	POOR CPy, SPHALERITE AND GALENA ASSOC TO WHITE QTZ VNS.	
519919	172.19	173.74	1.55									GRY-GRN	0	1	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	POOR STKWK DEVELOPMENT	
519920	173.74	175.24	1.5									GRY-GRN	0	2	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "	
519921	175.24	176.78	1.54									GRY-GRN	0	2	1	1	0	1	0	0	0	1	0	0	0	Trd/STKWK	" "	
519922	176.78	176.78	0	STD	PSTD	PSTD	PSTD	PSTD	PSTD	PSTD	PSTD	STD PM 11	STD	STD	PSTD	STD	STD	PSTD	STD	STD	PSTD	STD	STD	STD	STD	STD PM 11	STD PM 1112	
519923	176.78	178.28	1.5									GRY-GRN	0	2	0	1	0	2	1	0	0	0	1	1	1	1	Trd/STKWK	WEAK QVBX DEVELOP.
519924	178.28	179.83	1.55									GRY-GRN	0	2	0	1	0	2	0	0	0	0	1	1	1	1	Trd/STKWK	POOR STKWK DEVELOPMENT
519925	179.83	181.33	1.5									GRY-GRN	0	2	0	1	0	2	0	0	0	0	1	1	1	1	Trd/STKWK	" "
519926	181.33	182.88	1.55									W-B-Grn	0	3	0	1	0	3	3	0	0	2	2	2	2	2	Trd/QvBx	519926-927: STRONG SULPHIDES CONTENTS: CPy (1%), GALENA(+/- 1%) SPAHELRITE (<1%)ASSOC TO QTZ BX WITH WHITE AND DRUSSED CXS, WEAK HEM AFTER PyOx, POSSIBLE ARGENTITE FILLING M.M. SPACES BETWEEN GALENA CXS.
519927	182.88	183.99	1.11									W-B-Grn	0	3	0	1	0	3	3	0	0	2	2	2	2	2	Trd/QvBx	" "
519928	183.99	185.93	1.94									Pnk-GRN	0	1	0	1	0	0	0	0	0	1	0	0	0	Trd	POOR VEINING IN FOOTWALL, MOSTLY CALCITE AND LESS QTZ. ISOLATED QTZ + BLACK SULPHIDES M.M. SIZE VEININGS.	
519929	185.93	188.98	3.05									Pnk-GRN	0	1	0	1	0	0	0	0	0	2	0	0	0	Trd	" "	
519930	188.98	192.02	3.04									Pnk-GRN	0	1	0	1	0	0	0	0	0	0	1	0	0	0	Trd	" "
519931	192.02	195.07	3.05									Pnk-GRN	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd	" "	
519932	195.07	198.12	3.05									Pnk-GRN	0	1	0	1	0	1	0	0	0	2	0	0	0	Trd	" "	
519933	198.12	201.17	3.05									Pnk-GRN	0	1	0	1	0	1	0	0	0	2	0	0	0	Trd	" "	
519934	201.17	204.22	3.05									Pnk-GRN	0	1	0	1	0	1	0	0	0	2	0	0	0	Trd	" "	

519935	204.22	207.26	3.04									Pnk-GRN	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd		"	"	
519936	207.26	210.31	3.05									Pnk-GRN	0	1	0	1	0	1	0	0	0	0	2	0	0	0	Trd		"	"	
519937	210.31	213.36	3.05									Pnk-GRN	0	2	0	1	0	1	0	0	0	0	2	0	0	0	Trd		"	"	
519938	213.36	216.41	3.05									Pnk-GRN	0	1	1	1	0	1	0	0	0	0	2	0	0	0	Trd		"	"	
519939	216.41	217.91	1.5									Pnk-GRN	0	1	1	1	0	1	0	0	0	0	2	0	0	0	Trd		"	"	
519940	217.91	219.46	1.55									Pnk-GRN	0	1	1	1	0	1	0	0	0	0	2	0	0	0	Trd		"	"	
519941	219.46	222.50	3.04									Pnk-GRN	0	1	1	1	0	1	0	0	0	0	2	0	0	0	Trd		"	"	
519942	222.50	224.00	1.5									GRN-W	0	2	1	2	1	1	0	0	0	0	2	0	0	0	Trd/STKWK		HANGING WALL STOCKWORK WITH M.M. SIZE WHITE QTZ VEINING + TRAZES CPy-Py MOD AND POOR SPH AND COMMON GALENA.		
519943	224.00	225.55	1.55									GRN-W	0	1	1	2	1	2	0	0	0	0	2	0	0	0	Trd/STKWK		"	"	
519944	225.55	227.05	1.5									GRN-W	0	2	1	2	1	2	0	0	0	0	2	0	0	0	Trd/STKWK		"	"	
519945	227.05	228.60	1.55									GRN-W	0	2	1	2	1	2	1	0	0	0	2	0	0	0	Trd/STKWK		"	"	
519946	228.60	230.10	1.5									GRN-W	0	2	1	2	1	2	2	0	0	0	2	1	1	1	Trd/QvBx		MOD QVBX DEVELOPMENT + CPy, GALNA, AND POOR SPHALERITE ASSOCIATED TO WHITE QTZ AND LES DRUSSED CRYSTALS		
519947	230.10	230.10	0	STD	STD	STD	STD	STD	STD	STD	STD	STD PM 1112	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD PM 1112
519948	230.10	230.10	0	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK
519949	230.10	231.65	1.55									PNK-GRN	0	2	1	2	1	2	0	0	0	0	1	0	0	0	Trd/STKWK		POOR STOCKWORK DEVELOPMENT IN FOOTWALL. ZONE		
519950	231.65	234.70	3.05									PNK-GRN	0	1	1	2	0	1	0	0	0	0	1	0	0	0	Trd		Trd UNIT WIHT VOLCANIC FLOWS AND CXS. TUFFS MOSTLY. M.M. AND ISOLATED QTZ VEINING PLUS MAINLY FRESH Py AND POOR BLACK SULPHIDES.		
519951	234.70	237.74	3.04									PNK-GRN	0	1	1	2	0	1	0	0	0	0	1	0	0	0	Trd		"	"	
519952	237.74	239.24	1.5									PNK-GRN	0	1	1	2	0	1	0	0	0	0	1	0	0	0	Trd		"	"	
519953	239.24	240.79	1.55									PNK-GRN	0	1	1	2	0	1	0	0	0	0	1	0	0	0	Trd		"	"	
519954	240.79	243.84	3.05									PNK-GRN	0	1	1	2	0	1	0	0	0	0	1	0	0	0	Trd		"	"	
519955	243.84	246.89	3.05									PNK-GRN	0	1	1	2	0	1	0	0	0	0	1	0	0	0	Trd		"	"	
519956	246.89	249.94	3.05									PNK-GRN	0	1	1	2	0	1	0	0	0	0	1	0	0	0	Trd		"	"	
	249.94	256.03		NOT SAMPLED								PNK-GRN	0	1	1	2	0	1	0	0	0	0	1	0	0	0	Trd		FROM 249,94 TO 256,03: NOT SAMPLED. TRd BARREN BASICLY		
	249.94	256.03		NOT SAMPLED								PNK-GRN	0	1	1	2	0	1	0	0	0	0	1	0	0	0	Trd		FROM 249,94 TO 256,03: NOT SAMPLED.		
519957	256.03	259.08	3.05									PNK-W	0	2	1	1	1	2	1	0	0	0	0	0	0	0	Trd/STKWK		519957: POOR STKWK + SCARCE BLACK SULPHIDES.		
				NOT S;NOT S;NOT SAMPLED								PNK-W-GRN	0	1	1	1	1	2	0	0	0	0	0	0	0	0	Trd		NOT SAMPLED. FROM 259,08 TO 277,36: NOT SAMPLED.BARREN ROCK BASICLY. TRd UNIT.		
				NOT S;NOT S;NOT SAMPLED								PNK-W-GRN	0	1	1	1	1	2	0	0	0	0	0	0	0	0	Trd		NOT SAMPLED. FROM 259,08 TO 277,36: NOT SAMPLED.BARREN ROCK BASICLY. TRd UNIT.		
				NOT S;NOT S;NOT SAMPLED								PNK-W-GRN	0	1	0	1	1	1	0	0	0	0	0	0	0	0	Trd		NOT SAMPLED. FROM 259,08 TO 277,36: NOT SAMPLED.BARREN ROCK BASICLY. TRd UNIT.		
				NOT S;NOT S;NOT SAMPLED								PNK-W-GRN	0	1	1	1	1	1	0	0	0	0	0	0	0	0	Trd		NOT SAMPLED. FROM 259,08 TO 277,36: NOT SAMPLED.BARREN ROCK BASICLY. TRd UNIT.		
519958	277.36	280.41	3.05									PNK-W-GRN	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd		"	"	
519959	280.41	283.46	3.05									PNK-W-GRN	0	1	0	1	0	1	0	0	0	0	1	0	0	0	Trd		"	"	

NOT SAM	NOT SAMPLED	

MINERA LINCOLN DE MEXICO SA DE CV																										
DIAMOND DRILL EXPLORATION PROGRAM																										
LA BUFA GOLD & SILVER PROJECT																										
DATE START: JUN 05 2008											CORE SIZE: H.Q. FROM: 0.00 m TO:251.70m N.Q. FROM: 251.70m TO: 350.52 m .															
DATE END: JUN 22 2008											GEOLOGIST: LUIS CASTILLO TigW= Tertiary. Ignimbrite															
EASTING: 304143.084 (NAD27)											DRILL COMPANY: ENERGOLD Trd= Tertiary Riodac. Cxs tuffs& flows															
NORTHING: 2886986.077 Surveyed by Juan Pablo Garcia Flores											TqA= Latite / Trachandesite Volc. Flows. Ks-TMzDio= Monzodiorite Int.															
CONTROL SAMPLING											DESCRIPTION ALT.										SULPHIDES					
	# SAMPLE	FROM	TO	WIDE	Au	Ag	Cu	Pb	Zn	Mo	W	COLOR	HEM	QTZ V.	EPID.	CH.	Kspar	SILICIF.	QvBx	SER.	CLAYS	Py	Cpy	Gn	Sph	LITHOLOGY
					NOT SAMPLED			FROM 0 TO 34.25 m				Pnk-R	1	0	0	0	0		0	0	1	0	0	0	0	Tigw
					NOT SAMPLED			FROM 0 TO 34.25 m				Pnk-R	1	0	0	0	0		0	0	1	0	0	0	0	Tigw
					NOT SAMPLED			FROM 0 TO 34.25 m				Pnk-R	1	0	0	0	0		0	0	1	0	0	0	0	Tigw
					NOT SAMPLED			FROM 0 TO 34.25 m				Pnk-R	1	0	0	0	0		0	0	1	0	0	0	0	Tigw
					NOT SAMPLED			FROM 0 TO 34.25 m				Pnk-R	1	0	0	0	0		0	0	1	0	0	0	0	Tigw
					NOT SAMPLED			FROM 0 TO 34.25 m				Pnk-R	1	0	0	0	0		0	0	1	0	0	0	0	Tigw
					NOT SAMPLED			FROM 0 TO 34.25 m				Pnk-R	1	0	0	0	0		0	0	1	0	0	0	0	Tigw
	519992	32	34.25	2.25								Pnk-R	2	0	0	0	0		0	0	2	0	0	0	0	Tigw
	519993	34.25	36.8	2.55	0	3.2	7	30	51			GRY-GRN-WH	2	0	0	1	0	0	0	0	2	1	0	1	1	Tigw/FAULT
	519994	36.8	38.1	1.3	0	3.3	5	53	20			GRY-GRN-WH	1	2	0	1	0	1	0	0	2	1	0	1	1	Trd/StkWk
	519995	38.1	39.6	1.5	1.1	28.9	10	71	54			GRY-GRN-WH	1	2	0	1	0	1	0	0	2	1	0	1	1	Trd/StkWk
	519996	39.6	41.14	1.54	4.1	75	137	114	49			GRY-GRN-WH	1	2	0	1	0	1	0	0	2	1	0	1	1	Trd/StkWk
	519997	41.14	44.19	3.05								GRN/W	0	1	0	1	0	1	0		1	1	0	0	0	
	519998	44.19	47.24	3.05								GRN/W	0	1	0	1	0	1	0		1	1	0	0	0	Trd/FAULT
	519999	47.24	50.29	3.05	0	0.8	25	15	49			GRN/W	0	0	0	1	0	1	0		1	1	0	0	0	Trd
	520000	50.29	53.34	3.05								GRN/W	0	1	0	1	0	1	0		1	1	0	0	0	Trd/Vn
	520001	53.34	56.38	3.04								GRN/W	0	0	0	1	0	1	0		1	1	0	0	0	Trd
	520002	56.38	59.43	3.05								GRN/W	0	0	0	1	0	1	0		1	1	0	0	0	Trd
	520003	59.43	62.48	3.05								GRN/W	0	0	0	1	0	1	0		1	1	0	0	0	Trd
	520004	62.48	64.01	1.53								GRN/W/GRY	0	0	0	1	0	1	0		1	1	0	0	0	Trd
	520005	64.01	67.06	3.05								GRN/W/GRY	0	0	0	1	0	1	0		1	1	0	0	0	Trd
	520006	67.06	68.56	1.5								GRN/GRY/WH	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd/Vn


	520007	68.56	68.56	0	STD	STD PM	STD P	STD F	STD P	STD F	STD PM	STD PM 1112	STD	STD PM	STD	STD	STD P	STD PM	STD P	STD F	STD PM	STD	STD	STD	STD	STD PM 1112
	520008	68.56	68.56	0	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	
	520009	68.56	70.1	1.54								GRN/GRY/WH	0	0	0	1	0	1	0	0	1	1	0	0	0	Trd
	520010	70.1	71.6	1.5								GRN/GRY/WH	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd/Vn
	520011	71.6	73.15	1.55								GRN/GRY/WH	0	2	0	1	0	2	0	0	0	1	0	0	0	Trd/Vn
	520012	73.15	74.65	1.5								GRN/GRY/WH	0	2	0	1	0	2	0	0	0	1	0	0	0	Trd/Vn
	520013	74.65	76.2	1.55								GRN/GRY/WH	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd/Vn
	520014	76.2	79.24	3.04								GRN/GRY/BR	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd
	520015	79.24	82.29	3.05								GRN/GRY/BR	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520016	82.29	85.34	3.05								GRN/GRY/BR	0	0	0	1	0	1	0	0	0	1	0	0	0	Trd
	520017	85.34	88.39	3.05								GRN/GRY/BR	0	0	0	1	0	2	0	0	0	1	0	0	0	Trd
	520018	88.39	89.89	1.5	0	1.8	50	62	171			GRN/GRY/BR	0	1	0	2	0	2	0	0	1	2	1	1	0	Trd/Vn
	520019	89.89	91.44	1.55	0.1	3.3	37	86	107			GRN/GRY/BR	0	1	0	2	0	2	1	0	1	2	0	1	0	Trd/QvBx
	520020	91.44	92.94	1.5	0.1	3.4	132	436	481			GRN/GRY/BR	0	1	0	2	0	2	0	0	1	2	1	1	0	Trd/Vn
	520021	92.94	94.48	1.54	0	2.3	38	151	137			PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520022	94.48	97.53	3.05	0	1.6	131	232	609			PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520023	97.53	100.58	3.05								PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520024	100.58	103.63	3.05								PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520025	103.63	106.68	3.05								PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520026	106.68	109.72	3.04								PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520027	109.72	112.77	3.05	0	0.6	16	58	100			PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520028	112.77	114.3	1.53	0	0.6	20	78	90			PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520029	114.3	117.34	3.04	0	1.5	31	332	672			PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520030	117.34	118.84	1.5	0	1.2	38	156	330			GRN/GRY/BR	0	2	0	1	0	2	0	0	0	1	0	1	0	Trd/STKWK
	520031	118.84	120.39	1.55	0	1.5	146	344	306			GRN/GRY/WH	0	2	0	1	0	2	0	0	0	1	0	1	0	Trd/STKWK
	520032	120.39	120.39	0	1.3	>100	2130	322	270	STD F	STD PM	STD PM 1112	STD	STD PM	STD	STD	STD P	STD PM	STD P	STD F	STD PM	STD	STD	STD	STD	STD PM 1112
	520033	120.39	121.89	1.5	0	2.6	87	147	162			GRN/GRY/WH	0	2	0	1	0	2	0	0	0	1	0	1	0	Trd/STKWK
	520034	121.89	123.44	1.55	0	2	110	264	385			GRN/GRY/WH	0	2	0	1	0	2	0	0	0	1	0	1	0	Trd/STKWK
	520035	123.44	124.94	1.5	0	4.4	645	648	3410			GRN/GRY/WH	0	2	0	2	0	2	0	0	0	2	1	1	1	Trd/STKWK
	520036	124.94	126.49	1.55			31	143	117			GRN/GRY/WH	0	2	0	2	0	2	0	0	0	2	2	1	1	Trd/STKWK
	520037	126.49	127.99	1.5			59	53	99			GRN/GRY/WH	0	2	0	1	0	2	0	0	0	2	2	1	1	Trd/STKWK

	520038	127.99	129.54	1.55			44	67	103			GRN/GRY/WH	0	2	0	1	0	2	0	0	0	1	2	1	0	Trd/Vn
	520039	129.54	131.04	1.5	0	0.8	26	22	39			PINK/BR/GRY	0	2	0	1	0	2	0	0	0	1	0	1	0	Trd/Vn
	520040	131.04	132.58	1.54	0	0.6	19	30	49			PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520041	132.58	135.63	3.05	0	0.9	44	67	103			PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520042	135.63	138.68	3.05	0	0.3	26	22	39			PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
	520043	138.68	141.73	3.05	0	0.6	19	30	49			PINK/BR/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd
		141.73	144.78	3.05	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd
		144.78	147.83	3.05	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	0	0	1	1	1	0	0	0	1	0	0	0	Trd
		147.83	150.88	3.05	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	0	0	1	1	1	0	0	0	1	0	0	0	Trd
		150.88	153.92	3.04	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd
		153.92	156.97	3.05	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	0	0	1	0	1	0	0	0	1	0	0	0	Trd
	520084	156.97	160.02	3.05								PINK/BR/GRY	0	0	0	1	1	1	0	0	0	1	0	0	0	Trd
	520085	160.02	163.07	3.05								PINK/BR/GRY	0	0	0	1	1	1	0	0	0	1	0	0	0	Trd
		163.07	166.12	3.05	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	0	0	1	1	1	0	0	0	1	0	0	0	Trd
	520086	166.12	169.16	3.04								PINK/BR/GRY	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd
	520087	169.16	172.21	3.05								PINK/BR/GRY	0	0	0	1	1	1	0	0	0	1	0	0	0	Trd
	520088	172.21	175.26	3.05								PINK/BR/GRY	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd
		175.26	178.31	3.05	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	0	0	1	1	1	0	0	0	1	0	0	0	Trd
		178.31	181.36	3.05	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	0	0	1	1	1	0	0	0	1	0	0	0	Trd
		181.36	184.4	3.04	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	0	0	1	1	1	0	0	0	1	0	0	0	Trd
		184.4	187.45	3.05	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	1	0	1	1	2	0	0	0	1	0	0	0	Trd
		187.45	190.5	3.05	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd
		190.5	193.55	3.05	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	1	0	1	1	2	0	0	0	1	0	0	0	Trd
		193.55	196.6	3.05	NOT SAMPLED			FROM 141.73 TO 193.55 m				PINK/BR/GRY	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd
	520044	196.6	199.64	3.04	0	0.4	27	43	95			BR/PINK	0	1	0	1	1	2	0	0	0	1	0	0	0	Trd/STKWK
	520045	199.64	202.69	3.05	0	0.5	18	21	43			GRN/BR/GRY	0	1	0	2	0	2	0	0	0	1	0	0	0	Trd/STKWK
	520046	202.69	205.74	3.05	0	0.2	53	12	29			BR/GRN/GRY	0	1	0	2	0	1	0	0	1	1	0	0	0	Trd/STKWK
	520047	205.74	208.79	3.05	0	0.4	66	18	60			BR/GRN/GRY	0	1	0	2	0	2	0	0	1	1	0	0	0	Trd/STKWK
	520048	208.79	211.84	3.05	0	0.4	60	17	43			BR/GRN/GRY	0	1	0	2	0	1	0	0	1	1	0	0	0	Trd/STKWK
	520049	211.84	214.88	3.04	0	0.2	29	12	25			BR/GRN/GRY	0	1	0	2	0	2	0	0	0	1	0	0	0	Trd/STKWK
	520050	214.88	217.93	3.05	0	0.5	34	18	34			BR/GRN/GRY	0	1	0	2	0	1	0	0	0	1	0	0	0	Trd/STKWK

	520051	217.93	219.43	1.5	0	2.2	304	624	1525			BR/GRN/GRY	0	1	0	2	0	2	0	0	0	1	1	1	1	Trd/STKWK
	520052	219.43	220.98	1.55	0	0.6	20	29	94			BR/GRN/GRY	0	1	0	2	0	1	0	0	0	1	0	0	0	Trd/STKWK
	520053	220.98	222.48	1.5	0	1.1	72	57	89			BR/GRN/GRY	0	1	0	2	0	1	0	0	0	1	0	0	0	Trd/STKWK
	520054	222.48	224.03	1.55	0	1.1	50	55	161			BR/GRN/GRY	0	1	0	2	0	1	0	0	0	1	0	0	0	Trd/STKWK
	520055	224.03	225.53	1.5	0.1	0.9	34	36	99			GRY/GRN/BR	0	2	0	1	1	2	2	0	0	1	0	0	0	Trd/QvBx
	520056	225.53	227.08	1.55	1.8	2.4	52	168	149			GRY/GRN/BR	0	2	0	1	1	2	2	0	0	1	0	0	0	Trd/QvBx
	520057	227.08	227.08	0	1.4	>100	2330	357	283	STD F	STD PM 1	STD PM 112	STD	STD PM	STD	STD PM	STD PM	STD PM	STD PM	STD F	STD PM	STD	STD	STD	STD	STD PM 112
	520058	227.08	227.08	0	0	0.2	20	4	39	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	BLK	
	520059	227.08	228.58	1.5	0	1.3	23	402	190			GRY/GRN/BR	0	2	0	1	1	2	2	0	0	1	0	0	0	Trd/QvBx
	520060	228.58	230.12	1.54	0.1	1.7	37	51	139			GRY/GRN/BR	0	2	0	1	1	2	2	0	0	1	0	0	0	Trd/QvBx
	520061	230.12	231.65	1.53	0.1	1.3	17	94	128			GRY/GRN/BR	0	2	0	1	1	2	2	0	0	1	1	1	1	Trd/QvBx
	520062	231.65	233.15	1.5	0	1.9	42	58	135			GRY/GRN/BR	1	2	0	1	1	2	2	0	0	1	1	1	1	Trd/QvBx
	520063	233.15	234.7	1.55	0	1.2	32	23	44			RED/GRY/GRN	2	2	0	1	1	2	2	0	0	1	1	1	1	Trd/QvBx
	520064	234.7	236.2	1.5	0.1	2.2	75	29	44			RED/GRY/GRN	3	2	0	1	1	2	2	0	0	1	1	1	1	Trd/QvBx
	520065	236.2	237.74	1.54	0	1.5	55	32	72			RED/GRY/GRN	2	2	0	1	1	2	2	0	0	1	1	1	1	Trd/QvBx
	520066	237.74	239.24	1.5	0	1.5	52	55	86			RED/GRY/GRN	3	2	0	1	1	2	2	0	0	1	1	1	1	Trd/QvBx
	520067	239.24	240.79	1.55	0.1	7.8	666	811	283			RED/GRY/GRN	2	2	0	1	1	2	2	0	0	1	0	0	0	Trd/QvBx
	520068	240.79	242.29	1.5	0	1.9	51	69	159			RED/GRY/GRN	1	2	0	1	1	2	2	0	0	1	0	0	0	Trd/QvBx
	520069	242.29	243.84	1.55	0.1	1.4	30	68	110			GRY/GRN/BR	1	2	0	1	1	2	2	0	0	1	0	0	0	Trd/STKWK
	520070	243.84	245.34	1.5	0	1	13	179	108			GRY/GRN	0	1	0	1	0	1	1	0	0	1	0	0	0	Trd/STKWK
	520071	245.34	246.89	1.55	0	2	66	284	151			GRY/GRN	0	1	0	1	0	1	1	0	0	1	0	0	0	Trd/STKWK
	520072	246.89	248.39	1.5	0.1	3.8	43	42	81			GRY/GRN	0	1	0	1	0	1	1	0	0	1	0	0	0	Trd/STKWK
	520073	248.39	249.94	1.55	0	1.6	13	21	80			GRY/GRN/BR	1	2	0	2	0	1	2	0	1	1	0	0	0	Trd/STKWK
	520074	249.94	251.44	1.5	0	1.2	12	18	165			GRY/GRN/BR	1	2	0	2	0	1	2	0	1	1	0	0	0	Trd/STKWK
	520075	251.44	252.98	1.54	0	0.6	8	13	102			GRY/GRN	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd/STKWK
	520076	252.98	254.51	1.53	0.1	1.2	27	57	168			GRY/GRN	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd/STKWK
	520077	254.51	256.01	1.5	0	3.5	56	125	90			GRY/GRN/BR	0	1	0	1	1	1	0	0	0	1	0	0	0	Trd/STKWK

	520078	256.01	257.56	1.55	0.1	0.5	15	27	91			GRY/GRN/BR	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd/STKWK		
	520079	257.56	259.06	1.5	0	0.8	22	36	104			GRY/GRN/BR	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd/STKWK		
	520080	259.06	260.6	1.54	0	0.5	6	23	117			GRY/GRN/BR	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd/STKWK		
	520081	260.6	262.1	1.5	0	1.3	61	121	139			GRY/GRN/BR	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd/STKWK		
	520082	262.1	262.1	0	1.4	>100	2300	341	269	STD F	STD PM	STD PM 1112	STD	STD PM	STD	STD	STD PM	STD PM	STD F	STD PM	STD	STD	STD	STD	STD PM 1112			
	520083	262.1	263.65	1.55	0	0.5	16	41	113			GRY/GRN/BR	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd/STKWK		
	520089																											
		263.65	266.7	3.05	0	1.2	69	624	996			GRN/GRY	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd/STKWK		
		266.7	269.75	3.05	0	0.6	17	59	152			GRN/GRY	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd/STKWK		
		269.75	271.27	1.52	0	0.5	17	38	109			GRN/GRY	0	1	0	1	0	1	0	0	0	1	0	0	0	Trd/STKWK		
		271.27	274.32	3.05	0.1	1.1	17	46	129			GRN/GRY	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK		
	520093	274.32	277.37	3.05	0	1.2	18	145	319			GRN/GRY	0	1	0	2	0	1	0	0	0	1	0	0	0	Trd/STKWK		
	520094	277.37	280.42	3.05	0	0.3	11	27	72			GRN/GRY/BR	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK		
	520095	280.42	281.94	1.52	0.1	0.7	17	103	164			GRN/GRY/BR	0	1	0	2	0	1	0	0	0	1	0	0	0	Trd/STKWK		
		281.94	284.99	3.05	NOT SAMPLED							NOT	NOT SAM	GRN/GRY/BR	0	1	0	1	0	2	0	0	0	0	1	0	0	Trd/STKWK
		284.99	288.04	3.05	NOT SAMPLED							NOT	NOT SAM	GRN/GRY/BR	0	1	0	2	0	1	0	0	0	1	0	0	0	Trd/STKWK
		288.04	291.08	3.04	NOT SAMPLED							NOT	NOT SAM	GRN/GRY/BR	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK
		291.08	294.13	3.05	NOT SAMPLED							NOT	NOT SAM	GRN/GRY/BR	0	1	0	2	0	1	0	0	0	1	0	0	0	Trd/STKWK
		294.13	297.18	3.05	NOT SAMPLED							NOT	NOT SAM	GRN/GRY/BR	0	1	0	1	0	2	0	0	0	1	0	0	0	Trd/STKWK
		297.18	300.23	3.05	NOT	NOT S	NOT S	NOT	NOT S	NOT	NOT SAM	GRN/GRY/BR	0	1	0	2	0	1	0	0	0	1	0	0	0	0	Trd/STKWK	
		300.23	303.28	3.05	NOT	NOT S	NOT S	NOT	NOT S	NOT	NOT SAM	GRN/GRY/BR	1	0	0	1	0	1	0	0	0	1	0	0	0	0	Trd	
		303.28	304.8	1.52	NOT	NOT S	NOT S	NOT	NOT S	NOT	NOT SAM	GRN/RED/BR	1	0	0	1	0	1	0	0	0	1	0	0	0	0	Trd	
		304.8	307.85	3.05	NOT	NOT S	NOT S	NOT	NOT S	NOT	NOT SAM	GRN/RED/BR	1	0	0	1	0	1	0	0	0	1	0	0	0	0	Trd	
		307.85	310.9	3.05	NOT	NOT S	NOT S	NOT	NOT S	NOT	NOT SAM	BR/GRN	0	1	0	1	0	1	0	0	0	1	0	0	0	0	Trd	
		310.9	313.94	3.04	NOT	NOT S	NOT S	NOT	NOT S	NOT	NOT SAM	BR/GRN	0	1	0	2	0	1	0	0	1	1	0	0	0	0	Trd	
		313.94	315.47	1.53	NOT	NOT S	NOT S	NOT	NOT S	NOT	NOT SAM	BR/GRN	0	1	0	2	0	1	0	0	1	1	0	0	0	0	Trd	
		315.47	318.52	3.05	NOT	NOT S	NOT S	NOT	NOT S	NOT	NOT SAM	BR/GRN	0	1	0	1	0	1	0	0	0	1	0	0	0	0	Trd	
		318.52	320.04	1.52	NOT	NOT S	NOT S	NOT	NOT S	NOT	NOT SAM	BR/GRN	0	1	0	1	0	1	0	0	0	1	0	0	0	0	Trd	
	520096																											
		320.04	321.54	1.5	0	0.4	13	21	67			GRN/BR/PINK	0	2	0	1	1	1	1	0	0	1	0	0	0	0	Trd/KsT-MzDio/Vn	
		321.54	323.08	1.54	0	0.8	11	24	69			GRN/BR/PINK	0	2	0	1	1	1	1	0	0	1	0	0	0	0	Trd/KsT-MzDio/Vn	
		323.08	324.58	1.5	0	0.3	11	25	77			GRN/BR/PINK	0	2	0	1	1	1	1	0	0	1	0	0	0	0	Trd/KsT-MzDio/Vn	
		324.58	326.13	1.55	0	0.5	10	127	165			GRN/BR/PINK	0	2	0	1	1	1	1	0	0	1	0	0	0	0	Trd/KsT-MzDio/Vn	
		326.13	329.18	3.05	NOT	NOT S	NOT S	NOT	NOT S	NOT	NOT SAM	BR/PINK	0	0	0	1	1	1	0		0	1	0	0	0	0	Trd/KsT-MzDio	
		329.18	332.23	3.05	NOT	NOT S	NOT S	NOT	NOT S	NOT	NOT SAM	BR/PINK/GRN	0	0	0	1	1	1	0		0	1	0	0	0	0	Trd/KsT-MzDio	
		332.23	335.28	3.05	NOT	NOT S	NOT S	NOT	NOT S	NOT	NOT SAM	BR/PINK/GRN	0	1	0	1	1		0	0	0	1	0	0	0	0	Trd/KsT-MzDio/Vn	
											NOT SAM	BR/PINK/GRN	0	1	0	1	1		0	0	0	1	0	0	0			

[illegible]



[illegible]

HOLE NUMBER: LB-DDH-12
TYPE DRILL CORE: NTW
REDUCTION: 251.70m
PROG. DEPTH: 400 M. T.D.= 350.52m
AZIMUT: 50
ANGLE: -45
ELEV. INTERCEP:
ELEV. COLLAR: 2336.822 (NAD27)
SAMPLE DESC. AND DRILL NOTES
(0 TO 34.25 m) TERTIARY IGNIMBRITES WELDED TUFFS AND LITHICS TUFFS WITH LOCAL BIG 3 INCHES ROCK FRAGMENTS
" "
" "
CREARLY FLAME TEXTURE IN ROCK, FROM 16 TO 17.60M LOCAL FAULT WITH CALCITE AND WHITE CLAY IN FRACTURES, Gn'Sph TRACES IN 520035 AND 520037
at 23m local faul 45° RCA (white-grayish gouge)
" "
" "
from 26.30 to 34.25m weak fracturing system
Contact zone (by fault), strong white- greenish clay, subparallel to RCA, Hmt 1- 2, chlorite 1-2, clays 1-2 Py <1%, Gn-Sph traces (?)
Qtz SikWk, 35° RCA, WHITE QTZ, MOD CHLORITIZATION, HMT IN QTZ VEINS ZONE, FINE Py 1%, Sph-Gn TRACES (?)white Qtz, mod chloritized, hmt in qtz veins zone, fine Py 1%, Sph-Gn traces (?)
" "
" "
TERTYARY RIODACITIC VOLC CXS. AND FLOWS UNIT, MOD SILICIF AND ISOLATED QTZ VEINING. WHITE- GREENISH CLAY IN FRACTURES, WEAK-MOD FRACURING SYSTEM
" "
" "
" "
" "
" "
" "
" "
" "
" "
" "
FROM 520006-520013 ZONE WITH MODERATE SILIC VEINS (MM TO 3') IN A POOR CHLORITIZED GROUNDMASS, FINE Py CXS <1%

STD PM 1112
BLK
" "
" "
" "
" "
" "
" "
RHYODACITE, WEAK CHLOTIZATION, WEAK FRACTURING, MODERATE GRAY SILIC VEINS (mm), ISOLATED QTZ WHITE VEIN 2CM, PY 1% FINE DISSEMINATED
" "
" "
" "
HIGH ALTERED ZONE, FAULT ZONE (90-91.50), MOD CHORITIZATION, MODERATE GREEN-WHITE CLAYS CONTEN, QvBx AND VEINS (5CM) WHITE AND GRAY SIILC, Py 1%, Gn- Sph, ARGENTITE TRACES (?) LOCALS QvBx (15CM),
" "
" " WEAK GOUGE FAULT
RHYODACITE, QTZ WHITE-GRAY VEINS (<1") MODERATE CONTENT (NO BASE METALS VISIBLE), 60°RCA (VEINS), GRAY SILIC VEINLENTS, WEAK CHLOR, MOD SILICIFICATION, CALCITE ASOCIATED TO FRACTURES AND VEINS
" "
" "
" "
" "
" "
" "
" "
" "
" "
" "
" "
" "
STD PM 1112
STKWK QTZ WHITE-GRAY, MOD CHLORITIZATION, BASE METALS TRACES (Gn-Sph) Py1%, 35-40° RCA, STRONG GRAY SILIC-FINE PY VEINLENTS (mm)
" "
" "
BASE METALS MOD CONTENT Cpy>Sph-Gn, ASOCIATED TO WHITE QTZ VEINS
" "

BASE METALS VISIBLE, Gn, Sph, Cpy, POSSIBLY ARGENTITE POOR ASOCIATION WITH QTZ WHITE (<1" VEIN) 55-60° RCA VEIN.
" "
AISLATED QTZ WHITE VEIN AND MOD CONTENT OF GRAY SILIC VEINS AND VEINLENTS (mm), MOD SILICIFICATION, WEAK CHLORITIZATION, Py <1%.
" "
CREARLY QvBX ZONE WITH STRONG SILICIFICATION, POOR ASOCIATION WITH BASE METALS, MOD CHLOR, SILIC PATCHES,
" "
STD PM 1112
BLK
FROM 520059 TO 520068Qtz StkWk AND BXS (QTZ), Cpy, Py, Gn TRACES, Hmt 2-3 (520063 TO 520067)
" "
Sph-Gn TRACES <1% IN FAULT ZONE AND ASOCIATED TO WHITE QTZ VEINS, POSSIBLE ARGENTITE
" "
" "
" "
" "
" "
DECREASE QvBx DEVELOPMENT,AND DECREASE BASE METALS, INCREASE CHLORITIZATION, Py <1%
" "
BOTTOM SIDE STOCKWORK, FROM 520069 TO 520078
POOR QvBx DEVELOPMENT, WEAK- MOD CHLOR, WEAK SILICIFICATION, GRAY SILIC VEINLENTS (<2CM), Py <1%
" "
" "
CLEARLY QvBx TEXTURE IN ROCK, WHITE QTZ VEIN (2") WITHOUT MINERALIZATION VISIBLE, Py <1%
" "
RHYODACITE, SPORADIC AISLATED QTZ(WHITE-GRAY) >> CALCITE VEINS SYSTEM WITHOUT BASE METALS VISIBLE(<1"), Py 1% FINE DISSEM. MODERATE SILIC GRAY VEINLENS, MOD SILIC, WEAK CHLOR.45-60° RCA VEINS
" "
" "

STD PM 1112
RHYIODACITE, CRYSTAL TUFF, 2 CM WHITE-GRAY QTZ AISLATED VEINS, Py 1% (FINE), NO VISIBLE BASE METALS, WEAK MOD CHLORITIZATION, WEAK TO MOD SILICIFICATION, WEAK CALCITE VEINLENTS (mm) CONTENT.
RHYODACITE, WEAK HMT CONTEN, WEAK CLORITIZATION, AT 306M POOR BRECCIA DEVELOPMENT (30 CM)
INCREASE CHLORITIZATION, SPORADIC CALCITE VEINLENTS
GRADUAL CHANGE ROCK, ASIMILATED FRAGMENTS, WHITE- GRAY QTZ VEINS (≈1"), STOCKWORK POOR DEVELOPMENT WITHOUT BASE METALS VISIBLE, WEAK CHLORITIZATION, TWO VEINS SYSTEMS: 85° AND 45° RCA
MONZODIORITE, QTZ WHITE VEINLENTS, WEAK CHL, WEAK SILI, <1CM GRAIN SIZE
WHITE QTZ VEINS (2") >80° RCA WITHOUT VISIBLE BASE METALS, WEAK CHL, WEAK SILIC,

[illegible]

APPENDIX 8

Standard and Blank Quality Control

Electronic files from ALS Chemex for all Final Assay Reports, Final Certificates are pending

Lincoln Gold La Bufa Drilling
Standards and Blanks

WCM Minerals			Au		Ag		Cu		Pb		Zn	
STANDARDS			ppm		ppm		%		% or ppm		% or ppm	
	Standard	PB 119	0.440		193		1.07		4.33		4.19	
	Standard	PM1119	3.60		111		1.34		ND		ND	
	Standard	PM1120	12.20		372		5.36		ND		ND	
	Standard	PM1112	1.35		228		0.23		ND		ND	
HOLE	SAMPLE	STANDARD	Au	Au Error	Ag	Ag Error	Cu	Cu Error	Pb	Pb Error	Zn	Zn Error
NO.	NO.	I.D. NO.	ppm	%	ppm	%	%	%	% or ppm	%	% or ppm	%
LB-DDH-												
1	518532	PB 119	0.399	-9.3%	196	0.2%	1.07	0.0%	4.30	-0.7%	4.09	-2.4%
	518557	PB 119	0.484	10.0%	200	3.6%	1.06	-0.9%	4.24	-2.1%	4.08	-2.6%
	518582	PB 119	0.409	-7.0%	195	1.0%	1.05	-1.9%	4.08	-5.8%	4.17	-0.5%
	518607	PB 119	0.416	-5.5%	198	2.6%	1.06	-0.9%	4.08	-5.8%	4.18	-0.2%
	518632	PB 119	0.367	-16.6%	194	0.5%	1.04	-2.8%	4.03	-6.9%	4.13	-1.4%
	518657	PB 119	0.396	-10.0%	200	3.6%	1.11	3.7%	4.26	-1.6%	4.21	0.5%
	518682	PB 119	0.410	-6.8%	195	1.0%	1.04	-2.8%	4.03	-6.9%	4.14	-1.2%
		Average	0.412	-6.5%	197	1.8%	1.06	-0.8%	4.15	-4.3%	4.14	-1.1%
2	110125	PM1119	2.71	-24.7%	113	1.8%	1.36	1.5%	260		776	
	110150	PM1119	3.63	0.8%	114	2.7%	1.40	4.5%	266		794	
	110175	PM1119	3.67	1.9%	109	-1.8%	1.33	-0.7%	251		734	
	110200	PM1119	3.51	-2.5%	114	2.7%	1.34	0.0%	244		775	
	110225	PM1119	3.79	5.3%	111	0.0%	1.34	0.0%	263		760	
	110250	PM1119	3.59	-0.3%	115	3.6%	1.32	-1.5%	256		769	
	110275	PM1119	3.63	0.8%	114	2.7%	1.36	1.5%	259		760	
		Average	3.50	-2.7%	113	1.7%	1.35	0.7%	257		767	
3	518707	PB 119	0.381	-13.4%	192	-0.5%	1.09	1.9%	4.26	-1.6%	4.15	-1.0%
	518732	PB 119	0.463	5.2%	191	-1.0%	1.09	1.9%	4.25	-1.8%	4.09	-2.4%
	518757	PB 119	0.386	-12.3%	203	5.2%	1.13	5.6%	4.37	0.9%	4.26	1.7%
	518782	PB 119	0.741	68.4%	202	4.7%	1.12	4.7%	4.38	1.2%	4.25	1.4%
	518807	PB 119	0.416	-5.5%	202	4.7%	1.00	-6.5%	4.37	0.9%	4.21	0.5%
	518832	PB 119	0.377	-14.3%	203	5.2%	1.12	4.7%	4.35	0.5%	4.22	0.7%
		Average	0.461	4.7%	199	3.0%	1.09	2.0%	4.33	0.0%	4.20	0.2%
HOLE	SAMPLE	STANDARD	Au	Au Error	Ag	Ag Error	Cu	Cu Error	Pb	Pb Error	Zn	Zn Error
NO.	NO.	I.D. NO.	ppm	%	ppm	%	%	%	% or ppm	%	% or ppm	%
LB-DDH-												
4	518882	PM1119	3.24	-10.0%	117	5.4%	1.40	4.5%	245		720	
	518907	PM1119	3.47	-3.6%	113	1.8%	1.35	0.7%	229		697	
	518932	PM1119	3.53	-1.9%	111	0.0%	1.36	1.5%	232		698	
	518957	PM1119	3.66	1.7%	116	4.5%	1.34	0.0%	237		676	
	518982	PM1119	3.53	-1.9%	113	1.8%	1.35	0.7%	245		743	
	519007	PM1119	3.65	1.4%	114	2.7%	1.38	3.0%	242		746	
	519032	PM1119	3.62	0.6%	110	-0.9%	1.35	0.7%	235		707	
		Average	3.53	-2.0%	113	2.2%	1.36	1.6%	238		712	
5	519057	PB 119	0.403	-8.4%	201	4.1%	1.12	4.7%	4.35	0.5%	4.24	1.2%
	519082	PB 119	0.339	-23.0%	187	-3.1%	1.05	-1.9%	4.11	-5.1%	4.01	-4.3%
	519107	PB 119	0.475	8.0%	191	-1.0%	1.08	0.9%	4.23	-2.3%	4.10	-2.1%
	519132	PB 119	0.413	-6.1%	234	20.2%	1.35	26.2%	5.22	20.6%	5.06	20.8%
	519157	PB 119	0.375	-14.8%	195	1.0%	1.09	1.9%	4.29	-0.9%	4.16	-0.7%
	519182	PB 119	0.366	-16.8%	198	2.6%	1.12	4.7%	4.33	0.0%	4.23	1.0%
		Average	0.395	-10.2%	201	4.0%	1.14	6.1%	4.42	2.1%	4.30	2.6%
6	519207	PM1119	3.53	-1.9%	118	6.3%	1.37	2.2%	256		770	
7	519232	PB 119	0.407	-7.5%	195	1.0%	1.08	0.9%	4.23	-2.3%	4.07	-2.9%
	519257	PM1119	3.66	1.7%	117	5.4%	1.38	3.0%	272		776	

Lincoln Gold La Bufa Drilling
Standards and Blanks

	519282	PM1119	3.56	-1.1%	117	5.4%	1.37	2.2%	261		742	
	519307	PM1119	3.58	-0.6%	115	3.6%	1.36	1.5%	249		739	
	519332	PM1119	3.50	-2.8%	114	2.7%	1.38	3.0%	256		774	
		Average	3.58	-0.7%	116	4.3%	1.37	2.4%	260		758	
8	519357	PM1120	12.35	1.2%	371	-0.3%	5.40	0.7%	429		1590	
	519382	PM1120	11.85	-2.9%	359	-3.5%	5.40	0.7%	417		1465	
	519407	PM1120	ND	ND	365	-1.9%	5.35	-0.2%	427		1565	
	519432	PM1120	12.95	6.1%	359	-3.5%	5.37	0.2%	430		1575	
	519457	PM1120	10.80	-11.5%	367	-1.3%	5.48	2.2%	414		1400	
	519482	PM1120	10.65	-12.7%	359	-3.5%	5.46	0.0%	415		1520	
	519507	PM1120	ND	ND	354	-4.8%	5.37	0.2%	417		1605	
		Average	11.72	-3.9%	362	-2.7%	5.40	0.6%	421		1531	
HOLE NO.	SAMPLE NO.	STANDARD I.D. NO.	Au ppm	Au Error %	Ag ppm	Ag Error %	Cu %	Cu Error %	Pb % or ppm	Pb Error %	Zn % or ppm	Zn Error %
LB-DDH-												
9	519582	PM1120	12.30	0.8%	372	0.0%	5.21	-2.8%	425		1600	
	519607	PM1120	12.15	-0.4%	393	5.6%	5.20	-3.0%	437		1665	
	519632	PM1120	11.80	-3.3%	391	5.1%	5.33	-0.6%	440		1705	
	519657	PM1120	11.70	-4.1%	363	-2.4%	5.39	0.6%	426		1580	
	519682	PM1120	11.70	-4.1%	375	0.8%	5.18	-3.4%	390		1420	
	519707	PM1120	9.80	-19.7%	390	4.8%	5.32	-0.7%	401		1460	
		Average	11.58	-5.1%	381	2.3%	5.27	-1.6%	420		1572	
10	519732	PM1120	11.15	-8.6%	363	-2.4%	5.30	-1.1%	395		1440	
	519757	PM1120	12.40	1.6%	374	0.5%	5.19	-3.2%	374		1435	
	519782	PM1120	13.15	7.8%	370	-0.5%	5.35	-0.2%	414		1490	
	519805	PM1120	10.80	-11.5%	384	3.2%	5.10	-4.9%	398		1510	
	519830	PM1120	12.00	-1.6%	387	4.0%	5.53	3.2%	407		1510	
		Average	11.90	-2.5%	376	1.0%	5.29	-1.2%	398		1477	
11	519872	PM1119	3.32	-7.8%	ND		ND		260		772	
	519897	PM1112	1.270	-5.9%	ND		0.24	4.3%	361		294	
	519922	PM1112	1.235	-8.5%	ND		0.24	4.3%	374		302	
	519947	PM1112	1.265	-6.3%	245	7.5%	0.24	4.3%	340		290	
	519972	PM1112	1.335	-1.1%	230	0.9%	0.24	4.3%	374		295	
		Average	1.300	-5.5%	238	4.2%	0.24	4.3%	362		295	
12	520007	PM1112	Pending									
	520032	PM1112	1.335	-1.1%	222	-2.6%	0.21	-8.7%	322		270	
	520057	PM1112	1.385	2.6%	224	-1.8%	0.23	0.0%	357		283	
	520082	PM1112	1.370	1.5%	234	2.6%	0.23	0.0%	341		269	
		Average	1.363	1.0%	227	-0.6%	0.22	-2.9%	340		274	
BLANKS		Blank										
HOLE NO.	SAMPLE NO.	BLANK I.D. NO.	Au ppm	Au Error %	Ag ppm	Ag Error %	Cu ppm	Cu Error %	Pb ppm	Pb Error %	Zn ppm	Zn Error %
LB-DDH-												
1	518558	Blank	0.003		0.5		26		25		62	
	518608	Blank	0.001		0.4		66		34		208	
	518658	Blank	0.001		0.4		28		34		60	
		Average	0.002		0.4		40		31		110	
2	110151	Blank	0.001		0.2		32		3		36	
	110201	Blank	0.001		0.2		27		2		30	
	110251	Blank	0.003		0.2		21		2		31	
		Average	0.002		0.2		27		2		32	
3	518708	Blank	0.001		0.4		27		33		71	

[illegible]

CH08040357 - Finalized

CLIENT : "I S.A De C.V"

of SAMPLES : 74

DATE RECEIVED : 2008-04-01 DATE FINALIZED : 2008-04-30

PROJECT : "L.B001"

CERTIFICATE COMMENTS : ""

PO NUMBER : " "

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
518501	0.02		2.3	0.76	28 <10		90	0.6 <2
518502	0.04		2.2	0.76	62 <10		150	0.6 <2
518503	0.004		0.9	0.69	35 <10		70	0.9 <2
518504	0.02		2.7	0.63	52 <10		60	0.8
518505	0.012		1.9	0.4	45 <10		60	0.9
518506	0.011		1.1	0.29	43 <10		40	0.6 <2
518507	0.126		3.4	0.29	63 <10		90	0.5 <2
518508	0.025		2.1	0.32	60 <10		60	0.5 <2
518509	0.003		1.4	0.46	72 <10		40	0.6
518510	0.012		1.3	0.35	91 <10		50	0.6 <2
518511	0.004		0.8	0.4	61 <10		40	0.6 <2
518512	0.021		4.1	0.28	36 <10		130	0.6
518513	0.009		1.5	0.45	36 <10		60	0.6
518514	0.51		14	0.67	20 <10		50	0.7 <2
518515	0.048		1.6	0.92	14 <10		40	0.6 <2
518516	0.004		0.8	1.03	17 <10		40	0.6 <2
518517	0.001	<0.2		0.95	5 <10		30	0.8 <2
518518	0.014		0.9	0.76	25 <10		20	0.7 <2
518519	0.034		1.7	0.75	15 <10		30	0.8
518520	0.004		0.5	0.74	16 <10		20	0.8
518521	0.004		0.7	0.67	21 <10		20	0.7
518522	0.003		0.9	0.6	14 <10		20	0.8 <2
518523	0.004		1.1	0.71	28 <10		30	0.7
518524	0.003		1.6	0.59	29 <10		30	0.7
518525	0.004		1.1	0.61	22 <10		30	0.7
518526	0.01		1.8	0.51	18 <10		30	0.6 <2
518527	0.166		11.3	0.46	21 <10		20	0.5 <2

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
518528	0.005		1	0.62	23 <10		30 <0.5	<2
518529	0.178		11.4	0.62	51 <10		20 <0.5	<2
518530	0.014		2.2	0.61	36 <10		30 <0.5	<2
518531	4.12	>100		0.62	32 <10		20	0.5 <2
518532	0.399	>100		0.5	56 <10		50 <0.5	<2
518533	0.037		4.7	0.61	21 <10		20	0.5 <2
518534	0.007		1	0.71	34 <10		30	0.6 <2
518535	0.004		0.6	0.72	31 <10		30	0.7
518536	0.042		2	0.71	27 <10		30	0.6 <2
518537	0.006		0.6	0.83	31 <10		30	0.6 <2
518538	0.003		0.5	0.67	17 <10		30	0.6 <2

518539	0.004	0.7	0.6	29 <10	30	0.6 <2
518540	0.003	0.4	0.74	21 <10	30	0.7 <2
518541	0.006	0.7	0.73	14 <10	30	0.5 <2
518542	0.012	0.7	0.74	15 <10	40	0.6 <2
518543	0.003	0.2	0.82	9 <10	40	0.7 <2
518544	0.004	0.3	0.77	11 <10	50	0.7 <2
518545	0.006	0.6	0.87	29 <10	40	0.6 <2
518546	0.018	2.1	0.59	36 <10	40	0.6 <2
518547	0.427	23.7	0.35	22 <10	20 <0.5	<2
518548	0.007	2	0.59	24 <10	30	0.5 <2
518549	0.008	5.8	0.58	29 <10	40	0.5 <2
518550	0.005	3.1	0.54	19 <10	40	0.5 <2
518551	0.003	0.3	0.47	20 <10	40	0.5 <2
518552	0.006	0.4	0.42	29 <10	40	0.5 <2
518553	0.008	0.7	0.6	46 <10	30	0.5 <2
518554	0.03	7.5	0.54	38 <10	40 <0.5	<2
518555	0.038	11.1	0.41	19 <10	20 <0.5	<2
518556	0.006	0.4	0.96	24 <10	40	0.6 <2
518557	0.484	>100	0.52	63 <10	60 <0.5	<2
518558	0.003	0.5	0.59 <2	<10	150 <0.5	<2
518559	0.01	0.8	1.05	66 <10	40	0.7 <2
518560	0.01	0.5	0.95	53 <10	30	0.6 <2
518561	0.018	0.7	0.91	71 <10	30	0.5 <2

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
518562	0.013	0.6	0.8	92 <10	30	0.7 <2		
518563	0.008	0.4	0.89	41 <10	30	0.6 <2		
518564	0.012	0.6	0.72	43 <10	20	0.5 <2		
518565A	0.021	1.1	0.75	42 <10	20	0.6 <2		
518565B	0.014	1.3	0.71	38 <10	20	0.6		2
518566A	0.023	1.5	0.68	52 <10	20	0.5 <2		
518566B	0.007	0.3	0.92	32 <10	20	0.8 <2		
518567	0.018	0.9	0.95	41 <10	20	0.6 <2		
518568	0.042	2	0.75	56 <10	20	0.6 <2		
518569	0.017	0.5	0.86	39 <10	20	0.6 <2		
518570	0.037	0.8	0.97	29 <10	20	0.7 <2		
518571	0.004	0.3	0.91	16 <10	20	0.8 <2		
518572	0.009	0.6	1.02	25 <10	20	0.6 <2		

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
1.67	1	9	3	518501	19	1.85	<10	<1
0.38	<0.5		4	518502	15	1.8	<10	<1
0.37	<0.5		3	518503	13	1.26	<10	1
0.41	<0.5		2	518504	13	1.27	<10	<1
0.19	0.6	7	2	518505	90	1.9	<10	<1
0.18	1.5	8	4	518506	26	1.98	<10	<1
0.15	2	9	2	518507	40	2.01	<10	<1
0.14	4.7	9	3	518508	39	2.14	<10	<1
0.17	0.8	10	4	518509	13	2.61	<10	<1
0.18	0.7	9	3	518510	13	2.26	<10	<1
0.16	0.6	10	4	518511	18	2.31	<10	<1
0.12	1.9	8	4	518512	261	1.45	<10	<1
0.33	2.8	11	5	518513	11	2.25	<10	<1
0.34	5.6	13	10	518514	57	2.51	<10	<1
0.3	1.3	11	10	518515	45	2.31	<10	<1
0.18	<0.5		10	518516	38	2.4	<10	<1
0.53	<0.5		9	518517	19	2.39	<10	<1
0.6	<0.5		10	518518	17	2.41	<10	<1
0.81	<0.5		10	518519	13	2.51	<10	<1
0.66	<0.5		11	518520	7	2.57	<10	<1
0.15	2	14	11	518521	6	2.5	<10	<1
0.21	1.6	10	12	518522	48	2.57	<10	<1
0.74	<0.5		11	518523	7	2.46	<10	<1
0.28	0.6	10	10	518524	7	2.61	<10	<1
0.61	1.8	11	9	518525	12	2.43	<10	<1
0.4	2.8	9	9	518526	58	1.9	<10	<1
0.12	5.3	6	9	518527	172	2.04	<10	<1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
0.28	1.9	7	14	518528	14	3.06	<10	<1
0.65	2	7	13	518529	145	2.45	<10	1
0.81	<0.5		7	518530	8	2.76	<10	1
0.95	5.9	8	14	518531	397	2.56	<10	1
0.23	103.5	16	10	518532	>10000	5.42	<10	6
0.88	1.3	6	12	518533	29	2.25	<10	<1
0.64	<0.5		8	518534	9	2.29	<10	<1
0.81	0.5	9	12	518535	11	2.43	<10	<1
0.65	<0.5		9	518536	12	2.26	<10	<1
0.88	<0.5		8	518537	4	2.29	10	<1
0.77	<0.5		9	518538	4	2.08	<10	<1

0.71	1.6	9	6	518539	4	1.71	<10	1
0.21	1.8	11	9	518540	3	1.4	<10	<1
0.15	2.2	8	12	518541	13	1.47	<10	<1
0.61	0.6	9	11	518542	28	1.99	<10	<1
0.89	<0.5	8	13	518543	8	2.3	<10	<1
1.84	1.9	8	13	518544	16	2.05	<10	1
1.31	2.4	7	14	518545	45	2.66	<10	1
0.29	9.1	8	5	518546	45	2.81	<10	<1
0.11	28.1	3	7	518547	4030	1.82	<10	<1
0.15	4.1	6	6	518548	78	1.69	<10	<1
0.45	12.2	7	7	518549	1350	1.87	<10	<1
0.7	4	4	5	518550	614	1.33	<10	<1
0.17	<0.5	7	4	518551	15	1.44	<10	1
0.18	2.1	6	4	518552	17	1.34	<10	<1
0.48	1.8	9	7	518553	38	1.97	<10	<1
1.03	6.7	4	10	518554	203	1.54	<10	1
0.62	26.9	3	9	518555	1730	1.39	<10	1
0.9	<0.5	7	15	518556	24	1.77	10	1
0.24	105.5	16	11	518557	>10000	5.56	<10	6
0.12	<0.5	2	8	518558	26	1.28	<10	<1
0.51	<0.5	10	15	518559	63	2.7	10	<1
1.05	<0.5	9	16	518560	52	2.38	10	<1
0.46	0.6	10	15	518561	35	2.6	<10	<1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	SAMPLE	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	DESCRPT	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm		ppm	%	ppm	ppm
0.54	0.6	11	12	518562	31	2.4	<10	<1
0.7	<0.5	8	15	518563	13	2.18	<10	<1
0.71	<0.5	7	13	518564	15	1.72	<10	<1
0.65	<0.5	9	12	518565A	63	2.32	<10	<1
0.88	2.6	7	11	518565B	36	1.84	<10	<1
0.59	0.5	9	17	518566A	14	2.21	<10	<1
1.01	<0.5	8	15	518566B	26	2.18	10	<1
0.66	1	6	14	518567	17	2.5	10	<1
0.72	5.2	6	11	518568	60	2.54	<10	<1
0.4	0.6	7	13	518569	21	2.14	<10	<1
0.89	0.7	6	15	518570	32	2.3	10	<1
1.05	0.6	4	16	518571	23	1.91	<10	<1
0.69	0.8	5	14	518572	36	2.5	10	<1

ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT	
0.25	40	0.11	885	<1	<0.01		9	430	518501
0.29	20	0.08	406		6 <0.01		4	510	518502
0.32	30	0.06	321	<1	<0.01		5	400	518503
0.32	20	0.05	266		1 <0.01		4	480	518504
0.28	20	0.02	85		3 <0.01		10	410	518505
0.24	20	0.02	56		9 <0.01		13	440	518506
0.24	20	0.02	53		7 <0.01		10	350	518507
0.25	20	0.03	72		4 <0.01		10	340	518508
0.29	20	0.08	154		5 <0.01		14	480	518509
0.28	20	0.04	83		5 <0.01		13	450	518510
0.28	20	0.1	95		4 <0.01		14	460	518511
0.24	10	0.03	72		7 <0.01		10	310	518512
0.28	20	0.17	206		5 <0.01		16	450	518513
0.23	20	0.41	359		5 <0.01		18	420	518514
0.21	20	0.6	432		4 <0.01		15	460	518515
0.21	30	0.77	537		4 <0.01		11	460	518516
0.15	30	0.76	614		3 0.01		11	460	518517
0.16	30	0.65	504		4 0.01		13	440	518518
0.16	30	0.67	593		3 0.01		12	430	518519
0.15	20	0.68	550		3 0.01		14	430	518520
0.19	20	0.53	359		4 <0.01		14	430	518521
0.18	20	0.46	411		3 <0.01		13	500	518522
0.18	20	0.61	514		4 0.01		16	500	518523
0.21	20	0.43	259		5 <0.01		11	480	518524
0.22	20	0.44	440		6 <0.01		12	480	518525
0.21	20	0.34	399		4 <0.01		17	360	518526
0.15	10	0.18	425		25 <0.01		11	300	518527
ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT	
0.16	20	0.6	561		9 <0.01		11	440	518528
0.14	20	0.62	764		15 0.01		12	390	518529
0.14	30	0.6	721		8 0.02		10	420	518530
0.14	20	0.63	576		13 0.01		15	420	518531
0.3 <10		0.23	1065		16 0.04		22	210	518532
0.16	20	0.56	515		7 0.01		12	440	518533
0.23	30	0.54	290		4 0.01		11	490	518534
0.19	30	0.62	372		5 0.01		9	490	518535
0.2	30	0.54	490		5 0.01		16	450	518536
0.17	30	0.77	547		5 0.02		9	480	518537
0.22	30	0.5	384		5 <0.01		9	430	518538

0.25	30	0.35	385	6	<0.01	16	420	518539
0.25	30	0.55	298	4	<0.01	12	490	518540
0.19	20	0.61	409	4	0.01	10	480	518541
0.18	30	0.66	843	7	0.01	11	460	518542
0.17	30	0.78	585	4	0.01	12	480	518543
0.17	20	0.7	929	4	0.01	10	450	518544
0.18	20	0.74	1050	5	0.01	10	530	518545
0.22	30	0.26	459	6	<0.01	12	470	518546
0.17	20	0.11	370	4	<0.01	6	310	518547
0.2	20	0.33	553	3	<0.01	9	430	518548
0.22	20	0.28	644	4	<0.01	8	450	518549
0.22	30	0.24	677	4	<0.01	7	460	518550
0.23	30	0.17	444	4	<0.01	9	460	518551
0.23	30	0.12	350	4	<0.01	9	470	518552
0.21	20	0.32	784	4	<0.01	9	440	518553
0.15	20	0.31	1835	15	<0.01	6	330	518554
0.13	10	0.19	978	4	<0.01	7	210	518555
0.17	30	0.85	650	8	0.01	11	470	518556
0.31	<10	0.25	1090	17	0.05	21	210	518557
0.29	10	0.19	446	1	0.08	1	160	518558
0.2	30	0.86	428	9	0.01	10	500	518559
0.17	30	0.8	678	7	0.02	10	470	518560
0.19	30	0.75	960	10	0.01	13	470	518561
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
K	La	Mg	Mn	Mo	Na	Ni	P	SAMPLE
%	ppm	%	ppm	ppm	%	ppm	ppm	DESCRIPT
0.24	20	0.54	363	5	0.01	13	480	518562
0.17	20	0.72	431	4	0.02	11	490	518563
0.15	30	0.58	723	7	0.02	10	450	518564
0.16	30	0.57	512	6	0.02	10	440	518565A
0.17	30	0.52	530	8	0.02	9	450	518565B
0.16	30	0.5	738	6	0.01	10	430	518566A
0.18	30	0.73	431	4	0.02	9	470	518566B
0.2	30	0.61	637	5	0.02	10	480	518567
0.2	30	0.42	768	19	0.01	10	450	518568
0.18	30	0.61	458	5	0.02	10	450	518569
0.16	20	0.84	476	3	0.02	12	430	518570
0.15	30	0.71	415	5	0.02	11	470	518571
0.17	30	0.65	646	6	0.01	9	490	518572

ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	54	0.12	2	2	84 <20	<0.01	<10	<10
	69	0.41 <2		2	42	20 <0.01	<10	<10
	41	0.2 <2		1	44	20 <0.01	<10	<10
	44	0.39 <2		1	38	20 <0.01	<10	<10
	35	1.67 <2		1	42	20 <0.01	<10	<10
	24	1.87 <2		1	32 <20	<0.01	<10	<10
	40	1.96 <2		1	25 <20	<0.01	<10	10
	116	2.06 <2		1	20	20 <0.01	<10	10
	25	2.21 <2		1	18	20 <0.01	<10	<10
	22	2.1 <2		1	18	20 <0.01	<10	<10
	23	2.09 <2		1	16	20 <0.01	<10	<10
	80	1.23 <2		1	13 <20	<0.01	<10	<10
	60	1.95 <2		1	17	20 <0.01	<10	<10
	179	1.77 <2		1	14	20 <0.01	<10	<10
	73	1.11 <2		2	12	20 0.01	<10	<10
	27	1.09 <2		2	8	20 <0.01	<10	<10
	12	0.83 <2		3	9	20 0.01	<10	<10
	17	1.5 <2		2	8	20 <0.01	<10	<10
	22	1.85 <2		2	12	20 <0.01	<10	<10
	23	1.85 <2		2	11	20 <0.01	<10	<10
	37	1.98 <2		1	8 <20	<0.01	<10	<10
	25	2.08 <2		2	9 <20	<0.01	<10	<10
	34	1.93 <2		2	12	20 <0.01	<10	<10
	88	2.38 <2		1	12	20 <0.01	<10	<10
	47	2.18 <2		1	13 <20	<0.01	<10	<10
	50	1.46	2	1	13 <20	<0.01	<10	<10
	236	1.27	8	1	8 <20	<0.01	<10	<10
ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	118	2.78	2	1	10	20 <0.01	<10	<10
	222	2.09	9	1	11 <20	<0.01	<10	<10
	127	2.27 <2		2	14	20 <0.01	<10	<10
	561	2.36	31	2	15 <20	<0.01	<10	<10
>10000	4.43	385		3	15 <20	0.08	20	<10
	1010	1.98 <2		1	15 <20	<0.01	<10	<10
	36	2.03	2	1	16	20 <0.01	<10	<10
	42	2.07	2	2	15	20 <0.01	<10	<10
	39	1.61	2	1	14	20 <0.01	<10	<10
	20	1.52	2	2	15	20 <0.01	<10	<10
	21	1.7 <2		1	15	20 <0.01	<10	<10

29	1.1	<2		1	13	20	<0.01	<10	<10
28	0.93		3	1	7	20	<0.01	<10	<10
126	0.74	<2		2	6	20	<0.01	<10	<10
67	1.42	<2		2	12	20	<0.01	<10	<10
17	1.64		2	2	15	20	<0.01	<10	<10
156	1.32	<2		2	29	20	<0.01	<10	<10
245	1.88	<2		2	23	20	<0.01	<10	<10
526	2.35	<2		1	11	20	<0.01	<10	<10
2310	1.37		14	1	6 <20		<0.01	<10	<10
341	1	<2		1	8	20	<0.01	<10	<10
779	1.31		2	2	12	20	<0.01	<10	<10
307	0.75	<2		1	17	20	<0.01	<10	<10
95	0.84		2	1	9	20	<0.01	<10	<10
131	0.79		2	1	9	20	<0.01	<10	<10
134	1.32		2	1	15	20	<0.01	<10	<10
495	0.91		6	1	21 <20		<0.01	<10	<10
1410	0.88		7	1	11 <20		<0.01	<10	<10
55	0.68		2	2	21	20	<0.01	<10	<10
>10000	5.07		389	3	16 <20		0.08	20	<10
25	<0.01	<2		3	12 <20		0.08	<10	<10
41	1.73	<2		2	25	20	<0.01	<10	<10
38	1.29		2	2	23	20	<0.01	<10	<10
79	1.66		2	1	17	20	<0.01	<10	<10
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
74	1.56		3	1	26	20	<0.01	<10	<10
30	1.13	<2		2	22	20	<0.01	<10	<10
40	0.86	<2		1	15	20	<0.01	<10	<10
30	1.3	<2		2	15	20	<0.01	<10	<10
300	1.03	<2		2	19	20	<0.01	<10	<10
56	1.39	<2		2	15	20	<0.01	<10	<10
23	1.08	<2		3	22	20	0.01	<10	<10
49	1.01	<2		2	16	20	<0.01	<10	<10
446	1.51	<2		2	17	20	<0.01	<10	<10
48	0.89	<2		2	14	20	<0.01	<10	<10
44	0.78	<2		3	20	20	0.02	<10	<10
39	0.5	<2		3	22	20	<0.01	<10	<10
91	0.53		2	2	15	20	<0.01	<10	<10

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %	Pb-OG46 Pb %	Zn-OG46 Zn %
	27 <10	136	518501				
	17 <10	39	518502				
	6 <10	25	518503				
	4 <10	22	518504				
	3 <10	29	518505				
	2 <10	86	518506				
	3 <10	105	518507				
	3 <10	239	518508				
	5 <10	96	518509				
	4 <10	58	518510				
	6 <10	76	518511				
	3 <10	129	518512				
	9 <10	162	518513				
	18 <10	576	518514				
	28 <10	207	518515				
	32 <10	81	518516				
	35 <10	68	518517				
	31 <10	61	518518				
	30 <10	74	518519				
	32 <10	55	518520				
	22 <10	175	518521				
	20 <10	127	518522				
	26 <10	87	518523				
	19 <10	110	518524				
	16 <10	180	518525				
	13 <10	274	518526				
	7 <10	502	518527				

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %	Pb-OG46 Pb %	Zn-OG46 Zn %
	24 <10	261	518528				
	24 <10	304	518529				
	23 <10	79	518530				
	24 <10	764	518531	281			
	19 <10	>10000	518532	196	1.07	4.3	4.09
	22 <10	185	518533				
	20 <10	47	518534				
	21 <10	84	518535				
	21 <10	62	518536				
	29 <10	42	518537				
	16 <10	98	518538				

12 <10	257	518539					
16 <10	338	518540					
21 <10	377	518541					
21 <10	93	518542					
25 <10	24	518543					
24 <10	254	518544					
24 <10	314	518545					
12 <10	1030	518546					
7 <10	3070	518547					
11 <10	513	518548					
10 <10	1430	518549					
9 <10	504	518550					
9 <10	102	518551					
8 <10	244	518552					
13 <10	245	518553					
10 <10	902	518554					
7 <10	3540	518555					
26 <10	82	518556					
20	10 >10000	518557	200	1.06	4.24	4.08	
13 <10	62	518558					
27 <10	41	518559					
27 <10	43	518560					
27 <10	125	518561					

ME-ICP41	ME-ICP41	ME-ICP41		Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
V	W	Zn	SAMPLE	Ag	Cu	Pb	Zn
ppm	ppm	ppm	DESCRIPT	ppm	%	%	%
	19 <10		82 518562				
	25 <10		38 518563				
	23 <10		67 518564				
	22 <10		54 518565A				
	22 <10		368 518565B				
	23 <10		85 518566A				
	29 <10		37 518566B				
	25 <10		147 518567				
	20 <10		589 518568				
	24 <10		85 518569				
	31 <10		114 518570				
	28 <10		56 518571				
	30 <10		109 518572				

CH08048713 - Finalized

CLIENT : "I S.A De C.V"

of SAMPLES : 113

DATE RECEIVED : 2008-04-11 DATE FINALIZED : 2008-05-14

PROJECT : "LB-001"

CERTIFICATE COMMENTS : ""

PO NUMBER : " "

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
518573	0.018		0.9	0.95	57 <10		30	0.6 <2
518574	0.016		0.7	0.95	62 <10		20	0.6 <2
518575	0.006		0.5	1.41	36 <10		20	0.8 <2
518576	0.012		1	0.95	67 <10		30	0.6 <2
518577	0.009		0.9	0.8	97 <10		20	0.6 <2
518578	0.011		0.8	1.14	48 <10		20	0.7 <2
518579	0.008		0.2	1	32 <10		20	0.6 <2
518580	0.009		0.7	1.29	16 <10		20	0.8
518581	0.046		1.9	0.94	27 <10		20	0.5 <2
518582	0.409	>100		0.48	66 <10		40 <0.5	<2
518583	0.012		1	0.95	42 <10		30	0.7 <2
518584	0.016		0.9	0.87	26 <10		20	0.7 <2
518585	0.008		2.7	1.02	14 <10		20	0.7 <2
518586	0.015		1.9	1.03	23 <10		20	0.6 <2
518587	0.029		2.4	0.98	18 <10		20	0.7 <2
518588	0.011		0.8	0.75	49 <10		20	0.6
518589	0.013		0.8	0.94	50 <10		20	0.5
518590	0.018		0.8	0.92	29 <10		20	0.6 <2
518591	0.008		0.7	0.87	21 <10		20	0.6
518592	0.01		0.6	0.9	41 <10		40	0.6
518593	0.043		0.5	0.89	83 <10		20	0.6 <2
518594	0.014		0.5	0.89	35 <10		20	0.6 <2
518595	0.009		0.5	0.79	30 <10		30	0.5 <2
518596	0.036		0.4	0.86	24 <10		20	0.5 <2
518597	0.027		0.4	0.85	12 <10		20	0.5
518598	0.025		0.3	0.96	14 <10		30	0.5 <2
518599	0.009		0.7	0.84	21 <10		20	0.5

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
518600	0.071		0.4	1.41	14 <10		20	0.7 <2
518601	0.084		1.5	0.67	22 <10		20 <0.5	
518602	0.049		1.2	1.03	28 <10		10	0.6 <2
518603	0.073		2.2	0.5	48 <10		10 <0.5	<2
518604	0.095		1.1	0.39	123 <10		10 <0.5	<2
518605	0.019		1	0.69	58 <10		20	0.6 <2
518606	0.017		0.8	0.72	11 <10		20	0.5 <2
518607	0.416	>100		0.51	69 <10		20 <0.5	<2
518608	<0.001		0.4	0.6	2 <10		160 <0.5	<2
518609	0.543		1.8	0.72	91 <10		20	0.5 <2
518610	0.481		2.8	1.17	87 <10		20	0.5 <2

518611	0.038	1.9	1.16	15 <10	20	0.6 <2	
518612	0.041	1.3	1.16	16 <10	20	0.5 <2	
518613	0.021	0.7	0.64	30 <10	20	0.6	3
518614	0.063	0.7	0.67	28 <10	20	0.5 <2	
518615	0.016	0.9	0.78	34 <10	20 <0.5		2
518616	0.022	1.3	0.78	52 <10	10	0.5 <2	
518617	0.02	1.1	0.7	33 <10	10	0.5	2
518618	0.024	0.4	0.87	20 <10	20	0.5	2
518619	0.033	0.5	0.59	30 <10	20 <0.5		2
518620	0.015	0.8	0.66	30 <10	10	0.6 <2	
518621	0.013	0.9	0.79	51 <10	20	0.6 <2	
518622	0.011	0.4	0.83	22 <10	10	0.7 <2	
518623	0.055	1.3	0.63	32 <10	10 <0.5	<2	
518624	0.016	0.7	0.79	20 <10	20	0.6 <2	
518625	0.129	0.8	0.65	41 <10	10	0.5	2
518626	0.011	0.3	0.7	24 <10	10	0.8 <2	
518627	0.024	0.4	0.42	28 <10	20	0.5	2
518628	0.011	0.4	0.47	19 <10	20	0.6 <2	
518629	0.018	1.1	0.4	30 <10	20	0.6	2
518630	0.01	0.6	0.54	19 <10	30	0.6 <2	
518631	0.011	4.4	0.71	12 <10	40	0.7 <2	
518632	0.367 >100		0.5	63 <10	20 <0.5	<2	
518633	0.015	1.2	0.61	23 <10	20	0.6 <2	

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
518634	0.039		0.9	0.52	35 <10		20	0.5 <2
518635	0.027		1.2	0.48	32 <10		20	0.5 <2
518636	0.005		0.2	0.93	8 <10		20	0.9
518637	0.005		0.4	0.89	11 <10		20	0.8 <2
518638	0.007		0.6	0.8	15 <10		20	0.8 <2
518639	0.001		0.5	1	17 <10		20	1 <2
518640	0.007		0.4	0.78	11 <10		20	0.9 <2
518641	0.012		0.5	0.81	17 <10		20	0.6
518642	0.003		0.2	0.84	45 <10		20	1 <2
518643	0.003 <0.2			0.65	25 <10		20	0.9
518644	0.001 <0.2			0.99	49 <10		30	0.8 <2
518645	0.001 <0.2			0.99	5 <10		20	0.6 <2
518646	0.001 <0.2			1.04	12 <10		30	0.7 <2
518647	0.009 <0.2			0.88	28 <10		20	0.5 <2
518648	0.011 <0.2			1.07	24 <10		20	0.6
518649	0.015 <0.2			1.09	42 <10		30	0.7 <2
518650	0.005 <0.2			1.22	22 <10		30	0.7 <2
518651	0.004 <0.2			1.01	23 <10		30	0.6 <2
518652	0.008 <0.2			0.86	47 <10		30	0.5 <2
518653	0.004	0.4		0.93	32 <10		50	0.9 <2
518654	0.006	0.2		0.95	58 <10		40	0.8 <2
518655	0.009	0.2		1.09	79 <10		30	0.8 <2
518656	0.004	0.2		1.17	19 <10		40	0.7 <2
518657	0.396 >100			0.49	59 <10		30 <0.5	
518658	<0.001	0.4		0.58 <2	<10		160 <0.5	

518659	0.003	0.3	1.03	8 <10	40	0.7	2
518660	0.003 <0.2		1.1	8 <10	50	0.8	2
518661	0.004	0.3	1.15	22 <10	420	0.8 <2	
518662	0.004	1.5	1.09	32 <10	90	1.1 <2	
518663	0.005	2.2	1.12	26 <10	130	1 <2	
518664	0.775	5.1	0.56	17 <10	80	0.6 <2	
518665	0.026	2.6	0.46	39 <10	60	0.8	2
518666	0.006	2.5	0.67	40 <10	60	0.9 <2	
518667	0.02	2	0.7	27 <10	50	0.7	2

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
518668	0.005		1	0.56	11 <10		60	0.8 <2
518669	0.006		1.4	1.04	26 <10		60	1.2
518670	0.197		1	1.2	26 <10		50	0.8
518671	0.015		0.6	1.08	30 <10		40	0.7 <2
518672	0.003		0.2	1.07	17 <10		40	0.8
518673	0.006		0.4	1.21	9 <10		40	0.7 <2
518674	0.003		0.7	1.06	20 <10		30	0.6
518675	<0.001		0.4	0.82	3 <10		30	0.6
518676	0.004		1.6	1.06	13 <10		100	0.9
518677	0.001		0.2	1.08	19 <10		30	0.7
518678	<0.001		0.4	1.06	6 <10		20 <0.5	<2
518679	<0.001	<0.2		1.11	21 <10		40	0.5 <2
518680	0.001	<0.2		1.08	28 <10		20 <0.5	<2
518681	<0.001	<0.2		1.02	39 <10		20 <0.5	
518682	0.41	>100		0.5	59 <10		20 <0.5	
518683	0.001		0.7	1.1	38 <10		20 <0.5	<2
518684	0.003		0.3	1.11	20 <10		20 <0.5	<2
518685	0.033		0.6	0.93	15 <10		20	0.5 <2

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
1.1	0.7	10	15	518573	14	2.39	10	<1	
0.93	0.8	10	14	518574	27	2.57	10	<1	
1.68	<0.5		8	15	518575	53	2.8	10	<1
0.91	<0.5		12	16	518576	99	2.59	10	<1
1.35	0.8	7	12	518577	61	2.06	<10	<1	
1.31	<0.5		7	14	518578	37	2.83	10	<1
1.19	<0.5		6	14	518579	42	2.04	10	<1
1.18	<0.5		9	15	518580	86	2.57	10	<1
0.83	0.7	6	13	518581	45	2.01	10	<1	
0.23	102	15	10	518582	>10000	5.49	<10		6
0.88	1	5	14	518583	56	1.75	<10	<1	
1.11	<0.5		6	12	518584	34	1.63	<10	<1
1.57	<0.5		4	14	518585	32	2.14	10	1
1.4	<0.5		6	16	518586	84	2.25	10	<1
1.57	<0.5		4	14	518587	38	2.59	10	<1
1.67	1.3	5	9	518588	40	2.08	<10	<1	
1.2	<0.5		6	18	518589	35	2.95	10	<1
1.16	<0.5		7	14	518590	61	2.73	10	<1
1.56	<0.5		7	14	518591	48	2.55	10	<1
1.79	<0.5	10	13	518592	44	2.26	<10	<1	
1.51	<0.5		6	12	518593	35	2.3	<10	<1
1.26	<0.5		7	12	518594	31	1.87	<10	<1
1	<0.5		8	9	518595	16	2.15	<10	<1
1.2	<0.5		8	11	518596	32	2.31	<10	<1
1.64	<0.5		5	10	518597	22	1.81	<10	<1
1.3	<0.5		6	14	518598	14	2.17	<10	<1
1.72	<0.5		5	7	518599	30	2.05	<10	<1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
1.84	<0.5		11	17	518600	61	3.65	10	<1
2.23	1.1	6	7	518601	35	1.95	<10	<1	
5.22	2.7	5	6	518602	24	2.26	<10	<1	
1.37	7.5	4	4	518603	33	1.38	<10	<1	
0.23	0.7	4	8	518604	30	1	<10	<1	
0.34	0.6	3	2	518605	15	1.49	<10	<1	
0.49	<0.5		3	3	518606	22	1.58	<10	<1
0.23	107.5	17	11	518607	>10000	5.6	<10		5
0.12	<0.5		2	8	518608	66	1.34	<10	<1
0.61	0.9	5	9	518609	86	1.59	<10	<1	
0.78	1.8	10	7	518610	44	2.91	<10	<1	

0.82	0.6	6	6	518611	42	2.66	<10	<1	
1.61	0.8	5	7	518612	57	2.6	<10	<1	
1.2	0.7	6	3	518613	8	2.18	<10	<1	
1.54	0.5	6	3	518614	6	1.72	<10	<1	
1.31	0.9	7	4	518615	11	2.2	<10	<1	
2.21	0.5	7	2	518616	9	1.73	<10	<1	
3.19	<0.5	7	2	518617	14	1.88	<10	<1	
2.71	<0.5	6	6	518618	10	1.8	<10	<1	
1.9	<0.5	5	3	518619	9	1.41	<10	<1	
3.66	0.8	6	3	518620	6	1.42	<10	<1	
2.48	0.5	6	4	518621	9	1.37	<10	<1	
3.14	0.8	5	3	518622	39	1.53	<10	<1	
1.52	0.7	4	6	518623	20	1.43	<10	<1	
1.21	<0.5	5	4	518624	8	1.61	<10	<1	
1.8	0.7	6	3	518625	11	1.64	<10	<1	
1.66	0.6	4	2	518626	9	1.3	<10	<1	
0.16	0.8	3	6	518627	13	0.84	<10	<1	
0.25	1.8	3	3	518628	33	0.93	<10	<1	
0.3	1.1	4	3	518629	39	0.87	<10	<1	
0.29	1	3	5	518630	31	0.9	<10	<1	
0.39	1.4	3	7	518631	16	0.96	<10	<1	
0.23	106	16	10	518632	>10000	5.51	<10		5
0.37	2.5	5	2	518633	95	1.36	<10	<1	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
0.48	1.2	4	2	518634	21	1.11	<10	<1	
0.49	1.4	3	5	518635	49	0.85	<10	<1	
2.66	<0.5	7	4	518636	22	1.66	<10	<1	
1.17	1.1	6	2	518637	29	1.6	<10	<1	
0.75	1.3	5	4	518638	24	1.4	<10	<1	
0.97	0.7	7	2	518639	28	1.83	<10	<1	
0.67	1.2	5	2	518640	26	1.15	<10	<1	
0.88	1.1	6	4	518641	8	1.4	<10	<1	
1.24	0.5	6	2	518642	6	1.48	<10	<1	
0.62	0.6	4	2	518643	11	1.09	<10	<1	
2.65	<0.5	6	7	518644	10	1.83	<10	<1	
1.7	<0.5	4	10	518645	5	2.15		10	<1
1.82	<0.5	5	10	518646	5	2.07		10	<1
0.99	0.5	4	11	518647	8	1.55	<10		1
1.29	0.7	7	10	518648	20	1.93		10	<1
1.1	<0.5	6	10	518649	12	2.22		10	<1
1.47	<0.5	6	12	518650	12	1.98		10	<1
1.28	0.5	5	9	518651	22	1.63	<10		<1
1.15	<0.5	4	8	518652	21	1.88	<10		<1
2.27	0.6	6	10	518653	11	1.8	<10		1
1.15	<0.5	8	9	518654	13	2.05		10	<1
1.79	<0.5	11	9	518655	19	2.48	<10		<1
1.76	<0.5	6	10	518656	28	2.18		10	<1
0.23	101	15	10	518657	>10000	5.38	<10		4
0.12	<0.5	2	7	518658	28	1.3	<10	<1	

	2.04 <0.5		5	9	518659	18	2.03	10 <1	
	2.06 <0.5		7	9	518660	27	2	10 <1	
	1.62 <0.5		7	10	518661	23	2.25	10	1
	3.86 <0.5		6	5	518662	31	2.28 <10	<1	
	2.42 1.9		7	3	518663	12	1.8 <10	<1	
	0.25 1.3		6	5	518664	11	1.35 <10	<1	
	0.28 0.9		6	3	518665	10	1.73 <10	<1	
	0.42 <0.5		6	4	518666	7	2.04 <10	<1	
	0.51 1.6		5	6	518667	8	1.88 <10	<1	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41			ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
	0.74 <0.5		5	4	518668	12	1.56 <10	<1	
	1.09 <0.5		6	6	518669	13	1.99 <10	<1	
	1.23 <0.5		6	10	518670	7	2.43	10 <1	
	1.31 0.6		8	9	518671	23	2.27	10 <1	
	1.14 <0.5		8	9	518672	13	2.28	10 <1	
	1.57 0.6		7	11	518673	20	2.25	10 <1	
	1.19 0.8		6	9	518674	23	2	10 <1	
	1.16 0.6		9	8	518675	28	1.91 <10	<1	
	1.35 11.3		5	11	518676	25	2	10 <1	
	1.18 <0.5		9	10	518677	11	2.27	10 <1	
	0.78 <0.5		7	10	518678	17	2.17	10 <1	
	1.27 <0.5		8	14	518679	22	1.94	10 <1	
	0.93 <0.5		8	11	518680	15	2.06 <10	<1	
	0.76 <0.5		8	11	518681	14	2.13 <10	<1	
	0.22 104		15	10	518682 >10000		5.44 <10		5
	1.23 <0.5		7	13	518683	61	2.24	10 <1	
	0.97 1.3		6	11	518684	20	2.29	10 <1	
	1.26 1.1		4	10	518685	33	1.89	10 <1	

ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.23	30	0.64	582	7	0.03	9	540	518573
0.15	20	0.77	513	7	0.03	6	510	518574
0.17	20	1.1	845	14	0.03	8	610	518575
0.21	20	0.68	618	13	0.03	10	490	518576
0.2	20	0.52	462	6	0.02	6	470	518577
0.2	20	0.74	520	13	0.02	7	530	518578
0.16	20	0.79	387	15	0.03	7	440	518579
0.15	10	1.04	517	7	0.03	8	560	518580
0.16	20	0.69	554	9	0.03	6	490	518581
0.3	<10	0.24	1050	16	0.06	19	200	518582
0.23	30	0.57	435	14	0.03	8	490	518583
0.21	30	0.6	386	10	0.02	6	480	518584
0.18	30	0.78	451	7	0.03	5	480	518585
0.17	20	0.81	549	7	0.03	7	470	518586
0.14	20	0.79	458	4	0.03	5	440	518587
0.19	30	0.44	546	11	0.03	6	420	518588
0.18	30	0.76	871	10	0.04	13	350	518589
0.15	30	0.78	736	7	0.03	6	420	518590
0.15	20	0.73	509	6	0.03	6	460	518591
0.3	30	0.37	620	7	0.03	10	430	518592
0.17	30	0.7	419	4	0.04	5	440	518593
0.19	30	0.65	437	8	0.03	6	450	518594
0.22	20	0.48	383	5	0.03	7	450	518595
0.19	30	0.61	359	5	0.03	6	440	518596
0.21	30	0.49	408	5	0.02	5	460	518597
0.23	30	0.65	239	5	0.04	8	420	518598
0.22	30	0.4	465	7	0.01	6	430	518599

ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.22	20	0.92	582	5	0.02	8	540	518600
0.21	20	0.2	778	25	0.01	8	290	518601
0.14	10	0.37	2110	13	0.01	4	230	518602
0.13	10	0.11	603	18	0.01	3	180	518603
0.17	10	0.09	137	3	0.01	6	220	518604
0.25	20	0.12	388	2	0.01	2	450	518605
0.24	20	0.13	538	<1	0.01	1	400	518606
0.31	<10	0.24	1050	16	0.04	30	230	518607
0.3	10	0.2	437	1	0.07	2	170	518608
0.29	20	0.11	520	2	<0.01	7	450	518609
0.26	20	0.25	1370	1	<0.01	7	670	518610

0.25	20	0.29	1550	<1	<0.01		4	590	518611
0.28	20	0.35	1420		2 <0.01		6	470	518612
0.26	20	0.2	668		2 <0.01		5	580	518613
0.23	10	0.3	709		11 <0.01		4	450	518614
0.25	10	0.31	895		11 <0.01		6	460	518615
0.23	10	0.35	1050		19 <0.01		5	480	518616
0.21	20	0.23	1110		10 <0.01		3	510	518617
0.33	20	0.23	1030		5 <0.01		9	490	518618
0.21	20	0.21	750		6 <0.01		3	470	518619
0.2	20	0.22	1040		7 0.01		3	420	518620
0.28	20	0.18	822		6 <0.01		4	510	518621
0.25	20	0.21	1000		2 0.01		4	480	518622
0.18	10	0.17	545		26 <0.01		3	330	518623
0.29	20	0.14	528		12 <0.01		5	530	518624
0.24	20	0.11	600		2 <0.01		4	490	518625
0.22	20	0.13	593		2 <0.01		3	500	518626
0.25	10	0.05	150		5 <0.01		7	390	518627
0.24	20	0.07	207		3 <0.01		3	500	518628
0.22	20	0.05	165		3 <0.01		3	500	518629
0.27	20	0.07	209		4 <0.01		7	510	518630
0.36	20	0.08	225		7 <0.01		8	520	518631
0.31 <10		0.24	1040		17 0.04		22	220	518632
0.24	20	0.1	288		2 <0.01		4	500	518633
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		
K	La	Mg	Mn	Mo	Na	Ni	P		SAMPLE
%	ppm	%	ppm	ppm	%	ppm	ppm		DESCRIPT
0.24	20	0.07	223		1 <0.01		3	430	518634
0.27	20	0.06	181		3 <0.01		5	430	518635
0.28	20	0.23	722		1 0.01		6	570	518636
0.28	20	0.16	513		1 <0.01		4	580	518637
0.32	20	0.13	436		2 <0.01		6	540	518638
0.27	20	0.17	496		1 0.01		5	590	518639
0.28	30	0.11	398		1 <0.01		5	590	518640
0.3	20	0.15	540		1 <0.01		5	500	518641
0.27	20	0.23	430		2 0.01		5	580	518642
0.24	20	0.12	364		2 <0.01		2	540	518643
0.2	20	0.48	548		4 0.02		6	530	518644
0.15	20	0.67	330		2 0.03		4	560	518645
0.17	20	0.69	377		2 0.02		5	540	518646
0.16	20	0.61	589		3 0.03		6	510	518647
0.14	20	0.76	704		2 0.02		5	550	518648
0.17	20	0.69	580		3 0.02		5	530	518649
0.24	20	0.73	589		2 0.02		8	540	518650
0.18	20	0.65	573		2 0.01		4	470	518651
0.15	20	0.57	702		2 0.01		4	450	518652
0.29	20	0.48	490		3 0.02		10	480	518653
0.18	20	0.72	261		1 0.02		5	540	518654
0.15	20	0.81	402		2 0.03		8	530	518655
0.24	20	0.77	385		2 0.03		8	510	518656
0.31 <10		0.23	1040		16 0.06		20	210	518657
0.3	10	0.2	442		1 0.07		2	160	518658

	0.17	20	0.77	524	3	0.02	7	520	518659
	0.18	20	0.8	594	2	0.02	6	510	518660
	0.22	20	0.77	445	2	0.03	8	530	518661
	0.24	20	0.37	759	3	0.01	5	550	518662
	0.27	20	0.29	624	4	0.01	7	480	518663
	0.29	10	0.07	195	5	0.01	8	390	518664
	0.21	10	0.07	216	6	0.01	5	430	518665
	0.21	20	0.14	356	5	<0.01	6	460	518666
	0.18	10	0.17	353	4	0.01	6	300	518667
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
K	La	Mg	Mn	Mo	Na	Ni	P		SAMPLE
%	ppm	%	ppm	ppm	%	ppm	ppm		DESCRIPT
	0.18	20	0.18	255	2	0.01	4	380	518668
	0.23	20	0.48	441	1	0.01	6	520	518669
	0.22	20	0.77	608	2	0.03	7	510	518670
	0.17	20	0.79	618	2	0.02	6	510	518671
	0.16	20	0.83	330	2	0.03	6	560	518672
	0.15	10	0.94	713	2	0.04	6	560	518673
	0.16	10	0.8	541	2	0.03	7	550	518674
	0.15	10	0.67	376	1	0.03	4	500	518675
	0.22	10	0.58	337	3	0.03	9	480	518676
	0.17	10	0.77	287	2	0.03	6	570	518677
	0.09	10	0.79	191	2	0.05	6	530	518678
	0.14	10	0.77	213	3	0.06	19	560	518679
	0.09	10	0.85	178	1	0.05	6	590	518680
	0.09	10	0.81	292	1	0.05	6	570	518681
	0.3 <10		0.23	1020	14	0.05	23	220	518682
	0.13	10	0.8	407	2	0.05	9	580	518683
	0.12	10	0.85	653	1	0.05	5	580	518684
	0.14	10	0.72	444	2	0.04	4	560	518685

ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	81	1.43 <2		2	19	20	0.01 <10	<10
	49	1.7	3	3	19	20	0.08 <10	<10
	35	0.81 <2		6	24	20	0.13 <10	<10
	68	1.67	3	4	21	20	0.06 <10	<10
	65	1.23 <2		4	24	20	0.05 <10	<10
	43	1.05 <2		4	23	20	0.11 <10	<10
	28	0.62 <2		4	25	20	0.06 <10	<10
	67	0.56	2	5	35 <20		0.12	10 <10
	93	0.66 <2		4	18	20	0.08 <10	<10
>10000		5.09	376	3	14 <20		0.08	10 <10
	115	0.4	2	2	22	20 <0.01	<10	<10
	56	0.42	2	2	23	20 <0.01	<10	<10
	36	0.3 <2		3	26	20	0.01 <10	<10
	61	0.71 <2		3	22	20	0.03 <10	<10
	18	0.5 <2		4	28	20	0.01 <10	<10
	108	1.17	2	3	27	20 <0.01	<10	<10
	37	2.05	2	3	20	20 <0.01	<10	<10
	41	1.22 <2		3	20	20	0.01 <10	<10
	24	0.88	2	3	25	20	0.01 <10	<10
	24	1.15 <2		2	28	20 <0.01	<10	<10
	20	1.16	2	3	25	20 <0.01	<10	<10
	11	0.69 <2		3	28	20 <0.01	<10	<10
	11	1.32	2	2	26	20 <0.01	<10	<10
	10	1.13	2	3	24	20 <0.01	<10	<10
	11	0.61	2	3	40	20 <0.01	<10	<10
	6	0.72 <2		3	26	20 <0.01	<10	<10
	13	0.86 <2		3	35	20 <0.01	<10	<10
ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	12	0.46 <2		3	43 <20		0.01 <10	<10
	62	0.97	3	2	27 <20	<0.01	<10	<10
	105	0.43	3	2	54 <20	<0.01	<10	10
	416	0.52	2	1	20 <20	<0.01	<10	10
	60	0.32	8	1	13 <20	<0.01	<10	<10
	19	0.22	3	2	19 <20	<0.01	<10	<10
	17	0.16 <2		2	16	20 <0.01	<10	<10
>10000		4.83	391	3	14 <20		0.09	20 <10
	34	0.02 <2		4	9 <20		0.09 <10	<10
	49	0.3	4	2	15 <20	<0.01	<10	<10
	102	0.52	3	4	16 <20	<0.01	<10	<10

21	0.21	<2	3	18	<20	<0.01	<10	<10
23	0.52	<2	3	21	<20	<0.01	<10	<10
19	1.59	<2	2	23	<20	<0.01	<10	<10
23	1.01	<2	2	25	<20	<0.01	<10	<10
28	1.32	<2	2	21	<20	<0.01	<10	<10
48	0.79	3	2	28	<20	<0.01	<10	10
21	1.01	2	3	29	<20	<0.01	<10	<10
15	0.8	<2	2	25	<20	<0.01	<10	<10
26	0.72	2	2	22	<20	<0.01	<10	<10
42	0.63	<2	2	30	<20	<0.01	<10	<10
20	0.33	2	3	25	<20	0.01	<10	<10
36	0.3	5	2	30	<20	0.01	<10	<10
38	0.43	4	2	16	<20	0.01	<10	<10
19	0.3	<2	2	17	<20	0.04	<10	<10
34	0.56	<2	2	19	<20	0.04	<10	<10
13	0.15	<2	2	24	<20	0.03	<10	<10
27	0.34	<2	1	12	<20	0.01	<10	<10
65	0.31	<2	1	14	<20	0.02	<10	<10
49	0.42	2	1	14	<20	0.02	<10	<10
26	0.25	2	2	15	<20	0.01	<10	<10
51	0.19	<2	2	18	<20	0.01	<10	<10
>10000	5.02	382	3	14	<20	0.09	10	<10
203	0.32	4	1	16	<20	0.01	<10	<10
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
35	0.41	2	2	14	<20	0.01	<10	<10
57	0.27	6	2	16	<20	0.02	<10	<10
28	0.09	<2	4	32	<20	0.08	<10	<10
30	0.16	<2	2	25	<20	0.08	<10	<10
30	0.23	<2	2	21	<20	0.07	<10	<10
28	0.14	2	2	26	<20	0.12	<10	<10
25	0.13	2	2	25	<20	0.08	<10	<10
34	0.14	<2	3	19	<20	0.06	<10	<10
24	0.49	<2	3	32	<20	0.09	<10	<10
24	0.23	2	2	23	<20	0.08	<10	<10
19	0.67	<2	4	48	<20	0.05	<10	<10
10	0.12	<2	5	26	<20	0.03	<10	<10
10	0.25	2	5	27	<20	0.04	<10	<10
23	0.56	<2	3	17	<20	0.01	<10	<10
30	0.37	<2	3	19	<20	0.02	<10	<10
29	0.53	<2	3	19	<20	0.06	<10	<10
20	0.47	2	3	21	<20	0.03	<10	<10
29	0.32	<2	3	15	<20	0.08	<10	<10
26	0.84	2	3	14	<20	0.07	<10	<10
26	0.98	3	3	33	<20	0.08	<10	<10
9	0.94	2	3	22	<20	0.07	<10	<10
9	0.97	2	3	24	<20	0.09	<10	<10
5	0.28	<2	3	24	<20	0.06	<10	<10
>10000	4.77	364	3	15	<20	0.08	20	<10
34	<0.01	<2	4	10	<20	0.08	<10	<10

	23	0.14	2	3	23 <20	0.06 <10	<10
	16	0.14	2	3	25 <20	0.06 <10	<10
	13	0.6	2	4	29 <20	0.05 <10	<10
	23	0.79 <2		3	48 <20	0.03 <10	<10
	77	0.48 <2		3	34 <20	0.06 <10	<10
	434	0.72 <2		1	15 <20	<0.01 <10	<10
	68	1.09 <2		1	14 <20	<0.01 <10	<10
	79	0.93 <2		2	14 <20	0.03 <10	<10
	94	0.71 <2		3	13 <20	0.03 <10	<10
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Pb	S	Sb	Sc	Sr	Th	Ti	Tl
ppm	%	ppm	ppm	ppm	ppm	%	ppm
130	0.97 <2			2	13 <20	0.05 <10	<10
55	0.74	2		3	24 <20	0.07 <10	<10
70	1.02 <2			4	19 <20	0.09 <10	<10
21	0.6 <2			4	21 <20	0.07 <10	<10
3	1.06 <2			4	22 <20	0.07 <10	<10
32	0.93	2		4	24 <20	0.08 <10	<10
56	0.84 <2			4	25 <20	0.06 <10	<10
51	1.31 <2			3	23 <20	0.05 <10	<10
199	0.7 <2			4	26 <20	0.07 <10	<10
13	0.75 <2			4	28 <20	0.09 <10	<10
5	0.57 <2			4	27 <20	0.12 <10	<10
8	0.69 <2			4	29 <20	0.14 <10	<10
15	0.87 <2			4	24 <20	0.13 <10	<10
12	1.01 <2			4	20 <20	0.13 <10	<10
>10000	4.84	377		3	13 <20	0.08	20 <10
53	0.62	2		5	24 <20	0.12 <10	<10
99	0.55 <2			5	22 <20	0.11 <10	<10
176	0.41 <2			5	20 <20	0.09 <10	<10

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %	Pb-OG46 Pb %	Zn-OG46 Zn %
	27 <10	112	518573				
	33 <10	106	518574				
	51 <10	68	518575				
	36 <10	60	518576				
	30 <10	57	518577				
	37 <10	56	518578				
	35 <10	32	518579				
	51 <10	44	518580				
	34 <10	102	518581				
	20 <10	>10000	518582	195	1.05	4.08	4.17
	25 <10	166	518583				
	24 <10	66	518584				
	34 <10	54	518585				
	35 <10	89	518586				
	35 <10	33	518587				
	23 <10	183	518588				
	32 <10	91	518589				
	35 <10	70	518590				
	37 <10	43	518591				
	20 <10	54	518592				
	28 <10	37	518593				
	28 <10	29	518594				
	21 <10	27	518595				
	26 <10	25	518596				
	21 <10	34	518597				
	30 <10	15	518598				
	17 <10	29	518599				

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %	Pb-OG46 Pb %	Zn-OG46 Zn %
	41 <10	51	518600				
	11 <10	93	518601				
	17 <10	213	518602				
	6 <10	420	518603				
	6 <10	92	518604				
	6 <10	195	518605				
	8 <10	183	518606				
	21	10 >10000	518607	198	1.06	4.08	4.18
	14 <10	208	518608				
	12 <10	207	518609				
	26 <10	408	518610				

20	<10	251	518611				
18	<10	217	518612				
9	<10	110	518613				
10	<10	84	518614				
11	<10	115	518615				
10	<10	84	518616				
10	<10	72	518617				
13	<10	64	518618				
10	<10	51	518619				
8	<10	67	518620				
9	<10	63	518621				
8	<10	78	518622				
8	<10	64	518623				
10	<10	80	518624				
9	<10	82	518625				
8	<10	83	518626				
7	<10	46	518627				
7	<10	122	518628				
6	<10	61	518629				
8	<10	65	518630				
9	<10	137	518631				
20	10 >10000		518632	194	1.04	4.03	4.13
8	<10	500	518633				
ME-ICP41	ME-ICP41	ME-ICP41		Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
V	W	Zn	SAMPLE	Ag	Cu	Pb	Zn
ppm	ppm	ppm	DESCRIPT	ppm	%	%	%
7	<10	136	518634				
7	<10	103	518635				
16	<10	61	518636				
10	<10	95	518637				
11	<10	90	518638				
11	<10	97	518639				
9	<10	84	518640				
12	<10	90	518641				
11	<10	57	518642				
9	<10	55	518643				
22	<10	58	518644				
40	<10	31	518645				
35	<10	34	518646				
27	<10	49	518647				
33	<10	78	518648				
31	<10	62	518649				
29	<10	48	518650				
26	<10	59	518651				
26	<10	54	518652				
18	<10	29	518653				
28	<10	23	518654				
34	<10	29	518655				
29	<10	30	518656				
19	10 >10000		518657	200	1.11	4.26	4.21
13	<10	60	518658				

	30 <10		42	518659				
	30 <10		35	518660				
	32 <10		32	518661				
	16 <10		40	518662				
	16 <10		115	518663				
	7 <10		74	518664				
	6 <10		55	518665				
	12 <10		44	518666				
	18 <10		298	518667				
ME-ICP41	ME-ICP41	ME-ICP41			Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
V	W	Zn	SAMPLE	Ag	Cu	Pb	Zn	
ppm	ppm	ppm	DESCRIPT	ppm	%	%	%	
	15 <10		24	518668				
	21 <10		56	518669				
	32 <10		46	518670				
	33 <10		57	518671				
	35 <10		28	518672				
	40 <10		69	518673				
	34 <10		89	518674				
	29 <10		68	518675				
	31 <10		770	518676				
	37 <10		22	518677				
	42 <10		17	518678				
	39 <10		53	518679				
	40 <10		26	518680				
	40 <10		27	518681				
	20	10 >10000		518682	195	1.04	4.03	4.14
	42 <10		216	518683				
	44 <10		189	518684				
	41 <10		161	518685				

CH08040358 - Finalized

CLIENT : "I S.A De C.V"

of SAMPLES : 88

DATE RECEIVED : 2008-04-01 DATE FINALIZED : 2008-04-30

PROJECT : "LB002"

CERTIFICATE COMMENTS : ""

PO NUMBER : " "

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
110101	0.014		4.5	0.81	47 <10		150	0.7	3
110102	0.011		3.6	0.62	58 <10		130	0.7	2
110103	0.015		2.1	0.72	51 <10		120	1	2
110104	0.029		2.2	0.63	55 <10		60	0.8	2
110105	0.026		1.4	0.52	65 <10		40	0.6 <2	
110106	0.043		2.9	0.51	66 <10		60	0.7 <2	
110107	0.098	13.1		0.66	49 <10		30	0.6	2
110108	0.059		5.8	0.87	84 <10		40	0.8 <2	
110109	0.092		7.8	0.77	62 <10		40	0.7 <2	
110110	0.073		6.3	0.89	91 <10		40	0.6 <2	
110111	0.011		3	1	49 <10		40	0.6	4
110112	0.009		1.3	1.09	27 <10		30	0.6 <2	
110113	0.015		1.7	1.18	43 <10		30	0.5	2
110114	0.005		0.8	1.12	40 <10		50	0.6 <2	
110115	0.008		5.6	0.92	51 <10		30	0.7	9
110116	0.009		3.4	1.02	64 <10		30	0.6	4
110117	0.003		0.4	1.16	26 <10		30	0.7 <2	
110118	0.005		0.2	1.12	60 <10		30	0.6 <2	
110119A	0.001		0.2	1.16	29 <10		30	0.7 <2	
110119B	0.002		0.2	1.17	32 <10		30	0.7 <2	
110120A	0.002		0.2	1.13	36 <10		30	0.7 <2	
110120B	0.003	<0.2		1.17	37 <10		30	0.7 <2	
110121	0.004		0.7	1.16	36 <10		30	0.6 <2	
110122	0.009		1.5	1.15	41 <10		30	0.7 <2	
110123	0.062		22.4	1.13	35 <10		30	0.6 <2	
110124	0.007		1.2	1.02	62 <10		30	0.7 <2	
110125	2.71	>100		1.68	133 <10		10 <0.5		24

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
110126	0.027		4.9	0.68	39 <10		40	0.7	2
110127	0.014		2.4	0.67	27 <10		40	0.7 <2	
110128	0.034		5.4	0.59	94 <10		30 <0.5		2
110129	0.018		4.1	0.86	59 <10		30	0.6 <2	
110130	0.011		1.8	0.97	12 <10		30	0.7 <2	
110131	0.01		2.1	0.94	35 <10		40	0.7 <2	
110132	0.006		1.1	1.02	58 <10		50	0.7 <2	
110133	0.006		1.1	1	99 <10		50	0.7 <2	
110134	0.005		0.6	1.08	39 <10	110		0.7 <2	
110135	0.005		0.8	1.12	53 <10		90	0.8 <2	
110136	0.026		2.9	0.7	49 <10		80	0.7 <2	

110137	0.015	2	0.93	20 <10	50	0.7 <2	
110138	0.023	3.6	0.76	38 <10	70	0.7	3
110139	0.194	22.1	0.69	73 <10	30	0.6	7
110140	0.324	12.6	0.71	10 <10	40	0.7	2
110141	0.011	1.9	1.14	12 <10	40	0.8 <2	
110142	0.02	2.1	1.11	20 <10	40	0.8	3
110143	0.012	1.2	1.16	40 <10	30	0.7 <2	
110144	0.634	5.7	0.77	50 <10	30	0.7	4
110145	1.41	4.2	0.8	88 <10	30	0.5 <2	
110146	0.01	0.9	1.16	34 <10	30	0.7 <2	
110147	0.1	4	0.61	72 <10	30	0.5	2
110148	0.06	3.3	0.87	61 <10	30	0.6 <2	
110149	0.039	1.2	1.04	51 <10	30	0.6 <2	
110150	3.63 >100		1.66	138 <10	20 <0.5		22
110151	0.001	0.2	0.64 <2	<10	160 <0.5	<2	
110152	0.118	7	0.62	52 <10	30	0.5 <2	
110153	0.041	2.8	0.74	55 <10	30	0.5 <2	
110154	0.116	3.2	0.42	84 <10	30 <0.5		2
110155	0.07	3.1	0.47	81 <10	30 <0.5		2
110156	0.058	2.9	0.51	50 <10	30	0.5 <2	
110157	0.217	7.3	0.51	58 <10	30 <0.5	<2	
110158	0.175	6.8	0.36	17 <10	30 <0.5	<2	
110159	0.18	10.3	0.74	53 <10	30 <0.5	<2	

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
110160	0.165	6.4	0.48	31 <10			30 <0.5	<2
110161	0.02	2.5	0.93	65 <10			50	0.7 <2
110162	0.047	3	0.63	57 <10			40	0.5 <2
110163	0.028	1.8	0.85	73 <10			40	0.5 <2
110164	0.025	2.2	0.56	101 <10			60	0.5
110165	0.015	2.4	0.53	88 <10			40 <0.5	3
110166	0.023	2.9	0.55	85 <10			40 <0.5	3
110167	0.017	2.7	0.57	75 <10			40 <0.5	<2
110168	0.019	3	0.64	71 <10			50	0.5 <2
110169	0.063	6.2	0.39	61 <10			30	0.5 <2
110170	0.266	13.7	0.71	44 <10			40	0.5
110171	0.021	0.9	0.95	41 <10			40	0.8 <2
110172	0.009	0.6	1.36	27 <10			40	0.9 <2
110173	0.036	10	0.62	53 <10			30	0.5
110174	0.007	0.6	1.25	34 <10			40	0.7 <2
110175	3.67 >100		1.44	136 <10			20 <0.5	13
110176	0.016	0.8	1.06	44 <10			40	0.6
110177	0.008	0.6	1.28	19 <10			40	0.6
110178	0.004	0.5	1.07	41 <10			30	0.6 <2
110179	0.006	0.7	1.07	52 <10			40	0.5
110180	0.008	1.5	0.94	73 <10			40	0.5
110181	0.014	1.2	1.04	78 <10			40	0.5
110182	0.013	1.8	1.06	39 <10			30	0.5
110183	0.006	0.5	0.93	47 <10			40	0.6
110184	0.002	0.5	1.13	18 <10			30	0.5

110185	0.003	0.3	1.29	16 <10	40	0.6 <2	
110186	0.005	1.2	0.97	32 <10	30	0.8	2

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
0.09	<0.5		4	7	110101	20	2.09	<1
0.05	<0.5		4	4	110102	21	2.12	<1
0.1	<0.5		8	4	110103	28	2.8	<1
0.16		2	6	5	110104	68	2.16	<1
0.14	0.5		3	4	110105	29	2.01	<1
0.16	0.5		3	4	110106	15	1.77	<1
0.15	<0.5		2	5	110107	31	2.05	<1
0.36	2.5		6	7	110108	36	2.4	<1
0.55	1.7		5	9	110109	18	2.13	<1
0.16	<0.5		7	9	110110	38	2.03	<1
0.21	<0.5		8	10	110111	23	2.41	<1
0.36	<0.5		8	12	110112	25	2.52	<1
0.72	<0.5		9	17	110113	28	2.53	<1
1.08		1	8	19	110114	31	3.61	<1
0.34	1.1		8	9	110115	27	2.49	<1
0.74	<0.5		8	12	110116	41	2.5	<1
1.65	<0.5		8	14	110117	26	2.41	<1
2.63	<0.5		7	13	110118	23	2.27	<1
1.56	<0.5		8	13	110119A	26	2.33	<1
1.73	<0.5		7	13	110119B	25	2.22	<1
1.54	<0.5		6	14	110120A	25	2.33	<1
1.79	<0.5		8	14	110120B	25	2.42	<1
1.78	<0.5		6	14	110121	27	2.38	<1
1.42	<0.5		8	12	110122	27	2.49	<1
0.7	<0.5		9	14	110123	41	2.38	<1
0.92	<0.5		7	11	110124	27	2.28	<1
1.35	4.5	23	13	13	110125	>10000	5.62	<1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
0.19	1.1		5	5	110126	64	1.91	<1
0.25	1.3		3	6	110127	30	1.78	<1
0.51	1.8		9	7	110128	15	2.41	<1
0.72	0.9		7	11	110129	26	2.05	<1
0.92	0.5		6	10	110130	27	2.16	<1
0.77	0.8		7	9	110131	23	2.29	<1
1.52	<0.5		7	11	110132	23	2.32	<1
1.19	<0.5		7	11	110133	20	2.52	<1
1.68	<0.5		8	12	110134	22	2.41	<1
0.87	<0.5		8	12	110135	25	2.53	<1
0.41	0.7		3	5	110136	26	2.3	<1

0.4	1.5	6	9	110137	22	2.22	<10	<1	
0.57	1.4	5	7	110138	20	2.16	<10	<1	
0.21	4.5	4	9	110139	230	2.07	<10	<1	
0.18	0.7	3	8	110140	45	2.11	<10	<1	
0.39	1.5	7	11	110141	34	2.44	<10	<1	
0.63	<0.5	7	12	110142	45	2.38	<10		1
1.93	0.5	8	13	110143	27	2.34	<10	<1	
0.7	4.2	7	9	110144	213	1.91	<10	<1	
1.02	1.6	9	11	110145	119	2.86	<10		1
0.71	0.5	8	11	110146	30	2.35	<10	<1	
0.45	5.6	6	7	110147	57	2.01	<10	<1	
0.73	7.9	8	8	110148	41	2.43	<10	<1	
2.52	1.2	7	11	110149	32	2.42	<10	<1	
1.34	4.4	23	14	110150	>10000	5.62	<10		12
0.13	<0.5	1	8	110151	32	1.34	<10	<1	
1.11	5.1	5	7	110152	74	1.98	<10	<1	
0.4	3.4	6	7	110153	44	2.26	<10	<1	
0.52	4.6	5	7	110154	30	2.01	<10		1
0.36	2.6	6	8	110155	29	2.15	<10	<1	
0.21	1.2	4	7	110156	48	1.86	<10	<1	
0.76	11.4	4	11	110157	178	1.98	<10	<1	
0.12	3.6	2	9	110158	329	1.1	<10	<1	
1.19	14.6	5	9	110159	579	2.39	<10		1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
3.64	6.4	4	10	110160	165	1.64	<10	<1	
1.1	4.3	7	8	110161	34	2.85	<10	<1	
1.17	5.4	7	4	110162	24	2.38	<10	<1	
0.83	4.7	6	9	110163	25	2.32	<10	<1	
0.27	2	8	5	110164	26	2.11	<10	<1	
0.24	<0.5	8	6	110165	24	2.5	<10	<1	
1.06	2.3	6	7	110166	21	1.89	<10	<1	
1.1	0.7	7	5	110167	9	2.06	<10	<1	
0.57	8.3	9	5	110168	42	2.79	<10	<1	
0.12	10	8	4	110169	26	2.09	<10	<1	
0.26	10	6	7	110170	86	2.45	<10	<1	
0.35	1.1	7	6	110171	37	2.26	<10	<1	
1.12	<0.5	8	11	110172	37	2.55	<10	<1	
0.18	2.8	9	5	110173	28	2.53	<10	<1	
0.2	<0.5	8	10	110174	29	2.37	<10	<1	
1.2	3.8	21	14	110175	>10000	5.12	<10		12
0.22	<0.5	8	9	110176	34	2.07	<10	<1	
0.95	<0.5	7	14	110177	33	2.29		10	<1
1.26	<0.5	7	12	110178	23	2.11	<10		1
0.51	<0.5	9	12	110179	31	2.52	<10		1
0.36	<0.5	8	11	110180	28	2.11	<10		1
0.45	<0.5	9	13	110181	31	2.3	<10		1
0.37	<0.5	7	13	110182	20	1.92	<10	<1	
0.33	<0.5	7	9	110183	24	2.03	<10		1
0.58	<0.5	7	14	110184	24	2.22		10	1

0.59 <0.5		7	16	110185	26	2.56	10 <1
0.91	0.6	9	8	110186	30	2.03 <10	<1

ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.25	30	0.18	213		1 <0.01		9 480	110101
0.3	30	0.03	150		11 <0.01		6 500	110102
0.28	30	0.03	227		17 <0.01		9 530	110103
0.34	30	0.04	190		7 <0.01		9 490	110104
0.33	30	0.03	127		7 0.01		7 490	110105
0.33	20	0.02	116		19 0.01		5 510	110106
0.27	20	0.05	275		5 0.01		3 510	110107
0.29	30	0.08	633		3 0.01		5 420	110108
0.27	30	0.12	701		1 0.01		10 480	110109
0.29	30	0.33	602		2 0.01		7 470	110110
0.24	30	0.45	601		4 0.02		9 500	110111
0.21	30	0.53	670		1 0.02		8 500	110112
0.19	30	0.8	774		3 0.03		11 530	110113
0.21	30	0.75	927		2 0.03		13 540	110114
0.25	30	0.4	529		2 0.02		9 480	110115
0.26	30	0.57	644		5 0.02		8 520	110116
0.21	30	0.81	781		1 0.03		9 530	110117
0.22	30	0.79	816		1 0.03		9 520	110118
0.21	30	0.83	632	<1		0.03	11 510	110119A
0.24	30	0.79	655		1 0.03		8 520	110119B
0.17	30	0.8	770		1 0.03		7 500	110120A
0.21	30	0.8	886		2 0.04		8 520	110120B
0.22	30	0.77	929		1 0.03		7 520	110121
0.24	30	0.7	1065		2 0.03		9 510	110122
0.23	30	0.7	848		1 0.03		8 500	110123
0.26	30	0.55	930		2 0.02		9 480	110124
0.2	10	0.72	430	1585	0.18		33 2080	110125
ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.28	30	0.15	326		6 0.01		6 460	110126
0.3	30	0.09	279		1 0.01		4 460	110127
0.2	20	0.23	460		4 0.01		9 380	110128
0.24	30	0.44	638		2 0.01		7 450	110129
0.24	30	0.5	683		2 0.01		7 410	110130
0.28	30	0.43	652		1 0.01		8 490	110131
0.22	30	0.73	945		2 0.02		8 470	110132
0.22	30	0.76	828		4 0.02		8 480	110133
0.21	30	0.82	976		3 0.02		8 490	110134
0.27	30	0.72	770		2 0.02		9 500	110135
0.26	30	0.1	392		1 0.01		5 450	110136

0.29	30	0.32	562	1	0.01	10	420	110137
0.27	30	0.27	603	2	0.01	7	460	110138
0.26	20	0.18	354	2	<0.01	8	410	110139
0.29	30	0.17	347	1	<0.01	8	400	110140
0.29	30	0.53	923	1	<0.01	11	480	110141
0.27	30	0.64	1175	2	<0.01	10	450	110142
0.23	30	0.79	1390	3	<0.01	9	450	110143
0.26	20	0.36	637	3	<0.01	9	390	110144
0.23	20	0.35	908	2	<0.01	10	390	110145
0.26	30	0.56	898	2	0.01	10	520	110146
0.23	20	0.17	778	8	<0.01	7	430	110147
0.22	20	0.23	1130	6	<0.01	10	450	110148
0.23	30	0.37	1670	4	<0.01	10	480	110149
0.2	10	0.71	431	1535	0.17	34	1990	110150
0.31	10	0.2	475	3	0.09	2	170	110151
0.21	20	0.13	1255	2	<0.01	9	440	110152
0.22	20	0.14	671	1	<0.01	6	440	110153
0.18	20	0.06	570	2	<0.01	8	390	110154
0.22	20	0.07	495	3	<0.01	9	410	110155
0.22	20	0.06	409	3	<0.01	7	390	110156
0.16	10	0.08	764	3	<0.01	5	230	110157
0.15	10	0.05	302	2	<0.01	5	250	110158
0.13	10	0.14	1300	142	<0.01	8	660	110159
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
K	La	Mg	Mn	Mo	Na	Ni	P	SAMPLE
%	ppm	%	ppm	ppm	%	ppm	ppm	DESCRIPT
0.15	10	0.11	1900	7	<0.01	7	220	110160
0.25	30	0.25	1280	11	<0.01	11	500	110161
0.24	20	0.18	1070	15	<0.01	6	400	110162
0.21	20	0.34	1195	17	<0.01	8	440	110163
0.26	20	0.08	380	9	<0.01	7	470	110164
0.21	20	0.1	418	9	<0.01	8	480	110165
0.22	20	0.13	740	11	<0.01	7	440	110166
0.22	20	0.11	778	11	<0.01	9	480	110167
0.29	20	0.09	548	8	<0.01	11	430	110168
0.21	20	0.04	219	8	<0.01	8	320	110169
0.15	10	0.14	778	6	<0.01	5	280	110170
0.3	30	0.16	695	3	<0.01	8	520	110171
0.31	30	0.62	992	3	0.01	10	570	110172
0.23	20	0.12	287	19	<0.01	8	470	110173
0.3	30	0.57	597	3	<0.01	8	520	110174
0.2	10	0.65	387	1425	0.16	32	1860	110175
0.29	30	0.49	641	5	<0.01	10	470	110176
0.25	30	0.87	920	2	0.01	10	490	110177
0.23	30	0.63	732	4	0.01	8	500	110178
0.3	30	0.58	554	6	0.01	11	480	110179
0.25	30	0.52	412	6	0.01	10	510	110180
0.26	30	0.61	467	6	0.02	9	480	110181
0.24	30	0.71	409	4	0.02	9	490	110182
0.28	30	0.4	327	3	0.01	8	460	110183
0.23	30	0.76	463	2	0.03	8	470	110184

0.25	30	0.82	490	3	0.02	10	520	110185
0.25	30	0.35	500	6	0.01	8	500	110186

ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	64	0.04	2	2	12	20 <0.01	<10	<10
	49	0.08	2	1	7 <20	<0.01	<10	<10
	34	0.41	2	1	5 <20	<0.01	<10	<10
	46	1.11	2	1	5 <20	<0.01	<10	<10
	54	1.54	4	1	5 <20	<0.01	<10	<10
	76	1.33	5	1	5 <20	<0.01	<10	30
	178	0.9	6	1	6 <20	<0.01	<10	10
	186	0.54	5	2	9 <20	<0.01	<10	<10
	99	0.26	4	2	12 <20	0.01	<10	<10
	55	0.66	2	2	10 <20	<0.01	<10	<10
	31	0.72 <2		2	7 <20	<0.01	<10	<10
	27	0.47 <2		3	7 <20	<0.01	<10	<10
	21	0.49 <2		4	10 <20	<0.01	<10	<10
	26	0.81	2	4	26	20 <0.01	<10	<10
	159	1.12	2	2	7 <20	<0.01	<10	<10
	91	1.12	2	2	9 <20	<0.01	<10	<10
	19	0.57 <2		4	18	20 <0.01	<10	<10
	36	0.61 <2		4	28 <20	<0.01	<10	<10
	20	0.27	2	4	23	20 0.01	<10	<10
	23	0.32	3	3	21	20 <0.01	<10	<10
	40	0.32	3	3	22	20 0.01	<10	<10
	39	0.41	2	3	24	20 0.01	<10	<10
	61	0.46 <2		3	20	20 <0.01	<10	<10
	44	0.76 <2		2	18 <20	<0.01	<10	<10
	43	0.65 <2		2	13 <20	<0.01	<10	<10
	41	0.89 <2		2	17 <20	<0.01	<10	<10
	260	4.27	279	3	128 <20	0.14	<10	<10
ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	83	0.86 <2		1	15 <20	<0.01	<10	<10
	84	0.45 <2		2	13 <20	<0.01	<10	<10
	92	1.74	2	2	12 <20	<0.01	<10	<10
	99	0.79 <2		2	17 <20	<0.01	<10	<10
	69	0.38	2	2	21 <20	<0.01	<10	<10
	69	0.67	2	2	21 <20	<0.01	<10	<10
	19	1.28	2	3	24 <20	<0.01	<10	<10
	35	1.56 <2		3	19 <20	<0.01	<10	<10
	18	1.29	3	3	23	20 <0.01	<10	<10
	19	1.23 <2		2	17	20 <0.01	<10	<10
	84	1.18 <2		1	12 <20	<0.01	<10	<10

150	0.41	3	2	12 <20	<0.01	<10	<10	
64	0.75	2	2	14 <20	<0.01	<10	<10	
854	0.58	4	1	9 <20	<0.01	<10	<10	
157	0.03	2	1	12 <20	0.01	<10		10
84	0.15 <2		2	16 <20	<0.01	<10	<10	
53	0.27 <2		2	17	20 <0.01	<10	<10	
48	0.49	2	3	23	20 <0.01	<10	<10	
107	0.87	4	2	16 <20	<0.01	<10	<10	
88	1.59	2	2	16 <20	<0.01	<10	<10	
49	0.46 <2		3	17 <20	<0.01	<10	<10	
432	1.28	2	2	11 <20	<0.01	<10		10
370	1.08 <2		3	16 <20	<0.01	<10	<10	
48	0.8 <2		3	28 <20	<0.01	<10	<10	
266	4.23	288	3	130 <20	0.13	<10	<10	
3	<0.01 <2		4	14 <20	0.09	<10	<10	
362	1.05	3	2	17 <20	<0.01	<10	<10	
166	0.95 <2		2	11 <20	<0.01	<10	<10	
240	1.41 <2		1	12 <20	<0.01		10 <10	
250	1.44	2	2	11 <20	<0.01	<10	<10	
126	0.92	4	2	10 <20	<0.01	<10	<10	
1920	0.96	7	2	13 <20	<0.01	<10	<10	
639	0.28	5	1	8 <20	<0.01	<10	<10	
1210	0.73	23	2	14 <20	<0.01	<10	<10	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
254	0.75	10	1	25 <20	<0.01	<10	<10	
152	1.67	5	2	23 <20	<0.01	<10	<10	
272	2.08	3	2	24 <20	<0.01	<10	<10	
263	1.55 <2		2	20 <20	<0.01	<10	<10	
111	1.68	2	1	14 <20	<0.01	<10	<10	
43	2.1	4	2	12 <20	<0.01	<10		10
140	1.36	2	2	16 <20	<0.01	<10	<10	
64	1.57 <2		2	19 <20	<0.01	<10		10
109	2.12 <2		2	18 <20	<0.01	<10		10
889	2.02 <2		1	16 <20	<0.01	<10		60
1320	1.24 <2		2	13 <20	<0.01	<10		80
89	0.78 <2		3	23	20 <0.01	<10		10
19	0.66 <2		3	33	20 <0.01	<10	<10	
610	2.05	3	1	16 <20	<0.01	<10		10
28	0.62	2	2	26 <20	<0.01	<10	<10	
251	3.78	253	3	111 <20	0.12	<10	<10	
21	0.53 <2		2	23 <20	<0.01	<10	<10	
13	0.28 <2		3	28 <20	<0.01	<10	<10	
14	0.5 <2		3	29 <20	<0.01	<10	<10	
15	1.01 <2		2	22 <20	<0.01	<10	<10	
26	0.99 <2		2	19 <20	<0.01	<10	<10	
24	1.01	2	2	20 <20	<0.01	<10	<10	
12	0.53 <2		2	18 <20	<0.01	<10	<10	
10	0.69 <2		2	21 <20	<0.01	<10	<10	
12	0.21 <2		2	18 <20	<0.01	<10	<10	

14	0.23	3	3	20	20 <0.01	<10	<10
36	0.55	2	2	22	20 <0.01	<10	<10

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %
	15 <10	83	110101		
	10 <10	42	110102		
	9 <10	81	110103		
	7 <10	351	110104		
	6 <10	177	110105		
	8 <10	134	110106		
	11 <10	120	110107		
	15 <10	311	110108		
	21 <10	192	110109		
	17 <10	126	110110		
	21 <10	94	110111		
	24 <10	126	110112		
	33 <10	66	110113		
	29 <10	81	110114		
	18 <10	196	110115		
	23 <10	145	110116		
	29 <10	59	110117		
	29 <10	65	110118		
	31 <10	50	110119A		
	30 <10	56	110119B		
	33 <10	65	110120A		
	32 <10	78	110120B		
	31 <10	116	110121		
	23 <10	135	110122		
	23 <10	128	110123		
	20 <10	121	110124		
	77	10	776	113	1.36

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %
	13 <10	178	110126		
	16 <10	260	110127		
	13 <10	188	110128		
	15 <10	183	110129		
	18 <10	198	110130		
	18 <10	166	110131		
	21 <10	51	110132		
	22 <10	49	110133		
	22 <10	45	110134		
	20 <10	68	110135		
	12 <10	148	110136		

18	<10	414	110137		
14	<10	163	110138		
14	<10	516	110139		
17	<10	314	110140		
22	<10	280	110141		
25	<10	100	110142		
26	<10	125	110143		
16	<10	400	110144		
22	<10	238	110145		
26	<10	195	110146		
16	<10	668	110147		
21	<10	960	110148		
24	<10	233	110149		
79	<10	794	110150	114	1.4
13	<10	36	110151		
21	<10	528	110152		
28	<10	418	110153		
13	<10	532	110154		
13	<10	305	110155		
16	<10	106	110156		
21	<10	1500	110157		
10	<10	436	110158		
30	<10	1550	110159		
ME-ICP41	ME-ICP41	ME-ICP41		Ag-OG46	Cu-OG46
V	W	Zn	SAMPLE	Ag	Cu
ppm	ppm	ppm	DESCRIPT	ppm	%
15	<10	560	110160		
15	<10	525	110161		
11	<10	679	110162		
18	<10	596	110163		
11	<10	241	110164		
14	<10	87	110165		
15	<10	350	110166		
11	<10	124	110167		
11	<10	767	110168		
6	<10	943	110169		
21	<10	1560	110170		
13	<10	250	110171		
24	<10	76	110172		
9	<10	480	110173		
18	<10	57	110174		
70	<10	734	110175	109	1.33
17	<10	61	110176		
26	<10	37	110177		
26	<10	30	110178		
21	<10	32	110179		
21	<10	58	110180		
27	<10	37	110181		
27	<10	32	110182		
18	<10	25	110183		
27	<10	35	110184		

31 <10	37	110185
20 <10	95	110186

CH08048712 - Finalized

CLIENT : " S.A De C.V"

of SAMPLES : 99

DATE RECEIVED : 2008-04-11 DATE FINALIZED : 2008-05-07

PROJECT LB-DDH-002

CERTIFICATE COMMENTS : ""

PO NUMBER : " "

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
110187	0.001	<0.2		0.99	18 <10		30	0.6	2
110187B	0.001		0.3	1.08	16 <10		20	0.6 <2	
110188	0.002		0.3	1.06	24 <10		20	0.6	2
110189	0.001	<0.2		1.06	13 <10		20	0.7 <2	
110190	0.003		0.4	1.07	20 <10		20	0.6	2
110191	0.007		0.7	0.92	37 <10		20	0.5 <2	
110192	0.004		0.5	1.05	22 <10		20	0.5	2
110193	0.002		0.5	1.08	29 <10		20	0.7	2
110194	0.005		0.9	0.81	30 <10		20	0.5	2
110195	0.008		1.4	0.56	50 <10		20	0.5 <2	
110196	0.007		0.6	0.8	36 <10		30	0.6	2
110197	0.01		2.1	0.76	47 <10		30	0.6	3
110198	0.002		0.5	1.05	15 <10		20	0.6	2
110199	0.001		0.2	1.01	19 <10		20	0.6	2
110200	3.51	>100		1.45	132 <10		20 <0.5		22
110201	0.001	<0.2		0.53 <2	<10		160 <0.5	<2	
110202	0.003		0.5	0.84	41 <10		30	0.6 <2	
110203	0.003		0.5	0.82	38 <10		30	0.6 <2	
110204	0.006		0.2	0.85	20 <10		30	0.6 <2	
110205	0.001		0.5	0.99	11 <10		40	0.8 <2	
110206	0.002	<0.2		0.92	17 <10		40	0.7 <2	
110207	0.001		0.4	0.83	21 <10		40	0.6 <2	
110208	0.003		0.2	0.66	20 <10		30	0.6	2
110209	0.003		0.5	0.66	19 <10		30	0.5 <2	
110210	<0.001		0.4	0.73	11 <10		30	0.5	3
110211	0.003		0.6	0.79	12 <10		30	0.6 <2	
110212	0.001		0.4	0.88	13 <10		30	0.7 <2	

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
110213	0.001		0.3	0.77	12 <10		30	0.7 <2	
110214	0.004		0.9	0.76	24 <10		40	0.5	2
110215	0.007		2	0.63	31 <10		30 <0.5		2
110216	0.003		0.9	0.8	27 <10		40	0.5	3
110217	0.003		0.9	0.84	17 <10		40	0.6 <2	
110218	0.002		0.3	1.01	13 <10		40	0.7	2
110219	0.002		0.4	1.01	11 <10		40	0.7	2
110220	0.001		0.4	0.98	15 <10		40	0.7 <2	
110221	0.005		0.3	1.1	13 <10		40	0.8 <2	
110222	0.007		1.3	1.07	15 <10		40	0.7 <2	
110223	0.009		0.8	1.14	15 <10		40	0.6 <2	

110224	0.003	0.5	1.58	13 <10	50	0.6 <2	
110225	3.79 >100		1.62	149 <10	20 <0.5		28
110226	0.015	2.2	1.4	62 <10	60	1.2 <2	
110227	0.009	4.2	0.77	87 <10	60	0.5 <2	
110228	0.013	2.2	0.84	32 <10	60	0.5 <2	
110229	0.007	1.6	0.74	41 <10	60	0.5 <2	
110230	0.008	1.5	0.92	35 <10	60	0.5 <2	
110231	0.004	0.5	1.15	11 <10	60	0.7 <2	
110232	0.002	0.6	1.08	13 <10	60	0.6 <2	
110233	0.002 <0.2		1.18	8 <10	50	0.5 <2	
110234	0.015	1.3	2.02	58 <10	120	0.9 <2	
110235	0.014	1	1.85	49 <10	130	0.7 <2	
110236	0.002 <0.2		2.18	14 <10	90 <0.5	<2	
110237	0.012	0.9	2.56	37 <10	90	0.7 <2	
110238	0.005	0.5	2.33	16 <10	80	0.8 <2	
110239	0.003	0.2	2.28	23 <10	40 <0.5	<2	
110240	0.009	0.4	2	57 <10	10 <0.5	<2	
110241	0.003	0.2	2.27	17 <10	30 <0.5	<2	
110242	0.001 <0.2		2.27	4 <10	70 <0.5	<2	
110243	0.039	3	1.45	106 <10	30	0.9 <2	
110244	0.061	1	2.4	36 <10	40	0.9 <2	
110245	0.021	2.4	2.38	72 <10	30	0.8 <2	
110246	0.017	1.6	2.26	38 <10	30	0.8 <2	

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
110247	0.008	0.5	2.46	52 <10			30	0.5 <2
110248	0.005	0.7	2.32	24 <10			20	0.5
110249	0.002 <0.2		2.06	10 <10			30 <0.5	
110250	3.59 >100		1.61	134	10		20 <0.5	
110251	0.003 <0.2		0.59 <2	<10			160 <0.5	<2
110252	0.008	0.7	2.24	40 <10			20 <0.5	<2
110253	0.005	0.6	2.83	22 <10			20	0.5 <2
110254	0.018	1.7	2.9	67 <10			20	0.7 <2
110255	0.006	0.8	2.64	14 <10			20	0.5 <2
110256	0.004	1	2.2	18 <10			20 <0.5	<2
110257	0.005	0.7	2.38	33 <10			20 <0.5	<2
110258	0.003	0.3	2.52	15 <10			20 <0.5	<2
110259	0.009	1	2.9	30 <10			20	0.7 <2
110260	0.001 <0.2		2.04	2 <10			20 <0.5	<2
110261	0.003	0.3	1.8	26 <10			20 <0.5	<2
110262	0.026	1.7	2.49	140 <10			10	0.5 <2
110263	0.01	1.2	2.46	60 <10			20 <0.5	<2
110264	0.014	1	2.11	50 <10			20 <0.5	<2
110265	0.006	0.5	2.45	37 <10			20 <0.5	<2
110266	0.007	0.6	2.37	42 <10			20 <0.5	<2
110267	0.007	1	2.26	40 <10			30 <0.5	<2
110268	0.004	0.4	2	22 <10			20 <0.5	<2
110269	0.023	7.4	1.89	37 <10			20 <0.5	<2
110270	0.003	0.3	1.92	26 <10			20 <0.5	<2
110271	0.002	0.2	1.93	6 <10			20 <0.5	<2

110272	0.01	1.2	2.17	80 <10	30	0.5 <2	
110273	0.004	0.9	2.15	33 <10	30	0.7 <2	
110274	0.019	2.7	1.74	166 <10	10	0.6 <2	
110275	3.63 >100		1.55	133 <10	20 <0.5		19
110276	0.032	3.1	1.78	111 <10	20	0.9 <2	
110277	0.011	0.5	2.1	38 <10	30	0.6 <2	
110278	0.005	0.5	2.24	42 <10	40 <0.5	<2	
110279	0.013	1.6	2.06	54 <10	20	0.6 <2	
110280	0.01	1.3	1.96	82 <10	10	0.5 <2	

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
110281	0.005	0.4	2.32	37 <10		10	0.5 <2	
110282	0.005	0.8	2.35	56 <10		10	0.5 <2	
110283	0.006	0.3	1.97	58 <10		140	0.6 <2	
110284	0.069	1.2	2.04	50 <10		220	1 <2	

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
1.25	0.6	7	13	110187	23	2.22	10	<1
1.17	0.8	7	13	110187B	22	2.25	10	<1
1.8	0.6	7	14	110188	24	2.31	10	<1
1.73	0.5	6	14	110189	24	2.39	10	<1
1.64	0.7	7	14	110190	23	2.39	<10	<1
1.53	0.7	6	11	110191	20	2.2	<10	1
1.57	0.7	6	14	110192	24	2.28	<10	<1
1.09	0.6	7	12	110193	25	2.38	<10	<1
0.47	1.1	6	10	110194	22	2.11	<10	<1
0.16	1.6	8	6	110195	17	1.82	<10	<1
0.62	0.7	7	10	110196	22	2.07	<10	<1
0.29	1.1	8	8	110197	14	2.92	<10	<1
1.16	0.6	6	13	110198	27	2.3	<10	<1
1	0.7	6	11	110199	25	2.1	<10	<1
1.37	5	22	13	110200	>10000	5.53	<10	12
0.12	0.5	1	9	110201	27	1.32	<10	<1
0.81	0.9	8	11	110202	18	2.18	<10	<1
0.73	0.8	6	9	110203	16	2.04	<10	<1
1.39	0.8	5	9	110204	26	1.81	<10	<1
1.85	0.8	6	10	110205	20	1.77	<10	<1
1.29	0.7	7	10	110206	42	2.16	<10	<1
1.52	0.7	8	9	110207	27	2.38	<10	<1
2.01	0.8	8	9	110208	49	2.2	<10	<1
1.49	0.9	7	9	110209	26	2.08	<10	<1
1.15	0.7	7	12	110210	26	2.17	<10	<1
1.34	<0.5	7	11	110211	34	2.14	<10	<1
1.44	<0.5	8	13	110212	17	2.13	<10	<1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
1.42	<0.5		8	11	110213	24	2.07	<10
1.31		0.9	7	12	110214	34	2.09	<10
0.42		0.6	7	10	110215	16	1.94	<10
1.15		0.7	7	12	110216	21	1.92	<10
0.81	<0.5		7	12	110217	17	2.07	<10
1.3	<0.5		7	16	110218	30	2.24	<10
1.31	<0.5		6	13	110219	36	2.13	<10
1.14	<0.5		6	13	110220	28	2.14	<10
1.22	<0.5		7	15	110221	24	2.4	10
0.86	<0.5		8	15	110222	31	2.25	<10
1.3	<0.5		9	14	110223	30	2.41	<10

	1.68 <0.5		14	47	110224	30	3.35	10 <1	
	1.35	4	24	15	110225 >10000		5.43 <10		12
	0.84 <0.5		14	37	110226	62	3.26	10 <1	
	0.3 <0.5		8	8	110227	27	1.94 <10	<1	
	0.39 <0.5		7	12	110228	22	1.94 <10	<1	
	0.55 <0.5		7	9	110229	16	1.59 <10	<1	
	0.25	0.6	7	12	110230	33	2.06 <10	<1	
	0.79 <0.5		7	13	110231	28	2.1	10 <1	
	1.15 <0.5		7	14	110232	28	2.2 <10	<1	
	0.74 <0.5		8	15	110233	23	2.32	10 <1	
	1.52 <0.5		19	35	110234	41	4.14	10 <1	
	1.44 <0.5		14	27	110235	26	3.44	10 <1	
	2.34 <0.5		17	39	110236	33	3.84	10 <1	
	2.05 <0.5		25	64	110237	55	4.88	10 <1	
	2.1 <0.5		18	44	110238	33	4.02	10 <1	
	2.08 <0.5		20	48	110239	36	4.37 <10		1
	2.78 <0.5		16	37	110240	21	3.46	10 <1	
	2.03 <0.5		23	58	110241	37	4.61	10 <1	
	2.22 <0.5		20	50	110242	43	4.51	10 <1	
	2.49	2.4	17	24	110243	38	3.2 <10	<1	
	2.33 <0.5		23	45	110244	75	4.85	10 <1	
	2.15	8.1	21	42	110245	105	4.61 <10	<1	
	2.04	6.6	19	38	110246	86	4.2	10	1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
	2.38 <0.5		21	47	110247	61	5.08	10 <1	
	2.12	0.8	20	49	110248	53	4.77	10 <1	
	1.59 <0.5		19	49	110249	45	4.52	10 <1	
	1.35	4.3	22	15	110250 >10000		5.51 <10		13
	0.12 <0.5		2	9	110251	21	1.31 <10	<1	
	1.96 <0.5		21	48	110252	54	4.57	10 <1	
	2.02	1.4	27	67	110253	134	5.67	10 <1	
	2.72	1.5	25	56	110254	83	5.49	10 <1	
	2.13	1	24	55	110255	94	5.09	10 <1	
	2.38	0.6	20	54	110256	98	4.55	10 <1	
	2.39 <0.5		23	57	110257	54	5.08	10 <1	
	2.01 <0.5		25	72	110258	109	5.37	10 <1	
	2.44 <0.5		30	94	110259	35	5.99	10	1
	1.73 <0.5		22	47	110260	42	4.64	10 <1	
	1.83 <0.5		22	26	110261	185	4.68	10 <1	
	2.68 <0.5		26	47	110262	175	5.55	10	1
	1.93 <0.5		21	47	110263	45	4.9	10 <1	
	2.15	0.6	17	42	110264	99	4.45	10 <1	
	2.05 <0.5		24	53	110265	126	4.81	10 <1	
	1.94 <0.5		23	53	110266	118	4.59	10 <1	
	2.04 <0.5		21	50	110267	74	4.73	10	1
	1.84 <0.5		19	50	110268	92	4.52	10	1
	2.1	4	18	47	110269	739	4.27	10 <1	
	2.15 <0.5		20	50	110270	65	4.41 <10	<1	
	1.87 <0.5		19	53	110271	55	4.23	10 <1	

	2.35	<0.5		20	55	110272	35	4.64	10	1
	3.6	<0.5		19	53	110273	27	4.28	10	1
	2.9	1.3		16	42	110274	21	4.02	10	<1
	1.28	3.9		25	14	110275	>10000	5.25	<10	12
	3.1	1.7		14	37	110276	67	3.31	10	<1
	2.89	<0.5		21	56	110277	32	4.24	<10	<1
	2.87	<0.5		20	59	110278	37	4.68	10	1
	2.59	<0.5		21	53	110279	27	4.26	10	1
	3.64	<0.5		21	45	110280	44	4.43	10	1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41				ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr		SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm		DESCRIPT	ppm	%	ppm	ppm	
	2.87	<0.5		22	62	110281	34	4.63	10	<1
	2.29	<0.5		20	60	110282	43	4.28	10	<1
	3.06	<0.5		19	43	110283	19	5.05	10	<1
	2.03	0.5		21	52	110284	87	3.78	10	<1

ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.17	30	0.68	503		3	0.02	8	460 110187
0.17	30	0.78	563		3	0.02	7	480 110187B
0.16	30	0.82	536		4	0.02	8	500 110188
0.14	30	0.83	543		3	0.02	7	480 110189
0.17	30	0.8	739		4	0.02	8	480 110190
0.18	20	0.69	841		8	0.01	7	440 110191
0.19	30	0.73	684		5	0.02	9	470 110192
0.22	30	0.72	516		3	0.01	7	510 110193
0.22	30	0.51	407		7	0.01	9	440 110194
0.2	20	0.19	345		6	<0.01	6	380 110195
0.23	30	0.44	393		5	0.01	8	470 110196
0.24	20	0.45	409		14	<0.01	8	470 110197
0.21	30	0.71	448		3	0.02	8	470 110198
0.2	30	0.67	378		3	0.02	6	450 110199
0.19	10	0.71	408	1495		0.15	34	1910 110200
0.27	10	0.19	442		5	0.07	2	160 110201
0.24	30	0.57	292		5	0.01	10	500 110202
0.24	30	0.55	275		4	0.01	7	490 110203
0.25	30	0.49	366		4	0.01	7	460 110204
0.29	30	0.57	376		3	0.01	7	490 110205
0.24	30	0.58	358		5	0.01	8	490 110206
0.24	30	0.56	329		5	0.02	7	500 110207
0.2	30	0.52	286		5	0.02	9	480 110208
0.16	30	0.59	328		4	0.02	6	450 110209
0.19	30	0.67	260		5	0.02	9	440 110210
0.17	30	0.66	361		5	0.03	8	490 110211
0.17	30	0.69	360		5	0.03	9	480 110212
ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.14	30	0.65	362		5	0.02	8	490 110213
0.19	30	0.59	526		5	0.03	9	480 110214
0.15	20	0.5	610		9	0.01	6	420 110215
0.22	30	0.56	535		4	0.04	9	480 110216
0.17	30	0.65	537		4	0.03	7	470 110217
0.18	30	0.73	509		4	0.04	9	490 110218
0.19	30	0.66	544		3	0.04	7	480 110219
0.19	30	0.68	481		4	0.03	7	480 110220
0.18	30	0.79	549		4	0.03	8	500 110221
0.19	20	0.73	499		5	0.02	9	510 110222
0.15	30	0.89	513		4	0.03	8	500 110223

0.13	20	1.36	712	4	0.06	17	710	110224
0.2	10	0.71	408	1550	0.17	37	2060	110225
0.2	20	1.14	950	7	0.02	17	660	110226
0.22	30	0.39	561	6	0.01	7	450	110227
0.22	20	0.48	603	9	0.01	8	450	110228
0.21	20	0.42	588	7	0.01	6	480	110229
0.21	30	0.6	532	23	0.01	9	470	110230
0.2	30	0.76	511	6	0.02	7	470	110231
0.17	30	0.78	494	4	0.02	8	480	110232
0.16	30	0.87	536	4	0.03	8	520	110233
0.23	20	1.54	1470	3	0.04	18	950	110234
0.19	10	1.43	1360	2	0.06	15	830	110235
0.14	10	1.67	1415	2	0.13	21	850	110236
0.14	10	2.34	2850	1	0.05	29	900	110237
0.23	10	1.97	1875	2	0.05	24	850	110238
0.07	10	2.16	965	1	0.12	24	1000	110239
0.08	10	1.82	1145	2	0.03	17	910	110240
0.06	10	2.36	1150	1	0.12	25	1210	110241
0.06	10	2.03	793	2	0.18	26	1480	110242
0.26	10	0.71	1645	3	0.02	18	1140	110243
0.23	10	1.89	2170	1	0.05	25	1390	110244
0.14	10	2.02	3460	2	0.05	23	1400	110245
0.18	10	1.93	2610	2	0.05	21	1210	110246

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
K	La	Mg	Mn	Mo	Na	Ni	P	SAMPLE
%	ppm	%	ppm	ppm	%	ppm	ppm	DESCRIPT
0.08	10	2.51	1855	1	0.1	23	1540	110247
0.09	10	2.18	1295	2	0.12	22	1390	110248
0.06	10	2.03	805	1	0.17	21	1340	110249
0.2	10	0.71	419	1575	0.19	36	2000	110250
0.3	10	0.2	458	2	0.1	1	170	110251
0.06	10	2.16	1235	4	0.11	20	1400	110252
0.05	10	2.92	2290	3	0.11	31	1100	110253
0.1	10	2.57	3080	1	0.07	27	1230	110254
0.07	10	2.4	2590	2	0.12	26	1440	110255
0.06	10	2.23	2310	2	0.09	23	1230	110256
0.08	10	2.26	1280	3	0.12	27	1510	110257
0.05	10	2.66	1190	1	0.12	29	960	110258
0.07	10	2.99	1890	1	0.12	39	930	110259
0.05	10	1.88	599	2	0.11	24	2320	110260
0.07	10	1.65	766	2	0.07	21	2130	110261
0.1	10	2.34	2470	4	0.04	25	2210	110262
0.06	10	2.27	1290	2	0.12	23	1940	110263
0.06	10	1.98	1345	3	0.1	18	1910	110264
0.06	10	2.17	907	2	0.12	24	1880	110265
0.06	10	2.14	1485	2	0.1	27	1670	110266
0.07	10	1.92	1155	4	0.14	25	1810	110267
0.05	10	1.79	779	2	0.13	22	1760	110268
0.07	10	1.59	1140	6	0.12	20	1510	110269
0.06	10	1.66	758	3	0.11	20	1470	110270
0.07	10	1.47	625	2	0.12	22	1430	110271

	0.11	10	2.01	1705	5	0.07	22	1310	110272
	0.17	10	1.8	2100	3	0.06	21	1180	110273
	0.14	10	1.63	1800	7	0.03	19	1000	110274
	0.2	10	0.69	395	1445	0.17	35	1980	110275
	0.24	10	1.23	1175	10	0.02	17	800	110276
	0.14	10	2	1600	3	0.05	22	1100	110277
	0.11	10	2.12	1310	3	0.07	25	1160	110278
	0.14	10	1.83	1150	6	0.06	23	1010	110279
	0.16	10	1.81	1200	5	0.04	24	970	110280
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
K	La	Mg	Mn	Mo	Na	Ni	P		SAMPLE
%	ppm	%	ppm	ppm	%	ppm	ppm		DESCRIPT
	0.11	10	2.24	1070	2	0.07	25	1100	110281
	0.11	20	2.32	1360	3	0.03	23	730	110282
	0.18	10	1.71	1310	2	0.05	18	1350	110283
	0.23	10	1.62	1335	1	0.03	19	820	110284

ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	17	0.29	3	3	20	20 <0.01	<10	<10
	29	0.2 <2		3	18	20 <0.01	<10	<10
	15	0.29	3	3	22	20 <0.01	<10	<10
	12	0.18 <2		3	25	20 <0.01	<10	<10
	13	0.46 <2		3	20	20 <0.01	<10	<10
	16	0.79	3	2	17 <20	<0.01	<10	<10
	13	0.42 <2		3	18	20 <0.01	<10	<10
	15	0.56	2	3	15	20 <0.01	<10	<10
	20	0.98	3	2	10 <20	<0.01	<10	<10
	45	0.96	3	1	7 <20	<0.01	<10	<10
	17	0.85	3	2	14 <20	<0.01	<10	<10
	58	2.11	2	2	9 <20	<0.01	<10	<10
	10	0.53	3	2	16	20 <0.01	<10	<10
	9	0.38 <2		2	15	20 <0.01	<10	<10
	244	3.84	273	3	109 <20	0.12	<10	<10
	2	0.03 <2		3	8 <20	0.08	<10	<10
	14	1.28	4	2	12 <20	<0.01	<10	<10
	12	1.15	3	2	12 <20	<0.01	<10	<10
	23	0.64	2	2	16 <20	<0.01	<10	<10
	14	0.59 <2		2	24	20 <0.01	<10	<10
	12	1.06	4	2	21	20 <0.01	<10	<10
	15	1.74	2	2	22	20 <0.01	<10	<10
	16	1.94	2	2	22 <20	<0.01	<10	<10
	20	1.76 <2		2	18 <20	<0.01	<10	<10
	18	1.81	2	2	17 <20	<0.01	<10	<10
	23	1.72	2	2	18 <20	0.01	<10	<10
	17	1.43	3	3	18	20	0.01 <10	<10
ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	17	1.42	2	2	18 <20	0.01	<10	<10
	35	1.68	2	2	16 <20	0.01	<10	<10
	77	1.48 <2		1	9 <20	<0.01	<10	<10
	30	1.43	2	2	15	20	0.01 <10	<10
	34	1.35	2	2	14	20	0.02 <10	<10
	20	1.18 <2		3	18	20	0.02 <10	<10
	19	0.81 <2		3	17	20	0.04 <10	<10
	19	0.95	2	3	16	20	0.02 <10	<10
	22	0.75	2	3	18	20	0.01 <10	<10
	38	0.83 <2		3	16 <20	0.05	<10	<10
	16	1.07	2	3	17 <20	0.06	<10	<10

14	0.64	2	6	32 <20		0.08 <10	<10
263	4	277	3	129 <20		0.13 <10	<10
78	1.14 <2		5	21 <20		0.01 <10	<10
48	1.02	4	2	12 <20	<0.01	<10	<10
90	1.03	3	2	13 <20	<0.01	<10	<10
35	0.91	4	1	14	20	0.01 <10	<10
52	1.13	4	2	12	20	0.03 <10	<10
42	0.31	4	3	17	20	0.06 <10	<10
25	0.41	2	3	21	20	0.02 <10	<10
14	0.23	4	3	16	20	0.04 <10	<10
24	0.67 <2		8	47 <20		0.05 <10	<10
31	0.95	4	6	51 <20		0.05 <10	<10
11	0.25	3	9	67 <20		0.05 <10	<10
38	1.12 <2		11	50 <20		0.06 <10	<10
22	0.29	4	7	53 <20		0.06 <10	<10
12	0.15	2	9	60 <20		0.12 <10	<10
18	0.71	4	7	50 <20		0.12 <10	<10
12	0.13 <2		10	58 <20		0.15 <10	<10
9	0.08	3	10	77 <20		0.13 <10	<10
121	0.7	3	6	33 <20		0.05 <10	<10
22	0.33	3	11	48 <20		0.04 <10	<10
315	0.82	2	11	45 <20		0.09 <10	<10
118	0.71	2	9	45 <20		0.07 <10	<10
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Pb	S	Sb	Sc	Sr	Th	Ti	Tl
ppm	%	ppm	ppm	ppm	ppm	%	ppm
26	0.48 <2		12	53 <20		0.09 <10	<10
60	0.34 <2		11	58 <20		0.11 <10	<10
14	0.11	3	7	58 <20		0.13 <10	<10
256	4.07	265	3	127 <20		0.13 <10	<10
2	0.01 <2		4	10 <20		0.09 <10	<10
31	0.53	2	10	53 <20		0.12 <10	<10
102	0.29	2	14	52 <20		0.15 <10	<10
164	0.74 <2		14	47 <20		0.1 <10	<10
63	0.21 <2		14	55 <20		0.16 <10	<10
80	0.24 <2		9	45 <20		0.14 <10	<10
27	0.49 <2		10	64 <20		0.12 <10	<10
7	0.17	2	10	57 <20		0.14 <10	<10
25	0.4 <2		16	60 <20		0.16 <10	<10
11	0.03	3	7	48 <20		0.13 <10	<10
17	0.32 <2		8	38 <20		0.14 <10	<10
63	2.08	4	11	35 <20		0.16 <10	<10
23	1.04	5	10	52 <20		0.14 <10	<10
88	0.82	4	9	49 <20		0.11 <10	<10
19	0.71	2	10	55 <20		0.15 <10	<10
32	0.78 <2		11	49 <20		0.14 <10	<10
22	0.62	4	9	64 <20		0.14 <10	<10
17	0.56	2	7	54 <20		0.12 <10	<10
1135	1	3	6	53 <20		0.11 <10	<10
13	0.17	2	8	57 <20		0.1 <10	<10
12	0.06	4	5	56 <20		0.11 <10	<10

	25	1.34	3	10	47 <20	0.09 <10	<10	
	27	0.59 <2		11	62 <20	0.06 <10	<10	
	68	2.55	4	7	40 <20	0.08 <10	<10	
	259	3.81	268	3	126 <20	0.13 <10	<10	
	271	1.76	3	7	39 <20	0.09 <10	<10	
	21	0.53 <2		10	51 <20	0.05 <10	<10	
	17	0.81 <2		12	57 <20	0.08 <10	<10	
	22	0.82	3	10	52 <20	0.1 <10	<10	
	25	1.37 <2		10	48 <20	0.08 <10	<10	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
	5	0.41	4	13	57 <20	0.07 <10	<10	<10
	11	1.57 <2		11	27 <20	0.19 <10	<10	<10
	9	1.03	2	11	69 <20	0.07 <10	<10	<10
	31	0.96	4	9	63 <20	0.08 <10	<10	<10

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %
	29 <10		46 110187		
	29 <10		88 110187B		
	32 <10		50 110188		
	35 <10		46 110189		
	29 <10		48 110190		
	23 <10		51 110191		
	27 <10		50 110192		
	24 <10		37 110193		
	20 <10		58 110194		
	12 <10	110	110195		
	17 <10		36 110196		
	18 <10		61 110197		
	24 <10		27 110198		
	22 <10		23 110199		
	72 <10	775	110200	114	1.34
	13 <10		30 110201		
	18 <10		29 110202		
	18 <10		27 110203		
	15 <10		47 110204		
	18 <10		37 110205		
	18 <10		25 110206		
	18 <10		29 110207		
	15 <10		21 110208		
	17 <10		42 110209		
	20 <10		34 110210		
	24 <10		41 110211		
	27 <10		30 110212		

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %
	26 <10		35 110213		
	25 <10		54 110214		
	22 <10		71 110215		
	24 <10		70 110216		
	26 <10		69 110217		
	30 <10		46 110218		
	28 <10		57 110219		
	27 <10		40 110220		
	35 <10		42 110221		
	31 <10		65 110222		
	35 <10		59 110223		

	86 <10		59	110224		
	77 <10		760	110225	111	1.34
	64 <10		84	110226		
	19 <10		71	110227		
	20 <10		120	110228		
	17 <10		84	110229		
	24 <10		101	110230		
	28 <10		73	110231		
	33 <10		54	110232		
	36 <10		57	110233		
	111 <10		96	110234		
	78 <10		103	110235		
	119 <10		69	110236		
	134 <10		134	110237		
	106 <10		111	110238		
	158	10	67	110239		
	99 <10		159	110240		
	178	10	104	110241		
	177 <10		92	110242		
	67 <10		347	110243		
	156 <10		145	110244		
	144 <10		940	110245		
	128	10	620	110246		
ME-ICP41	ME-ICP41	ME-ICP41		Ag-OG46	Cu-OG46	
V	W	Zn	SAMPLE	Ag	Cu	
ppm	ppm	ppm	DESCRIPT	ppm	%	
	176 <10		127	110247		
	171 <10		197	110248		
	167 <10		82	110249		
	76 <10		769	110250	115	1.32
	14 <10		31	110251		
	165 <10		128	110252		
	194 <10		315	110253		
	159 <10		317	110254		
	179 <10		193	110255		
	153 <10		177	110256		
	174 <10		124	110257		
	176 <10		119	110258		
	207 <10		151	110259		
	211 <10		93	110260		
	215 <10		90	110261		
	183 <10		165	110262		
	177	10	179	110263		
	176 <10		225	110264		
	210 <10		89	110265		
	184 <10		83	110266		
	187	10	113	110267		
	188	10	124	110268		
	157	10	722	110269		
	173	10	90	110270		
	179	10	74	110271		

156	10	113	110272		
141 <10		146	110273		
95 <10		160	110274		
77 <10		760	110275	114	1.36
83 <10		176	110276		
148 <10		135	110277		
149 <10		108	110278		
139 <10		109	110279		
132 <10		84	110280		
ME-ICP41	ME-ICP41	ME-ICP41		Ag-OG46	Cu-OG46
V	W	Zn	SAMPLE	Ag	Cu
ppm	ppm	ppm	DESCRIPT	ppm	%
156 <10		51	110281		
109 <10		102	110282		
148 <10		67	110283		
96 <10		102	110284		

CH08052251 - Finalized

CLIENT : "I S.A De C.V"

of SAMPLES : 164

DATE RECEIVED : 2008-04-25 DATE FINALIZED : 2008-05-17

PROJECT : "LB-003"

CERTIFICATE COMMENTS : ""

PO NUMBER : " "

	Au-ICP21	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Au	Ag	Al	As	B	Ba	Be
DESCRIPT	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
110285	0.017			1	0.64	31 <10		70
110286	0.019			2	0.63	14 <10		70
110287	0.009			1.8	0.83	24 <10		50
110288	0.021			4	0.68	80 <10		50
110289	0.033			3.1	0.63	34 <10		40
110290	0.019			2.6	0.85	45 <10		50
110291	0.049			5.6	1.19	37 <10		60
110292	0.01			1.3	1.05	15 <10		50
110293	0.015			1.7	1.11	22 <10		40
110294	0.015			3.9	1.05	40 <10		30
110295	0.037			2.5	1.03	32 <10		30
110296	0.013			2.4	1.12	20 <10		30
110297	0.013			1.4	1.17	19 <10		20
110298	0.008			1.1	1.24	19 <10		30
110299	0.01			1.4	1.26	8 <10		30
518701	0.006			1	1.23	35 <10		30
518702	0.008			1.2	1.17	22 <10		30
518703	0.005			0.9	1	29 <10		30
518704	0.007			1.1	0.9	32 <10		40
518705	0.017			1.3	1.06	11 <10		40
518706	0.008			1	1.06	27 <10		30
518707	0.381		>100		0.51	64 <10		30 <0.5
518708	0.001			0.4	0.6 <2	<10		150 <0.5
518709	0.015			2.4	0.74	43 <10		30 <0.5
518710	0.004			0.5	0.8	52 <10		20
518711	0.016			1.9	0.77	37 <10		30
518712	0.009			1.4	1.02	20 <10		30

	Au-ICP21	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Au	Ag	Al	As	B	Ba	Be
DESCRIPT	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
518713	0.013			1.5	0.92	39 <10		30
518714	0.009			0.9	1.03	8 <10		30
518715	0.024			6.8	0.97	52 <10		30
518716	0.006			0.7	1.07	29 <10		30
518717	0.014			1.9	0.82	38 <10		30
518718	0.007			0.6	0.83	45 <10		30
518719	0.009			1.9	0.79	47 <10		20
518720	0.008			2.3	0.72	59 <10		20
518721	0.02			3	0.53	48 <10		20 <0.5
518722	0.022			3.3	0.38	80 <10		20
518723	0.011			1.8	0.6	33 <10		20

518724	0.016		2.1	0.71	58 <10		20	0.5
518725	0.007		1.4	0.71	44 <10		20	0.5
518726	0.004		0.7	0.62	50 <10		30	0.6
518727	0.024		2.1	0.52	46 <10		20	0.5
518728	0.005		2.2	0.65	49 <10		30	0.5
518729	0.018		1.2	0.72	46 <10		30 <0.5	
518730	0.006		1.6	0.85	41 <10		30	0.5
518731	0.007		1.5	0.81	39 <10		30	0.5
518732	0.463	>100		0.5	71 <10		20 <0.5	
518733	0.018		3.4	0.84	34 <10		30	0.5
518734	0.011		4.2	0.83	29 <10		20 <0.5	
518735	0.008		1.7	0.8	99 <10		30	0.6
518736	0.009		2.9	0.96	35 <10		20 <0.5	
518737	0.006		1.3	1.27	47 <10		20	0.7
518738	0.013		3.1	0.89	28 <10		30	0.6
518739	0.003		0.7	1.02	21 <10		20	0.6
518740	0.001		1.3	0.95	14 <10		20	0.5
518741	0.009		1.8	0.59	17 <10		20	0.5
518742	0.015		2.8	0.35	204 <10		20 <0.5	
518743	0.006		1.6	0.85	9 <10		20	0.5
518744	0.007		1.7	0.8 <2	<10		20	0.5
518745	0.008		1.9	0.79	19 <10		20	0.5
518746	0.009		4.9	0.84	30 <10		20	0.6

	Au-ICP21	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Au	Ag	Al	As	B	Ba	Be
DESCRIPT	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
518747	0.013			2.8	1.11	23 <10		30
518748	0.031			6.9	0.4	28 <10		30 <0.5
518749	>10.0		10.7 >100		0.31	18 <10		20 <0.5
518750	0.071			10.4	0.43	6 <10		20
518751	0.115			7.8	0.42	10 <10		20
518752	0.011			1.4	0.5	16 <10		30
518753	0.003			2.5	0.49	18 <10		30 <0.5
518754	0.005			2.9	0.6	17 <10		30 <0.5
518755	0.008			2.3	0.43	28 <10		30 <0.5
518756	0.009			2.9	0.54	16 <10		30 <0.5
518757	0.386		>100		0.47	69 <10		30 <0.5
518758	0.001			0.5	0.55 <2	<10	140	<0.5
518759	0.018			1.4	0.51	9 <10	30	0.5
518760	0.004			1	0.4	21 <10	20	<0.5
518761	0.009			1.5	0.5	25 <10	30	0.5
518762	0.023			4.3	1	29 <10	20	0.5
518763	0.011			2.2	1.22	26 <10	20	0.6
518764	0.01			3.8	1.46	23 <10	20	0.7
518765	0.007			1	1.62	60 <10	20	0.8
518766	0.005			1	1.2	30 <10	20	0.7
518767	0.004			0.3	1.07	15 <10	30	0.6
518768	0.004			1.3	0.69	8 <10	20	0.6
518769	0.008			2.7	0.65	23 <10	20	0.6
518770	0.007			1.1	1.19	13 <10	20	0.7
518771	0.008			0.9	0.71	24 <10	20	0.5

518772	0.005		0.9	0.51	13	<10	20	0.5
518773	0.006		1.3	0.57	15	<10	20	0.5
518774	0.009		3.6	0.56	25	<10	20	<0.5
518775	0.014		1.5	0.59	17	<10	20	0.5
518776	0.002		0.2	0.76	16	<10	20	0.6
518777	0.004		1.1	0.67	13	<10	20	0.5
518778	0.004		0.5	0.79	23	<10	20	0.6
518779	0.005		0.9	0.77	15	<10	10	0.6
518780	0.005		0.7	0.78	11	<10	20	0.6

	Au-ICP21	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
SAMPLE	Au	Au	Ag	Al	As	B	Ba	Be	
DESCRIPT	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
518781	0.004			0.5	0.64	12	<10	10	0.6
518782	0.741		>100		0.49	66	<10	30	<0.5
518783	0.01			1.8	0.47	27	<10	20	0.5
518784	0.003			0.5	0.65	10	<10	10	0.5
518785	0.004			0.7	0.7	11	<10	10	0.5
518786	0.002			0.3	0.74	17	<10	20	0.6
518787	0.003		<0.2		0.8	18	<10	30	0.8
518788	0.003			0.8	0.64	24	<10	20	0.6
518789	0.004			1.4	0.6	27	<10	30	0.5
518790	0.005			1.6	0.45	48	<10	30	0.5
518791	0.005			1.2	0.42	34	<10	20	0.5
518792	0.003			1.7	0.56	26	<10	20	0.6
518793	0.003			0.7	0.65	29	<10	30	0.6
518794	0.005			0.6	0.65	13	<10	20	0.6
518795	0.004			0.6	0.65	16	<10	20	0.5
518796	0.008			0.9	0.58	30	<10	30	0.5
518797	0.005			0.4	0.87	13	<10	20	0.6
518798	0.025			5.4	0.88	27	<10	30	0.5
518799	0.027			3	1	18	<10	20	0.6
518800	0.006			0.5	1.04	16	<10	20	0.6
518801	0.008			1.2	0.95	17	<10	20	0.6
518802	0.012			1.5	0.85	18	<10	20	0.5
518803	0.008			0.9	0.9	17	<10	20	0.6
518804	0.009			1.4	0.66	45	<10	20	0.5
518805	0.028			5.4	0.68	40	<10	20	<0.5
518806	0.023			2.1	0.69	61	<10	30	0.5
518807	0.416		>100		0.49	63	<10	40	<0.5
518808	0.003			0.4	0.58	3	<10	170	<0.5
518809	0.008			1.8	0.49	42	<10	30	<0.5
518810	0.024			8.3	0.6	35	<10	30	0.5
518811	0.027			9.5	0.73	29	<10	30	0.6
518812	0.022			6	0.47	30	<10	40	0.5
518813	0.075			4.9	0.26	58	<10	20	<0.5
518814	0.013			1	0.66	33	<10	40	0.6

	Au-ICP21	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
SAMPLE	Au	Au	Ag	Al	As	B	Ba	Be	
DESCRIPT	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
518815	0.003			0.3	0.99	13	<10	40	0.6
518816	0.023			0.4	0.66	13	<10	50	0.6

518817	0.011		1.1	0.59	21 <10		50	0.8
518818	0.014		1.3	0.81	31 <10		60	1.3
518819	0.008		1.1	0.87	33 <10		60	0.7
518820	0.01		1.7	0.77	25 <10		40	1.1
518821	0.012		2.6	0.47	27 <10		40	0.8
518822	0.004		0.5	1.04	16 <10		40	0.7
518823	0.007		1.9	0.58	26 <10		30	0.7
518824	0.019		3.9	0.33	16 <10		30	0.6
518825	0.006		0.7	0.81	23 <10		30	0.5
518826	0.015		1.9	0.65	26 <10		30 <0.5	
518827	0.01		3	0.7	22 <10		30	0.5
518828	0.016		3.8	0.83	17 <10		30	0.6
518829	0.012		1.6	1.75	40 <10		20	0.7
518830	0.011		0.7	1.63	45 <10		30	0.8
518831	0.008		0.9	1.21	11 <10		30	0.6
518832	0.377	>100		0.47	66 <10		30 <0.5	
518833	0.008		1.1	1.4	21 <10		30	0.7
518834	0.005		0.3	1.81	16 <10		60	0.5
518835	0.019		1.4	1.82	74 <10		110	0.6
518836	0.015		2.7	1.26	61 <10		80	0.8
518837	0.043		3.3	1.07	45	10	40	1
518838	0.026		2.3	1.3	87 <10		30	1.1
518839	0.041		2.3	1.06	92 <10		20	0.7
518840	0.058		3.9	0.47	41 <10		20	0.6
518841	0.007		0.6	1.58	40 <10		20	0.6
518842	0.003		0.2	1.61	17	10	20 <0.5	
518843	0.001	<0.2		1.45	22 <10		20 <0.5	
518844	0.004		0.4	1.52	25 <10		20 <0.5	
518845	0.004		0.3	1.41	36 <10		20 <0.5	
518846	0.002	<0.2		1.51	14 <10		20 <0.5	
518847	0.007	<0.2		1.48	9 <10		30 <0.5	
518848	0.013	<0.2		1.27	7 <10		20 <0.5	
	Au-ICP21	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Au	Ag	Al	As	B	Ba	Be
DESCRIPT	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
518849	0.022			0.2	1	9 <10		20 <0.5

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Bi	Ca	Cd	Co	SAMPLE	Cr	Cu	Fe	Ga
ppm	%	ppm	ppm	DESCRIPT	ppm	ppm	%	ppm
<2		1.12 <0.5		4 110285		12	29	1.97 <10
<2		0.88 <0.5		6 110286		8	29	2.39 <10
<2		0.55 <0.5		8 110287		9	33	2.2 <10
	3	0.16 <0.5		7 110288		6	20	2.05 <10
	3	0.46 <0.5		6 110289		5	18	1.37 <10
	9	0.62 <0.5		8 110290		9	8	2.3 <10
	13	0.66 <0.5		8 110291		14	39	2.41 10
	2	1.01 <0.5		7 110292		14	16	2.37 10
	2	1.12 <0.5		7 110293		18	27	2.43 10
	5	1.07 2.6		8 110294		12	139	2.6 10
<2		0.7 <0.5		7 110295		16	32	2.37 10
	2	0.87 <0.5		7 110296		16	31	2.34 10
<2		0.59 <0.5		8 110297		16	19	2.29 10
<2		0.66 <0.5		7 110298		18	31	2.3 10
<2		0.65 <0.5		8 110299		17	22	2.28 10
<2		0.88 0.5		7 518701		15	23	2.23 10
	3	0.82 0.6		8 518702		15	20	2.31 10
	3	1.08 1.2		8 518703		13	37	2.37 10
	5	0.55 1.7		9 518704		11	10	2.06 <10
<2		0.86 <0.5		7 518705		11	35	2.3 10
	2	1.38 <0.5		7 518706		13	30	2.26 10
	16	0.23 107.5		16 518707		11 >10000		5.45 <10
<2		0.12 <0.5		2 518708		8	27	1.27 <10
	2	1.22 8.8		7 518709		14	29	2.31 <10
	5	1.02 0.5		10 518710		13	26	2.33 <10
	4	1.22 0.7		9 518711		11	27	2.18 <10
	2	1.57 <0.5		7 518712		13	38	2.25 10
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Bi	Ca	Cd	Co	SAMPLE	Cr	Cu	Fe	Ga
ppm	%	ppm	ppm	DESCRIPT	ppm	ppm	%	ppm
	4	1.12 0.7		12 518713		12	18	2.5 <10
<2		1.03 1.2		7 518714		13	49	2.27 10
	5	1.25 0.8		8 518715		13	37	2.44 10
<2		1.44 <0.5		7 518716		12	25	2.25 10
	2	1.07 <0.5		7 518717		11	20	2.25 10
	3	1.31 <0.5		7 518718		12	48	2.3 <10
	4	1.4 1		7 518719		10	42	1.92 <10
	14	1.2 0.5		5 518720		10	98	2.1 <10
	9	1.07 1.6		8 518721		9	36	1.99 <10
	7	0.25 1.6		9 518722		3	15	1.78 <10
	7	1.05 0.8		7 518723		6	24	1.85 <10

	4	1.23	0.5	10	518724	9	29	2.5	<10	
	3	0.92	<0.5	8	518725	10	8	2.25	<10	
	6	1.05	<0.5	7	518726	7	19	2.5	<10	
	7	0.91	0.7	9	518727	8	30	2.1	<10	
	3	0.85	<0.5	8	518728	8	27	2.09	<10	
	2	0.85	<0.5	9	518729	11	21	2.64	<10	
	2	1.09	0.5	8	518730	13	30	2.42	<10	
	3	0.64	<0.5	8	518731	12	42	2.53	<10	
	5	0.23	107.5	16	518732	11	>10000	5.5	<10	
	5	0.99	<0.5	8	518733	11	55	2.64	<10	
	7	1.19	4.4	8	518734	12	63	2.29	<10	
	3	1.08	1.5	9	518735	10	31	2.3	<10	
	3	0.7	6.9	9	518736	11	56	2.69	<10	
<2		1.06	0.5	11	518737	15	39	3.36		10
	2	1.04	0.6	8	518738	11	22	2.85	<10	
	2	1.27	0.9	8	518739	13	25	2.48		10
	3	1.13	0.6	8	518740	13	12	2.44	<10	
	3	0.75	0.5	8	518741	6	7	2.14	<10	
	4	0.96	3.8	9	518742	6	38	1.65	<10	
	3	1.51	<0.5	11	518743	11	7	2.83	<10	
	3	1.15	<0.5	9	518744	12	9	2.12	<10	
	4	0.94	<0.5	6	518745	12	26	2.45	<10	
	3	0.92	2.8	7	518746	10	441	2.47	<10	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41			ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Bi	Ca	Cd	Co	SAMPLE	Cr	Cu	Fe	Ga		
ppm	%	ppm	ppm	DESCRIPT	ppm	ppm	%	ppm		
	5	1.49	<0.5	7	518747	12	57	2.59		10
	10	0.91	2.5	6	518748	4	77	2.15	<10	
	2	2.21	193.5	5	518749	7	5000	1.39	<10	
	2	2.9	18.4	2	518750	8	191	1.01	<10	
	4	3	17.1	2	518751	7	161	1.03	<10	
	3	1.16	1.2	7	518752	6	10	1.55	<10	
	6	1.02	0.8	13	518753	7	9	1.84	<10	
	7	1.12	0.6	5	518754	5	3	1.67	<10	
	6	1.18	0.7	6	518755	3	5	2.01	<10	
	6	1.38	0.5	6	518756	4	4	2.17	<10	
	4	0.22	102	15	518757	10	>10000	5.43	<10	
<2		0.11	<0.5	2	518758	7	28	1.26	<10	
	3	1.1	0.7	3	518759	6	7	1.69	<10	
	2	0.68	1	8	518760	5	8	1.88	<10	
	4	0.73	0.9	7	518761	6	19	2.28	<10	
	13	1.06	0.6	8	518762	13	114	2.62		10
	7	1.19	0.6	10	518763	14	126	3.1		10
	8	1.54	0.8	15	518764	14	30	3.94		10
	7	1.68	<0.5	16	518765	16	115	3.92		10
	5	1.18	<0.5	11	518766	13	49	3.53		10
	3	1.12	<0.5	8	518767	14	22	2.54		10
	8	1.39	0.5	8	518768	9	12	2.6	<10	
	7	2.59	0.5	10	518769	9	10	3.07	<10	
	4	1.14	<0.5	8	518770	14	96	2.97		10
	4	1.09	0.5	9	518771	10	39	2.56	<10	

	3	1.29	1.1	9	518772	6	10	2.45	<10	
	5	1.54	0.6	8	518773	6	10	2.66	<10	
	12	2.14	1.4	7	518774	6	363	2.83	<10	
	7	1.01	0.5	8	518775	7	16	2.67	<10	
	7	1.33	<0.5	7	518776	11	73	2.54	<10	
	7	1.44	0.5	8	518777	11	32	2.36	<10	
	6	1.61	<0.5	9	518778	13	146	2.17	<10	
	3	1.68	4.4	8	518779	13	63	2.27	<10	
	2	1.41	<0.5	8	518780	12	16	2.19	<10	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41			ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Bi	Ca	Cd	Co	SAMPLE	Cr	Cu	Fe	Ga		
ppm	%	ppm	ppm	DESCRIPT	ppm	ppm	%	ppm		
	2	1.29	<0.5	7	518781	10	16	1.85	<10	
	12	0.24	106	16	518782	10	>10000	5.64	<10	
	2	1.13	1	9	518783	6	21	2.33	<10	
	2	1.86	0.8	6	518784	10	69	1.76	<10	
<2		1.18	<0.5	8	518785	11	97	2.32	<10	
	4	1.13	<0.5	8	518786	12	68	3.1	<10	
	4	1.33	<0.5	12	518787	11	104	2.84		10
	7	1.46	1	8	518788	9	62	2.89	<10	
	8	1.08	<0.5	9	518789	7	15	3.02	<10	
	5	0.83	<0.5	8	518790	4	9	2.4	<10	
	4	1	<0.5	8	518791	4	4	2.03	<10	
	8	1.37	<0.5	8	518792	5	13	2.14	<10	
	9	2.21	0.8	8	518793	6	8	2.28	<10	
	4	1.14	0.8	8	518794	9	9	2.54	<10	
	3	1.09	<0.5	7	518795	10	6	2.18	<10	
	3	1.34	<0.5	9	518796	8	5	2.14	<10	
	2	1.22	<0.5	9	518797	12	45	1.93		10
	5	1	<0.5	8	518798	19	20	2.18		10
	3	0.58	<0.5	10	518799	12	60	2.39		10
	2	1.37	<0.5	9	518800	12	40	2.38		10
	2	0.35	0.6	10	518801	12	23	2.25		10
	3	0.78	<0.5	7	518802	14	9	2.45		10
	2	0.44	<0.5	9	518803	13	37	2.16		10
	4	0.92	1.1	7	518804	11	7	2.28	<10	
	5	0.48	0.9	9	518805	10	22	2.16	<10	
	8	0.73	<0.5	9	518806	11	16	2.54	<10	
	6	0.23	105.5	15	518807	10	9980	5.36	<10	
<2		0.12	<0.5	2	518808	8	62	1.34	<10	
	5	0.64	0.8	8	518809	10	32	1.78	<10	
	10	0.89	2.1	10	518810	10	25	2.4	<10	
	16	0.61	<0.5	7	518811	10	5	2.16	<10	
	18	0.93	<0.5	8	518812	7	4	2.1	<10	
	8	0.12	0.6	5	518813	6	11	1.79	<10	
	5	0.27	<0.5	8	518814	9	26	2.15	<10	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41			ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Bi	Ca	Cd	Co	SAMPLE	Cr	Cu	Fe	Ga		
ppm	%	ppm	ppm	DESCRIPT	ppm	ppm	%	ppm		
	9	0.64	0.5	6	518815	14	34	2.58		10
	6	1	0.5	5	518816	11	22	1.42	<10	

	4	0.27	<0.5		5	518817	9	10	1.38	<10	
	3	0.36	<0.5		8	518818	11	12	2.05	<10	
	3	0.48	<0.5		8	518819	12	8	2.33	<10	
	2	0.28	<0.5		8	518820	14	11	2.32		10
	3	0.22	<0.5		6	518821	9	5	2.02	<10	
	2	1.27	<0.5		5	518822	14	25	2.56		10
	2	1.44	<0.5		8	518823	9	20	2.45	<10	
	4	1.59	<0.5		4	518824	7	3	1.15	<10	
	2	0.89	<0.5		6	518825	12	6	2.16		10
	3	0.88	<0.5		7	518826	13	5	2.32	<10	
	3	1.52	<0.5		7	518827	13	16	2.1	<10	
	3	0.9	<0.5		8	518828	14	10	2.5		10
	3	2.19	<0.5		9	518829	13	4	3.54		10
<2		2.37	<0.5		12	518830	14	12	3.6		10
<2		2.6	<0.5		8	518831	18	12	2.56		10
<2		0.23	101.5		15	518832	10	>10000	5.11	<10	
<2		1.87	<0.5		12	518833	26	53	3.16		10
<2		2.15	<0.5		16	518834	46	35	4.26		10
	6	2.83	<0.5		18	518835	51	58	4.66		10
	4	2.81	<0.5		11	518836	12	23	3.37		10
	2	3.8	<0.5		8	518837	8	7	1.9	<10	
	2	5.77	<0.5		13	518838	19	32	3.01		10
<2		7.24	<0.5		10	518839	15	32	2.23	<10	
	2	4.27	4.4		7	518840	7	106	1.29	<10	
	2	3.08	<0.5		16	518841	14	16	3.78		10
<2		2.07	<0.5		18	518842	19	39	3.97		10
<2		1.08	<0.5		15	518843	38	24	3.33		10
	3	1.22	<0.5		18	518844	18	5	3.5		10
	2	1.38	<0.5		16	518845	17	17	3.92		10
<2		1.24	<0.5		17	518846	49	49	3.54		10
<2		0.88	<0.5		17	518847	55	27	3.6		10
<2		1	<0.5		12	518848	35	25	3.18		10
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		
Bi	Ca	Cd	Co	SAMPLE	Cr	Cu	Fe	Ga			
ppm	%	ppm	ppm	DESCRIPT	ppm	ppm	%	ppm			
<2		2.54	<0.5	9	518849	24	9	3		10	

ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	SAMPLE DESCRIPT
<1		0.27	30	0.22	695	1 <0.01	7	110285
<1		0.29	30	0.14	491	1 <0.01	10	110286
<1		0.22	30	0.27	509	1 0.01	11	110287
<1		0.23	20	0.17	273	8 <0.01	7	110288
<1		0.25	20	0.22	236	5 <0.01	5	110289
	1	0.22	30	0.47	703	4 0.01	8	110290
	1	0.19	30	0.78	1475	3 0.01	9	110291
<1		0.15	30	0.74	773	2 0.01	7	110292
	1	0.19	30	0.78	743	1 0.02	13	110293
	1	0.21	30	0.65	1245	3 0.01	8	110294
	1	0.15	30	0.72	1060	1 0.01	7	110295
<1		0.14	30	0.74	959	2 0.02	8	110296
<1		0.13	30	0.8	1070	<1 0.01	7	110297
	1	0.14	20	0.82	1160	<1 0.02	9	110298
	1	0.14	20	0.82	889	<1 0.02	8	110299
	1	0.16	20	0.79	979	1 0.02	8	518701
	1	0.16	30	0.79	823	2 0.02	9	518702
<1		0.17	30	0.74	548	1 0.01	9	518703
<1		0.21	30	0.61	419	5 0.01	10	518704
<1		0.2	30	0.63	490	1 0.01	11	518705
	1	0.17	30	0.76	479	2 0.01	10	518706
	6	0.3 <10		0.24	1100	16 0.04	19	518707
	1	0.29	10	0.19	453	1 0.08	2	518708
	1	0.15	30	0.6	491	6 0.01	9	518709
	1	0.13	30	0.71	349	3 0.01	10	518710
<1		0.17	30	0.61	466	5 0.01	10	518711
	1	0.15	30	0.76	523	1 0.01	9	518712
ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	SAMPLE DESCRIPT
	1	0.18	30	0.72	467	2 0.01	7	518713
	1	0.15	30	0.74	651	<1 <0.01	10	518714
<1		0.15	30	0.7	607	4 0.01	8	518715
	1	0.14	30	0.75	503	4 0.01	8	518716
	1	0.13	30	0.69	414	5 0.01	8	518717
<1		0.13	30	0.7	393	4 0.01	9	518718
	1	0.13	30	0.62	476	4 0.01	8	518719
	1	0.13	30	0.62	395	5 0.01	7	518720
	1	0.13	30	0.43	465	7 <0.01	8	518721
	1	0.17	20	0.12	263	5 <0.01	7	518722
<1		0.16	20	0.36	392	8 <0.01	8	518723

	1	0.16	30	0.62	410	8	0.01	8	518724
	1	0.13	30	0.66	457	6	0.01	7	518725
	1	0.13	30	0.58	367	6	0.01	9	518726
<1		0.14	20	0.44	470	13	0.01	10	518727
	2	0.17	20	0.57	565	6	<0.01	8	518728
	1	0.17	20	0.59	599	9	<0.01	8	518729
	1	0.15	30	0.67	527	6	0.01	8	518730
	1	0.15	30	0.67	521	6	<0.01	8	518731
	6	0.3 <10		0.24	1100	16	0.03	20	518732
<1		0.16	30	0.68	616	9	0.01	10	518733
<1		0.14	30	0.68	862	7	0.01	6	518734
	1	0.21	20	0.49	580	3	<0.01	8	518735
<1		0.17	20	0.82	605	5	<0.01	9	518736
<1		0.15	20	1.17	648	2	<0.01	12	518737
	1	0.18	30	0.68	599	6	<0.01	9	518738
<1		0.13	30	0.8	546	3	<0.01	9	518739
<1		0.14	30	0.8	498	3	<0.01	10	518740
	1	0.18	20	0.4	303	4	<0.01	9	518741
	1	0.15	10	0.2	331	3	<0.01	8	518742
	1	0.18	20	0.76	550	3	0.01	9	518743
	1	0.15	30	0.76	457	2	<0.01	8	518744
	1	0.13	30	0.79	551	4	<0.01	9	518745
<1		0.15	20	0.69	724	5	<0.01	8	518746

	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Hg	K	La	Mg	Mn	Mo	Na	Ni	SAMPLE	
ppm	%	ppm	%	ppm	ppm	%	ppm	DESCRIPT	
	1	0.16	20	0.82	1045	3	<0.01	9	518747
<1		0.17	10	0.18	731	16	<0.01	9	518748
	1	0.07 <10		0.2	5490	8	<0.01	4	518749
	1	0.08	10	0.3	11000	1	<0.01	2	518750
	1	0.07 <10		0.32	10750	2	<0.01	6	518751
<1		0.17	10	0.38	1050	6	<0.01	8	518752
<1		0.15	10	0.42	639	5	<0.01	10	518753
	1	0.19	20	0.46	613	6	<0.01	9	518754
<1		0.21	20	0.21	438	8	<0.01	9	518755
	1	0.19	20	0.4	623	9	<0.01	10	518756
	5	0.3 <10		0.24	1050	15	0.02	21	518757
<1		0.28	10	0.19	425	1	0.05	2	518758
	1	0.2	20	0.37	482	4	<0.01	9	518759
<1		0.16	20	0.29	286	5	<0.01	11	518760
<1		0.2	30	0.37	337	5	<0.01	10	518761
<1		0.12	30	0.78	635	4	<0.01	8	518762
<1		0.12	30	0.94	711	4	<0.01	11	518763
	1	0.15	20	1.31	835	2	<0.01	13	518764
<1		0.13	20	1.59	673	2	<0.01	13	518765
	1	0.13	20	1.18	455	2	<0.01	14	518766
<1		0.12	20	0.94	396	3	<0.01	9	518767
<1		0.16	20	0.59	445	7	<0.01	9	518768
<1		0.16	20	0.61	708	9	<0.01	11	518769
	1	0.18	30	0.94	563	3	<0.01	11	518770
<1		0.15	20	0.67	357	4	<0.01	11	518771

<1	0.19	20	0.41	394	5	<0.01	9	518772
<1	0.18	20	0.48	396	6	<0.01	10	518773
<1	0.15	20	0.52	406	8	<0.01	9	518774
<1	0.18	20	0.52	351	5	<0.01	10	518775
<1	0.15	30	0.73	247	3	<0.01	10	518776
<1	0.13	30	0.7	347	3	<0.01	9	518777
<1	0.12	30	0.78	273	2	<0.01	10	518778
<1	0.11	30	0.76	323	4	<0.01	11	518779
<1	0.15	20	0.74	337	4	<0.01	9	518780

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	SAMPLE
Hg	K	La	Mg	Mn	Mo	Na	Ni	DESCRIPT
ppm	%	ppm	%	ppm	ppm	%	ppm	
<1		0.13	30	0.6	272	4	<0.01	8
	5	0.3	<10	0.24	1090	16	0.02	22
<1		0.16	20	0.4	287	7	<0.01	10
<1		0.14	30	0.62	324	3	<0.01	10
<1		0.13	30	0.71	227	4	<0.01	10
<1		0.17	30	0.72	250	3	<0.01	10
<1		0.14	30	0.82	252	4	0.02	10
<1		0.15	30	0.63	265	3	0.01	10
	1	0.18	30	0.53	260	4	0.01	10
<1		0.23	20	0.23	200	4	0.01	8
<1		0.17	30	0.3	244	6	0.01	8
<1		0.19	30	0.45	281	4	0.01	9
<1		0.21	30	0.47	436	3	0.01	9
<1		0.16	30	0.58	321	3	0.01	9
<1		0.17	20	0.56	278	4	0.01	8
<1		0.21	30	0.39	346	6	0.01	9
<1		0.15	30	0.76	381	3	0.01	9
<1		0.17	30	0.77	436	4	0.01	11
<1		0.19	30	0.8	336	5	0.01	11
<1		0.16	30	0.82	376	4	0.01	9
<1		0.19	30	0.76	302	6	0.01	9
<1		0.15	30	0.82	329	5	0.01	9
<1		0.19	30	0.72	277	5	0.01	9
<1		0.18	20	0.59	297	9	0.01	9
<1		0.17	20	0.59	262	6	0.01	9
<1		0.2	20	0.54	367	7	0.01	10
	5	0.28	<10	0.24	1105	16	0.05	18
<1		0.3	10	0.2	459	1	0.07	1
<1		0.17	20	0.37	255	5	<0.01	8
<1		0.16	30	0.54	401	6	0.01	10
<1		0.17	30	0.64	480	8	0.01	9
<1		0.19	30	0.31	375	6	<0.01	9
<1		0.13	10	0.04	170	6	<0.01	7
<1		0.2	30	0.46	150	5	<0.01	9

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	SAMPLE
Hg	K	La	Mg	Mn	Mo	Na	Ni	DESCRIPT
ppm	%	ppm	%	ppm	ppm	%	ppm	
<1		0.18	30	0.82	322	4	0.01	10
<1		0.17	30	0.54	258	13	0.02	8

<1		0.18	20	0.43	179	44	0.01	9	518817
<1		0.2	30	0.6	231	17	<0.01	10	518818
<1		0.21	20	0.71	249	5	<0.01	10	518819
<1		0.15	30	0.74	235	4	0.02	10	518820
<1		0.17	20	0.37	237	7	<0.01	7	518821
<1		0.15	30	0.85	359	3	0.02	9	518822
<1		0.15	20	0.51	346	6	0.01	18	518823
<1		0.13	10	0.24	260	6	0.01	6	518824
	1	0.13	30	0.73	285	3	0.02	8	518825
	1	0.14	30	0.59	253	6	0.02	9	518826
<1		0.12	30	0.67	320	5	0.02	8	518827
<1		0.12	30	0.83	389	8	0.01	11	518828
<1		0.09	10	1.82	1010	3	0.03	12	518829
<1		0.12	20	1.53	695	2	0.02	12	518830
<1		0.12	20	1.2	474	5	0.02	12	518831
	5	0.31	<10	0.23	1060	15	0.05	19	518832
<1		0.13	20	1.47	550	4	0.02	16	518833
<1		0.11	10	1.96	858	3	0.05	24	518834
<1		0.13	10	1.9	1045	7	0.04	25	518835
<1		0.22	20	0.89	493	8	0.01	12	518836
<1		0.33	10	0.42	408	8	<0.01	7	518837
<1		0.21	10	0.65	1335	4	0.01	16	518838
<1		0.17	10	0.6	1585	16	0.01	14	518839
<1		0.12	10	0.34	868	37	<0.01	8	518840
<1		0.14	20	1.51	898	3	0.03	12	518841
<1		0.05	<10	1.81	474	2	0.04	13	518842
<1		0.05	10	1.56	350	2	0.06	18	518843
<1		0.06	<10	1.78	354	2	0.04	12	518844
<1		0.05	<10	1.63	361	2	0.03	12	518845
<1		0.04	<10	1.33	444	1	0.08	21	518846
<1		0.05	<10	1.41	416	1	0.1	21	518847
<1		0.05	10	1.34	390	1	0.05	16	518848
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Hg	K	La	Mg	Mn	Mo	Na	Ni	SAMPLE	
ppm	%	ppm	%	ppm	ppm	%	ppm	DESCRIPT	
<1		0.1	10	1.02	515	2	0.02	12	518849

ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	
480	14	0.02	5	3	57	20	0.01	<10	
440	33	0.21	8	2	45	20	0.01	<10	
500	35	0.62	2	3	33	20	<0.01	<10	
510	63	1.34	<2		1	33	<20	<0.01	<10
540	23	0.93	<2		1	26	<20	<0.01	<10
520	19	1.46	<2		2	31	<20	<0.01	<10
560	28	0.78		3	3	32	20	<0.01	<10
520	9	0.13		3	4	32	20	0.01	<10
530	15	0.43		4	4	35	20	0.01	<10
490	98	1.1		8	3	26	20	<0.01	<10
490	30	0.5		3	3	21	<20	0.01	<10
480	25	0.25		2	3	28	<20	0.01	<10
510	16	0.31		2	3	26	<20	0.01	<10
500	9	0.2		4	3	34	<20	0.01	<10
500	8	0.06		2	3	34	<20	0.01	<10
500	17	0.3		2	3	28	<20	0.01	<10
500	15	0.32		2	3	27	20	0.01	<10
530	12	0.67		2	4	25	20	0.01	<10
470	66	1.18	<2		2	18	<20	<0.01	<10
510	86	0.05		5	3	29	20	0.01	<10
500	13	0.6	<2		4	25	20	0.01	<10
220	>10000	4.94		390	3	15	<20	0.09	20
160	33	<0.01	<2		3	14	<20	0.08	<10
500	492	1.74	<2		2	17	20	<0.01	<10
500	18	1.6	<2		3	19	20	<0.01	<10
480	35	1.4	<2		3	22	20	<0.01	<10
500	14	0.41		2	4	33	20	0.01	<10
ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	
510	22	1.4	<2		3	20	20	<0.01	<10
480	39	0.2	<2		3	21	20	0.01	<10
480	31	0.83	<2		3	24	20	0.01	<10
500	12	0.44	<2		3	31	20	0.01	<10
470	17	1.36	<2		3	20	20	<0.01	<10
510	13	1.49	<2		3	22	20	<0.01	<10
450	69	0.92	<2		3	25	20	<0.01	<10
460	23	1.5	<2		3	22	20	<0.01	<10
460	151	1.76	<2		2	22	20	<0.01	<10
350	63	1.62		3	1	15	<20	<0.01	<10
440	27	1.47	<2		2	27	20	<0.01	<10

500	22	2.24	2	2	22	20 <0.01	<10	
450	27	1.91 <2		2	17	20 <0.01	<10	
480	27	2.31 <2		2	18	20 <0.01	<10	
470	53	2.06 <2		1	18 <20	<0.01	<10	
460	26	1.95 <2		1	18 <20	<0.01	<10	
460	25	2.27 <2		2	16 <20	<0.01	<10	
460	26	1.45 <2		3	18	20 <0.01	<10	
460	26	1.74 <2		2	15	20 <0.01	<10	
220	>10000	5.04	386	3	14 <20	0.08		20
470	62	1.87 <2		3	17	20 <0.01	<10	
450	279	1.44 <2		3	19	20 <0.01	<10	
470	94	1.24	5	2	21 <20	0.01	<10	
490	398	2	2	2	13 <20	0.01	<10	
600	31	2.37 <2		4	18 <20	0.03	<10	
470	31	2.05 <2		3	19 <20	0.01	<10	
480	68	1.16 <2		3	19	20	0.01	<10
520	47	1.54	2	2	18 <20	<0.01	<10	
490	22	1.96 <2		1	19 <20	<0.01	<10	
370	219	1.66	8	1	19 <20	<0.01	<10	
550	22	2.65 <2		2	24 <20	<0.01	<10	
500	22	1.75 <2		2	19 <20	<0.01	<10	
490	25	2.13 <2		2	17 <20	<0.01	<10	
450	432	1.68	4	2	17 <20	<0.01	<10	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl
ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
490	20	0.97 <2		3	28 <20	<0.01	<10	
430	234	2.18	5	1	16 <20	<0.01	<10	
100	>10000	2.88	43 <1		26 <20	<0.01	<10	
100	1850	0.4	6	1	37 <20	<0.01	<10	
100	1620	0.36	5	1	37 <20	<0.01	<10	
410	109	1.28 <2		1	23 <20	<0.01	<10	
440	88	1.71 <2		1	17 <20	<0.01	<10	
440	53	1.42 <2		1	22 <20	<0.01	<10	
430	36	1.93 <2		1	22 <20	<0.01	<10	
430	56	1.97 <2		1	22 <20	<0.01	<10	
210	>10000	4.63	357	3	14 <20	0.08		20
150	48 <0.01	<2		3	10 <20	0.07	<10	
450	62	1.46 <2		1	16 <20	<0.01	<10	
490	71	1.83 <2		1	13 <20	<0.01	<10	
470	69	2.08 <2		1	13	20 <0.01	<10	
480	72	1.03	2	3	16	20 <0.01	<10	
530	112	0.9 <2		4	17	20	0.01	<10
660	88	1.89	2	5	23 <20	0.01	<10	
730	19	1.84 <2		6	27 <20	0.02	<10	
610	24	2.14 <2		4	21 <20	0.03	<10	
510	28	0.87 <2		3	22 <20	0.01	<10	
470	28	2.08 <2		2	17 <20	<0.01	<10	
520	49	2.99 <2		2	26 <20	<0.01	<10	
540	25	0.83 <2		4	17	20	0.01	<10
500	33	2.15 <2		2	16 <20	<0.01	<10	

490	63	2.39	<2		1	17	<20	<0.01	<10
480	124	2.69	<2		1	16	<20	<0.01	<10
470	51	2.9		2	1	18	<20	<0.01	<10
490	24	2.49	<2		1	12	<20		0.01 <10
470	12	2.11	<2		2	18		20	0.01 <10
500	58	2.1	<2		2	15	<20		0.01 <10
480	18	1.47	<2		3	19		20	0.02 <10
500	356	1.58	<2		3	19		20	0.01 <10
460	26	1.51	<2		3	17		20	0.03 <10
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	
ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	
460	14	1.29	<2		2	14	20	0.04	<10
210	>10000	5.01		369	3	14	<20	0.08	20
500	92	2.29	<2		1	13	20	0.02	<10
480	25	1.36	<2		3	18	20	0.03	<10
520	15	1.93	<2		3	14	20	0.01	<10
500	18	2.77	<2		2	14	20	0.01	<10
520	18	2.82		2	3	19	<20	0.06	<10
480	33	3.01		2	2	17	20	0.05	<10
500	34	3.08		2	2	15	20	0.03	<10
500	31	2.48		2	1	12	20	<0.01	<10
490	27	2.14	<2		1	15	20	<0.01	<10
530	26	2.17		2	1	15	20	0.01	<10
520	39	2.25		2	1	18	20	0.04	<10
490	33	2.41	<2		2	14	20	0.03	<10
450	21	1.86	<2		2	13	20	0.04	<10
520	35	1.93	<2		2	16	20	0.02	<10
510	14	1.05		3	3	18	20	0.03	<10
500	59	1.19		3	3	14	20	0.05	<10
520	18	1.02		2	3	13	20	0.03	<10
510	11	0.66		2	3	18	20	0.03	<10
510	21	0.96	<2		2	13	20	0.01	<10
520	22	1.72		3	3	13	20	0.03	<10
480	18	0.83		2	2	12	20	0.02	<10
510	29	1.96	<2		2	13	20	0.01	<10
520	181	1.65	<2		2	11	20	0.02	<10
490	28	2.08		2	2	14	20	0.02	<10
220	>10000	4.77		389	3	14	<20	0.08	20
170	47	0.01	<2		4	9	<20	0.08	<10
420	39	1.38		4	2	13	<20	0.03	<10
450	1555	2.12		2	2	14	20	0.01	<10
480	57	1.71	<2		2	12	20	0.02	<10
470	30	1.96	<2		1	16	20	0.02	<10
220	73	1.22		2	1	6	<20	<0.01	<10
490	22	1.51	<2		1	17	20	0.01	<10
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	
ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	
520	43	1.46		2	3	18	20	0.08	<10
530	16	1.01		5	3	16	20	0.09	<10

480	17	0.94	2	2	19	20	0.03	<10
480	15	1.17	2	1	20	20	0.01	<10
500	19	1.61	2	2	22	20	0.06	<10
530	24	1.71	2	2	12	20	0.05	<10
370	41	1.78 <2		1	13 <20	<0.01		<10
530	9	0.51	2	4	20	20	0.05	<10
410	11	2.05 <2		2	16 <20		0.03	<10
280	10	0.79 <2		1	13 <20		0.02	<10
460	10	0.82	2	3	15	20	0.06	<10
480	14	1.67 <2		3	14	20	0.05	<10
430	13	1.3 <2		3	16	20	0.06	<10
480	17	1.42	3	3	15	20	0.05	<10
760	13	1.15 <2		9	30 <20		0.08	<10
690	10	0.8	3	7	31 <20		0.1	<10
620	6	0.56	3	5	32 <20		0.08	<10
210	>10000	4.54	359	3	13 <20		0.08	20
780	50	1.26	3	7	27 <20		0.09	<10
940	12	0.45	2	11	43 <20		0.08	<10
870	16	2	2	9	42 <20		0.08	<10
710	17	2.38	2	3	35 <20		0.06	<10
350	20	1.27	3	3	31 <20		0.03	<10
630	20	1.32	3	6	39 <20		0.09	<10
500	23	0.82	3	5	48 <20		0.05	<10
390	289	0.97	5	3	27 <20		0.05	<10
740	25	1.64 <2		8	29 <20		0.07	<10
820	10	0.89	2	6	30 <20		0.12	<10
840	8	1.17 <2		4	27 <20		0.11	<10
760	14	2.83 <2		5	22 <20		0.12	<10
720	20	2.98	2	5	27 <20		0.13	<10
930	14	0.52 <2		3	32 <20		0.1	<10
870	14	0.71 <2		2	34 <20		0.12	<10
690	24	0.85	2	6	22 <20		0.09	<10
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl
ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
620	25	2.35	<2	4	20	<20	0.09	<10

ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	SAMPLE DESCRIP	ME-ICP41 Zn ppm	Ag-OG46 Ag ppm	Cu-OG46 Cu %	Pb-OG46 Pb %	Zn-OG46 Zn %
<10		26 <10	110285	54				
<10		24	110286	56				
<10		25 <10	110287	94				
<10		10 <10	110288	62				
<10		8 <10	110289	39				
<10		19 <10	110290	52				
<10		29 <10	110291	72				
<10		31 <10	110292	32				
<10		32 <10	110293	76				
<10		25 <10	110294	94				
<10		31 <10	110295	81				
<10		32 <10	110296	63				
<10		31 <10	110297	57				
<10		33 <10	110298	48				
<10		34 <10	110299	52				
<10		30 <10	518701	55				
<10		30 <10	518702	60				
<10		29 <10	518703	53				
<10		26 <10	518704	195				
<10		26 <10	518705	579				
<10		30 <10	518706	57				
<10		20 <10	518707	>10000	192	1.09	4.26	4.15
<10		12 <10	518708	71				
<10		26 <10	518709	1035				
<10		25 <10	518710	77				
<10		21 <10	518711	91				
<10		28 <10	518712	25				
ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	SAMPLE DESCRIP	ME-ICP41 Zn ppm	Ag-OG46 Ag ppm	Cu-OG46 Cu %	Pb-OG46 Pb %	Zn-OG46 Zn %
<10		25 <10	518713	81				
<10		27 <10	518714	305				
<10		25 <10	518715	103				
<10		26 <10	518716	40				
<10		25 <10	518717	52				
<10		24 <10	518718	51				
<10		21 <10	518719	156				
<10		18 <10	518720	52				
<10	10	13 <10	518721	202				
<10		5 <10	518722	123				
<10		11 <10	518723	85				

<10		22 <10	518724	54				
	10	23 <10	518725	70				
<10		15 <10	518726	28				
<10		10 <10	518727	93				
<10		13 <10	518728	48				
<10		20 <10	518729	65				
<10		27 <10	518730	64				
<10		24 <10	518731	61				
<10		20 <10	518732 >10000		191	1.09	4.25	4.09
<10		26 <10	518733	92				
<10		26 <10	518734	617				
<10		21 <10	518735	130				
<10		30 <10	518736	865				
<10		48 <10	518737	82				
<10		27 <10	518738	70				
<10		35 <10	518739	149				
<10		33 <10	518740	104				
<10		14 <10	518741	70				
	10	12 <10	518742	419				
<10		26 <10	518743	61				
<10		28 <10	518744	51				
<10		29 <10	518745	36				
<10		26 <10	518746	387				
ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
U	V	W	SAMPLE	Zn	Ag	Cu	Pb	Zn
ppm	ppm	ppm	DESCRIPT	ppm	ppm	%	%	%
<10		32 <10	518747	41				
<10		6 <10	518748	340				
<10		7	10 518749 >10000		516		2.54	2.42
<10		13 <10	518750	2770				
<10		13 <10	518751	2550				
<10		9 <10	518752	164				
<10		11 <10	518753	106				
<10		9 <10	518754	68				
	10	6 <10	518755	61				
	10	9 <10	518756	71				
<10		20	10 518757 >10000		203	1.13	4.37	4.26
<10		12 <10	518758	70				
	10	9 <10	518759	73				
<10		8 <10	518760	100				
<10		13 <10	518761	88				
<10		37 <10	518762	81				
<10		41 <10	518763	109				
<10		53 <10	518764	125				
<10		67 <10	518765	35				
<10		50 <10	518766	45				
<10		35 <10	518767	41				
<10		21 <10	518768	46				
<10		23 <10	518769	67				
<10		39 <10	518770	59				
<10		26 <10	518771	44				

<10		12 <10	518772	138				
<10		12 <10	518773	74				
<10		12 <10	518774	163				
<10		14 <10	518775	53				
<10		26 <10	518776	28				
<10		25 <10	518777	63				
<10		34 <10	518778	24				
<10		31 <10	518779	478				
<10		26 <10	518780	35				
ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
U	V	W	SAMPLE	Zn	Ag	Cu	Pb	Zn
ppm	ppm	ppm	DESCRIPT	ppm	ppm	%	%	%
<10		24 <10	518781	22				
<10		20 <10	518782	>10000	202	1.12	4.38	4.25
	20	15 <10	518783	104				
<10		25 <10	518784	47				
<10		27 <10	518785	35				
<10		27 <10	518786	35				
<10		31 <10	518787	34				
<10		19 <10	518788	57				
<10		16 <10	518789	46				
<10		9 <10	518790	48				
<10		8 <10	518791	48				
<10		11 <10	518792	35				
<10		13 <10	518793	82				
<10		20 <10	518794	67				
<10		23 <10	518795	36				
<10		18 <10	518796	39				
<10		29 <10	518797	41				
<10		32 <10	518798	62				
<10		31 <10	518799	44				
<10		33 <10	518800	27				
<10		31 <10	518801	92				
<10		35 <10	518802	45				
<10		29 <10	518803	44				
<10		24 <10	518804	136				
<10		26 <10	518805	106				
<10		24 <10	518806	48				
<10		19	10 518807	>10000	202		4.37	4.21
<10		14 <10	518808	183				
<10		21 <10	518809	62				
<10		22 <10	518810	163				
<10		21 <10	518811	48				
<10		15 <10	518812	25				
<10		9 <10	518813	51				
<10		17 <10	518814	42				
ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
U	V	W	SAMPLE	Zn	Ag	Cu	Pb	Zn
ppm	ppm	ppm	DESCRIPT	ppm	ppm	%	%	%
<10		36 <10	518815	61				
<10		25 <10	518816	39				

<10		16 <10	518817	29				
<10		18 <10	518818	36				
<10		26 <10	518819	30				
<10		29 <10	518820	37				
<10		16 <10	518821	49				
<10		37 <10	518822	27				
<10		22 <10	518823	43				
	10	11 <10	518824	13				
<10		29 <10	518825	21				
<10		25 <10	518826	18				
<10		28 <10	518827	24				
<10		33 <10	518828	29				
<10		97 <10	518829	53				
<10		77 <10	518830	40				
<10		61 <10	518831	29				
<10		20	10 518832	>10000	203	1.12	4.35	4.22
<10		76 <10	518833	176				
<10		132 <10	518834	44				
<10		106 <10	518835	52				
<10		36 <10	518836	32				
<10		27 <10	518837	39				
<10		38 <10	518838	66				
<10		27 <10	518839	61				
<10		18 <10	518840	489				
<10		74 <10	518841	60				
<10		101 <10	518842	35				
<10		88 <10	518843	29				
<10		74 <10	518844	36				
<10		65 <10	518845	50				
<10		106 <10	518846	53				
<10		107 <10	518847	44				
<10		81 <10	518848	63				
ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
U	V	W	SAMPLE	Zn	Ag	Cu	Pb	Zn
ppm	ppm	ppm	DESCRIPT	ppm	ppm	%	%	%
<10		43 <10	518849	60				

CH08052250 - Finalized

CLIENT : "I S.A De C.V"

of SAMPLES : 168

DATE RECEIVED : 2008-04-25 DATE FINALIZED : 2008-05-21

PROJECT : "LB-004"

CERTIFICATE COMMENTS : ""

PO NUMBER : " "

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
518865	0.01		0.8	0.45	71 <10		180 <0.5	3
518866	0.023		1.1	0.49	33 <10		60	0.6 3
518867	0.022		1.3	0.57	23 <10		30	0.5 2
518868	0.019		1.3	0.63	31 <10		30	0.5 3
518869	0.044		3.5	0.62	42 <10		40	0.6 3
518870	0.029		1.9	0.61	15 <10		40	0.8 3
518871	0.014		0.5	0.8	13 <10		60	0.7 2
518872	0.009		0.5	0.77	10 <10		30	0.7 3
518873	0.005		0.3	0.78	23 <10		30	0.8 2
518874	0.007		0.8	0.73	20 <10		40	0.8 2
518875	0.006		0.9	0.68	12 <10		40	0.7 3
518876	0.003		0.4	1.05	7 <10		30	0.8 3
518877	0.003		0.3	0.98	4 <10		30	0.7 2
518878	0.004		0.3	0.96	5 <10		30	0.8 3
518879	0.006		0.6	0.94	31 <10		30	0.9 3
518880	0.012		0.3	0.97	14 <10		30	0.7 3
518881	0.005		0.2	0.98	20 <10		30	0.8 2
518882	3.24 >100			1.45	125	10	20 <0.5	9
518883	0.008		0.5	1.01	22 <10		30	0.7 3
518884	0.013		0.4	1.11	21 <10		20	0.7 2
518885	0.011		0.8	0.92	34 <10		20	0.8 3
518886	0.007		0.4	1.12	20 <10		20	0.7 2
518887	0.023		0.4	1.13	34 <10		20	0.6 2
518888	0.007		0.4	1.08	17 <10		20	0.6 2
518889	0.01		0.7	0.91	37 <10		20	0.7 3
518890	0.005		0.9	0.79	42 <10		20	0.7 5
518891	0.012		1.3	0.52	66 <10		20	0.6 4

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
518892	0.012		1	0.81	33 <10		20	0.6 6
518893	0.013		0.4	1.05	37 <10		30	0.6 4
518894	0.061		0.4	1.06	23 <10		20	0.6 2
518895	0.019		1.3	1.08	29 <10		20	0.5 <2
518896	0.171		0.8	1.05	24 <10		20	0.5 3
518897	0.007		0.4	1.13	12 <10		20	0.7 3
518898	0.003		0.2	1.2 <2	<10		20	0.8 3
518899	0.009		0.5	1.13	7 <10		20	0.7 2
518900	0.004		0.4	1.12	15 <10		20	0.7 2
518901	0.003		0.4	1.17	14 <10		20	0.7 <2
518902	0.004		0.3	1.24	21 <10		20	0.7 <2

518903	0.006	0.4	1.27	36 <10		20	0.6	2
518904	0.005	0.3	1.23	13 <10		20	0.6	2
518905	0.005 <0.2		1.14	14 <10		20	0.6 <2	
518906	0.002 <0.2		1.08	14 <10		20	0.6 <2	
518907	3.47 >100		1.38	126	10	20 <0.5		14
518908	0.002 <0.2		0.57	2 <10		150 <0.5	<2	
518909	0.006	0.4	1.1	27 <10		20	0.6 <2	
518910	0.015	1.1	1.02	33 <10		20	0.6 <2	
518911	0.006	0.2	1.05	9 <10		20	0.6 <2	
518912	0.003 <0.2		1.08	7 <10		20	0.7 <2	
518913	0.006 <0.2		1.06	18 <10		20	0.7 <2	
518914	0.006 <0.2		1.03	8 <10		20	0.7 <2	
518915	0.001 <0.2		1.14	8 <10		20	0.8 <2	
518916	0.015	2	0.79	53 <10		30	0.6	3
518917	0.026	2.1	0.66	66 <10		20	0.7 <2	
518918	0.012	1.4	0.95	35 <10		20	0.7	2
518919	0.005	0.4	1.09	24 <10		20	0.8 <2	
518920	0.005	0.3	1.08	27 <10		20	0.7 <2	
518921	0.003	0.2	1.05	26 <10		20	0.6 <2	
518922	0.004	0.2	1.1	19 <10		30	0.7 <2	
518923	0.019	3.5	0.79	25 <10		20	0.8	3
518924	0.024	1.6	0.96	57 <10		20	0.7 <2	
518925	0.008	1.1	0.9	11 <10		20	0.7 <2	

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
518926	0.02	1.3	0.86	15	<10		20	0.8
518927	0.009	1.6	0.78	25	<10		30	0.8
518928	0.008	0.9	0.76	17	<10		30	0.8
518929	0.013	1.3	0.94	19	<10		30	0.8
518930	0.005	0.7	0.81	9	<10		30	0.8 <2
518931	0.007	1.3	0.9	21	<10		30	0.8
518932	3.53	>100	1.45	131	10		20	<0.5
518933	0.2	9.9	0.92	135	<10		20	0.8
518934	0.037	3.6	0.79	56	<10		30	0.6
518935	0.009	1.1	0.81	22	<10		30	0.7 <2
518936	0.032	1	0.85	32	<10		30	0.7 <2
518937	0.016	0.8	1.05	41	<10		40	0.7
518938	0.015	0.5	1.12	36	<10		30	0.7 <2
518939	0.019	0.6	0.9	25	<10		30	0.6
518940	0.031	0.5	0.84	33	<10		30	0.6 <2
518941	0.082	0.6	1.03	31	<10		30	0.5 <2
518942	0.017	0.3	1.05	27	<10		40	0.5 <2
518943	0.014	0.5	0.93	32	<10		40	0.6 <2
518944	0.056	3.4	0.41	65	<10		30	<0.5
518945	0.022	1.2	0.58	56	<10		40	<0.5
518946	0.022	0.8	0.63	36	<10		30	<0.5
518947	0.039	1.2	0.64	47	<10		30	<0.5
518948	0.295	2.8	0.32	38	<10		20	<0.5
518949	0.727	33.8	0.27	16	<10		10	<0.5
518950	0.187	11	0.39	49	<10		20	<0.5

518951	0.05	3.1	0.45	56	<10	30	<0.5	<2	
518952	0.026	3.3	0.66	62	<10	30	<0.5	<2	
518953	0.02	3.7	0.47	67	<10	20	<0.5		2
518954	0.018	2.3	0.47	60	<10	30	<0.5		2
518955	0.047	14.7	0.33	36	<10	30		0.5	22
518956	0.01	3.4	0.15	13	<10	20	<0.5		7
518957	3.66	>100	1.41	133	<10	30	<0.5		15
518958	<0.001	<0.2	0.59	<2	<10	150	<0.5	<2	
518959	0.02	3.8	0.43	60	<10	30	<0.5		5

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
518960	0.03	2.3	0.59	63	<10		30	<0.5	3
518961	0.005	0.5	0.9	24	<10		80	0.5	<2
518962	0.005	0.6	1.03	26	<10		50	0.5	2
518963	0.008	0.7	0.99	28	<10		30	0.5	2
518964	0.007	0.5	1.01	27	<10		30	<0.5	<2
518965	0.006	0.5	0.85	31	<10		50	0.5	<2
518966	0.01	0.9	0.78	34	<10		30	0.5	<2
518967	0.008	0.3	0.95	25	<10		40	0.6	<2
518968	0.002	0.3	1.02	9	<10		30	0.5	<2
518969	0.011	0.7	0.92	37	<10		30	0.5	2
518970	0.012	0.5	1.02	60	<10		40	0.5	2
518971	0.011	0.5	0.97	59	<10		30	0.5	2
518972	0.01	1.2	0.86	50	<10		40	0.7	3
518973	0.003	0.8	0.95	11	<10		40	0.6	3
518974	0.005	0.6	1.04	15	<10		140	0.7	3
518975	0.009	0.6	1.1	14	<10		40	0.7	<2
518976	0.013	0.7	1.02	8	<10		40	0.7	<2
518977	0.005	0.6	1.02	14	<10		40	0.7	2
518978	0.09	0.8	0.93	18	<10		40	0.6	3
518979	0.006	1	0.79	17	<10		50	0.9	<2
518980	0.003	0.4	1.08	11	<10		50	0.9	2
518981	0.011	1	1.13	31	<10		40	0.7	6
518982	3.53	>100	1.43	138		10	20	<0.5	16
518983	0.008	0.7	1.16	24	<10		40	0.6	7
518984	0.053	1	1.41	29	<10		30	0.6	2
518985	0.01	0.3	1.22	21	<10		30	0.7	2
518986	0.002	<0.2	1.37	4	<10		20	0.7	2
518987	0.003	<0.2	1.36	13	<10		20	0.7	2
518988	0.002	<0.2	1.77	8	<10		20	0.9	<2
518989	<0.001	<0.2	1.28	4	<10		30	0.8	<2
518990	0.002	0.4	1.09	14	<10		30	0.7	<2
518991	0.003	0.5	0.88	14	<10		30	0.7	2
518992	0.001	<0.2	1.06	5	<10		30	0.8	<2
518993	0.002	0.3	1.09	9	<10		30	0.7	3

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
518994	0.002	0.4	1.2	15	<10		30	0.9	3
518995	0.003	0.4	1.12	7	<10		30	0.8	2

518996	0.003	0.2	1.12	12 <10		20	0.8	3
518997	0.004	0.3	1.03	14 <10		20	0.6	4
518998	0.001 <0.2		1.16	13 <10		20	0.8 <2	
518999	0.001 <0.2		1.22	5 <10		20	0.7 <2	
519000	0.002	0.2	1.23	17 <10		20	0.7 <2	
519001	0.004	0.2	1.18	8 <10		20	0.7 <2	
519002	0.009	0.3	1.07	21 <10		20	0.7 <2	
519003	0.003 <0.2		1.13	17 <10		30	0.7 <2	
519004	0.004	0.2	1.16	12 <10		30	0.7 <2	
519005	0.005	0.3	1.07	17 <10		30	0.6 <2	
519006	0.072	6.6	0.46	41 <10		20	0.5	3
519007	3.65 >100		1.47	137	10	20 <0.5		19
519008	0.003	0.2	0.56	3 <10		140 <0.5	<2	
519009	0.017	0.8	0.89	22 <10		40	0.7	2
519010	0.007	0.6	1.05	24 <10		60	0.6 <2	
519011	0.288	1.7	0.92	25 <10		340	0.7 <2	
519012	0.008	0.6	1.44	20 <10		150	0.7 <2	
519013	0.002	0.2	1.58	10 <10		70	0.7 <2	
519014	0.003	0.2	1.6	12 <10		40	0.8 <2	
519015	0.009	0.4	1.51	29 <10		210	0.7 <2	
519016	0.006	0.3	1.28	19 <10		260	0.7 <2	
519017	0.005	0.5	0.95	22 <10		50	0.6	2
519018	0.026	4.4	0.62	50 <10		40	0.5	3
519019	0.023	2	1.1	83 <10		30	0.6 <2	
519020	0.016	1.9	0.64	46 <10		100	0.5 <2	
519021	0.018	1.4	0.57	43 <10		60	0.5 <2	
519022	0.018	3.4	0.63	45 <10		30	0.6 <2	
519023	0.021	2.6	0.69	38 <10		90	0.5	2
519024	0.012	2.4	0.5	29 <10		100	0.5	2
519025	0.045	3	0.85	50 <10		160	0.7	2
519026	0.024	3.1	0.77	59 <10		220	0.7 <2	
519027	0.018	2.2	0.78	34 <10		210	0.6 <2	

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
519028	0.008		2.2	1.03	36 <10		210	0.7 <2
519029	0.016		2	0.6	43 <10		40	0.5 <2
519030	0.033		6.6	0.36	71 <10		30 <0.5	2
519031	0.014		2.6	0.78	49 <10		50	0.5 <2
519032	3.62 >100			1.42	136	10	20 <0.5	21

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
<0.01	0.7	1	9	518865	12	2.11	<10	<1
0.08	1	2	6	518866	9	1.64	<10	<1
0.09	0.9	2	6	518867	9	1.69	<10	<1
0.09	2	3	8	518868	11	1.94	<10	<1
0.06	1.3	2	8	518869	14	1.96	<10	1
0.13	4.9	4	11	518870	20	2.09	<10	<1
0.99	1.1	6	13	518871	13	2.23	<10	<1
0.22	0.8	6	16	518872	14	2.19	<10	<1
0.38	0.9	6	14	518873	17	2.06	<10	<1
0.18	1.1	5	11	518874	11	1.99	<10	<1
0.16	1.3	3	12	518875	15	1.93	<10	1
0.36	0.9	7	16	518876	24	2.23	<10	<1
0.17	0.7	7	16	518877	37	2.11	<10	<1
0.3	0.8	7	18	518878	25	2.38	<10	<1
0.18	1.1	7	12	518879	24	2.24	<10	1
1.35	0.9	7	18	518880	28	2.18	<10	<1
0.77	0.9	6	15	518881	25	2.13	<10	<1
1.65	4.6	20	13	518882	>10000	5.13	<10	11
0.33	0.8	8	15	518883	29	2.2	<10	<1
1.61	0.9	9	13	518884	30	2.37	<10	<1
0.77	2.3	8	10	518885	46	2.25	<10	1
1.17	0.8	8	14	518886	26	2.34	<10	1
1.25	0.9	8	16	518887	28	2.45	<10	<1
0.71	1	8	15	518888	36	2.4	<10	<1
0.24	1.1	9	10	518889	49	2.52	<10	<1
0.23	0.9	9	9	518890	39	2.56	<10	<1
0.23	1.7	9	8	518891	17	2.47	<10	1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
0.47	0.8	8	14	518892	12	2.25	<10	<1
1.09	1	8	25	518893	17	2.58	<10	<1
1.96	0.7	7	18	518894	17	2.38	<10	<1
1.22	1	8	18	518895	35	2.48	<10	<1
1.69	1.9	7	18	518896	31	2.31	10	<1
1.94	0.7	7	19	518897	28	2.39	10	<1
1.95	0.7	7	19	518898	22	2.34	10	<1
1.94	0.7	7	16	518899	54	2.2	10	<1
2.19	0.9	8	17	518900	26	2.23	<10	<1
2.2	0.6	7	16	518901	20	2.25	<10	<1
2.1	<0.5	7	15	518902	16	2.28	<10	<1

1.51	0.5	8	15	518903	27	2.39	<10	1
1.86	<0.5	8	14	518904	25	2.22	<10	<1
1.67	<0.5	7	14	518905	26	2.13	<10	<1
1.7	<0.5	7	15	518906	22	2.09	<10	<1
1.33	4	21	14	518907	>10000	4.97	<10	10
0.14	<0.5	2	8	518908	24	1.26	<10	<1
0.78	0.5	7	13	518909	25	2.18	<10	<1
0.65	1.2	7	16	518910	26	2.1	<10	<1
1.6	<0.5	6	15	518911	22	2.03	<10	<1
1.68	<0.5	7	16	518912	23	2.02	<10	<1
1.64	<0.5	6	14	518913	26	2.06	<10	<1
1.81	<0.5	7	14	518914	29	2	<10	<1
2.45	<0.5	7	16	518915	23	2.08	<10	<1
0.43	1.2	7	10	518916	22	2.19	<10	1
0.25	4.7	7	11	518917	34	2.22	<10	<1
2.59	0.9	7	11	518918	23	2.08	<10	<1
2.65	<0.5	7	14	518919	23	2.03	<10	<1
2.7	<0.5	7	14	518920	25	2.22	<10	<1
1.61	<0.5	7	13	518921	24	2.08	<10	<1
1.56	0.7	7	14	518922	23	2.02	<10	<1
0.3	1.6	5	7	518923	44	1.96	<10	<1
1.22	2	5	7	518924	42	2.33	<10	1
0.58	1.7	5	7	518925	27	2.02	<10	<1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
1.49	1.4	4	9	518926	27	2.02	<10	<1
1.49	2.6	6	9	518927	28	2.24	<10	<1
1.26	1.5	7	10	518928	26	1.95	<10	1
1.16	0.6	6	9	518929	27	1.95	<10	<1
0.66	0.5	6	11	518930	20	2.17	<10	1
0.2	1.9	7	9	518931	38	2.2	<10	1
1.37	3.8	21	14	518932	>10000	5.08	<10	10
0.17	1.1	2	10	518933	34	2.86	<10	1
0.14	1	4	6	518934	32	2.24	<10	<1
0.18	0.5	5	5	518935	29	1.84	<10	<1
0.23	1.7	7	7	518936	27	2.15	<10	1
0.15	1.9	7	8	518937	32	2.72	<10	<1
0.15	<0.5	7	5	518938	23	2.82	<10	<1
0.15	<0.5	8	6	518939	29	2.23	<10	<1
0.84	0.7	6	7	518940	26	1.84	<10	<1
2.23	<0.5	6	11	518941	25	1.98	<10	<1
1.21	9.2	7	12	518942	23	1.93	<10	<1
0.93	<0.5	7	9	518943	24	2.01	<10	<1
0.12	6.7	6	6	518944	22	1.74	<10	<1
0.52	2.8	7	7	518945	24	2	<10	<1
0.91	<0.5	6	8	518946	15	1.79	<10	<1
0.68	0.5	6	10	518947	24	2.05	<10	<1
0.08	3.6	5	12	518948	31	1.22	<10	<1
0.55	6.8	4	12	518949	129	0.94	<10	<1
1.25	7.2	5	10	518950	59	1.3	<10	<1

	0.37	1.8	6	7	518951	39	1.62 <10	<1	
	0.91	1.1	7	7	518952	36	2.15 <10		1
	1.07	0.8	8	4	518953	17	1.95 <10	<1	
	0.62	0.5	7	6	518954	21	1.83 <10	<1	
	0.86	3.5	6	5	518955	16	1.8 <10	<1	
	0.6 <0.5		2	12	518956	5	0.62 <10	<1	
	1.21	3.7	21	13	518957 >10000		5.1 <10		11
	0.12 <0.5		2	7	518958	61	1.21 <10	<1	
	0.13	2.2	7	6	518959	43	1.68 <10	<1	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41			ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
	0.82	1.8	7	6	518960	23	2.03 <10	<1	
	2 <0.5		6	10	518961	21	1.96 <10	<1	
	1.76 <0.5		6	13	518962	25	1.97 <10	<1	
	1.25 <0.5		6	12	518963	26	1.9 <10	<1	
	1.67	1.2	7	12	518964	28	1.96 <10	<1	
	1.34	0.5	7	11	518965	25	1.93 <10	<1	
	1.08 <0.5		7	8	518966	21	2.05 <10	<1	
	0.91 <0.5		7	9	518967	24	1.93 <10	<1	
	1.63 <0.5		6	12	518968	23	1.96 <10	<1	
	1.32 <0.5		7	10	518969	21	1.87 <10	<1	
	1.43 <0.5		7	13	518970	21	2.14 <10	<1	
	1.54 <0.5		7	12	518971	18	1.99 <10	<1	
	0.56	0.5	7	7	518972	22	1.95 <10	<1	
	1.73 <0.5		5	10	518973	17	1.78 <10	<1	
	1.74 <0.5		6	12	518974	20	1.82 <10	<1	
	2.15	0.5	6	12	518975	20	1.84 <10	<1	
	1.53	0.5	7	12	518976	19	1.96 <10		1
	1.88	0.6	6	11	518977	21	1.97 <10		1
	1.13	0.7	6	10	518978	21	2.17 <10	<1	
	1.71	0.6	5	8	518979	15	1.92 <10	<1	
	2.67 <0.5		7	11	518980	23	2.02 <10	<1	
	1.06	0.5	7	10	518981	25	2.39 <10	<1	
	1.37	4	22	14	518982 >10000		5.27 <10		11
	0.91	0.6	9	13	518983	43	2.15 <10	<1	
	2.45 <0.5		8	16	518984	33	2.58 <10	<1	
	1.72 <0.5		8	16	518985	30	2.4 <10	<1	
	1.84 <0.5		9	17	518986	29	2.52	10 <1	
	1.68 <0.5		10	16	518987	34	2.7	10 <1	
	1.81 <0.5		12	17	518988	23	3.42	10 <1	
	1.68 <0.5		9	17	518989	21	2.55 <10	<1	
	1.61 <0.5		8	14	518990	22	2.27 <10	<1	
	0.99 <0.5		7	9	518991	34	1.85 <10	<1	
	1.86 <0.5		8	15	518992	26	2.23 <10	<1	
	1.62 <0.5		8	14	518993	31	2.24 <10	<1	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41			ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
	1.51 <0.5		7	15	518994	32	2.4 <10	<1	
	1.65 <0.5		7	16	518995	17	2.33 <10	<1	

1.7	<0.5	8	16	518996	27	2.43	<10	<1	
1.51	<0.5	8	15	518997	36	2.41	<10	<1	
1.32	<0.5	7	16	518998	43	2.24		10	<1
1.47	<0.5	7	17	518999	26	2.17		10	<1
1.71	<0.5	9	16	519000	35	2.32		10	1
1.43	0.5	8	17	519001	32	2.24		10	<1
1.64	0.5	9	16	519002	36	2.32		10	<1
1.59	<0.5	7	16	519003	29	2.26		10	<1
1.79	<0.5	8	16	519004	21	2.31		10	<1
1.65	0.5	8	14	519005	20	2.05	<10	<1	
0.16	1.8	3	8	519006	32	1.85	<10	<1	
1.4	4.1	23	14	519007	>10000	5.28	<10		12
0.13	<0.5	2	7	519008	25	1.22	<10	<1	
0.74	1	5	9	519009	24	2.01	<10	<1	
1.73	0.7	8	17	519010	31	2.16	<10		1
1.62	1.3	6	13	519011	30	2.1	<10	<1	
2.99	<0.5	11	20	519012	29	2.84		10	<1
1.7	<0.5	11	24	519013	24	3.03		10	<1
2.57	<0.5	12	26	519014	28	3.04		10	<1
1.66	<0.5	11	21	519015	25	2.93		10	<1
1.69	<0.5	9	15	519016	22	2.39	<10	<1	
1.6	0.7	8	13	519017	19	2.05	<10	<1	
0.95	4.8	6	13	519018	28	2.18	<10	<1	
1.24	12	10	16	519019	24	2.95	<10	<1	
0.93	1.7	7	12	519020	21	2.26	<10	<1	
1.31	3.4	7	10	519021	24	2.16	<10	<1	
1.44	6	7	9	519022	23	2.13	<10	<1	
0.52	1.5	7	8	519023	14	2.4	<10		1
0.39	2.9	5	5	519024	15	1.8	<10		1
0.76	1.5	4	8	519025	19	2.13	<10		1
0.76	1.5	8	8	519026	25	2.11	<10	<1	
0.82	0.7	6	8	519027	18	1.86	<10		1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
0.77	<0.5		8	11	519028	18	2.25	<10	<1
0.24		0.8	7	6	519029	22	1.86	<10	<1
0.38		3.7	8	5	519030	28	2.26	<10	<1
1.36		0.5	8	11	519031	16	2.36	<10	<1
1.35		4.1	22	14	519032	>10000	5.13	<10	10

ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.29	30	0.01	36		1 <0.01		3	420 518865
0.29	20	0.02	99		2 <0.01		10	460 518866
0.29	20	0.03	150		1 <0.01		4	400 518867
0.25	20	0.03	282		3 <0.01		9	390 518868
0.17	10	0.04	251		5 <0.01		4	270 518869
0.24	20	0.09	483		2 <0.01		12	400 518870
0.22	30	0.32	1160		2 <0.01		6	450 518871
0.2	30	0.38	371		2 <0.01		12	470 518872
0.2	30	0.33	497		1 <0.01		8	470 518873
0.25	30	0.16	289		2 <0.01		10	450 518874
0.24	30	0.14	273		1 <0.01		7	430 518875
0.21	30	0.51	503		1 <0.01		14	470 518876
0.2	30	0.53	405		1 <0.01		10	470 518877
0.22	30	0.51	771		2 <0.01		15	480 518878
0.26	30	0.19	412		3 <0.01		9	470 518879
0.21	30	0.58	804		3 <0.01		12	460 518880
0.22	30	0.47	661		4 <0.01		7	490 518881
0.19	10	0.67	388	1390	0.13		33	1860 518882
0.22	30	0.56	490		5 <0.01		11	480 518883
0.22	30	0.44	873		2 <0.01		11	530 518884
0.25	20	0.19	446		3 <0.01		14	520 518885
0.22	30	0.46	740		2 <0.01		10	510 518886
0.22	30	0.63	860		3 <0.01		12	520 518887
0.21	30	0.52	574		2 <0.01		9	520 518888
0.23	20	0.2	313		7 <0.01		14	520 518889
0.23	20	0.1	271		5 <0.01		10	510 518890
0.21	20	0.06	222		11 <0.01		14	420 518891
ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.23	20	0.35	395		13 <0.01		10	480 518892
0.23	30	0.65	656		9 <0.01		23	500 518893
0.18	30	0.72	684		4 <0.01		9	500 518894
0.2	30	0.71	890		7 <0.01		13	500 518895
0.18	30	0.73	760		3 <0.01		9	460 518896
0.17	30	0.78	679		3 <0.01		13	500 518897
0.17	30	0.84	561		2 <0.01		9	480 518898
0.19	30	0.77	580		2 <0.01		9	480 518899
0.2	30	0.75	601		2 <0.01		7	500 518900
0.19	30	0.79	649		1	0.03	9	470 518901
0.2	30	0.83	646		1	0.03	7	480 518902

0.21	20	0.83	732	2	0.02	10	500	518903
0.23	30	0.74	664	1	0.03	9	470	518904
0.2	30	0.67	721	1	0.02	10	470	518905
0.19	30	0.69	583	1	0.02	7	470	518906
0.18	10	0.65	372	1390	0.14	33	1760	518907
0.28	10	0.19	431	2	0.07	1	160	518908
0.23	30	0.58	536	2	0.01	8	440	518909
0.22	30	0.62	633	2	0.01	7	420	518910
0.2	30	0.67	619	2	0.02	8	450	518911
0.2	30	0.7	632	2	0.02	7	470	518912
0.2	30	0.63	576	2	0.02	8	450	518913
0.19	30	0.68	613	3	0.02	7	450	518914
0.22	30	0.71	701	3	0.02	9	470	518915
0.26	20	0.35	426	16	<0.01	7	410	518916
0.23	20	0.11	407	7	<0.01	15	420	518917
0.23	30	0.48	1060	7	0.01	7	450	518918
0.24	30	0.64	948	4	0.01	9	450	518919
0.2	20	0.7	928	3	0.02	7	480	518920
0.2	30	0.69	701	3	0.02	8	460	518921
0.24	30	0.65	909	2	0.01	7	450	518922
0.24	20	0.16	509	1	<0.01	8	400	518923
0.26	20	0.18	1000	4	<0.01	5	420	518924
0.26	30	0.17	817	2	<0.01	6	470	518925

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	SAMPLE
K	La	Mg	Mn	Mo	Na	Ni	P	DESCRIPT
%	ppm	%	ppm	ppm	%	ppm	ppm	
0.25	20	0.18	917	1	<0.01	5	390	518926
0.24	20	0.18	862	2	<0.01	9	370	518927
0.26	20	0.2	681	1	<0.01	5	480	518928
0.27	30	0.34	626	1	<0.01	8	470	518929
0.3	30	0.21	442	1	<0.01	7	490	518930
0.3	30	0.15	409	2	<0.01	10	490	518931
0.19	10	0.67	381	1410	0.15	35	1830	518932
0.29	10	0.11	379	16	<0.01	5	440	518933
0.27	20	0.09	338	1	<0.01	6	410	518934
0.29	30	0.11	366	1	<0.01	5	470	518935
0.26	30	0.1	534	2	<0.01	9	450	518936
0.23	20	0.12	517	3	0.01	15	430	518937
0.23	20	0.13	647	2	0.01	9	460	518938
0.26	30	0.13	575	1	0.01	7	480	518939
0.25	20	0.18	659	2	0.01	7	480	518940
0.21	20	0.55	1055	3	0.01	7	450	518941
0.23	20	0.59	789	4	0.01	7	430	518942
0.25	20	0.36	668	4	0.01	7	440	518943
0.19	10	0.06	273	17	0.01	9	310	518944
0.18	20	0.15	689	8	0.01	7	390	518945
0.19	20	0.23	966	8	0.01	9	400	518946
0.16	20	0.25	1045	9	0.01	6	380	518947
0.12	10	0.05	313	8	0.01	8	150	518948
0.07	<10	0.05	645	4	0.01	4	70	518949
0.15	10	0.08	1130	7	0.01	7	200	518950

	0.18	20	0.08	796	4	0.01	5	320	518951
	0.2	20	0.15	1275	5	0.01	9	400	518952
	0.19	20	0.09	907	6	0.01	7	380	518953
	0.19	20	0.07	661	14	0.01	9	380	518954
	0.16	10	0.04	583	106	0.01	6	270	518955
	0.07 <10		0.02	302	43	0.01	8	80	518956
	0.19	10	0.66	369	1445	0.16	34	1810	518957
	0.29	10	0.18	415	3	0.1	2	150	518958
	0.19	20	0.07	259	17	0.01	5	380	518959
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
K	La	Mg	Mn	Mo	Na	Ni	P		SAMPLE
%	ppm	%	ppm	ppm	%	ppm	ppm		DESCRIPT
	0.21	20	0.16	542	10	0.01	8	380	518960
	0.21	20	0.51	1070	5	0.01	7	430	518961
	0.2	20	0.68	969	4	0.01	9	440	518962
	0.21	20	0.61	880	3	0.01	7	450	518963
	0.2	20	0.65	981	4	0.01	8	450	518964
	0.21	20	0.39	646	5	0.01	7	450	518965
	0.2	20	0.23	489	4	0.01	8	430	518966
	0.21	30	0.3	465	3	0.01	6	440	518967
	0.19	30	0.56	744	2	0.02	8	440	518968
	0.22	30	0.46	704	3	0.02	6	410	518969
	0.22	30	0.65	739	4	0.03	9	430	518970
	0.24	30	0.59	766	4	0.02	6	430	518971
	0.27	20	0.26	461	2	0.01	7	430	518972
	0.26	30	0.44	727	2	0.01	6	400	518973
	0.29	30	0.5	783	3	0.01	11	400	518974
	0.28	30	0.59	926	3	0.02	7	440	518975
	0.25	20	0.5	712	3	0.02	8	410	518976
	0.21	30	0.5	765	2	0.01	6	430	518977
	0.25	20	0.42	535	3	0.01	10	460	518978
	0.28	30	0.25	560	1 <0.01		5	490	518979
	0.31	30	0.5	888	1 <0.01		8	550	518980
	0.29	20	0.57	569	1 <0.01		8	570	518981
	0.19	10	0.68	390	1400	0.14	36	1900	518982
	0.3	30	0.65	600	6 <0.01		10	480	518983
	0.29	30	0.87	1060	7	0.01	8	540	518984
	0.2	30	0.89	787	6	0.01	10	510	518985
	0.16	20	1.06	652	2	0.02	10	540	518986
	0.17	20	1.08	807	2	0.01	10	550	518987
	0.17	20	1.49	997	1	0.02	11	660	518988
	0.14	20	0.99	692	2	0.02	9	540	518989
	0.2	30	0.67	630	2	0.01	8	480	518990
	0.25	30	0.34	439	2 <0.01		8	490	518991
	0.18	30	0.76	720	3	0.02	7	490	518992
	0.21	30	0.61	691	3	0.01	9	490	518993
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
K	La	Mg	Mn	Mo	Na	Ni	P		SAMPLE
%	ppm	%	ppm	ppm	%	ppm	ppm		DESCRIPT
	0.24	30	0.67	671	3	0.01	8	480	518994
	0.18	30	0.78	642	3	0.02	7	490	518995

0.2	30	0.78	586	4	0.02	9	500	518996
0.17	20	0.75	527	5	0.02	7	470	518997
0.15	10	0.82	402	4	0.03	8	500	518998
0.15	20	0.85	354	2	0.03	7	500	518999
0.19	30	0.85	426	3	0.03	9	510	519000
0.18	30	0.85	455	3	0.03	8	500	519001
0.19	30	0.76	468	5	0.02	10	510	519002
0.18	30	0.82	416	3	0.03	9	500	519003
0.2	30	0.82	531	4	0.02	9	510	519004
0.24	30	0.67	587	5	0.01	8	490	519005
0.15	10	0.06	293	6	<0.01	6	200	519006
0.2	10	0.69	394	1435	0.15	36	1900	519007
0.28	10	0.18	412	2	0.08	1	150	519008
0.3	20	0.22	570	2	<0.01	6	440	519009
0.25	30	0.58	816	4	0.01	13	490	519010
0.26	20	0.41	628	2	0.01	7	470	519011
0.24	20	0.95	1055	1	0.01	12	750	519012
0.17	20	1.3	745	1	0.03	11	730	519013
0.18	20	1.33	946	2	0.02	14	770	519014
0.23	20	1.02	1060	2	0.01	11	720	519015
0.27	20	0.73	735	3	0.01	10	570	519016
0.24	20	0.47	731	3	<0.01	8	500	519017
0.21	10	0.11	824	11	<0.01	16	380	519018
0.21	20	0.65	1170	8	<0.01	11	620	519019
0.21	20	0.21	654	31	<0.01	13	430	519020
0.19	20	0.21	572	6	<0.01	7	400	519021
0.23	20	0.2	561	7	<0.01	8	390	519022
0.25	20	0.15	550	5	<0.01	6	450	519023
0.24	20	0.07	272	8	<0.01	6	400	519024
0.33	20	0.13	441	3	<0.01	5	510	519025
0.31	20	0.15	551	2	<0.01	9	690	519026
0.3	20	0.16	681	3	<0.01	5	550	519027
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
K	La	Mg	Mn	Mo	Na	Ni	P	SAMPLE
%	ppm	%	ppm	ppm	%	ppm	ppm	DESCRIPT
0.25	20	0.4	630	4	<0.01	9	480	519028
0.25	20	0.09	386	4	<0.01	5	490	519029
0.19	10	0.04	162	6	<0.01	9	340	519030
0.21	20	0.42	562	4	<0.01	8	470	519031
0.19	10	0.67	382	1360	0.14	35	1840	519032

ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	52	0.02	6	1	6 <20	<0.01	<10	<10
	77	0.42	2	1	5 <20	<0.01	<10	<10
	97	0.4 <2		1	4 <20	<0.01	<10	<10
	152	0.43	3	1	5 <20	<0.01	<10	<10
	291	0.32	3	1	5 <20	<0.01	<10	<10
	163	0.06	5	2	6 <20		0.01 <10	<10
	22 <0.01	<2		2	24 <20		0.01 <10	<10
	21 <0.01	<2		3	7 <20		0.01 <10	<10
	22	0.1	4	2	10 <20		0.01 <10	<10
	62	0.09	4	2	7 <20	<0.01	<10	<10
	67	0.07	5	1	7 <20		0.01 <10	<10
	37	0.13	3	2	8 <20	<0.01	<10	<10
	29	0.08	3	2	6 <20	<0.01	<10	<10
	31	0.01	4	2	7	20	0.01 <10	<10
	45	0.3	2	1	6 <20	<0.01	<10	<10
	41	0.19 <2		3	12 <20	<0.01	<10	<10
	31	0.22	2	2	10	20 <0.01	<10	<10
	245	3.77	253	3	115 <20		0.12 <10	10
	24	0.28	3	2	7 <20	<0.01	<10	<10
	30	0.37	2	2	14 <20	<0.01	<10	<10
	41	0.49	3	1	8 <20	<0.01	<10	<10
	30	0.33	3	2	12 <20	<0.01	<10	<10
	24	0.43 <2		2	12 <20	<0.01	<10	<10
	30	0.4	2	2	9 <20	<0.01	<10	<10
	55	0.82	3	1	7 <20	<0.01	<10	<10
	35	1.15	3	1	7 <20	<0.01	<10	<10
	31	1.74	3	1	7 <20	<0.01	<10	<10

ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	30	1	3	1	10 <20	<0.01	<10	<10
	25	0.79	2	2	13 <20	<0.01	<10	<10
	15	0.46 <2		3	19 <20	<0.01	<10	<10
	31	0.65 <2		2	13 <20	<0.01	<10	<10
	73	0.4 <2		2	14 <20	<0.01	<10	<10
	19	0.21 <2		3	21 <20	<0.01	<10	<10
	15	0.04 <2		4	27 <20		0.01 <10	<10
	18	0.11 <2		4	23 <20	<0.01	<10	<10
	34	0.31	2	3	26 <20	<0.01	<10	10
	23	0.34 <2		4	24 <20	<0.01	<10	<10
	28	0.38 <2		4	26 <20	<0.01	<10	<10

23	0.41	3	3	20	<20	<0.01	<10	<10
19	0.31	<2	3	21	<20	<0.01	<10	<10
17	0.24	<2	3	24	<20	<0.01	<10	<10
21	0.08	<2	3	20	20	<0.01	<10	<10
229	3.63	243	3	111	<20	0.11	<10	<10
2	0.01	<2	3	10	<20	0.08	<10	<10
23	0.32	<2	2	12	<20	<0.01	<10	<10
40	0.46	<2	2	10	<20	<0.01	<10	<10
18	0.13	<2	3	20	20	<0.01	<10	<10
22	0.06	<2	3	25	20	<0.01	<10	<10
26	0.26	<2	3	21	<20	<0.01	<10	<10
28	0.15	<2	3	24	<20	<0.01	<10	<10
27	0.12	<2	4	29	<20	<0.01	<10	<10
42	1.33	<2	2	12	<20	<0.01	<10	<10
248	1.19	<2	2	11	<20	<0.01	<10	<10
45	0.7	<2	3	28	20	<0.01	<10	<10
19	0.44	<2	2	27	20	<0.01	<10	<10
30	0.74	<2	3	27	<20	<0.01	<10	<10
21	0.56	<2	3	23	<20	<0.01	<10	<10
28	0.44	<2	2	25	20	<0.01	<10	<10
137	0.59	<2	2	15	<20	<0.01	<10	<10
138	0.57	<2	2	18	<20	<0.01	<10	<10
88	0.2	<2	2	16	<20	<0.01	<10	<10
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
110	0.17	<2	2	22	<20	<0.01	<10	<10
102	0.17	<2	2	21	<20	0.01	<10	<10
37	0.43	<2	2	20	<20	<0.01	<10	<10
32	0.22	<2	2	20	<20	<0.01	<10	<10
31	0.12	<2	2	14	<20	0.01	<10	<10
83	0.45	<2	2	9	<20	<0.01	<10	<10
232	3.72	240	3	116	<20	0.12	<10	<10
94	1.02	2	2	6	<20	<0.01	<10	<10
46	0.73	<2	1	6	<20	<0.01	<10	<10
31	0.33	<2	1	6	<20	<0.01	<10	<10
55	0.51	<2	2	6	<20	<0.01	<10	<10
45	0.45	3	2	5	<20	<0.01	<10	<10
25	0.37	2	2	5	<20	<0.01	<10	<10
26	0.49	<2	2	4	<20	<0.01	<10	<10
43	0.4	2	2	10	<20	<0.01	<10	<10
53	0.42	<2	2	25	<20	<0.01	<10	<10
35	0.47	<2	2	15	<20	<0.01	<10	<10
23	0.63	<2	2	12	<20	<0.01	<10	<10
134	1.38	3	1	4	<20	<0.01	<10	<10
57	1.22	4	2	8	<20	<0.01	<10	<10
32	1.01	3	2	12	<20	<0.01	<10	<10
26	1.22	6	2	10	<20	<0.01	<10	<10
180	0.7	6	1	3	<20	<0.01	<10	10
631	0.45	6	1	3	<20	<0.01	<10	<10
368	0.78	8	1	9	<20	<0.01	<10	10

146	1.07	<2		1	6	<20	<0.01	<10	10
102	1.23		3	2	10	<20	<0.01	<10	<10
55	1.6		3	2	11	<20	<0.01	<10	<10
57	1.39		6	1	8	<20	<0.01	<10	20
305	1.74		3	1	10	<20	<0.01	<10	<10
88	0.46		2	<1	6	<20	<0.01	<10	10
237	3.57		252	3	111	<20	0.11	<10	<10
4	0.01	<2		3	13	<20	0.07	<10	<10
107	1.2		2	1	5	<20	<0.01	<10	20
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
86	1.37		3	2	9	<20	<0.01	<10	<10
55	0.93	<2		2	23	<20	<0.01	<10	<10
55	0.51		3	3	19	<20	<0.01	<10	<10
55	0.53		7	2	16	<20	<0.01	<10	<10
81	0.48		5	2	20	<20	<0.01	<10	<10
62	0.75		7	2	21	<20	<0.01	<10	<10
73	0.87		5	2	21	<20	<0.01	<10	10
61	0.36		3	2	23	<20	<0.01	<10	<10
20	0.17	<2		3	27	<20	<0.01	<10	<10
30	0.54		2	2	22	<20	<0.01	<10	<10
16	0.84		2	3	21	<20	<0.01	<10	<10
20	0.87	<2		2	18	<20	<0.01	<10	<10
36	0.59		2	2	11	<20	<0.01	<10	<10
44	0.26		2	2	17	<20	<0.01	<10	<10
29	0.41	<2		2	21	<20	<0.01	<10	<10
35	0.28	<2		3	27		20	<0.01	<10
43	0.22		2	2	22	<20	<0.01	<10	<10
33	0.14	<2		3	25	<20	<0.01	<10	<10
53	0.41		4	2	21	<20	<0.01	<10	<10
31	0.32		3	2	32	<20	0.01	<10	<10
24	0.3	<2		3	42	<20	<0.01	<10	<10
30	0.53	<2		2	20	<20	<0.01	<10	<10
245	3.86		257	3	113	<20	0.12	<10	<10
25	0.35		2	2	20	<20	<0.01	<10	<10
24	0.51	<2		3	25	<20	<0.01	<10	<10
32	0.37	<2		3	29	<20	0.01	<10	<10
13	0.06	<2		3	37	<20	0.02	<10	<10
12	0.13	<2		4	26	<20	0.01	<10	<10
10	0.07	<2		5	36	<20	0.02	<10	<10
7	0.01	<2		4	33	<20	0.02	<10	<10
21	0.1	<2		3	26		20	0.01	<10
27	0.25	<2		2	21		20	<0.01	<10
16	0.21	<2		3	30		20	0.01	<10
21	0.27	<2		3	25		20	<0.01	<10
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
19	0.21	<2		3	24		20	<0.01	<10
19	0.3	<2		4	24		20	0.01	<10

15	0.42	<2		3	25	20	0.01	<10	<10
15	1.06	<2		2	24	<20	0.01	<10	<10
15	0.38	<2		3	27	20	0.04	<10	<10
19	0.15	<2		3	34	20	0.01	<10	<10
35	0.2	<2		4	24	20	0.01	<10	<10
48	0.14	<2		3	19	20	<0.01	<10	<10
34	0.58	<2		3	21	20	<0.01	<10	<10
29	0.54	<2		3	22	20	<0.01	<10	<10
37	0.38	<2		4	25	20	<0.01	<10	<10
35	0.45	<2		3	23	20	<0.01	<10	<10
135	0.92	<2		1	9	<20	<0.01	<10	<10
242	3.88		257	3	118	<20	0.12	<10	<10
2	0.01	<2		3	14	<20	0.07	<10	<10
25	0.43	<2		2	17	20	<0.01	<10	<10
34	0.54	<2		3	30	20	<0.01	<10	<10
44	0.63	<2		2	27	20	<0.01	<10	<10
20	0.27	<2		4	33	<20	0.01	<10	<10
8	0.12	<2		5	31	<20	0.01	<10	<10
22	0.16	<2		5	35	<20	<0.01	<10	<10
16	0.41	<2		4	34	<20	<0.01	<10	<10
14	0.36	<2		3	34	<20	<0.01	<10	<10
35	0.71	<2		2	25	<20	<0.01	<10	<10
649	1.07		2	2	18	<20	<0.01	<10	10
179	1.54		3	3	20	<20	<0.01	<10	<10
100	1.51	<2		2	16	<20	<0.01	<10	<10
98	1.76	<2		2	16	<20	<0.01	<10	<10
359	1.74		2	2	28	<20	<0.01	<10	10
43	1.44	<2		2	15	<20	<0.01	<10	10
105	1.25	<2		2	14	<20	<0.01	<10	<10
55	0.95	<2		2	19	<20	<0.01	<10	<10
82	1.1	<2		2	18	<20	<0.01	<10	<10
29	0.72	<2		2	23	<20	<0.01	<10	<10
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
37	0.69	<2		2	21	<20	<0.01	<10	<10
30	1.05	<2		2	15	<20	<0.01	<10	<10
356	2.15	<2		1	14	<20	<0.01	<10	<10
31	1.71		2	2	18	<20	<0.01	<10	<10
235	3.75		249	3	115	<20	0.12	<10	<10

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %
	14 <10	26	518865		
	12 <10	85	518866		
	7 <10	94	518867		
	9 <10	171	518868		
	9 <10	165	518869		
	15 <10	204	518870		
	25 <10	72	518871		
	34 <10	64	518872		
	29 <10	88	518873		
	23 <10	191	518874		
	16 <10	200	518875		
	25 <10	250	518876		
	28 <10	230	518877		
	32 <10	197	518878		
	14 <10	197	518879		
	28 <10	76	518880		
	24 <10	74	518881		
	70 <10	720	518882	117	1.4
	24 <10	122	518883		
	21 <10	177	518884		
	14 <10	316	518885		
	22 <10	161	518886		
	25 <10	107	518887		
	20 <10	113	518888		
	14 <10	159	518889		
	9 <10	130	518890		
	8 <10	189	518891		

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %
	13 <10	104	518892		
	23 <10	77	518893		
	27 <10	36	518894		
	25 <10	76	518895		
	26 <10	185	518896		
	29 <10	50	518897		
	29 <10	47	518898		
	29 <10	53	518899		
	29 <10	64	518900		
	29 <10	79	518901		
	25 <10	66	518902		

26	<10	86	518903		
25	<10	53	518904		
26	<10	58	518905		
32	<10	48	518906		
70	<10	697	518907	113	1.35
13	<10	28	518908		
23	<10	104	518909		
23	<10	154	518910		
30	<10	47	518911		
32	<10	58	518912		
28	<10	61	518913		
30	<10	60	518914		
31	<10	53	518915		
15	<10	120	518916		
10	<10	414	518917		
23	<10	123	518918		
25	<10	55	518919		
27	<10	53	518920		
26	<10	51	518921		
25	<10	123	518922		
12	<10	358	518923		
15	<10	658	518924		
19	<10	459	518925		
ME-ICP41	ME-ICP41	ME-ICP41		Ag-OG46	Cu-OG46
V	W	Zn	SAMPLE	Ag	Cu
ppm	ppm	ppm	DESCRIPT	ppm	%
21	<10	427	518926		
19	<10	407	518927		
18	<10	176	518928		
19	<10	209	518929		
23	<10	431	518930		
14	<10	295	518931		
72	<10	698	518932	111	1.36
21	<10	202	518933		
14	<10	243	518934		
11	<10	159	518935		
11	<10	225	518936		
13	<10	231	518937		
14	<10	122	518938		
12	<10	183	518939		
13	<10	220	518940		
19	<10	161	518941		
21	<10	916	518942		
16	<10	85	518943		
7	<10	680	518944		
12	<10	368	518945		
16	<10	101	518946		
19	<10	84	518947		
9	<10	486	518948		
10	<10	881	518949		
10	<10	912	518950		

	10 <10		256	518951		
	13 <10		241	518952		
	6 <10		132	518953		
	7 <10		103	518954		
	4 <10		363	518955		
	2 <10		50	518956		
	68 <10		676	518957	116	1.34
	12 <10		35	518958		
	9 <10		259	518959		
ME-ICP41	ME-ICP41	ME-ICP41			Ag-OG46	Cu-OG46
V	W	Zn	SAMPLE	Ag		Cu
ppm	ppm	ppm	DESCRIPT	ppm		%
	11 <10		242	518960		
	17 <10		143	518961		
	23 <10		118	518962		
	23 <10		126	518963		
	24 <10		219	518964		
	17 <10		143	518965		
	13 <10		115	518966		
	15 <10		154	518967		
	23 <10		62	518968		
	17 <10		81	518969		
	23 <10		45	518970		
	19 <10		41	518971		
	11 <10		155	518972		
	16 <10		116	518973		
	16 <10		109	518974		
	18 <10		124	518975		
	22 <10		153	518976		
	23 <10		126	518977		
	20 <10		183	518978		
	17 <10		148	518979		
	20 <10		137	518980		
	24 <10		198	518981		
	75 <10		743	518982	113	1.35
	23 <10		98	518983		
	32 <10		101	518984		
	34 <10		85	518985		
	44 <10		53	518986		
	49 <10		55	518987		
	62 <10		77	518988		
	42 <10		45	518989		
	31 <10		54	518990		
	18 <10		50	518991		
	32 <10		45	518992		
	29 <10		57	518993		
ME-ICP41	ME-ICP41	ME-ICP41			Ag-OG46	Cu-OG46
V	W	Zn	SAMPLE	Ag		Cu
ppm	ppm	ppm	DESCRIPT	ppm		%
	32 <10		58	518994		
	34 <10		40	518995		

37 <10	30	518996		
33 <10	33	518997		
40 <10	35	518998		
38 <10	36	518999		
37 <10	70	519000		
34 <10	100	519001		
37 <10	74	519002		
37 <10	61	519003		
38 <10	55	519004		
30 <10	72	519005		
13 <10	199	519006		
76 <10	746	519007	114	1.38
12 <10	34	519008		
17 <10	150	519009		
29 <10	90	519010		
27 <10	118	519011		
43 <10	95	519012		
56 <10	65	519013		
60 <10	73	519014		
46 <10	93	519015		
28 <10	56	519016		
20 <10	104	519017		
13 <10	946	519018		
30 <10	1080	519019		
14 <10	204	519020		
14 <10	389	519021		
15 <10	599	519022		
15 <10	186	519023		
10 <10	275	519024		
15 <10	158	519025		
18 <10	178	519026		
12 <10	96	519027		
ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Cu-OG46
V	W	Zn	SAMPLE Ag	Cu
ppm	ppm	ppm	ppm	%
20 <10		81	519028	
10 <10		98	519029	
8 <10		433	519030	
16 <10		73	519031	
72 <10		707	519032	110 1.35

CH08052253 - Finalized

CLIENT : "I S.A De C.V"

of SAMPLES : 107

DATE RECEIVED : 2008-04-25 DATE FINALIZED : 2008-05-16

PROJECT : "LB-005"

CERTIFICATE COMMENTS : ""

PO NUMBER : " "

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
519033	0.01		3.2	0.66	51 <10		100	0.8 <2
519034	0.012		1.8	0.64	47 <10		60	0.7 <2
519035	0.013		2	0.57	45 <10		40	0.6 <2
519036	0.026		3.8	0.57	56 <10		40	0.6 <2
519037	0.009		1.9	0.68	44 <10		50	0.7
519038	0.004		0.2	1.05	40 <10		40	0.6 <2
519039	0.005		1.3	1.05	26 <10		40	0.8
519040	0.022		3.8	0.85	28 <10		40	0.6 <2
519041	0.006		1	0.95	51 <10		30	0.5 <2
519042	0.006		1.3	1.03	41 <10		40	0.5 <2
519043	0.009		1.6	0.93	47 <10		30	0.5
519044	0.012		1.4	0.98	36 <10		40	0.5 <2
519045	0.011		1	0.97	26 <10		40	0.5 <2
519046	0.002		0.3	1.05	16 <10		50	0.7 <2
519047	0.006		0.7	1.03	23 <10		50	0.8 <2
519048	0.009		0.9	1.01	24 <10		50	0.7 <2
519049	0.012		2	1	32 <10		50	0.7
519050	0.017		7.5	0.88	29 <10		40	0.7
519051	0.02		2.2	1.15	23 <10		40	0.7 <2
519052	0.014		0.8	1.03	20 <10		60	0.6 <2
519053	0.048		0.8	1.04	34 <10		90	0.6 <2
519054	0.084		2	0.91	40 <10		80	0.6 <2
519055	0.007		0.7	1.13	20 <10		60	0.7 <2
519056	0.01		0.5	1.09	38 <10		50	0.6 <2
519057	0.403	>100		0.5	66 <10		30 <0.5	
519058	0.002		0.3	0.59	2 <10		170 <0.5	<2
519059	0.016		0.9	1.12	57 <10		40	0.6 <2

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
519060	0.037		3.5	0.84	36 <10		40	0.7 <2
519061	0.012		1.9	0.92	21 <10		50	0.7
519062	0.028		0.8	0.76	24 <10		50	0.8
519063	0.028		1.5	1.35	14 <10		30	0.8 <2
519064	0.006		1.3	0.86	18 <10		40	0.7
519065	0.008		0.6	0.64	20 <10		40	0.7 <2
519066	0.007		2	0.71	80 <10		40	0.7
519067	0.019		5	0.53	79 <10		40	0.6
519068	0.016		3.8	0.52	64 <10		30	0.5
519069	0.01		1.8	1.15	38 <10		40	0.7
519070	0.009		1.1	0.83	50 <10		40	0.5

519071	0.029	3.2	0.69	47 <10	40	0.6	6
519072	0.017	2.9	0.63	50 <10	40	0.5	5
519073	0.029	7.8	0.53	37 <10	40	0.5	8
519074	0.012	2.3	0.93	45 <10	30	0.5	5
519075	0.006	0.7	1.11	43 <10	40	0.6	5
519076	0.005	0.3	1.14	38 <10	40	0.6	3
519077	0.034	2.4	0.95	36 <10	40 <0.5		4
519078	0.009	0.8	1.1	31 <10	30	0.5	3
519079	0.014	1.1	0.95	54 <10	30	0.7	2
519080	0.012	2.4	0.75	49 <10	30	0.6	14
519081	0.008	2.4	0.84	39 <10	30	0.5	6
519082	0.339 >100		0.5	62 <10	30 <0.5		12
519083	0.016	2.6	0.56	46 <10	30	0.5	5
519084	0.014	1.9	0.8	27 <10	30	0.7	6
519085	0.009	1.4	0.6	38 <10	30	0.6	4
519086	0.03	10.4	0.66	65 <10	30	0.5	14
519087	0.019	1.9	0.57	33 <10	30	0.6	2
519088	0.169	6.6	0.45	22 <10	20 <0.5	<2	
519089	0.025	1.8	0.5	41 <10	30 <0.5		2
519090	0.039	2.5	0.53	40 <10	30 <0.5		2
519091	0.1	3.3	0.65	38 <10	30 <0.5		4
519092	0.042	2.2	0.6	53 <10	30	0.5	2
519093	0.058	3.4	0.82	51 <10	30 <0.5		5

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
519094	0.092	10.9	0.47	34 <10	30 <0.5			6
519095	0.02	3	0.53	36 <10	30 <0.5			4
519096	0.029	3.7	0.84	43 <10	30 <0.5			3
519097	0.029	7.3	0.84	52 <10	30 <0.5			6
519098	0.016	3.8	0.76	45 <10	30 <0.5			3
519099	1.37	10.7	0.26	23 <10	20 <0.5			3
519100	0.211	11.2	0.27	19 <10	10 <0.5			2
519101	0.013	3.4	0.71	53 <10	40	0.6		4
519102	0.008	1.7	0.95	21 <10	40	0.6		3
519103	0.005	1.2	1.01	20 <10	30	0.5		4
519104	0.003	0.7	1.01	34 <10	40	0.6		2
519105	0.005	1.3	1.04	30 <10	40	0.6		5
519106	0.003	1.8	1.28	20 <10	40	0.7		12
519107	0.475 >100		0.52	64 <10	30 <0.5			17
519108	0.001	0.2	0.6 <2	<10	150 <0.5	<2		
519109	0.005	1.4	1.16	30 <10	40	0.7		8
519110	0.007	1.2	1.15	25 <10	40	0.7		5
519111	0.003	0.6	1.13	19 <10	30	0.7		3
519112	0.002	0.5	1.21	15 <10	30	0.7		3
519113	0.014	1.3	0.98	29 <10	30	0.6		3
519114	0.002	0.3	1.17	11 <10	30	0.7		3
519115	0.005	0.7	0.85	17 <10	30	0.5		2
519116	0.006	0.4	0.97	12 <10	30	0.5 <2		
519117	0.004	0.5	0.84	29 <10	30	0.6 <2		
519118	0.005	0.2	1.11	12 <10	30	0.7		2

519119	0.003	<0.2		0.98	20	<10	30	0.7	<2
519120	0.003	<0.2		0.93	17	<10	30	0.7	<2
519121	0.003		0.3	0.95	6	<10	30	0.6	<2
519122	0.006		0.8	0.68	30	<10	30	0.5	2
519123	0.004		0.6	0.82	11	<10	30	0.6	2
519124	0.001		0.2	0.93	6	<10	30	0.7	<2
519125	0.003		0.2	0.97	12	<10	30	0.8	3
519126	0.001	<0.2		1.11	<2	<10	30	0.8	2
519127	0.002		0.4	0.99	14	<10	30	0.7	<2

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
519128	0.004	0.3	1.1	12	<10		40	0.7	2
519129	0.003	0.3	1.04	10	<10		40	0.6	<2
519130	0.002	0.3	1.07	11	<10		40	0.6	2
519131	0.006	0.4	1.04	15	<10		30	0.7	2
519132	0.413	>100		0.48	65	<10	30	<0.5	10
519133	0.003	0.3	1.13	26	<10		40	0.6	<2
519134	0.003	0.2	1.08	24	<10		40	0.5	<2
519135	0.004	0.3	0.92	27	<10		40	0.6	3
519136	0.003	0.3	1.11	30	<10		40	0.6	3
519137	0.002	0.2	1.17	24	<10		40	0.7	<2
519138	0.001	0.3	1.2	29	<10		40	0.7	3
519139	0.008	1	1.08	42	<10		50	0.6	2

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
0.14	<0.5		10	9 519033	22	2.03	<10	<1
0.16	<0.5		6	5 519034	22	1.82	<10	<1
0.17	<0.5		4	7 519035	17	2.01	<10	1
0.15	0.6		2	4 519036	20	1.95	<10	1
0.25	0.6		6	8 519037	23	1.97	<10	<1
0.62	<0.5		7	12 519038	23	2.24	10	<1
1.07	<0.5		7	19 519039	30	2.33	10	<1
1	0.7		6	11 519040	39	2.08	<10	<1
1.01	<0.5		7	16 519041	26	2.27	<10	1
1.06	0.6		7	12 519042	27	2.32	10	<1
0.64	<0.5		8	17 519043	28	2.36	<10	<1
0.81	<0.5		7	12 519044	25	2.3	10	<1
1.21	<0.5		7	18 519045	28	2.3	10	<1
1.45	<0.5		7	13 519046	22	2.31	10	<1
1.31	<0.5		7	20 519047	26	2.3	10	<1
1.14	<0.5		6	16 519048	24	2.23	<10	<1
0.67	0.5		7	11 519049	23	2.16	10	<1
0.72	2.6		6	15 519050	41	2.21	<10	<1
0.82	1.5		7	12 519051	20	2.51	10	<1
1.08	<0.5		9	25 519052	29	2.4	10	<1
1.06	<0.5		7	13 519053	21	2.25	10	<1
0.54	<0.5		6	18 519054	23	2.22	<10	<1
1.33	<0.5		7	12 519055	25	2.32	10	<1
1.01	<0.5		6	18 519056	25	2.25	10	<1
0.24	105	16	11	519057 >10000		5.35	<10	5
0.12	<0.5	2	9	519058	45	1.32	<10	<1
1.01	0.8	7	13	519059	30	2.34	10	<1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
1.22	<0.5		6	19 519060	20	2.52	<10	<1
1.04	0.5		6	11 519061	29	2.25	<10	<1
1.15	0.9		5	13 519062	27	1.86	<10	<1
3.49	5.3		5	8 519063	5	2.51	<10	<1
1.71	2.7		3	11 519064	9	1.71	<10	<1
1.32	1.3		2	5 519065	9	1.37	<10	<1
1.31	1		5	9 519066	31	2.06	<10	<1
0.97	2.2		7	4 519067	44	2.3	<10	<1
0.6	1.1		7	12 519068	23	2.36	<10	<1
0.55	0.7		9	10 519069	25	2.61	<10	<1
0.24	0.5		8	17 519070	26	2.25	<10	<1

	0.36	<0.5	8	7	519071	25	1.86	<10	<1	
	0.17	0.5	7	14	519072	27	2.07	<10		1
	0.16	1.7	5	8	519073	112	1.6	<10	<1	
	0.17	0.6	8	17	519074	154	2.52	<10	<1	
	0.82	<0.5	8	14	519075	51	2.43		10	<1
	0.54	<0.5	8	19	519076	32	2.46		10	<1
	0.18	1.6	7	14	519077	99	2.21	<10	<1	
	0.19	<0.5	10	19	519078	28	2.61	<10	<1	
	0.21	<0.5	8	8	519079	26	2.36	<10	<1	
	0.23	<0.5	9	12	519080	27	2.46	<10	<1	
	0.21	6.3	7	11	519081	35	2.16	<10		1
	0.23	104.5	16	10	519082	>10000	5.4	<10		6
	0.28	2.7	8	16	519083	31	2.12	<10	<1	
	0.19	0.6	8	5	519084	21	2.05	<10	<1	
	0.17	0.8	7	11	519085	22	1.97	<10	<1	
	0.14	1.9	7	5	519086	31	2.29	<10	<1	
	0.18	5	8	12	519087	52	2.09	<10	<1	
	0.16	23.7	6	11	519088	331	2.11	<10	<1	
	0.36	3	6	12	519089	34	1.93	<10	<1	
	0.33	7	4	6	519090	34	2.05	<10	<1	
	0.92	1.8	8	13	519091	43	2.08	<10	<1	
	0.61	0.7	10	7	519092	11	2.26	<10	<1	
	1.16	0.5	7	17	519093	43	2.38	<10	<1	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41			ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg		
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm		
	1.03	20.3	8	7	519094	317	1.63	<10	<1	
	0.9	1.1	5	13	519095	10	1.64	<10	<1	
	0.99	1.9	7	13	519096	67	2.12	<10	<1	
	0.71	2	10	19	519097	193	2.74	<10	<1	
	0.27	1.4	8	10	519098	18	2.21	<10	<1	
	0.21	28.8	3	15	519099	289	1.44	<10	<1	
	0.26	55	2	6	519100	663	1.45	<10		1
	1.56	4.2	9	14	519101	44	2.19	<10	<1	
	1.37	1.1	9	12	519102	24	2.06	<10	<1	
	1.89	<0.5	9	17	519103	26	2.04	<10	<1	
	1.81	<0.5	7	12	519104	17	2.01	<10	<1	
	1.64	<0.5	8	16	519105	16	2.22	<10	<1	
	1.68	<0.5	8	12	519106	39	2.65		10	<1
	0.24	106.5	16	11	519107	>10000	5.48	<10		5
	0.12	<0.5	2	8	519108	23	1.28	<10	<1	
	1.66	<0.5	9	15	519109	26	2.52	<10	<1	
	1.34	<0.5	7	10	519110	29	2.5	<10	<1	
	1.22	0.5	8	16	519111	46	2.3	<10		1
	1.7	<0.5	8	13	519112	25	2.41		10	<1
	1.38	1.7	8	14	519113	49	2.42	<10	<1	
	1.19	<0.5	8	13	519114	37	2.48	<10	<1	
	1.14	<0.5	8	15	519115	19	2.14	<10	<1	
	1.31	<0.5	6	11	519116	18	2.13	<10	<1	
	0.94	<0.5	8	13	519117	23	2.01	<10		1
	1.05	<0.5	7	9	519118	31	2.14	<10	<1	

	0.88 <0.5		8	12	519119	32	2.07 <10	<1	
	0.81 <0.5		7	7	519120	25	2.05 <10	<1	
	1.27 <0.5		8	14	519121	17	1.96 <10	<1	
	1.06 <0.5		6	7	519122	12	1.95 <10	<1	
	1.53	0.6	7	12	519123	15	2 <10	<1	
	1.49 <0.5		7	11	519124	10	2.03 <10	<1	
	1.76 <0.5		7	16	519125	21	2.29 <10		1
	1.33 <0.5		7	14	519126	23	2.24	10 <1	
	1.25 <0.5		7	17	519127	18	2.3 <10	<1	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41			ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
	1.11 <0.5		7	12	519128	31	2.44 <10	<1	
	1.24 <0.5		5	16	519129	16	2.06 <10	<1	
	1.43 <0.5		6	13	519130	10	2 <10	<1	
	1.28 <0.5		6	17	519131	7	2.16 <10	<1	
	0.21	99	15	10	519132	>10000	5.15 <10		5
	0.67 <0.5		7	15	519133	21	2.1 <10	<1	
	0.63 <0.5		7	12	519134	16	2.11 <10		1
	0.28 <0.5		8	14	519135	9	2.26 <10	<1	
	0.38 <0.5		7	11	519136	10	2.22 <10		1
	1.2 <0.5		7	17	519137	13	2.29 <10	<1	
	0.96 <0.5		8	13	519138	29	2.27	10 <1	
	0.31	1.5	7	15	519139	113	2.11 <10	<1	

ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.25	30	0.13	284		4 <0.01		12	519033
0.29	30	0.08	214		15 <0.01		11	519034
0.3	20	0.05	180		4 <0.01		12	519035
0.27	20	0.04	233		7 <0.01		7	519036
0.28	30	0.12	339		3 <0.01		13	519037
0.22	30	0.66	528		3 0.01		10	519038
0.2	30	0.68	604		4 0.01		16	519039
0.23	20	0.46	703		1 0.01		10	519040
0.19	20	0.68	698		3 0.01		15	519041
0.19	30	0.72	716		2 0.02		11	519042
0.19	20	0.63	650		5 0.02		20	519043
0.19	30	0.68	961		2 0.02		10	519044
0.16	30	0.67	1050		3 0.02		17	519045
0.18	30	0.75	706		2 0.02		10	519046
0.22	30	0.68	856		4 0.01		22	519047
0.22	30	0.65	851		3 0.01		16	519048
0.26	30	0.59	875		1 0.01		9	519049
0.21	20	0.48	1035		3 <0.01		18	519050
0.22	20	0.76	1025		2 0.01		11	519051
0.2	30	0.67	870		3 0.02		20	519052
0.21	30	0.69	676		1 0.02		10	519053
0.24	30	0.44	630		4 0.01		21	519054
0.23	30	0.74	942		1 0.01		11	519055
0.22	30	0.74	793		3 0.01		18	519056
0.31 <10		0.23	1090		16 0.06		22	519057
0.3	10	0.2	455		1 0.08		2	519058
0.21	30	0.8	1210		1 0.01		9	519059
ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.25	20	0.42	843		4 <0.01		21	519060
0.29	30	0.44	654		1 0.01		10	519061
0.29	30	0.19	742		3 <0.01		17	519062
0.24	20	0.63	1945		1 <0.01		9	519063
0.27	20	0.28	1150		3 <0.01		13	519064
0.32	20	0.07	603		2 <0.01		5	519065
0.28	30	0.09	666		5 <0.01		15	519066
0.24	20	0.07	545		9 <0.01		9	519067
0.19	20	0.2	491		10 <0.01		16	519068
0.26	20	0.71	756		9 <0.01		11	519069
0.23	20	0.4	535		10 <0.01		21	519070

0.25	20	0.21	370	11	<0.01	10	460	519071
0.21	20	0.27	280	15	<0.01	18	440	519072
0.24	20	0.22	303	20	<0.01	8	360	519073
0.22	20	0.67	535	11	<0.01	17	490	519074
0.23	30	0.76	704	7	<0.01	11	510	519075
0.22	30	0.77	560	8	<0.01	18	500	519076
0.2	20	0.6	577	14	<0.01	9	440	519077
0.24	30	0.72	509	9	<0.01	20	500	519078
0.29	30	0.32	390	5	<0.01	9	480	519079
0.25	20	0.22	385	13	<0.01	17	460	519080
0.22	20	0.41	562	7	<0.01	9	420	519081
0.3	<10	0.24	1065	16	0.05	21	220	519082
0.22	20	0.1	420	7	<0.01	18	370	519083
0.29	30	0.15	524	5	<0.01	8	450	519084
0.24	30	0.1	389	7	<0.01	17	440	519085
0.22	20	0.12	480	7	<0.01	9	380	519086
0.24	20	0.09	378	8	<0.01	17	430	519087
0.07	<10	0.11	758	4	<0.01	10	80	519088
0.17	20	0.1	720	9	<0.01	18	420	519089
0.17	20	0.11	873	9	<0.01	7	380	519090
0.2	20	0.22	946	11	<0.01	17	420	519091
0.23	20	0.13	670	7	<0.01	10	470	519092
0.16	20	0.55	1115	20	<0.01	16	430	519093
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
K	La	Mg	Mn	Mo	Na	Ni	P	SAMPLE
%	ppm	%	ppm	ppm	%	ppm	ppm	DESCRIPT
0.15	10	0.27	928	53	<0.01	7	270	519094
0.16	10	0.35	959	60	<0.01	14	320	519095
0.19	20	0.63	1385	17	<0.01	8	450	519096
0.17	20	0.62	1170	30	<0.01	18	420	519097
0.23	30	0.41	718	18	<0.01	9	440	519098
0.09	10	0.08	463	41	<0.01	15	150	519099
0.11	10	0.06	452	28	<0.01	5	120	519100
0.24	20	0.24	1025	33	<0.01	19	430	519101
0.24	20	0.53	968	6	<0.01	10	500	519102
0.22	30	0.7	892	6	<0.01	16	480	519103
0.24	30	0.66	742	4	<0.01	10	470	519104
0.24	20	0.66	751	6	0.01	16	480	519105
0.22	30	0.8	773	4	0.01	9	500	519106
0.31	<10	0.24	1090	17	0.06	22	220	519107
0.3	10	0.2	443	1	0.08	2	160	519108
0.24	30	0.66	800	6	0.01	15	510	519109
0.24	30	0.65	614	5	0.01	9	500	519110
0.23	30	0.68	479	5	0.01	14	480	519111
0.22	30	0.79	547	3	0.02	8	480	519112
0.22	30	0.46	664	6	0.01	17	510	519113
0.25	30	0.68	541	3	0.01	12	500	519114
0.22	20	0.56	615	9	<0.01	16	480	519115
0.23	30	0.64	726	4	0.01	8	470	519116
0.25	30	0.35	569	5	<0.01	16	480	519117
0.27	30	0.44	540	3	<0.01	9	490	519118

	0.26	30	0.4	469	6	<0.01	14	510	519119
	0.28	20	0.33	432	4	<0.01	9	500	519120
	0.24	30	0.54	473	5	0.01	14	480	519121
	0.26	20	0.38	490	8	<0.01	8	470	519122
	0.22	20	0.53	604	6	<0.01	13	460	519123
	0.23	30	0.65	317	3	0.02	10	470	519124
	0.21	30	0.72	318	5	0.02	16	490	519125
	0.21	30	0.81	273	3	0.02	10	470	519126
	0.21	30	0.72	353	6	0.02	15	480	519127
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		
K	La	Mg	Mn	Mo	Na	Ni	P		SAMPLE
%	ppm	%	ppm	ppm	%	ppm	ppm		DESCRIPT
	0.22	30	0.73	378	3	0.02	8	480	519128
	0.25	30	0.64	380	4	0.01	14	480	519129
	0.23	30	0.74	363	3	0.01	10	480	519130
	0.2	30	0.73	359	4	0.02	14	470	519131
	0.3 <10		0.23	1020	15	0.05	21	210	519132
	0.24	30	0.71	354	6	0.01	14	480	519133
	0.24	30	0.68	344	5	0.01	9	460	519134
	0.26	30	0.53	312	6	<0.01	13	490	519135
	0.26	30	0.7	308	5	<0.01	9	490	519136
	0.24	30	0.77	502	5	0.01	15	480	519137
	0.25	30	0.78	438	3	0.01	8	500	519138
	0.25	30	0.69	388	8	<0.01	15	490	519139

ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	56	0.16	6	2	7 <20	<0.01	<10	<10
	34	0.55	4	1	5 <20	<0.01	<10	<10
	40	1.01	2	1	5 <20	<0.01	<10	<10
	131	0.84	4	1	7 <20	<0.01	<10	<10
	38	0.68	3	1	14 <20	<0.01	<10	<10
	18	0.27	2	2	10 <20	<0.01	<10	<10
	20	0.21	2	3	16 <20	<0.01	<10	<10
	101	0.52	2	2	11 <20	<0.01	<10	<10
	28	0.64	2	2	14 <20	<0.01	<10	<10
	120	0.54 <2		2	16 <20	<0.01	<10	<10
	46	0.8 <2		2	14 <20	<0.01	<10	<10
	36	0.58	2	2	15 <20	<0.01	<10	<10
	26	0.34 <2		3	19 <20	<0.01	<10	<10
	18	0.21	2	4	31	20	0.01 <10	<10
	47	0.44 <2		3	28 <20	<0.01	<10	<10
	53	0.45	2	3	26 <20	<0.01	<10	<10
	74	0.51	2	2	22 <20	<0.01	<10	<10
	143	0.53	2	2	23 <20	<0.01	<10	<10
	37	0.6 <2		2	22 <20	<0.01	<10	<10
	32	0.32	2	2	25 <20		0.01 <10	<10
	18	0.36	3	2	22 <20	<0.01	<10	<10
	43	0.43	2	1	17 <20	<0.01	<10	<10
	25	0.32	2	3	22 <20	<0.01	<10	<10
	20	0.43 <2		2	21 <20	<0.01	<10	<10
>10000		4.82	369	3	15 <20		0.08	20 <10
	43	0.01	2	4	10 <20		0.08 <10	<10
	69	0.51	2	3	20 <20	<0.01	<10	<10
ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	73	0.64	2	2	26 <20		0.01 <10	<10
	29	0.25	2	2	25	20 <0.01	<10	<10
	62	0.42	2	2	25 <20	<0.01	<10	<10
	112	0.37 <2		2	33 <20	<0.01	<10	<10
	80	0.33 <2		2	26 <20	<0.01	<10	<10
	51	0.31 <2		2	28 <20	<0.01	<10	<10
	37	0.81	2	1	23 <20	<0.01	<10	<10
	199	1.61	2	1	19 <20	<0.01	<10	20
	60	1.8	2	1	15 <20	<0.01	<10	10
	69	1.26	2	2	20 <20	<0.01	<10	10
	36	0.82	2	1	15 <20	<0.01	<10	<10

30	0.78	2	1	15	<20	<0.01	<10	<10	
47	1.17	2	1	11	<20	<0.01	<10	<10	
427	0.89	2	1	15	<20	<0.01	<10	<10	10
141	1.38 <2		2	13	<20	<0.01	<10	<10	
51	0.91 <2		2	19	<20	<0.01	<10	<10	
16	0.62 <2		2	16	<20	<0.01	<10	<10	
105	0.6	3	1	11	<20	<0.01	<10	<10	
32	0.98 <2		2	14	<20	<0.01	<10	<10	
32	0.86	2	1	14	<20	<0.01	<10	<10	
248	1.48	3	1	10	<20	<0.01	<10	<10	
179	1	5	2	9	<20	<0.01	<10	<10	10
>10000	4.36	383	3	15	<20	0.08	20	<10	
107	1.07	2	1	7	<20	<0.01	<10	<10	10
44	0.61	3	1	9	<20	<0.01	<10	<10	
78	0.93	2	1	8	<20	<0.01	<10	<10	
147	1.13	3	2	7	<20	<0.01	<10	<10	10
271	1.23 <2		2	8	<20	<0.01	<10	<10	10
1790	1.15	4	1	4	<20	<0.01	<10	<10	10
223	1.07 <2		1	9	<20	<0.01	<10	<10	20
404	1.1	2	1	7	<20	<0.01	<10	<10	
182	1.04	2	2	13	<20	<0.01	<10	<10	10
43	1.28	3	2	13	<20	<0.01	<10	<10	
70	1.39	6	2	17	<20	<0.01	<10	<10	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
2700	1.4	9	1	14	<20	<0.01	<10	<10	
176	1.17	2	1	13	<20	<0.01	<10	<10	
190	1.19	5	2	13	<20	<0.01	<10	<10	
302	1.63	3	2	9	<20	<0.01	<10	<10	
95	1.35	2	2	9	<20	<0.01	<10	<10	
2690	1.16	4 <1		5	<20	<0.01	<10	<10	
6340	1.42	5	1	5	<20	<0.01	<10	<10	
438	1.33	2	2	25	<20	<0.01	<10	<10	
99	0.86 <2		2	22	<20	<0.01	<10	<10	
10	0.76	2	3	24	<20	<0.01	<10	<10	
15	0.75	2	3	25	<20	<0.01	<10	<10	
15	0.85	2	3	23	<20	<0.01	<10	<10	
9	0.52	3	4	26	<20	<0.01	<10	<10	
>10000	4.31	394	3	16	<20	0.09	20	<10	
22	0.02 <2		3	13	<20	0.08	<10	<10	
16	0.89	3	3	30	<20	<0.01	<10	<10	
34	0.9	3	3	28		20 <0.01	<10	<10	
53	0.62	4	3	26	<20	<0.01	<10	<10	
9	0.49 <2		3	27	<20	<0.01	<10	<10	
37	0.8	11	2	28	<20	<0.01	<10	<10	
13	0.5	2	3	28		20 <0.01	<10	<10	
21	1.06	4	2	21		20 <0.01	<10	<10	
13	0.76	2	2	22	<20	<0.01	<10	<10	
18	0.74 <2		2	22	<20	<0.01	<10	<10	
14	0.29 <2		2	27		20 <0.01	<10	<10	

	12	0.47	<2		2	28	20	<0.01	<10	<10	
	10	0.7	<2		2	25	20	<0.01	<10	<10	
	12	0.68		2	2	23	<20	<0.01	<10		30
	19	1.52		2	1	20	<20	<0.01	<10	<10	
	55	1.23	<2		2	26	20	<0.01	<10	<10	
	13	0.97	<2		2	24	20	<0.01	<10	<10	
	16	1.04	<2		3	28	20	<0.01	<10	<10	
	11	0.31		2	3	29	20	0.01	<10	<10	
	10	0.97		2	3	22	20	<0.01	<10	<10	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U			
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm			
	11	0.58		2	3	26	20	<0.01	<10	<10	
	10	0.45		2	3	26	<20	<0.01	<10	<10	
	6	0.23	<2		3	27	<20	<0.01	<10	<10	
	7	0.58		3	3	22	<20	<0.01	<10	<10	
>10000		4.73		368	3	14	<20	0.08		10	<10
	31	0.45		2	2	20	20	<0.01	<10	<10	
	14	0.44	<2		2	19	20	<0.01	<10	<10	
	17	1.25	<2		1	21	20	<0.01	<10	<10	
	12	0.67		2	2	20	20	<0.01	<10	<10	
	10	0.43	<2		3	27	20	<0.01	<10	<10	
	12	0.24		2	3	27	20	<0.01	<10	<10	
	206	0.56		3	2	20	20	<0.01	<10	<10	

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %	Pb-OG46 Pb %	Zn-OG46 Zn %
	12 <10	71	519033				
	8 <10	112	519034				
	7 <10	144	519035				
	8 <10	118	519036				
	10 <10	79	519037				
	25 <10	57	519038				
	28 <10	53	519039				
	20 <10	131	519040				
	21 <10	75	519041				
	24 <10	189	519042				
	21 <10	151	519043				
	22 <10	103	519044				
	25 <10	62	519045				
	28 <10	43	519046				
	22 <10	99	519047				
	21 <10	118	519048				
	20 <10	182	519049				
	18 <10	365	519050				
	24 <10	218	519051				
	24 <10	106	519052				
	23 <10	68	519053				
	20 <10	117	519054				
	21 <10	80	519055				
	23 <10	62	519056				
	20	10 >10000	519057	201	1.12	4.35	4.24
	14 <10	127	519058				
	26 <10	180	519059				

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %	Pb-OG46 Pb %	Zn-OG46 Zn %
	22 <10	145	519060				
	24 <10	129	519061				
	15 <10	118	519062				
	33 <10	498	519063				
	19 <10	271	519064				
	14 <10	120	519065				
	11 <10	167	519066				
	9 <10	380	519067				
	9 <10	155	519068				
	21 <10	168	519069				
	17 <10	150	519070				

14	<10	85	519071				
15	<10	65	519072				
12	<10	255	519073				
24	<10	70	519074				
31	<10	30	519075				
32	<10	40	519076				
27	<10	209	519077				
29	<10	104	519078				
20	<10	60	519079				
12	<10	78	519080				
18	<10	634	519081				
20	10 >10000		519082	187	1.05	4.11	4.01
9	<10	330	519083				
11	<10	97	519084				
8	<10	119	519085				
15	<10	246	519086				
9	<10	617	519087				
11	<10	3260	519088				
13	<10	474	519089				
11	<10	912	519090				
15	<10	283	519091				
16	<10	95	519092				
23	<10	99	519093				
ME-ICP41	ME-ICP41	ME-ICP41		Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
V	W	Zn	SAMPLE	Ag	Cu	Pb	Zn
ppm	ppm	ppm	DESCRIPT	ppm	%	%	%
11	<10	2800	519094				
15	<10	230	519095				
27	<10	304	519096				
26	<10	432	519097				
21	<10	200	519098				
7	<10	4090	519099				
8	<10	8730	519100				
13	<10	768	519101				
21	<10	147	519102				
28	<10	34	519103				
25	<10	27	519104				
25	<10	28	519105				
29	<10	22	519106				
21	10 >10000		519107	191	1.08	4.23	4.1
13	<10	50	519108				
23	<10	34	519109				
22	<10	56	519110				
24	<10	89	519111				
28	<10	19	519112				
21	<10	191	519113				
27	<10	26	519114				
20	<10	33	519115				
22	<10	31	519116				
14	<10	44	519117				
17	<10	27	519118				

	17 <10		40	519119				
	14 <10		26	519120				
	19 <10		27	519121				
	14 <10		29	519122				
	17 <10		91	519123				
	21 <10		22	519124				
	25 <10		21	519125				
	34 <10		18	519126				
	26 <10		17	519127				
ME-ICP41	ME-ICP41	ME-ICP41			Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
V	W	Zn	SAMPLE	Ag	Cu	Pb	Zn	
ppm	ppm	ppm	DESCRIPT	ppm	%	%	%	
	30 <10		20	519128				
	23 <10		15	519129				
	27 <10		15	519130				
	28 <10		16	519131				
	19	10 >10000		519132	234	1.35	5.22	5.06
	23 <10		41	519133				
	22 <10		21	519134				
	20 <10		46	519135				
	21 <10		28	519136				
	26 <10		21	519137				
	25 <10		20	519138				
	20 <10		229	519139				

CH08061824 - Finalized

CLIENT : "I S.A De C.V"

of SAMPLES : 51

DATE RECEIVED : 2008-05-10 DATE FINALIZED : 2008-05-26

PROJECT : "LB-005"

CERTIFICATE COMMENTS : ""

PO NUMBER : " "

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
519140	0.005		0.6	1.1	13 <10		50	0.6	3
519141	0.005		0.3	1	20 <10		40	0.7 <2	
519142	0.004		0.3	1.19	15 <10		40	0.7 <2	
519143	0.002		0.4	1.05	16 <10		30	0.6 <2	
519144	0.003 <0.2			1.08	10 <10		30	0.7 <2	
519145	0.004		0.5	1.07	19 <10		30	0.6 <2	
519146	0.004		0.4	1.14	14 <10		40	0.6 <2	
519147	0.004		0.4	1.09	14 <10		30	0.6 <2	
519148	0.003		0.5	1.13	9 <10		30	0.7 <2	
519149	0.004		0.9	1.17	10 <10		30	0.6 <2	
519150	0.002 <0.2			1.2	8 <10		30	0.6 <2	
519151	0.002 <0.2			1.12	10 <10		30	0.7 <2	
519152	0.002 <0.2			1.18	7 <10		30	0.7 <2	
519153	0.004 <0.2			1.1	15 <10		30	0.7 <2	
519154	0.006		0.9	1.11	26 <10		30	0.8 <2	
519155	0.007		0.5	1.11	23 <10		60	0.7 <2	
519156	0.003 <0.2			1	9 <10		30	0.7 <2	
519157	0.375 >100			0.49	66 <10		40 <0.5	<2	
519158	0.002		0.4	0.6	3 <10		160 <0.5	<2	
519159	0.005		0.6	1.06	21 <10		30	0.5 <2	
519160	0.01		0.8	1.07	36 <10		30	0.6 <2	
519161	0.004 <0.2			1.05	20 <10		30	0.7 <2	
519162	0.004		0.5	1.06	20 <10		30	0.5 <2	
519163	0.006		0.8	1.08	25 <10		30	0.5 <2	
519164	0.006		1.4	1	41 <10		30	0.7 <2	
519165	0.008		1.5	0.9	44 <10		30	0.6 <2	
519166	0.01		1.7	0.89	56 <10		30	0.8 <2	

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
519167	0.005		0.6	1.16	7 <10		20	0.7 <2	
519168	0.003		0.2	1.21	5 <10		30	0.7	2
519169	0.009		1	1.1	27 <10		30	0.7 <2	
519170	0.004		0.4	1.06	21 <10		30	0.7 <2	
519171	0.006		0.7	0.91	27 <10		30	0.7 <2	
519172	0.009		1.9	1.05	45 <10		40	0.8 <2	
519173	0.008		1	1.1	41 <10		30	0.7 <2	
519174	0.007		1.2	1.1	19 <10		30	0.7 <2	
519175	0.013		1.3	0.79	43 <10		40	1.4 <2	
519176	0.012		0.9	0.7	35 <10		30	1 <2	
519177	0.009		1.5	0.81	31 <10		30	0.7 <2	

519178	0.005	1	0.95	10 <10	40	0.9 <2	2
519179	0.011	1.8	0.9	20 <10	30	0.7 <2	
519180	0.008	1.1	1.01	23 <10	30	0.6 <2	
519181	0.006	0.9	1.05	37 <10	40	0.6	
519182	0.366 >100		0.51	59 <10	50 <0.5	<2	
519183	0.004	0.2	0.98	15 <10	40	0.6 <2	
519184	0.004	0.3	0.96	14 <10	30	0.7 <2	
519185	0.011	0.2	1.04	17 <10	40	0.7 <2	
519186	0.049	0.8	0.89	25 <10	20	0.5 <2	
519187	0.011	0.4	0.97	13 <10	30	0.7 <2	
519188	0.005	0.4	1.03	6 <10	30	0.7 <2	
519189	0.005	0.2	0.99	6 <10	30	0.7 <2	
519190	0.007	0.5	1.04	23 <10	30	0.8 <2	

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
1.54	<0.5		8	13	519140	22	2.11	<10	1
1.77	<0.5		6	11	519141	10	1.9	<10	
1.79	<0.5		7	14	519142	28	2.35	10	<1
1.43	<0.5		5	14	519143	13	1.86	10	<1
1.47	<0.5		5	14	519144	13	1.72	10	<1
1.08	<0.5		6	14	519145	26	1.83	10	<1
1.04	<0.5		6	18	519146	18	2.14	10	<1
1.03	<0.5		6	15	519147	9	1.78	10	<1
1.38	<0.5		5	15	519148	17	1.8	10	<1
1.34	<0.5		7	20	519149	29	1.84	10	1
1.06	<0.5		5	15	519150	19	2.04	10	<1
0.97	<0.5		6	15	519151	18	2.12	10	<1
1.06	<0.5		7	18	519152	22	2.37	10	<1
1.07	<0.5		7	16	519153	21	2.36	10	<1
1.11	<0.5		6	15	519154	22	2.53	10	1
1.71	<0.5		7	17	519155	25	2.41	10	<1
1.57	<0.5		7	14	519156	22	1.96	10	<1
0.23	103		15	11	519157	>10000	5.41	<10	6
0.13	<0.5		2	8	519158	86	1.32	<10	<1
0.92	<0.5		8	29	519159	31	2.14	10	<1
1.84	<0.5		7	14	519160	20	2.16	10	<1
1.27	<0.5		7	14	519161	22	2.39	10	<1
1.49	<0.5		7	18	519162	15	2.23	10	<1
0.73	<0.5		7	16	519163	14	2.25	10	<1
2.1	<0.5		8	14	519164	48	1.92	<10	<1
1.67	<0.5		6	10	519165	15	2.08	<10	1
3.13	<0.5		6	11	519166	22	2.14	<10	<1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
1.71	<0.5		8	14	519167	26	2.39	10	<1
1.6	<0.5		7	15	519168	23	2.27	10	<1
1.72	<0.5		6	17	519169	19	2.44	10	1
1.39	<0.5		6	12	519170	21	2.31	10	<1
1.81	<0.5		5	10	519171	16	2.12	<10	<1
2.16	0.6		5	14	519172	20	2.46	<10	<1
2.21	1.5		6	14	519173	18	2.48	10	<1
2.07	1.3		6	15	519174	42	2.62	10	<1
3.02	1		4	10	519175	31	1.94	<10	<1
2.19	<0.5		4	7	519176	28	1.7	<10	1
1.76	0.6		5	8	519177	32	1.89	<10	<1

3.63	0.6	3	10	519178	42	1.76 <10	<1	
1.73	0.6	4	9	519179	34	1.85 <10	<1	
1.8	0.5	5	13	519180	20	2.24	10 <1	
1.54 <0.5		6	16	519181	30	2.44	10 <1	
0.22	105	13	9	519182 >10000		5.23 <10		5
1.65 <0.5		7	14	519183	120	2.59	10 <1	
1.28 <0.5		5	14	519184	31	2.35	10 <1	
1.47 <0.5		6	18	519185	37	2.5	10	1
1.84 <0.5		5	11	519186	22	2.03	10 <1	
2.34 <0.5		6	13	519187	26	2.22	10 <1	
1.43 <0.5		7	17	519188	40	2.59	10 <1	
1.8 <0.5		6	14	519189	17	2.53	10 <1	
2.54 <0.5		5	13	519190	14	2.38	10 <1	

ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.25	30	0.68	483	4	0.03	11	510	519140
0.22	30	0.69	440	2	0.03	7	490	519141
0.22	30	0.79	525	4	0.04	8	500	519142
0.18	30	0.77	312	3	0.04	8	490	519143
0.18	20	0.78	367	3	0.03	8	500	519144
0.15	10	0.76	475	3	0.03	9	480	519145
0.17	20	0.81	516	4	0.04	11	490	519146
0.17	10	0.74	468	2	0.04	7	480	519147
0.2	20	0.78	416	3	0.04	8	510	519148
0.21	20	0.77	350	4	0.04	16	490	519149
0.16	10	0.78	267	2	0.05	8	510	519150
0.14	10	0.76	347	3	0.04	7	490	519151
0.16	20	0.81	273	4	0.05	10	500	519152
0.15	20	0.8	479	2	0.03	8	510	519153
0.2	30	0.77	699	4	0.03	8	480	519154
0.22	30	0.74	760	4	0.03	11	470	519155
0.19	30	0.68	543	3	0.03	7	450	519156
0.3	<10	0.24	1065	15	0.06	20	210	519157
0.3	10	0.2	460	1	0.08	1	170	519158
0.23	30	0.68	570	5	0.03	13	510	519159
0.26	30	0.65	789	5	0.02	10	510	519160
0.19	30	0.74	515	3	0.03	8	480	519161
0.22	30	0.73	669	4	0.03	12	520	519162
0.19	30	0.76	653	5	0.03	8	530	519163
0.21	20	0.64	743	6	0.02	32	510	519164
0.23	30	0.54	693	5	0.02	9	520	519165
0.24	20	0.33	921	9	0.02	10	470	519166
ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.19	30	0.79	799	4	0.03	7	540	519167
0.21	30	0.85	721	5	0.04	8	530	519168
0.22	30	0.7	828	4	0.03	11	490	519169
0.21	30	0.65	686	3	0.03	6	480	519170
0.22	30	0.49	755	3	0.02	6	440	519171
0.24	20	0.59	944	6	0.02	9	450	519172
0.21	30	0.73	894	3	0.04	5	480	519173
0.19	30	0.78	923	4	0.04	6	490	519174
0.26	20	0.28	751	6	0.02	7	370	519175
0.21	20	0.28	760	5	0.01	5	330	519176
0.25	30	0.32	753	5	0.02	4	450	519177

0.3	30	0.3	1080	3	0.02	8	450	519178
0.25	30	0.39	862	3	0.02	4	430	519179
0.22	30	0.61	1235	5	0.03	6	450	519180
0.22	30	0.67	1265	8	0.03	10	450	519181
0.3 <10		0.23	1060	14	0.06	19	230	519182
0.17	30	0.71	965	9	0.04	5	450	519183
0.17	30	0.72	662	4	0.05	6	450	519184
0.2	30	0.73	920	7	0.05	10	480	519185
0.17	30	0.63	1270	8	0.03	5	420	519186
0.2	30	0.63	822	6	0.03	7	480	519187
0.18	30	0.81	809	5	0.06	10	490	519188
0.18	30	0.75	948	6	0.04	6	470	519189
0.21	30	0.7	1070	4	0.03	7	470	519190

ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	12	0.55 <2		3	23	20 <0.01	<10	<10
	11	0.61 <2		3	33	20 <0.01	<10	<10
	17	0.67 <2		3	33	20 <0.01	<10	<10
	13	0.54	2	3	26	20 <0.01	<10	<10
	11	0.23 <2		3	32	20 0.01	<10	<10
	12	0.5 <2		3	26	20 0.03	<10	<10
	14	0.41 <2		3	26	20 0.04	<10	<10
	10	0.42 <2		3	26	20 0.04	<10	<10
	12	0.27 <2		3	31	20 0.01	<10	<10
	9	0.18	2	3	33	20 0.01	<10	<10
	9	0.07	3	3	32	20 0.04	<10	<10
	14	0.3 <2		3	26	20 0.12	<10	<10
	10	0.17	2	3	30	20 0.06	<10	<10
	15	0.36 <2		3	23	20 0.05	<10	<10
	39	0.65	4	3	20	20 0.01	<10	<10
	35	0.61	2	3	22	20 <0.01	<10	<10
	13	0.11	2	3	20	20 <0.01	<10	<10
>10000		4.44	388	3	14 <20		0.08	20 <10
	47	0.02 <2		3	11 <20		0.08 <10	<10
	33	0.67 <2		2	14	20 0.01	<10	<10
	32	0.86	2	3	22	20 <0.01	<10	<10
	16	0.88 <2		3	20	20 <0.01	<10	<10
	18	0.77	2	3	18	20 0.01	<10	<10
	63	0.81	2	3	12	20 0.02	<10	<10
	57	0.88	3	3	22	20 0.06	<10	<10
	28	1.21 <2		3	20	20 0.06	<10	<10
	47	1.13 <2		3	26 <20		0.08 <10	<10
ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	40	0.47 <2		4	22	20 0.05	<10	<10
	34	0.23	3	5	23	20 0.02	<10	<10
	27	0.7	2	4	22	20 0.04	<10	<10
	31	0.29 <2		4	21	20 0.03	<10	<10
	31	0.69	4	3	23	20 0.04	<10	<10
	68	1.1	3	4	24	20 0.08	<10	<10
	61	0.59 <2		5	24	20 0.07	<10	<10
	120	0.56 <2		4	26	20 0.03	<10	<10
	99	1.13 <2		3	25 <20		0.06 <10	<10
	51	0.65	2	2	19 <20		0.08 <10	<10
	76	0.59	4	3	24	20 0.08	<10	<10

	86	0.21	3	3	41	20	0.09	<10	<10
	104	0.43	<2	3	25	20	0.04	<10	<10
	74	0.54	2	3	23	20	0.01	<10	<10
	68	0.76	<2	3	22	20	0.01	<10	<10
>10000		4.87	385	3	15	<20	0.08	20	<10
	68	0.27	2	4	27	20	0.02	<10	<10
	26	0.12	3	4	25	20	0.02	<10	<10
	34	0.21	3	4	25	20	0.01	<10	<10
	47	0.48	3	3	22	20	<0.01	<10	<10
	21	0.11	2	4	31	20	0.01	<10	<10
	32	0.06	<2	5	28	20	0.02	<10	<10
	26	0.13	2	4	25	20	0.02	<10	<10
	35	0.55	5	4	27	20	0.06	<10	<10

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %	Pb-OG46 Pb %	Zn-OG46 Zn %
	25 <10		25 519140				
	28 <10		31 519141				
	33 <10		34 519142				
	31 <10		20 519143				
	31 <10		19 519144				
	31 <10		21 519145				
	36 <10		30 519146				
	34 <10		30 519147				
	34 <10		40 519148				
	33 <10		24 519149				
	37 <10		21 519150				
	39 <10		21 519151				
	44 <10		22 519152				
	38 <10		28 519153				
	39 <10		71 519154				
	35 <10		100 519155				
	31 <10		32 519156				
	20	10 >10000	519157	195	1.09	4.29	4.16
	13 <10		262 519158				
	31 <10		76 519159				
	27 <10		71 519160				
	32 <10		42 519161				
	31 <10		40 519162				
	32 <10		69 519163				
	29 <10		120 519164				
	26 <10		41 519165				
	21 <10		85 519166				

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %	Pb-OG46 Pb %	Zn-OG46 Zn %
	38 <10		68 519167				
	41 <10		66 519168				
	32 <10		56 519169				
	34 <10		64 519170				
	27 <10		70 519171				
	30 <10		130 519172				
	41 <10		190 519173				
	45 <10		152 519174				
	20 <10		143 519175				
	17 <10		74 519176				
	22 <10		107 519177				

23 <10	112	519178				
22 <10	124	519179				
33 <10	151	519180				
36 <10	107	519181				
19	10 >10000	519182	198	1.12	4.33	4.23
46 <10	382	519183				
46 <10	61	519184				
45 <10	75	519185				
29 <10	69	519186				
38 <10	48	519187				
53 <10	76	519188				
46 <10	82	519189				
38 <10	99	519190				

CH08052252 - Finalized

CLIENT : " S.A De C.V"

of SAMPLES : 37

DATE RECEIVED : 2008-04-25 DATE FINALIZED : 2008-05-16

PROJECT : "LB-006"

CERTIFICATE COMMENTS : ""

PO NUMBER : " "

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
519191	0.203		2.7	0.39	66 <10		50	0.5 <2
519192	0.061		3.4	0.49	60 <10		40	0.6 2
519193	0.05		5	0.59	28 <10	210	0.5	2
519194	0.148	19.1	0.52	45 <10		40 <0.5		<2
519195	3.91 >100		0.44	108 <10		20 <0.5		2
519196	0.247	16	0.44	267 <10		30 <0.5		<2
519197	0.045	3.7	0.4	38 <10		40 <0.5		<2
519198	0.107	2.3	0.42	36 <10		40 <0.5		<2
519199	0.055	2.5	0.38	37 <10		100 <0.5		2
519200	0.035	2.5	0.34	93 <10		110	0.5 <2	
519201	0.016	2.1	0.36	40 <10		150 <0.5		<2
519202	0.024	4.7	0.31	58 <10		100 <0.5		2
519203	0.028	3.9	0.56	51 <10		140	0.5 <2	
519204	0.021	1.3	0.78	48 <10		100	0.8 <2	
519205	0.109	32.7	0.41	130 <10		40	0.5	36
519206	0.035	2.4	0.54	46 <10		70	0.6 <2	
519207	3.53 >100		1.57	137 <10		20 <0.5		21
519208	0.002 <0.2		0.59 <2	<10		160 <0.5		<2
519209	0.023	1.5	0.77	44 <10		70	0.7 <2	
519210	0.003	0.2	0.76	14 <10		40	0.5 <2	
519211	0.004	0.5	0.45	14 <10		40	0.5 <2	
519212	0.008	0.6	0.42	40 <10		30	0.5 <2	
519213	0.005	0.3	0.66	26 <10		100	0.7 <2	
519214	0.001 <0.2		1.05	13 <10		70	0.6 <2	
519215	0.004	0.3	0.95	15 <10		60	0.8 <2	
519216	0.009	0.3	1.05	23 <10		70	0.7 <2	
519217	0.005	0.2	1.06	18 <10		50	0.6 <2	
	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
519218	0.004		0.3	0.93	19 <10		50	0.6 <2
519219	0.005		0.4	0.75	27 <10		50	0.6 <2
519220	0.026		1.9	1.49	59 <10		30	0.5 <2
519221	0.022		2.2	1.09	104 <10		10	0.7 <2
519222	0.008		0.6	1.99	58 <10	260	0.6 <2	
519223	0.013		1.1	2.07	85 <10	20	0.6 <2	
519224	0.007		0.3	1.9	22 <10	20 <0.5		<2
519225	0.006		0.7	2.16	65 <10	130 <0.5		<2
519226	0.021		3.6	1.54	82 <10	50	0.6 <2	
519227	0.013		0.7	2.31	62 <10	20	0.8 <2	

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
0.13	<0.5		2	11 519191	19	1.62	<10	1
0.12	<0.5		1	8 519192	21	1.68	<10	1
0.21	<0.5		2	8 519193	21	1.84	<10	1
0.1	3.8		2	10 519194	235	1.66	<10	<1
0.04	5.3		2	20 519195	868	2.23	<10	1
0.04	1.1		2	13 519196	338	3.48	<10	1
0.1	4.1		4	11 519197	118	1.65	<10	<1
0.1	1.8		5	7 519198	51	1.66	<10	1
0.15	0.8		5	8 519199	47	1.69	<10	1
0.15	1		6	5 519200	35	1.98	<10	<1
0.38	0.7		5	7 519201	15	1.94	<10	<1
0.1	3.8		5	6 519202	23	1.96	<10	<1
0.17	1.2		7	7 519203	30	2.28	<10	<1
0.18	<0.5		7	7 519204	30	1.93	<10	<1
0.15	8.6		7	6 519205	222	3.22	<10	<1
0.14	0.5		7	5 519206	69	2.13	<10	<1
1.35	4.3	23	14	519207	>10000	5.76	<10	12
0.12	<0.5		2	8 519208	34	1.36	<10	<1
0.55	<0.5		8	9 519209	26	2.25	<10	<1
0.53	<0.5		7	10 519210	23	1.87	<10	<1
0.22	<0.5		7	8 519211	14	1.85	<10	<1
0.21	0.6		7	4 519212	21	1.52	<10	<1
0.27	<0.5		7	6 519213	21	1.71	<10	<1
0.55	<0.5		7	12 519214	23	2.01	<10	<1
0.42	<0.5		6	11 519215	22	1.85	<10	<1
0.83	0.6		7	11 519216	22	2	<10	<1
0.65	<0.5		7	13 519217	24	1.97	<10	<1
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
0.86	<0.5		7	10 519218	26	1.89	<10	<1
0.41	<0.5		7	10 519219	24	1.8	<10	<1
1.31	0.6	15	39	519220	35	3.84	<10	1
0.29	1.2	17	23	519221	38	3.93	<10	<1
1.32	<0.5		15	46 519222	40	4.38	10	<1
0.82	1.3	18	47	519223	53	4.62	10	<1
1.52	<0.5		17	54 519224	55	4.46	10	<1
2.04	<0.5		19	55 519225	36	4.88	10	<1
1.94	6.2	17	34	519226	108	3.52	10	<1
2.85	<0.5	19	50	519227	50	4.65	10	<1

ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.26	20	0.03	109		7 <0.01		3	519191
0.24	20	0.04	174		2 <0.01		6	519192
0.24	20	0.05	287		1 <0.01		3	519193
0.2	20	0.06	290		1 <0.01		6	519194
0.09 <10		0.06	297		9 <0.01		2	519195
0.12	10	0.05	337		6 <0.01		6	519196
0.19	10	0.04	195		3 <0.01		4	519197
0.18	20	0.06	285		5 <0.01		8	519198
0.2	20	0.04	201		2 <0.01		4	519199
0.26	20	0.02	73		4 <0.01		7	519200
0.19	20	0.05	359		8 <0.01		6	519201
0.21	10	0.03	163		16 <0.01		8	519202
0.23	20	0.07	288		5 <0.01		7	519203
0.26	30	0.16	466		2 <0.01		9	519204
0.23	20	0.04	185		52 <0.01		6	519205
0.27	20	0.06	236		3 <0.01		7	519206
0.21	10	0.72	419	1545	0.16		37	519207
0.3	10	0.2	453		5	0.08 <1		519208
0.25	30	0.23	539		4 <0.01		7	519209
0.27	20	0.45	256		5 <0.01		8	519210
0.28	20	0.11	72		5 <0.01		5	519211
0.27	30	0.07	107		4 <0.01		7	519212
0.27	30	0.19	206		3 <0.01		6	519213
0.26	30	0.63	410		4 <0.01		7	519214
0.27	30	0.5	315		4 <0.01		6	519215
0.28	30	0.55	416		4 <0.01		9	519216
0.29	30	0.52	391		4 <0.01		6	519217
ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.3	30	0.47	400		4 <0.01		7	519218
0.3	30	0.38	296		3 <0.01		6	519219
0.19	10	1.32	628		6	0.05	18	519220
0.25	10	0.57	556		12	0.01	18	519221
0.19	10	1.85	1390		12	0.03	23	519222
0.17	20	2	1730		4	0.02	21	519223
0.09	10	1.82	690		2	0.1	23	519224
0.11	10	2.18	1195		2	0.07	22	519225
0.18	10	1.22	2200		5	0.02	20	519226
0.21	10	2	1950		2	0.04	24	519227

ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
92	1.08	2	1	17	<20	<0.01	<10	<10
117	0.81	2	1	17	<20	<0.01	<10	<10
89	0.59	2	1	21	<20	<0.01	<10	<10
379	0.54	11	1	12	<20	<0.01	<10	<10
510	0.87	44	1	7	<20	<0.01	<10	<10
193	2.1	20	1	8	<20	<0.01	<10	<10
299	0.97	<2	1	14	<20	<0.01	<10	<10
108	1.03	<2	1	13	<20	<0.01	<10	<10
70	1.2	<2	1	18	<20	<0.01	<10	<10
83	1.96	3	1	24	<20	<0.01	<10	<10
70	1.54	3	1	15	<20	<0.01	<10	<10
378	1.81	3	1	10	<20	<0.01	<10	<10
128	1.45	3	1	17	<20	<0.01	<10	<10
42	0.55	4	2	22		20 <0.01	<10	<10
612	2.91	6	1	19	<20	<0.01	<10	10
52	1.39	2	1	16	<20	<0.01	<10	<10
256	4.05	272	3	122	<20	0.13	<10	<10
5	0.02	4	4	10	<20	0.08	<10	<10
34	1.04	5	2	21	<20	<0.01	<10	<10
17	1.38	<2	1	20		20 <0.01	<10	<10
32	1.62	2	1	21		20 <0.01	<10	10
38	1.15	4	1	21		20 <0.01	<10	<10
28	0.65	4	1	24		20 <0.01	<10	<10
24	0.55	4	2	25		20 <0.01	<10	<10
19	0.5	4	2	32		20 <0.01	<10	<10
31	0.51	4	2	25		20 <0.01	<10	<10
25	0.36	2	2	24		20 <0.01	<10	<10
ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
22	0.79	5	2	23		20 <0.01	<10	<10
35	0.97	3	1	24		20 <0.01	<10	<10
35	0.7	4	5	34	<20	0.08	<10	<10
93	2.1	5	4	17	<20	<0.01	<10	<10
26	0.84	5	8	51	<20	0.05	<10	<10
46	1.11	4	8	24	<20	0.05	<10	<10
15	0.3	2	8	48	<20	0.13	<10	<10
30	0.85	4	11	59	<20	0.1	<10	<10
643	1.45	4	7	25	<20	0.08	<10	<10
19	0.83	<2	10	45	<20	0.07	<10	<10

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %
6 <10		88	519191		
9 <10		87	519192		
27 <10		95	519193		
54 <10		462	519194		
72 <10		413	519195	110	
214 <10		146	519196		
16 <10		341	519197		
9 <10		241	519198		
7 <10		123	519199		
6 <10		133	519200		
6 <10		110	519201		
6 <10		623	519202		
9 <10		228	519203		
11 <10		111	519204		
9 <10		1245	519205		
8 <10		96	519206		
76 <10		770	519207	118	1.37
13 <10		30	519208		
12 <10		85	519209		
15 <10		22	519210		
7 <10		20	519211		
6 <10		31	519212		
9 <10		31	519213		
20 <10		37	519214		
18 <10		45	519215		
19 <10		56	519216		
17	10	40	519217		

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRIP	Ag-OG46 Ag ppm	Cu-OG46 Cu %
16 <10		38	519218		
14	10	30	519219		
99 <10		97	519220		
43 <10		161	519221		
106 <10		119	519222		
104 <10		207	519223		
152 <10		60	519224		
144 <10		92	519225		
78 <10		1120	519226		
120 <10		92	519227		

CH08087546 - Finalized

CLIENT : "I S.A De C.V"

of SAMPLES : 81

DATE RECEIVED : 2008-06-30 DATE FINALIZED : 2008-07-18

PROJECT : "LB-12"

CERTIFICATE COMMENTS : ""

PO NUMBER : "LB-12"

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
519993	0.031		3.2	0.83	69 <10		100	0.6 <2
519994	0.029		3.3	0.58	25 <10		50	0.5 2
519995	1.125	28.9		0.74	19 <10		50	0.5 2
519996	4.07	75		0.4	24 <10		40 <0.5	2
519999	0.007		0.8	0.84	20 <10		30	0.5 2
520018	0.048		1.8	0.59	64 <10		30 <0.5	3
520019	0.095		3.3	0.3	71 <10		50	0.5 3
520020	0.087		3.4	0.41	83 <10		30	0.5 3
520021	0.023		2.3	0.49	57 <10		30	0.9 2
520022	0.034		1.6	0.8	52 <10		30	0.6 2
520027	0.01		0.6	0.8	29 <10		10	0.6 2
520028	0.024		0.6	0.78	27 <10		20	0.5 2
520029	0.016		1.5	0.65	61 <10		20	0.5 3
520030	0.016		1.2	0.67	57 <10		20	0.5 3
520031	0.019		1.5	0.48	64 <10		20 <0.5	3
520032	1.335 >100			0.81	1910	10	80 <0.5	56
520033	0.03		2.6	0.43	64 <10		20 <0.5	4
520034	0.021		2	0.49	43 <10		20 <0.5	4
520035	0.046		4.4	0.57	58 <10		20 <0.5	2
520039	0.023		0.8	0.72	37 <10		10	0.5 2
520040	0.016		0.6	0.94	33 <10		20	0.6 2
520041	0.022		0.9	0.89	33 <10		10	0.6 <2
520042	0.018		0.3	0.88	43 <10		20	0.6 3
520043	0.015		0.6	0.76	49 <10		10	0.5 4
520044	0.009		0.4	0.72	36 <10		20	0.5 2
520045	0.013		0.5	0.67	33 <10		20	0.7 3
520046	0.017		0.2	0.73	22 <10		20	0.6 2

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
520047	0.013		0.4	0.7	30 <10		20	0.7 2
520048	0.011		0.4	0.69	23 <10		20	0.7 <2
520049	0.013		0.2	0.65	16 <10		20	0.5 <2
520050	0.009		0.5	0.82	17 <10		20	0.7 2
520051	0.023		2.2	0.49	35 <10		20	0.5 3
520052	0.015		0.6	0.7	24 <10		20	0.5 2
520053	0.015		1.1	0.49	24 <10		20 <0.5	2
520054	0.022		1.1	0.38	41 <10		20 <0.5	3
520055	0.071		0.9	0.51	68 <10		10 <0.5	2
520056	1.8	2.4		0.46	151 <10		20 <0.5	2
520057	1.385 >100			0.87	1960	20	90 <0.5	58

520058	0.002	0.2	0.6	2 <10		160 <0.5	<2	
520059	0.014	1.3	0.89	60 <10		10	0.7 <2	
520060	0.105	1.7	0.57	102 <10		10 <0.5	<2	
520061	0.058	1.3	0.6	46 <10		10	0.7 <2	
520062	0.044	1.9	0.6	17 <10		20	0.8 <2	
520063	0.016	1.2	0.51	16 <10		20	0.5 <2	
520064	0.083	2.2	0.48	27 <10		30 <0.5	<2	
520065	0.023	1.5	0.51	12 <10		20 <0.5	<2	
520066	0.042	1.5	0.73	21 <10		20	0.5 <2	
520067	0.05	7.8	0.53	21 <10		20 <0.5		2
520068	0.022	1.9	0.63	73 <10		20 <0.5	<2	
520069	0.055	1.4	0.39	47 <10		20 <0.5		2
520070	0.014	1	0.64	43 <10		20	0.6 <2	
520071	0.014	2	0.34	33 <10		20 <0.5	<2	
520072	0.088	3.8	0.56	131 <10		20 <0.5	<2	
520073	0.013	1.6	0.48	81 <10		10	0.6 <2	
520074	0.025	1.2	0.91	43 <10		10	0.5 <2	
520075	0.011	0.6	0.64	63 <10		20	0.6 <2	
520076	0.072	1.2	1.1	79 <10		30	0.7 <2	
520077	0.048	3.5	0.49	172 <10		20 <0.5		2
520078	0.081	0.5	0.85	64 <10		30	0.6 <2	
520079	0.013	0.8	0.6	82 <10		20	0.5 <2	
520080	0.022	0.5	0.6	61 <10		20	0.6	2

	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi
DESCRIPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
520081	0.026	1.3	0.56	62 <10		20 <0.5		2
520082	1.37 >100		0.82	1970	20	80 <0.5		54
520083	0.024	0.5	0.59	56 <10		20	0.6 <2	
520084	0.017	0.9	0.86	58 <10		20	0.5 <2	
520085	0.011	0.5	0.84	34 <10		20	0.7 <2	
520086	0.018	0.6	0.93	34 <10		20	0.6 <2	
520087	0.023	1.5	0.85	28 <10		20	0.5 <2	
520088	0.038	0.6	0.74	37 <10		20	0.6 <2	
520089	0.017	1.2	0.81	37 <10		10	0.6	2
520090	0.043	0.6	0.6	51 <10		20	0.5 <2	
520091	0.012	0.5	0.58	17 <10		20	0.5 <2	
520092	0.06	1.1	0.62	52 <10		20	0.5 <2	
520093	0.042	1.2	0.75	37 <10		20	0.6 <2	
520094	0.023	0.3	0.84	56 <10		20	0.7 <2	
520095	0.078	0.7	0.75	40 <10		20	0.5 <2	
520096	0.017	0.4	1.06	35 <10		20	0.6 <2	
520097	0.025	0.8	0.8	65 <10		20	0.5 <2	
520098	0.006	0.3	0.95	13 <10		20	0.6	3
520099	0.014	0.5	0.92	14 <10		20	0.6 <2	
520100	0.009	1.1	0.81	11 <10		20	0.6 <2	

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
0.54	0.8	5	8	519993	7	1.47	<10	<1
0.14	<0.5	1	6	519994	5	1.18	<10	<1
0.17	1.8	1	8	519995	10	1.48	<10	<1
0.3	1.1	4	8	519996	137	1.08	<10	
0.3	<0.5	7	20	519999	25	1.94	10	<1
0.13	1.3	8	8	520018	50	2.25	<10	<1
0.15	1.1	6	5	520019	37	1.55	<10	<1
0.2	4.7	6	17	520020	132	1.63	<10	<1
0.26	1.3	6	3	520021	38	1.68	<10	<1
0.74	4.5	7	21	520022	131	2.12	10	<1
0.91	0.8	4	13	520027	16	1.55	10	<1
0.78	0.8	6	20	520028	20	1.39	10	
0.35	4.5	6	8	520029	31	1.8	<10	<1
0.66	2.6	8	15	520030	38	1.9	<10	
0.77	2.6	6	6	520031	146	1.65	<10	<1
3.9	2.3	48	18	520032	2130	2.75	<10	
0.71	1.3	6	15	520033	87	1.76	<10	<1
0.32	2.8	4	5	520034	110	1.6	<10	<1
0.52	26.9	5	16	520035	645	2.15	<10	<1
0.86	0.9	5	10	520039	31	2.11	<10	<1
1.18	0.9	7	22	520040	59	2.45	10	<1
0.75	1.1	6	12	520041	44	2.34	10	<1
0.96	<0.5	4	22	520042	26	2.22	10	<1
0.93	0.5	6	11	520043	19	1.68	10	<1
1.11	1	4	19	520044	27	1.71	<10	<1
0.71	<0.5	4	7	520045	18	1.62	<10	<1
1	<0.5	6	18	520046	53	1.75	<10	<1

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm
1.3	0.6	6	5	520047	66	1.62	<10	<1
1.06	0.5	6	14	520048	60	1.75	<10	<1
1.31	<0.5	5	7	520049	29	1.9	<10	<1
1.94	<0.5	5	16	520050	34	2.06	<10	<1
1.41	11.5	5	4	520051	304	2.02	<10	<1
1.24	0.7	6	13	520052	20	2.1	<10	<1
0.47	1	6	4	520053	72	1.7	<10	<1
0.47	1.6	4	13	520054	50	1.34	<10	<1
1.08	1	5	5	520055	34	1.35	<10	
1.27	1.9	9	19	520056	52	1.55	<10	<1
4.18	2.3	51	19	520057	2330	2.85	<10	

0.14	<0.5	2	9	520058	20	1.34	<10	<1	
2.93	1.7	8	12	520059	23	2.2	<10	<1	
1.61	1.2	7	5	520060	37	1.61	<10	<1	
1.57	1.2	5	2	520061	17	1.59	<10	<1	
0.39	1.3	2	16	520062	42	1.45	<10	<1	
0.32	<0.5	1	3	520063	32	1.37	<10	<1	
0.48	<0.5	2	22	520064	75	1.44	<10	<1	
1.72	0.5	1	6	520065	55	1.29	<10		1
1.51	0.6	3	20	520066	52	2.22	<10	<1	
0.28	4.2	4	3	520067	666	2.08	<10	<1	
0.24	1.4	5	23	520068	51	1.94	<10	<1	
0.39	1.1	5	3	520069	30	1.43	<10	<1	
3.02	1.4	8	17	520070	13	2.66	<10	<1	
0.47	1.6	6	2	520071	66	1.81	<10	<1	
1.13	0.7	5	23	520072	43	1.74	<10	<1	
1.53	<0.5	2	2	520073	13	1.11	<10	<1	
0.53	0.5	4	17	520074	12	2.39	<10	<1	
0.65	0.5	6	3	520075	8	1.72	<10	<1	
0.46	1	9	19	520076	27	2.7	<10	<1	
0.29	0.9	10	3	520077	56	1.88	<10	<1	
1.17	<0.5	7	15	520078	15	2.19	<10	<1	
0.41	0.8	8	3	520079	22	1.82	<10	<1	
0.37	0.7	7	2	520080	6	1.9	<10	<1	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Ca	Cd	Co	Cr	SAMPLE	Cu	Fe	Ga	Hg	
%	ppm	ppm	ppm	DESCRIPT	ppm	%	ppm	ppm	
0.47	1.5	7	12	520081	61	1.74	<10	<1	
4.01	2.1	52	19	520082	2300	2.76	<10		1
1.19	0.8	8	3	520083	16	1.63	<10		1
0.56	1.1	7	21	520084	44	2.23		10	<1
1.04	0.7	5	11	520085	30	1.85	<10	<1	
0.97	0.6	5	24	520086	39	2.01	<10	<1	
0.92	1.2	4	13	520087	35	1.85	<10	<1	
0.89	1.5	6	13	520088	18	1.8	<10	<1	
1.21	7.7	7	12	520089	69	2.24	<10	<1	
0.42	1.1	6	15	520090	17	1.61	<10	<1	
0.95	0.7	3	3	520091	17	1.18	<10	<1	
0.52	1	5	13	520092	17	1.85	<10	<1	
0.68	2.4	5	3	520093	18	1.94	<10	<1	
1.94	0.6	5	13	520094	11	2.03	<10	<1	
1.59	1.4	5	6	520095	17	1.72	<10	<1	
2.59	<0.5	8	18	520096	13	2.3	<10	<1	
1.2	0.9	7	7	520097	11	1.95	<10	<1	
1.8	0.5	5	18	520098	11	1.53	<10	<1	
1.1	1.8	4	7	520099	10	1.5	<10	<1	
2.17	<0.5	6	15	520100	7	1.91	<10	<1	

ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.3	30	0.15	549		4	0.01	4	480 519993
0.3	20	0.05	179		2	0.01	<1	370 519994
0.28	10	0.07	278		2	<0.01	3	500 519995
0.24	10	0.03	214		3	<0.01	3	320 519996
0.18	30	0.65	558		6	0.02	11	420 519999
0.23	20	0.14	478		5	<0.01	6	380 520018
0.19	20	0.04	152		13	<0.01	3	280 520019
0.25	20	0.05	215		10	<0.01	5	330 520020
0.21	20	0.1	381		5	<0.01	4	420 520021
0.17	20	0.57	612		9	0.01	6	410 520022
0.12	20	0.67	693		4	0.02	5	420 520027
0.15	20	0.62	651		5	0.02	5	430 520028
0.2	20	0.29	692		5	<0.01	5	470 520029
0.2	20	0.29	1050		13	<0.01	5	450 520030
0.16	10	0.22	848		8	<0.01	3	370 520031
0.08	10	0.21	729		113	0.05	19	690 520032
0.15	10	0.15	609		8	<0.01	3	280 520033
0.17	20	0.16	454		4	<0.01	2	400 520034
0.16	20	0.22	661		6	<0.01	4	320 520035
0.14	20	0.47	661		6	<0.01	4	340 520039
0.16	30	0.68	675		5	0.02	6	410 520040
0.13	20	0.66	712		5	0.01	5	380 520041
0.14	30	0.66	452		4	0.02	5	380 520042
0.1	20	0.64	442		4	0.01	4	440 520043
0.13	20	0.56	404		6	0.02	5	390 520044
0.15	20	0.33	290		4	<0.01	4	390 520045
0.16	20	0.48	279		6	0.01	4	360 520046
ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	SAMPLE DESCRIPT
0.18	20	0.28	477		7	<0.01	4	410 520047
0.19	20	0.28	381		10	0.01	5	410 520048
0.13	20	0.41	331		6	0.01	3	370 520049
0.2	20	0.34	557		5	0.01	5	380 520050
0.17	20	0.19	595		7	<0.01	3	390 520051
0.21	20	0.26	795		7	<0.01	3	400 520052
0.2	20	0.13	510		6	<0.01	3	390 520053
0.18	20	0.08	320		9	<0.01	3	320 520054
0.14	20	0.19	542		6	<0.01	2	290 520055
0.13	20	0.24	628		8	0.01	5	250 520056
0.09	10	0.23	780		124	0.06	19	730 520057

0.3	10	0.2	450	1	0.09	<1	160	520058
0.16	10	0.26	1310	6	0.01	7	320	520059
0.13	20	0.21	827	7	0.01	3	230	520060
0.21	10	0.11	581	7	0.01	3	390	520061
0.29	10	0.07	237	4	0.01	2	400	520062
0.23	10	0.07	277	1	0.01	<1	410	520063
0.25	20	0.07	310	55	0.01	3	310	520064
0.2	20	0.09	485	1	0.01	1	280	520065
0.28	20	0.12	597	5	0.01	3	490	520066
0.23	20	0.09	320	12	0.01	<1	540	520067
0.22	20	0.12	449	4	0.01	4	280	520068
0.18	20	0.06	254	7	0.01	1	330	520069
0.24	10	0.16	818	13	0.02	5	470	520070
0.19	10	0.06	196	10	0.01	1	440	520071
0.26	20	0.1	411	5	<0.01	3	430	520072
0.19	10	0.08	513	3	<0.01	1	400	520073
0.19	10	0.2	1245	5	0.01	4	290	520074
0.24	20	0.13	715	4	0.01	2	500	520075
0.39	20	0.19	1210	6	0.01	6	600	520076
0.22	20	0.08	659	12	0.01	3	470	520077
0.29	20	0.2	812	5	0.01	6	500	520078
0.22	20	0.17	748	4	0.01	3	490	520079
0.2	20	0.15	614	3	0.01	6	490	520080
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
K	La	Mg	Mn	Mo	Na	Ni	P	SAMPLE
%	ppm	%	ppm	ppm	%	ppm	ppm	DESCRIPT
0.21	20	0.17	617	12	0.01	4	440	520081
0.08	10	0.22	750	119	0.05	20	720	520082
0.21	20	0.19	648	2	0.01	3	510	520083
0.16	20	0.63	916	13	0.02	6	410	520084
0.15	20	0.63	493	21	0.01	5	410	520085
0.13	30	0.78	844	9	0.03	5	430	520086
0.14	30	0.69	780	8	0.02	4	430	520087
0.22	20	0.25	785	7	0.01	4	500	520088
0.13	20	0.61	627	6	0.02	3	480	520089
0.23	20	0.16	624	6	0.01	4	450	520090
0.22	20	0.17	680	2	0.01	2	470	520091
0.22	20	0.16	650	7	0.01	3	460	520092
0.23	20	0.21	737	2	0.01	3	490	520093
0.2	20	0.44	741	5	0.02	4	480	520094
0.16	10	0.47	613	3	0.02	3	420	520095
0.19	10	0.67	832	4	0.02	4	500	520096
0.17	10	0.51	627	5	0.02	3	450	520097
0.18	20	0.72	796	3	0.03	5	540	520098
0.18	20	0.51	495	2	0.02	3	460	520099
0.16	20	0.6	451	3	0.02	4	450	520100

ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	30	0.52 <2		1	72 <20	<0.01	<10	<10
	53	0.37 <2		1	27 <20	<0.01	<10	<10
	71	0.26	2	1	26 <20	<0.01	<10	<10
	114	0.7	5	1	21 <20	<0.01	<10	<10
	15	1.05 <2		2	13	20 <0.01	<10	<10
	62	1.4 <2		2	6 <20	<0.01	<10	<10
	86	1.29	2	1	8 <20	<0.01	<10	<10
	436	1.22	8	1	11 <20	<0.01	<10	<10
	151	0.98	2	1	15	20 <0.01	<10	<10
	232	1	3	2	17	20 <0.01	<10	<10
	58	0.47 <2		2	17	20 <0.01	<10	<10
	78	0.36 <2		2	14	20 <0.01	<10	<10
	332	0.95	2	2	8	20 <0.01	<10	<10
	156	0.92 <2		1	11	20 <0.01	<10	<10
	344	1.09 <2		1	14 <20	<0.01	<10	<10
	322	0.61	512	2	140 <20	0.03	<10	<10
	147	1.09	4	1	10 <20	<0.01	<10	<10
	264	0.92	3	1	7 <20	<0.01	<10	<10
	648	1.47	12	1	8 <20	<0.01	<10	<10
	143	0.8 <2		2	13 <20	<0.01	<10	<10
	53	0.54 <2		2	19	20 <0.01	<10	<10
	67	0.7 <2		2	14 <20	<0.01	<10	<10
	22	0.49 <2		3	19	20 <0.01	<10	<10
	30	0.52	3	2	16 <20	<0.01	<10	<10
	43	0.66 <2		3	16	20 <0.01	<10	<10
	21	0.51 <2		2	16	20 <0.01	<10	<10
	12	0.66	2	2	17	20 <0.01	<10	<10
ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm
	18	0.45	2	2	18	20 <0.01	<10	<10
	17	0.68 <2		2	22	20 <0.01	<10	<10
	12	0.8 <2		2	23 <20	<0.01	<10	<10
	18	0.58	2	2	32	20 <0.01	<10	<10
	624	1.46	3	2	21 <20	<0.01	<10	<10
	29	0.89	2	2	20	20 <0.01	<10	<10
	57	0.91	3	2	14 <20	<0.01	<10	<10
	55	0.68	2	1	13 <20	<0.01	<10	<10
	36	0.44	4	1	12 <20	<0.01	<10	<10
	168	0.86	12	1	11 <20	<0.01	<10	<10
	357	0.64	553	2	149 <20	0.04	<10	<10

4	0.01	<2	4	9	<20	0.08	<10	<10	
402	0.56	4	2	37	<20	<0.01	<10		10
51	0.61	10	2	12	<20	<0.01	<10	<10	
94	0.71	3	1	26	<20	<0.01	<10		10
58	0.58	2	2	18	<20	<0.01	<10	<10	
23	0.31	3	2	13	<20	<0.01	<10	<10	
29	0.54	3	1	9	<20	<0.01	<10	<10	
32	0.26	3	2	14	<20	<0.01	<10	<10	
55	0.85	2	2	16	<20	<0.01	<10	<10	
811	1.27	6	2	10	<20	<0.01	<10	<10	
69	0.6	8	2	9	<20	<0.01	<10	<10	
68	0.91	4	1	11	<20	<0.01	<10		10
179	2.02	4	2	30	<20	<0.01	<10		30
284	1.57	3	1	15	<20	<0.01	<10	<10	
42	0.9	7	2	16	<20	<0.01	<10	<10	
21	0.45	5	1	18	<20	<0.01	<10	<10	
18	0.39	2	2	11	<20	<0.01	<10	<10	
13	0.75	2	2	16	<20	<0.01	<10	<10	
57	0.96	3	3	17	<20	<0.01	<10	<10	
125	1.27	6	2	11	<20	<0.01	<10	<10	
27	1	2	2	20	<20	<0.01	<10	<10	
36	1.01	3	2	14	<20	<0.01	<10	<10	
23	0.92	<2	2	18	<20	<0.01	<10	<10	
ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
121	0.88	3	2	14	<20	<0.01	<10	<10	
341	0.63	540	2	146	<20	0.03	<10	<10	
41	0.89	3	2	22	<20	<0.01	<10	<10	
81	0.95	3	2	11		20	<0.01	<10	<10
44	0.53	3	2	19		20	<0.01	<10	<10
78	0.47	3	3	17		20	<0.01	<10	<10
100	0.54	3	2	18		20	<0.01	<10	<10
84	0.59	2	2	19	<20	<0.01	<10	<10	
624	0.88	4	3	24		20	0.01	<10	<10
59	0.57	3	2	14	<20	<0.01	<10	<10	
38	0.28	4	2	17	<20	<0.01	<10	<10	
46	0.71	6	2	14	<20	<0.01	<10		10
145	0.59	3	2	17	<20	<0.01	<10	<10	
27	0.8	4	3	30	<20	0.02	<10	<10	
103	0.54	2	3	23	<20	0.01	<10	<10	
21	0.56	4	3	29	<20	0.05	<10	<10	
24	0.94	4	2	17	<20	0.06	<10	<10	
25	0.27	3	3	22	<20	0.02	<10	<10	
127	0.23	3	3	16	<20	0.04	<10	<10	
21	0.9	3	3	21	<20	0.04	<10	<10	

ME-ICP41 V	ME-ICP41 W	ME-ICP41 Zn	SAMPLE DESCRIP	Ag-OG46 Ag
ppm	ppm	ppm		ppm
14	<10		51 519993	
8	<10		20 519994	
11	<10		54 519995	
8	<10		49 519996	
29	<10		49 519999	
12	<10		171 520018	
3	<10		107 520019	
6	<10		481 520020	
8	<10		137 520021	
28	<10		609 520022	
25	<10		100 520027	
22	<10		90 520028	
14	<10		672 520029	
14	<10		330 520030	
10	<10		306 520031	
18		20	270 520032	222
8	<10		162 520033	
10	<10		385 520034	
12	<10		3410 520035	
21	<10		117 520039	
32	<10		99 520040	
28	<10		103 520041	
31	<10		39 520042	
27	<10		49 520043	
26	<10		95 520044	
17	<10		43 520045	
22	<10		29 520046	

ME-ICP41 V	ME-ICP41 W	ME-ICP41 Zn	SAMPLE DESCRIP	Ag-OG46 Ag
ppm	ppm	ppm		ppm
15	<10		60 520047	
13	<10		43 520048	
19	<10		25 520049	
17	<10		34 520050	
11	<10		1525 520051	
13	<10		94 520052	
10	<10		89 520053	
10	<10		161 520054	
12	<10		99 520055	
9	<10		149 520056	
19		20	283 520057	224

13	<10	39	520058
14	<10	190	520059
9	<10	139	520060
8	<10	128	520061
8	<10	135	520062
11	<10	44	520063
11	<10	44	520064
12	<10	72	520065
21	<10	86	520066
14	<10	283	520067
12	<10	159	520068
7	<10	110	520069
10	<10	108	520070
6	<10	151	520071
9	<10	81	520072
6	<10	80	520073
13	<10	165	520074
9	<10	102	520075
21	<10	168	520076
10	<10	90	520077
14	<10	91	520078
11	<10	104	520079
9	<10	117	520080

ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm	SAMPLE DESCRPT	Ag-OG46 Ag ppm	
	11	<10	139	520081	
	18		269	520082	234
	11	<10	113	520083	
	27	<10	141	520084	
	25	<10	107	520085	
	33	<10	95	520086	
	29	<10	152	520087	
	13	<10	215	520088	
	29	<10	996	520089	
	10	<10	152	520090	
	10	<10	109	520091	
	13	<10	129	520092	
	12	<10	319	520093	
	18	<10	72	520094	
	19	<10	164	520095	
	26	<10	67	520096	
	23	<10	69	520097	
	24	<10	77	520098	
	24	<10	165	520099	
	21	<10	35	520100	

APPENDIX 9

La Bufa Soil Sample and Rock Sample Assays for 2010 Program

ALS CHEMEX			ALS CHEMEX		
HE10160616 - Finalized	November 9, 2010		HE10147063 - Finalized	October 21, 2010	
La Bufa Soils			La Bufa Soils		
Lincoln Mining			Lincoln Mining		
	Au-ICP21	ME-MS41		Au-ICP21	ME-MS41
SAMPLE DESCRIPTION	Au ppm	Ag ppm	SAMPLE DESCRIPTION	Au ppm	Ag ppm
L89100-50	0.002	0.05	L89100+00	0.003	0.12
L89100-100	0.002	0.03	L89100+50	0.001	0.05
L89100-150	<0.001	0.05	L89100+100	0.008	0.15
L89100-200	<0.001	0.06	L89100+150	0.012	0.15
L89100-250	0.003	0.05	L89100+200	0.016	0.23
L89100-300	0.001	0.03	L89100+250	0.008	0.40
L89100-350	<0.001	0.01	L89100+300	0.012	0.48
L89100-400	0.001	0.03	L89100+350	0.009	0.15
L89100-450	<0.001	0.02	L89100+400	0.001	0.05
L89100-500	0.001	0.05	L89100+450	0.014	0.27
L89100-550	<0.001	0.07	L89100+500	0.007	0.17
L89100-600	<0.001	0.02	L89100+550	0.032	0.68
L89100-650	<0.001	0.03	L89100+600	0.089	1.41
L89100-700	<0.001	0.04	L89100+650	0.008	0.21
L89100-750	0.001	0.05	L89100+700	0.020	0.38
L89100-800	<0.001	0.04	L89100+750	0.024	0.22
L89100-850	<0.001	0.02	L89100+800	0.001	0.04
L89100-900	0.003	0.06	L89100+850	0.001	0.06
L89100-950	0.001	0.04	L89100+900	0.010	0.15
L89100-1000	0.001	0.03	L89100+950	0.015	0.22
L89100-1050	<0.001	0.12	L89100+1000	0.003	0.08
L89100-1100	<0.001	0.03	L89100+1050	0.001	0.16
L89100-1150	0.001	0.05	L89100+1100	0.002	0.09
L89100-1200	0.002	0.05	L89100+1150	0.034	0.26
L89100-1250	<0.001	0.04	L89100+1200	0.008	0.15
L89100-1300	<0.001	0.10	L89100+1250	0.010	0.25
L89100-1350	<0.001	0.14	L89100+1300	0.005	0.13
L89100-1400	0.001	0.13	L89100+1350	0.001	0.12
L89100-1450	0.001	0.13	L89100+1400	0.005	0.16
L89100-1500	0.003	0.08	L89100+1450	0.002	0.11
L89100-1550	<0.001	0.04	L89100+1500	0.007	0.18
L89100-1600	<0.001	0.02	L89100+1550	0.001	0.16
L89100-1650	<0.001	0.02	L89100+1600	0.004	0.20
L89100-1700	<0.001	0.10	L89100+1650	0.014	0.60
L89100-1750	<0.001	0.22	L89100+1700	0.010	0.56
L89100-1800	<0.001	0.12	L89100+1750	0.001	0.24
L89100-1850	<0.001	0.36	L89100+1800	0.001	0.16
L92300+00	0.001	0.04	L89100+1850	0.009	0.21
L92300+50	0.001	0.10	L89100+1900	0.001	0.19
L92300+100	0.001	0.08	L89100+1950	0.003	0.19
L92300+150	0.002	0.01	L89100+2000	0.001	0.15
L92300+200	0.002	0.02	L89100+2050	<0.001	0.04
L92300+250	0.001	0.02	L89100+2100	<0.001	0.07
L92300+300	<0.001	0.02	L89100+2150	0.001	0.07
L92300+350	<0.001	0.05	L89100+2200	0.004	0.09
L92300+400	0.002	0.48	L89100+2250	0.001	0.04
L92300+450	0.002	0.10	L89100+2300	<0.001	0.02
L92300+500	0.001	0.13	L89100+2350	<0.001	0.04
L92300+550	0.018	0.72	L89100+2400	0.001	0.04
L92300+600	0.027	0.16	L89100+2450	0.019	0.45
L92300+650	0.004	0.07	L89100+2500	0.001	0.03
L92300+700	0.002	0.05	L89100+2550	0.001	0.24
L92300+750	0.003	0.06	L89100+2600	0.002	0.48

ALS CHEMEX			ALS CHEMEX		
HE10160616 - Finalized	November 9, 2010		HE10147063 - Finalized	October 21, 2010	
La Bufa Soils			La Bufa Soils		
Lincoln Mining			Lincoln Mining		
	Au-ICP21	ME-MS41		Au-ICP21	ME-MS41
SAMPLE DESCRIPTION	Au ppm	Ag ppm	SAMPLE DESCRIPTION	Au ppm	Ag ppm
L92300+800	0.001	0.04	L89100+2650	0.001	0.11
L92300+850	0.002	0.03	L89100+2700	0.004	0.38
L92300+900	0.001	0.07	L89100+2750	0.005	0.14
L92300+950	<0.001	0.05	L89100+2800	0.002	0.06
L92300+1000	0.007	0.74	L89100+2850	0.008	0.15
L92300+1050	0.007	0.24	L89100+2900	0.005	0.22
L92300+1100	0.002	0.12	L89100+2950	0.004	0.36
L92300+1150	0.001	0.10	L89100+3000	0.002	0.22
L92300+1200	0.001	0.06	L90300+00	<0.001	0.10
L92300+1250	0.002	0.26	L90300+50	<0.001	0.13
L92300+1300	0.004	0.14	L90300+100	<0.001	0.27
L92300+1350	0.003	0.16	L90300+150	<0.001	0.32
L92300+1400	0.008	1.02	L90300+200	<0.001	0.87
L92300+1450	0.008	0.48	L90300+250	<0.001	0.17
L92300+1500	0.054	0.74	L90300+300	0.001	0.19
L92300+1550	0.013	0.72	L90300+350	<0.001	2.63
L92300+1600	0.003	0.24	L90300+400	<0.001	0.09
L92300+1650	0.010	0.23	L90300+450	<0.001	0.99
L92300+1700	0.009	0.17	L90300+500	0.002	0.31
L92300+1750	0.012	0.43	L90300+550	0.002	0.37
L92300+1800	0.017	0.40	L90300+600	0.001	0.36
L92300+1850	0.003	0.14	L90300+650	0.005	0.77
L92300+1900	0.011	0.59	L90300+700	0.002	0.09
L92300+1950	0.038	1.96	L90300+750	0.001	0.02
L92300+2000	0.014	0.39	L90300+800	0.001	0.29
L92300+2050	0.002	0.03	L90300+850	0.002	0.07
L92300+2100	0.001	0.07	L90300+900	0.001	0.09
L92300+2150	0.009	0.05	L90300+950	0.001	0.25
L92300+2200	0.012	0.07	L90300+1000	0.003	0.15
L92300+2250	0.002	0.12	L90300+1050	0.002	0.25
L92300+2300	0.011	0.10	L90300+1100	0.002	0.42
L92600+00	0.002	0.02	L90300+1150	0.006	0.14
L92600+50	0.003	0.02	L90300+1200	0.008	0.15
L92600+100	0.003	0.09	L90300+1250	0.004	1.32
L92600+150	0.002	0.04	L90300+1300	0.010	2.26
L92600+200	0.008	0.02	L90300+1350	0.002	1.24
L92600+250	0.004	0.17	L90300+1400	0.004	1.35
L92600+300	0.018	0.15	L90300+1450	0.002	3.57
L92600+350	0.017	0.24	L90300+1500	0.006	3.33
L92600+400	0.004	0.06	L90300+1550	0.015	2.16
L92600+450	0.010	0.11	L90300+1600	0.005	1.80
L92600+500	0.006	0.05	L90300+1650	0.005	1.01
L92600+550	0.003	0.02	L90300+1700	0.024	0.50
L92600+600	0.014	0.05	L90300+1750	0.043	0.89
L92600+650	0.004	0.04	L90300+1800	0.008	0.47
L92600+700	0.005	0.07	L90300+1850	0.007	0.81
L92600+750	0.002	0.02	L90300+1900	0.026	0.68
L92600+800	0.003	0.12	L90300+1950	0.028	0.58
L92600+850	0.006	0.20	L90300+2000	0.014	0.20
L92600+900	0.022	0.11	L90300+2050	0.011	0.15
L92600+950	0.031	0.55	L90300+2100	0.102	0.69
L92600+1000	0.013	0.12	L90300+2150	0.010	0.21
L92600+1050	0.010	0.22	L90300+2200	0.013	0.20

ALS CHEMEX			ALS CHEMEX		
HE10160616 - Finalized	November 9, 2010		HE10147063 - Finalized	October 21, 2010	
La Bufa Soils			La Bufa Soils		
Lincoln Mining			Lincoln Mining		
	Au-ICP21	ME-MS41		Au-ICP21	ME-MS41
SAMPLE DESCRIPTION	Au ppm	Ag ppm	SAMPLE DESCRIPTION	Au ppm	Ag ppm
L92600+1100	0.010	0.28	L90300+2250	0.028	0.45
L92600+1150	0.006	0.29	L90300+2300	0.022	0.21
L92600+1200	0.039	0.78	L90300+2350	0.014	0.41
L92600+1250	0.010	0.33	L90300+2400	0.006	0.14
L92600+1300	0.005	0.16	L90300+2450	0.003	0.08
L92600+1350	0.023	0.63	L90300+2500	0.004	0.11
L92600+1400	0.007	0.18	L90300+2550	0.003	0.06
L92600+1450	0.006	0.10	L90300+2600	0.002	0.05
L92600+1500	0.008	0.15	L90300+2650	0.001	0.05
L92600+1550	0.004	0.15	L90300+2700	0.012	0.17
L92600+1600	0.005	0.21	L90300+2750	0.003	0.17
L92600+1650	0.010	0.33	L90300+2800	0.007	0.06
L92600+1700	0.005	0.11	L90300+2850	0.005	0.07
L92600+1750	0.004	0.10	L90300+2900	0.012	0.17
L92600+1800	0.004	0.09	L90300+2950	0.003	0.04
L92600+1850	0.003	0.11	L90300+3000	0.003	0.07
L92600+1900	1.860	17.50	L90300+3050	0.001	0.04
L92600+1950	0.012	0.36	L90300+3100	0.001	0.05
L92600+2000	0.011	0.61	L90300+3150	0.002	0.04
L92800+00	0.007	0.51	L90300+3200	0.006	0.15
L92800+50	0.005	0.11	L90300+3250	0.001	0.05
L92800+100	0.002	0.05	L90300+3300	0.003	0.07
L92800+150	0.002	0.11	L90300+3350	0.001	0.03
L92800+200	0.001	0.09	L90300+3400	0.001	0.05
L92800+250	0.003	0.42	L90300+3450	0.008	0.20
L92800+300	0.002	0.02	L90300+3500	0.012	0.17
L92800+350	0.003	0.03	L90300+3550	0.010	0.16
L92800+400	0.003	0.07	L90300+3600	0.008	0.08
L92800+450	0.002	0.08	L90300+3650	0.008	0.15
L92800+500	0.007	0.06	L90300+3700	0.001	0.06
L92800+550	0.005	0.05	L90300+3750	0.010	0.12
L92800+600	0.014	0.04	L90300+3800	0.003	0.11
L92800+650	0.005	0.06	L90300+3850	0.002	0.20
L92800+700	0.004	0.13	L90300+3900	0.004	0.05
L92800+750	0.015	0.20	L90300+3950	0.006	0.07
L92800+800	0.011	0.43	L90300+4000	<0.001	0.05
L92800+850	0.017	0.52	L90300+4050	0.006	0.12
L92800+900	0.010	0.44	L90300+4100	0.002	0.04
L92800+950	0.006	0.15	L91500+00	0.004	0.04
L92800+1000	0.008	0.34	L91500+50	0.005	0.18
L92800+1050	0.004	0.19	L91500+100	0.044	0.46
L92800+1100	0.005	0.15	L91500+150	0.003	0.14
L92800+1150	0.021	0.12	L91500+200	0.003	0.22
L92800+1200	0.004	0.12	L91500+250	0.006	0.42
L92800+1250	0.001	0.12	L91500+300	0.005	0.32
L92800+1300	0.006	0.20	L91500+350	0.004	0.18
L92800+1350	0.009	0.18	L91500+400	0.001	0.04
L92800+1400	0.008	0.39	L91500+450	0.005	0.12
L92800+1450	0.010	0.37	L91500+500	0.004	0.07
L92800+1500	0.005	0.21	L91500+550	0.011	0.19
L92800+1550	0.008	0.19	L91500+600	0.004	0.11
L92800+1750	0.015	0.39	L91500+650	0.006	0.04
L92800+1900	0.006	0.12	L91500+700	0.004	0.08

ALS CHEMEX			ALS CHEMEX		
HE10160616 - Finalized	November 9, 2010		HE10147063 - Finalized	October 21, 2010	
La Bufa Soils			La Bufa Soils		
Lincoln Mining			Lincoln Mining		
	Au-ICP21	ME-MS41		Au-ICP21	ME-MS41
SAMPLE DESCRIPTION	Au ppm	Ag ppm	SAMPLE DESCRIPTION	Au ppm	Ag ppm
L92800+1950	0.002	0.05	L91500+750	0.007	0.07
L92800+2000	0.007	0.05	L91500+800	0.008	0.06
L92800+2050	0.001	0.04	L91500+850	0.013	0.17
L92800+2100	<0.001	0.04	L91500+900	0.046	0.10
			L91500+950	0.012	0.08
			L91500+1000	0.011	0.10
			L91500+1050	0.006	0.13
			L91500+1100	0.017	1.74
			L91500+1150	0.007	0.16
			L91500+1200	0.018	1.34
			L91500+1250	0.016	0.59
			L91500+1300	0.007	0.37
			L91500+1350	0.039	0.62
			L91500+1400	0.008	0.45
			L91500+1450	0.013	0.72
			L91500+1500	0.007	0.23
			L91500+1550	0.013	0.25
			L91500+1600	0.011	0.22
			L91500+1650	0.034	0.64
			L91500+1700	0.021	0.46
			L91500+1750	0.546	2.28
			L91500+1800	0.025	0.47
			L91500+1850	0.015	0.38
			L91500+1900	0.012	0.22
			L91500+1950	0.016	0.37
			L91500+2000	0.012	0.26
			L91500+2050	0.029	0.51
			L91500+2100	0.034	0.90
			L91500+2150	0.039	1.09
			L91500+2200	0.030	1.58
			L91500+2250	0.025	0.58
			L91500+2300	0.013	0.38
			L91500+2350	0.003	0.08
			L91500+2400	0.006	0.15
			L91500+2450	0.004	0.09
			L91500+2500	0.008	0.15
			L91500+2550	0.011	0.20
			L91500+2600	0.002	0.11
			L91500+2650	0.004	0.05
			L91500+2700	0.003	0.05
			L91500+2750	0.015	0.24
			L91500+2800	0.001	0.04
			L91500+2850	0.005	0.07
			L91500+2900	0.008	0.12
			L91500+2950	0.005	0.06
			L91500+3000	0.007	0.11

CERTIFICATE OF ASSAY AM 2010-4020

Minera Lincoln De Mexico SA de CV

Ave Ocampo 3806

Bellavista Chih, Chih

RFC MLM 060912 F67

Mexico

No. of samples received: 56

Sample Type: Rock

Project: La Bufa

Shipment #: SGZ1001-189

Submitted by: F. Lopez

ECO TECH LABORATORY LTD.

Norman Monteith

B.C. Certified Assayer

8-Feb-10

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
1	L-1	<0.03	<0.001			29	L-28	<0.03	<0.001								
2	L-1 BL	<0.03	<0.001			30	L-29	<0.03	<0.001								
3	L-2	<0.03	<0.001			31	L-30	<0.03	<0.001								
4	L-3	<0.03	<0.001			32	L-31	<0.03	<0.001								
5	L-4	<0.03	<0.001			33	L-32	<0.03	<0.001								
6	L-5	<0.03	<0.001			34	L-33	<0.03	<0.001								
7	L-6	<0.03	<0.001			35	L-34	<0.03	<0.001								
8	L-7	<0.03	<0.001			36	L-35	<0.03	<0.001								
9	L-8	<0.03	<0.001			37	L-35 R/S	<0.03	<0.001								
10	L-9	<0.03	<0.001			38	L-36	0.39	0.011	434	12.66	38	L-36	0.43	0.013	431	12.57
11	L-10	<0.03	<0.001			39	L-37	<0.03	<0.001			45	L-43	<0.03	<0.001		
12	L-11	<0.03	<0.001			40	L-38	<0.03	<0.001			54	L-52	<0.03	<0.001		
13	L-12	0.03	0.001			41	L-39	<0.03	<0.001								
14	L-13	<0.03	<0.001			42	L-40	<0.03	<0.001								
15	L-14	0.17	0.005			43	L-41	<0.03	<0.001								
16	L-15	<0.03	<0.001			44	L-42	<0.03	<0.001								
17	L-16	<0.03	<0.001			45	L-43	<0.03	<0.001								
18	L-17	<0.03	<0.001			46	L-44	<0.03	<0.001								
19	L-18	0.03	0.001			47	L-45	<0.03	<0.001								
20	L-19	<0.03	<0.001			48	L-46	<0.03	<0.001								
21	L-20	<0.03	<0.001			49	L-47	<0.03	<0.001								
22	L-21	<0.03	<0.001			50	L-48	<0.03	<0.001								
23	L-22	<0.03	<0.001			51	L-49	<0.03	<0.001								
24	L-23	<0.03	<0.001			52	L-50	<0.03	<0.001								
25	L-24	<0.03	<0.001			53	L-51	<0.03	<0.001								
26	L-25	<0.03	<0.001			54	L-52	<0.03	<0.001								
27	L-26	<0.03	<0.001			55	L-53	<0.03	<0.001								
28	L-27	<0.03	<0.001			56	L-54	<0.03	<0.001								
						57	L-55	<0.03	<0.001								
						58	L-56	<0.03	<0.001								
						59	L-56 BL	<0.03	<0.001								

QC DATA:

Repeat:

1	L-1	<0.03	<0.001
10	L-9	<0.03	<0.001
15	L-14	0.16	0.005
19	L-18	0.03	0.001
28	L-27	<0.03	<0.001
36	L-35	<0.03	<0.001
38	L-36	0.43	0.013
45	L-43	<0.03	<0.001
54	L-52	<0.03	<0.001

Standard:

OXI67	1.82	0.053
OXI67	1.86	0.054
Pb104		106
		3.09

CERTIFICATE OF ASSAY AM 2010-4049

Minera Lincoln De Mexico SA de CV

Ave Ocampo 3806

Bellavista Chih, Chih

RFC MLM 060912 F67

Mexico

No. of samples received: 34

Sample Type: Rock

Project: La Bufa

Submitted by: F. Lopez

ECO TECH LABORATORY LTD.

Norman Monteith

B.C. Certified Assayer

25-Feb-10

[illegible]

CERTIFICATE OF ASSAY AM 2010-4095

Minera Lincoln De Mexico SA de CV

17-Mar-10

Ave Ocampo 3806

Bellavista Chih, Chih

RFC MLM 060912 F67

Mexico

No. of samples received: 35

Sample Type: Rock

ECO TECH LABORATORY LTD.

Project: La Bufa

Norman Monteith

Submitted by: F. Lopez

B.C. Certified Assayer

[illegible]

Chemex				Chemex			Chemex			
CH10031792 - Finalized				CH10035538 - Finalized				CH10056722 - Finalized		
# of SAMPLES : 51				# of SAMPLES : 37				# of SAMPLES : 12		
DATE FINALIZED : 2010-03-28				DATE FINALIZED : 2010-04-01				DATE FINALIZED : 2010-05-13		
PROJECT : "BUFA"				PROJECT : "Bufa"				PROJECT : "Bufa"		
	Au-AA23	ME-ICP41			Au-AA23	ME-ICP41		Au-AA23	ME-ICP41	
SAMPLE	Au	Ag		SAMPLE	Au	Ag		SAMPLE	Au	Ag
DESCRIPTION	ppm	ppm		DESCRIPTION	ppm	ppm		DESCRIPTION	ppm	ppm
L126	0.159	0.30		L177	0.018	0.90		L215	<0.005	2.60
L127	<0.005	0.30		L179	<0.005	0.30		L216	<0.005	2.20
L128	<0.005	0.30		L180	0.008	1.90		L217	<0.005	0.60
L129	<0.005	<0.2		L181	<0.005	0.30		L218	0.014	0.50
L130	0.012	<0.2		L182	<0.005	0.90		L219	0.009	0.60
L131	0.089	3.00		L183	0.009	0.80		L220	<0.005	1.30
L132	0.006	0.60		L184	0.019	0.20		L221	<0.005	1.10
L133	<0.005	<0.2		L185	0.013	<0.2		L222	<0.005	0.30
L134	<0.005	1.50		L186	0.011	1.00		L223	0.005	0.20
L135	0.014	0.90		L187	<0.005	0.40		L224	0.048	6.60
L136	<0.005	0.20		L188	0.012	1.30		L225	0.006	0.50
L137	<0.005	0.80		L189	0.015	0.40		LD-01	<0.005	0.20
L138	0.037	0.30		L190	0.016	1.20				
L139	<0.005	0.20		L191	0.016	1.10				
L140	0.011	1.20		L192	<0.005	0.30				
L141	<0.005	1.40		L193	0.317	5.50				
L142	0.006	8.50		L194	0.009	0.30				
L143	0.058	4.20		L195	<0.005	0.50				
L144	<0.005	0.70		L196	0.558	2.00				
L145	<0.005	1.20		L197	0.023	0.60				
L146	0.015	4.20		L198	0.011	3.40				
L147	<0.005	0.80		L199	0.090	74.80				
L148	0.041	2.60		L200	<0.005	0.20				
L149	0.008	1.40		L201	<0.005	<0.2				
L150	<0.005	0.60		L202	0.011	1.80				
L151	0.007	1.00		L203	0.046	0.30				
L152	<0.005	<0.2		L204	0.040	0.50				
L153	<0.005	<0.2		L205	0.112	3.00				
L154	0.424	11.50		L206	0.006	0.20				
L155	0.114	14.00		L207	<0.005	1.20				
L156	0.193	15.90		L208	<0.005	0.30				
L157	0.189	19.80		L209	<0.005	0.50				
L158	0.324	10.90		L210	<0.005	1.60				
L159	0.063	11.50		L211	<0.005	<0.2				
L160	0.119	42.50		L212	<0.005	0.20				
L161	0.928	87.60		L213	<0.005	0.30				
L162	0.021	1.20		L214	<0.005	0.20				
L163	0.058	3.80								
L164	0.012	2.60								
L165	0.012	0.80								
L166	0.007	0.80								
L167	0.039	3.60								
L168	0.188	5.60								
L169	0.026	0.90								
L170	0.008	0.40								
L171	0.049	2.40								
L172	0.034	5.20								
L173	<0.005	0.20								
L174	<0.005	0.40								
L175	0.068	0.50								
L176	<0.005	0.60								

[illegible]